

# Producing up to 2 million customizable and more each month

# power banks, battery chargers



2-in-1 power bank and 12V car jump starter  
 • Supports charging for various mobile phones and devices such as laptops, tablet PCs, MP3/MP4 players, digital cameras and more  
 • Can jumpstart cars more than 10 times and charge smartphones 3 times  
 • High brightness and multi-mode LED light  
 • High battery capacity



Li-ion and lead-acid battery charger  
 • 1,000W  
 • Also functions as jump starter



- Investing \$300,000 in R&D each year
- 20-member design team adds over 240 items to our catalog annually
- Efficient production with 500 skilled workers and 8 production lines
- Monthly capacity of over 2 million units – greater by 1 million compared with the industry standard

- All of our products are customizable to meet your requirements
- We have satisfied clients in more than 50 countries
- OEM/ODM orders are welcome

To find out how you can benefit from our manufacturing strengths, contact us today.



**HCT Electric Co. Ltd**  
 Bldg. 10, Fuhua Industrial Area, Nanbo Ave., Tangwei, Fuyong, Bao'an, Shenzhen, Guangdong 518103, China  
 Tel: (86-755) 2751 5099 • Fax: (86-755) 2751 5060 • E-mail: hct@globalsources.com  
 www.globalsources.com/hct.co • www.hct-battery.com



All items shown here with various trademarks, brand names and logos ("Marks") are for reference purposes only, and are not for sale. The Marks are the property of the respective owners, and we are not authorized to manufacture or sell any items bearing such Marks to any third party.



Battery charger with LED indicator lights  
 • Charges 2-4 batteries at a time  
 • For AA and AAA NiMH and NiCd batteries



Universal smart charger for lead-acid/lithium/LFP/NiMH batteries



2,200mAh, 8.4V battery for heatable products



Charger for iPad and iPad 2  
 • 100-240V input • 5V, 1.5A output  
 • Compact and lightweight



1,800mAh, 7.4V POS terminal and charger with 500-cycle life span



Slim 5,200mAh power banks  
 • Input: 5V, 1A  
 • Output: 5V, 1A