


PASS

SUBMITTER

Cat Dang Handicraft Co., Ltd.
151 Cong Hoa Street, 12 Ward, Tan Binh District, Ho Chi Minh City, Vietnam



STYLE#

N/A

**PRODUCT
DESCRIPTION**

HI GLOSS RECT BLACK TRAY, HI GLOSS SQUARE TRAY LG BLACK

**EXECUTIVE
SUMMARY**

The sample(s) MEET all the tested requirement(s).

REMARKS

/

**TECHNICAL
QUESTIONS**

Louis Tran (Hardline)
Tel: 848-37421-604 ~ 6; Ext: 313
Email: Louis.Tran@Bureauveritas.com

Terry Nguyen (Hardline)
Tel: 848-37421-604 ~ 6; Ext: 355
Email:
Terry.Nguyen@Bureauveritas.com

Lina Vo (Chemical)
Tel: (84-8) 3742 1604~6; Ext: 777
Email: lina.vo@bureauveritas.com

**GENERAL
INFORMATION**

Elise Vo
Tel: 848-37421-604 ~ 6; Ext: 394
Email: Elise.Vo@Bureauveritas.com

Min Truong
Tel: 848-37421-604 ~ 6; Ext: 712
Email:
Min.Truong@Bureauveritas.com

SIGNATURES

Bureau Veritas Consumer Products Services
Vietnam Limited



Terry Nguyen
Authorized Report Approver – Hardline, Toy &
Juvenile Products Division



**BUREAU
VERITAS**

Test Report: (9623)052-0382

CRATE & BARREL

Received Date: February 21, 2023

Report Date: March 11, 2023

SAMPLE DESCRIPTION	Hi Gloss Rect Black Tray, Hi Gloss Square Tray Lg Black
SAMPLE TYPE	Annual Retest
SKU#	474558, 474446
PROTOCOL #	CR&B-HL-PTCL-06660-CAN-USA-SERVING TRAY-HMZ-V6
COUNTRY OF ORIGIN	Vietnam
IS THIS GROUP TESTING	Yes
PRODUCT MANAGER	248
CRATE & BARREL AGENT	2354 - WECA Vietnam
PO NUMBER	5507038
RETEST	N/A
RETEST SAMPLE NUMBER	N/A
BRANDS	CB2
NUMBER OF SAMPLES	1
AGE GRADE(ONLY APPLICABLE FOR CRATE AND KIDS BRAND)	N/A
PRODUCT CATEGORY	Decoration
TEST TYPE	Non-Food Contact Item QA/Regulatory Test (US, Canada)
FIBER CONTENT	N/A
MANUFACTURER	Cat Dang
IS THE PRODUCT INTENDED TO COME INTO CONTACT WITH FOOD	No
MATERIAL TYPE	N/A
IF YES SELECTED UNDER FIELD "PRODUCT INTENDED TO COME IN CONTACT WITH FOOD AND SAME SKU TESTED BEFORE PROVIDE PREVIOUS REPORT NO	Not Setup
IF YES SELECTED UNDER FIELD "PRODUCT INTENDED TO COME IN CONTACT WITH FOOD IF SAME SKU TESTED BEFORE PROVIDE PREVIOUS REPORT DATE	Not Setup
IF THE ITEM INTENDED TO BE USED AS A TV STAND?	NO



**BUREAU
VERITAS**

Test Report: (9623)052-0382

CRATE & BARREL

Received Date: February 21, 2023

Report Date: March 11, 2023

TEST RESULTS SUMMARY TABLE FOR HI GLOSS RECT BLACK TRAY, HI GLOSS SQUARE TRAY LG BLACK

TEST PROTOCOLS | CR&B-HL-PTCL-06660-CAN-USA-SERVING TRAY-HMZ-V6

TEST NAME	OVERALL RATINGS
US Packaging labeling (16 CFR 500 / UPLR Handbook 130)	PASS
Country of origin marking (19 CFR 134)	PASS
Country of origin marking (Canada)	PASS
EPA TSCA title VI-Composite wood-Declaration form and mill cert. (40 CFR 770)	PASS
EPA TSCA Title VI-Composite wood-Finished good labeling (40 CFR 770.45(c) & (e))	PASS
CARB-Composite wood-Declaration form and mill cert. (Title 17, CCR §93120)	PASS
CARB-Composite wood-Finished good labeling (Title 17, CCR §93120.7(d))	PASS
Solids - Flammability (16 CFR 1500.3(c)(6)(vi) / 16 CFR 1500.44)	PASS



BUREAU VERITAS

Test Report: (9623)052-0382

CRATE & BARREL

Received Date: February 21, 2023

Report Date: March 11, 2023

TEST RESULTS FOR HI GLOSS RECT BLACK TRAY, HI GLOSS SQUARE TRAY LG BLACK

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
US Packaging labeling (16 CFR 500 / UPLR Handbook 130)			
	<p>CR&B-HL-06660-CAN-USA-HMZ Manufacturer, packer, or distributor's name & address (City, State & ZIP Code)</p> <p>Product Identification</p> <p>Net quantity of contents shall be expressed in terms of weight or mass, measure, numerical count, or combination so as to give accurate information to facilitate consumer comparison (U.S. and metric units).</p> <p>Client's requirement: If an address (city, state, and zip) is not present, mark it as "not provided".</p>	Meet	PASS
Country of origin marking (19 CFR 134)			
	<p>CR&B-HL-06660-CAN-USA-HMZ Shall indicate country of origin legibly, permanently, and in comparable size and close proximity to any mention of country other than country in which the article was manufactured or produced. Must be visible at point of purchase.</p>	Meet	PASS
Country of origin marking (Canada)			
	<p>CR&B-HL-06660-CAN-USA-HMZ Imported goods shall indicate country of origin.</p>	Meet	PASS
EPA TSCA title VI-Composite wood-Declaration form and mill cert. (40 CFR 770)			
	<p>CR&B-HL-06660-CAN-USA-HMZ If wood of any type is present in the sample, submitter shall provide a completed and signed Sample Declaration Form.</p>	<p>Meet EPA TSCA title VI-Composite wood-Declaration form and mill certification were provided</p>	PASS
EPA TSCA Title VI-Composite wood-Finished good labeling (40 CFR 770.45(c) & (e))			
	<p>CR&B-HL-06660-CAN-USA-HMZ Finished goods containing regulated composite wood shall comply with the labeling requirements in 40 CFR 770.45(c) unless qualifies for the de minimis exception in 40 CFR 770.45(e).</p>	Meet	PASS
CARB-Composite wood-Declaration form and mill cert. (Title 17, CCR §93120)			
	<p>CR&B-HL-06660-CAN-USA-HMZ If wood of any type is present in the sample, submitter shall provide a completed and signed Sample Declaration Form.</p>	<p>Meet CARB-Composite wood-Declaration form and mill certificate were provided</p>	PASS
CARB-Composite wood-Finished good labeling (Title 17, CCR §93120.7(d))			
	<p>CR&B-HL-06660-CAN-USA-HMZ Finished goods containing regulated composite wood shall comply with the labeling requirements for fabricators found in §93120.7(d).</p>	Meet	PASS



**BUREAU
VERITAS**

Test Report: (9623)052-0382

CRATE & BARREL

Received Date: February 21, 2023

Report Date: March 11, 2023

TEST RESULTS FOR HI GLOSS RECT BLACK TRAY, HI GLOSS SQUARE TRAY LG BLACK

TESTED PROPERTY	REQUIREMENTS	RESULTS	RATING
Solids - Flammability (16 CFR 1500.3(c)(6)(vi) / 16 CFR 1500.44)			
	CR&B-HL-06660-CAN-USA-HMZ Burn rate < 0.1 inch per second (horizontal). (Report figure rounded to 1 decimal place)	Meet D.N.I	PASS



**BUREAU
VERITAS**

**EXHIBIT
PHOTO(S)**

Test Report: (9623)052-0382

CRATE & BARREL

Received Date: February 21, 2023

Report Date: March 11, 2023



Label

Made for CB2. TSCA Title VI Compliant for Formaldehyde. Fabriqué pour CB2. Conforme au titre VI de la TSCA concernant le formaldéhyde. Hecho para CB2. Cumple con el Título VI de TSCA para formaldehído.

03/2023

TSCA Label



BUREAU
VERITAS

ADDITIONAL
DOCUMENT(S)

Test Report: (9623)052-0382

CRATE & BARREL

Received Date: February 21, 2023

Report Date: March 11, 2023

Section A – Sample Information:

This section must be completed.

Sample Description: HI GLOSS RECT BLACK TRAY
HI GLOSS SQUARE TRAY LG BLACK

Item/SKU Number: 474558; 474446

Indicate if the sample is a:

- Panel
- Finished Good

Section B – Federal regulations

Section B1 – EPA TSCA Title VI Applicability:

This section must be completed. The regulation can be viewed at: <http://www.epa.gov/formaldehyde>

- Composite wood is not present in the sample.
If checked, proceed directly to Subsection B2.
- Composite wood is present in the sample and:
If checked, indicate if regulated and/or exempt below. Then proceed to Subsection B2.
- Regulated according to 40 CFR 770
If checked, answer the following three questions and complete the chart in Section D.

1. Indicate the type(s) of regulated composite wood (check all that apply):

- Hardwood plywood – veneer core (HWPW-VC)
- Hardwood plywood – composite core (HWPW-CC)
- Medium-density fiberboard (MDF)
- Thin medium-density fiberboard (Thin MDF)
- Particleboard (PB)

2. Indicate laminated product status under §770.4 (effective after March 22, 2024 for laminated portion):

- Sample is not a laminated product
- Sample is a laminated product and:
 - Laminated portion is not exempt from the definition of hardwood plywood per §770.4
 - Laminated portion is exempt from the definition of hardwood plywood per §770.4(a)(1)
 - Laminated portion is exempt from the definition of hardwood plywood per §770.4(a)(2)

3. For finished goods, indicate if labeling is present according to §770.45(c):

- Sample is not a finished good
- Sample is a finished good and:
 - Labeling is not present
 - Labeling is not present and not required per §770.45(e)
 - Labeling is present

Exempt according to 40 CFR 770

Indicate the type(s) of exempt composite wood (check all that apply):

- Hardboard
- Oriented strand board
- Curved plywood
- §770.1(d)
- §770.1(e)(1)
- §770.1(e)(2)
- Other *List other type(s) of exempt composite wood and explain exemption:*

Section B2 – Canada Formaldehyde Emissions from Composite Wood Products Regulations, SOR/2021-148 Applicability:

This section must be completed. The regulation can be viewed at: <https://laws-lois.justice.gc.ca/eng/regulations/SOR-2021-148/FullText.html>

Indicate if the sample will be sold in Canada. If "No" is checked, proceed to section C. If "Yes" is checked, complete the remainder of this section.

- No
- Yes

- Composite wood is not present in the sample.
If checked, proceed directly to Section C.

- Composite wood is present in the sample and:
If checked, indicate if regulated and/or exempt. Then proceed to Section C.

- Regulated** according to SOR/2021-148
If checked, answer the following three questions and complete the chart in Section D.

1. Indicate the type(s) of regulated composite wood (check all that apply):

- Hardwood plywood (HWPW)
- Particleboard (PB)
- Medium-density fiberboard (MDF)
- Thin medium-density fiberboard (Thin MDF)

2. Indicate laminated product status under Section 33 (effective after January 7, 2028 for laminated portion):

- Sample is not a laminated product
- Sample is a laminated product

3. For finished goods, indicate if labelling is present according to Section 21:

- Sample is not a finished good
- Sample is a finished good and:
 - Labeling is not present
 - Labeling is not present and not required per Section 23
 - Labeling is present

- Exempt** according to Section 4
Indicate the type(s) of exempt composite wood (check all that apply):

- Hardboard
- Finger-jointed lumber
- Curved plywood
- Section 4(g)
- Section 4(h)
- Other *List other type(s) of exempt composite wood and explain exemption:*



Section C – State regulations:

Section C1 – CARB §93120 ATCM for Formaldehyde Applicability:

This section must be completed. The regulation can be viewed at: <https://ww2.arb.ca.gov/our-work/programs/composite-wood-products-program>

Indicate if the sample will be sold in California. If "No" is checked, proceed to Section D. If "Yes" is checked, complete the remainder of this section.

- No
- Yes

- Composite wood is not present in the sample.
If checked, proceed directly to Section E.

- Composite wood is present in the sample and:
If checked, indicate if regulated and/or exempt. Then proceed to Section D.

- Regulated** according to the ATCM.
If checked, answer the following two questions and complete the chart in Section D.

1. Indicate the type(s) of regulated composite wood (check all that apply):

- Hardwood plywood – veneer core (HWPW-VC)
- Hardwood plywood – composite core (HWPW-CC)
- Medium-density fiberboard (MDF)
- Thin medium-density fiberboard (Thin MDF)
- Particleboard (PB)

2. For finished goods, indicate if labeling is present according to §93120.7(d):

- Sample is not a finished good
- Sample is a finished good and:
 - Labeling is not present
 - Labeling is present

- Exempt** according to the ATCM.
Indicate the type(s) of exempt composite wood (check all that apply):

- Hardboard
- Oriented strand board
- Curved plywood
- §93120.7(b)(1)
- §93120.7(b)(2)(A)
- §93120.7(b)(2)(B)
- Other *List other type(s) of exempt composite wood and explain exemption:*

Section D –Regulated Composite Wood Details:

All fields in this section must be completed if regulated composite wood is present in the sample as declared in Subsections B1, B2, and/or Section C. Upon completion of this section, proceed to Section E.

Panel Types and Emission Limits Reference:

Hardwood plywood (HWPW) ≤ 0.05 ppm
 Medium-density fibreboard (MDF) ≤ 0.11 ppm
 Thin medium-density fibreboard (Thin MDF) ≤ 0.13 ppm
 Particleboard (PB) ≤ 0.09 ppm
 Laminated product ≤ 0.05 ppm

Examples of resin type include but are not limited to:

- No-added formaldehyde-based (NAF) resin
- Ultra low-emitting formaldehyde (ULEF) resin
- Phenol-formaldehyde resin

Component of sample where composite wood is found:	Panel Type:	Emission Limit Met (ppm):	Resin Type:	Mill Name:	TPC Name:	TPC #:
MDF	Construction of trays	Medium-density fibreboard (MDF)	≤ 0.11 ppm	VRG DONGWHA MDF JOINT STOCK COMPANY	SGS HONGKONG LTD	TPC-14



Section E – Declaration Signature:

This section must be completed. Print name and provide a signature/ company chop.

- EPA TSCA Title VI / 40 CFR 770 is understood and if applicable, portions relevant to this sample have been met.
- Canada SOR/2021-148 is understood and if applicable, portions relevant to this sample have been met.
- CARB §93120 ATCM for Formaldehyde is understood and if applicable, portions relevant to this sample have been met.
- If a Third Party Certifier (TPC) is identified, it has been recognized by EPA and/or CARB.
- The required sections of this form have been completed accurately and truthfully.


Company Name: Cat Dang Handicraft Co., Ltd

Company Address: 151 Cong Hoa, Ward 12, Tan Binh District, Hochiminh City, Vietnam

Date: February 25, 2023

Name: Tuyen Nguyen

Title: Sales Executives

Signature: 



Certificate No. HK/CARB/2015/11/1002

The Manufacturer

VRG Dongwha MDF Joint Stock Company

Lot G, Minh Hung 3 Industrial Park, Minh Hung Commune
Chon Thanh District, Binh Phuoc Province, Vietnam

for manufacturing of composite wood products listed below has been certified by
SGS Hong Kong Ltd. (TPC-14) as meeting section 93120.3(b), title 17, California Code of Regulations.

The Manufacturer demonstrates production of composite wood products listed below
complying with section 93120.2(a) Phase 2, title 17, California Code of Regulations.

Certified Composite Wood Product	Certified Thickness
Thin Medium Density Fiberboard	2.3mm, 2.5mm, 2.7mm, 3mm, 3.5mm, 3.6mm, 4mm, 4.5mm, 4.75mm, 4.8mm, 5mm, 5.2mm, 5.5mm, 5.8mm, 6mm, 6.4mm, 8mm
Medium Density Fiberboard	9mm, 11mm, 11.6mm, 12mm, 13.5mm, 14mm, 15mm, 17mm, 18mm, 19mm, 21mm, 24mm, 25mm



This certificate is for the composite wood products manufacturing at the production facility stated above.
The production facility meets the quality assurance requirements stated in
section 93120.12, appendix 2, title 17, California Code of Regulations.

This certificate is valid only if subsequent verification is conducted and the manufacturer
continuously meet the requirements stated in sections 93120.2 (a), 93120.3 (e), (f), (g), (h) and
93120.12, appendix 2, title 17, California Code of Regulations.

This manufacturer has been certified since 03 November 2015
This certificate (Issue 9) is issued on 02 November 2021 and valid until 03 November 2023

Authorised by

Chan Chi Keung, Ivan
Certifier
Product Certification Team

SGS Hong Kong Ltd.
Office: Units 303 & 305, 3/F, Building 22E, Phase 3, HK Science Park, New Territories, Hong Kong
Laboratory: 1/F, On Wui Centre, 25 Lok Yip Road, Fanling, New Territories, Hong Kong
t +(852) 2334 4481 f +(852) 2646 0026 www.sgsgroup.com.hk

Page 1 of 1



This certificate is issued by the company under its General Conditions for Certification Services accessible at <http://www.sgs.com/terms-and-conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorised alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

CARB_cert template v6 (2020-09)



VRG Dongwaha MDF Joint Stock Company

Lot G. Minh Hung III Industrial Park, Minh Hung commune, Chon Thanh District, Binh Phuoc Province, Vietnam
Tel : (0651) 364 5500 Fax: (0651) 364 5502 www.vrgdongwaha.com

STATEMENT OF COMPLIANCE

CARB/EPA TPC-14

Mill CARB Certificate No. HK/CARB/2015/11/1002

HK/EPA/2017/08/3001

The manufacturer, **VRG DONGWHA MDF JOINT STOCK COMPANY**, has been certified by Third party certifier **SGS Hongkong Ltd. (TPC-14)** to be in compliance with Formaldehyde Emission standards and Quality Assurance requirements for manufacturers of composite wood products, California Air Resources Board ATCM at title 17, California Code of Regulations section 93120-93120.12, and to be in compliant with EPA TSCA Title VI (40 CFR Part 770) standard for its Thin Medium Density Fiberboard ("Thin MDF") and Medium Density Fiberboard ("MDF") products.

VRG DONGWHA MDF hereby declares that following products comply with CARB ATCM 93120 Formaldehyde Emission standard Phrase 2, and EPA TSCA Title VI.

Buyer's name: **CÔNG TY TNHH DVTM-XNK HỒNG NGHỊ**

Product Description	PI Number	DO no.	Thickness (mm)	Width x Length (mm)	Volume (m3)	Small Scale Test Result
EPA/CARB-P2 MDF	10053839	82700325	18	1220 x 2440 (Ft25,25)	85.7318	0.075
EPA/CARB-P2 MDF	10053839	82698776	21	1220 x 2440 (Ft25,25)	46.8846	0.079
EPA/CARB-P2 MDF	10053839	82698776	18	1220 x 2440 (Ft25,25)	120.5604	0.078
EPA/CARB-P2 MDF	10053839	82700581	18	1220 x 2440 (Ft25,25)	80.3736	0.078
EPA/CARB-P2 MDF	10053839	82700582	18	1220 x 2440 (Ft25,25)	48.2242	0.078
EPA/CARB-P2 Thin MDF	10053839	82697803	4.75	1220 x 2440 (Ft25,25)	2.6866	0.011
EPA/CARB-P2 MDF	10053839	82697788	21	1830 x 2440 (Ft25,25)	26.2554	0.071
EPA/CARB-P2 MDF	10053839	82697356	25	1525 x 2440 (Ft25,25)	37.6751	0.077
EPA/CARB-P2 MDF	10053839	82697356	21	1525 x 2440 (Ft25,25)	79.7038	0.065
EPA/CARB-P2 Thin MDF	10053839	82697355	4.75	1830 x 2440 (Ft25,25)	80.1727	0.011
EPA/CARB-P2 MDF	10053839	82701838	21	1830 x 2440 (Ft25,25)	13.1277	0.071
EPA/CARB-P2 MDF	10053839	82689757	25	1830 x 2440 (Ft25,25)	21.4330	0.079
EPA/CARB-P2 MDF	10053839	82689757	18	1830 x 2440 (Ft25,25)	5.3047	0.079
EPA/CARB-P2 Thin MDF	10053839	82688503	6	1830 x 2440 (Ft25,25)	80.3736	0.011
EPA/CARB-P2 MDF	10053839	82688503	9	1220 x 2440 (Ft25,25)	120.5604	0.063
EPA/CARB-P2 MDF	10053839	82688504	25	1830 x 2440 (Ft25,25)	8.0374	0.079
EPA/CARB-P2 MDF	10053839	82688504	12	1220 x 2440 (Ft25,25)	120.5604	0.067
EPA/CARB-P2 MDF	10053839	82688504	25	1220 x 2440 (Ft25,25)	80.3736	0.079
EPA/CARB-P2 Thin MDF	10053839	82688094	6	1830 x 2440 (Ft25,25)	40.1868	0.093
EPA/CARB-P2 Thin MDF	10053839	82688092	6	1220 x 2440 (Ft25,25)	40.1868	0.093

Truong Quang Thuan

Quality Control Manager

VRG DONGWHA MDF JOINT STOCK COMPANY

Date: June 03, 2021





Test Report: (9623)052-0382

CRATE & BARREL

Received Date: February 21, 2023



Report Date: March 11, 2023

GROUP TESTING REQUEST / INSTRUCTION - Multi SKU - REGULATORY TESTING

To be used for multiple similar SKUs (QA Testing examples: Dinnerware with same decoration, Sheet sets with different sizes, Table linens (different size tablecloths, napkins))

*** SKUs MAY BE GROUPED IF THEY HAVE THE SAME FUNCTION OR PURPOSE, AND ARE MANUFACTURED BY THE SAME FACTORY, USING THE SAME MANUFACTURING PROCESSES AND SAME MATERIALS AS DOCUMENTED IN THE GROUP TESTING SOP

Vendor Name:	Cat Dang Handicraft Co., Ltd	Agent Contact:	Vivian / Mie
Product manager name & number :	248 - JEN SIM	Agent / Office:	WECA - Vietnam

SKU# (No Dashes)	SKU Description	Product Photo	Material	Other - Comments / Notes to Lab	
474558	HI GLOSS RECT BLACK TRAY		MDF	Annual test	REFERENCE ALL SKUS ON COVER PAGE OF TEST REPORT
474446	HI GLOSS SQUARE TRAY LG BLACK		MDF	Refer to 474558 (Same material and color)	

--Vendor assumes all risk associated with properly identifying SKUs on this form. Each group form corresponds to one test request; the lab will issue one test report covering all SKUs on this form.
 --Failure of any individual SKU on this form will result in all SKUs on this form being held until resolution of the failure.
 --Vendor certifies that all SKUs on this form are manufactured in the same factory using the same manufacturing processes and same materials, as represented on the submitted sample.

Authorized Vendor Name (printed):	Tuyen Nguyen	Request Date (mm/dd/yyyy):	02/20/2023
-----------------------------------	--------------	----------------------------	------------

This form expires 6 months from Approval Date

INSTRUCTIONS TO VENDOR:
 COMPLETE ALL BLUE CELLS (INSERT MORE ROWS IF NEEDED), AND SUBMIT THIS FORM TO YOUR TESTING CONTACT, CC AGENT CONTACT ALONG WITH A COMPLETED TRF.

END OF REPORT