



中国认可
国际互认
检测
TESTING
CNAS L6478



检测报告 TEST REPORT

报告编号/ Report No. : WTF25F04089955C

任务号/ Job No. : FSW2504120587CJ

委托方/ Applicant : 广东安鸿电子有限公司
Guangdong Anhong Electronics Co., LTD

地址/ Address : 佛山市顺德区北滘镇顺江社区三乐东路25号集成科创园
13 栋 901-2,902,1202-2
901-2,902,1202-2, Building 13, Integrated Science and
Innovation Park, No.25, Sanle East Road, Shunjiang
Community, Beijiao Town, Shunde District, Foshan City

样品名称/ Sample Name : 铝电解电容器/ Aluminium electrolytic capacitor

检测要求/ Test Requested : 参见报告下页/ Refer to next page (s)

检测方法/ Test Method : 参见报告下页/ Refer to next page (s)

检测结论/ Test Conclusion : 参见报告下页/ Refer to next page (s)

样品接收日期/ Date of Receipt sample : 2025-04-11

检测周期/ Testing period : 2025-04-11 ~ 2025-04-19

报告日期/ Date of Issue : 2025-04-19

检测结果/ Test Result : 参见报告下页/ Refer to next page (s)

报告制作/ Prepared By:

佛山市沃特测试技术服务有限公司

Waltek Testing Group (Foshan) Co., Ltd.

地址: 广东省佛山市顺德区陈村镇赤花居委会广隆工业园兴业4路顺联机械城二座二层13-19号
Address: No.13-19, 2/F., 2nd Building, Sunlink Machinery City, Xingye 4 Road, Guanglong Industrial
Park, Chihua Neighborhood Committee, Chencun, Shunde District, Foshan, Guangdong, China
电话/ Tel:+86-757-23811398 传真/ Fax:+86-757-23811381 邮箱/ E-mail:info@waltek.com.cn

佛山市沃特测试技术服务有限公司

授权签字人

Signed for and on behalf of

Waltek Testing Group (Foshan) Co., Ltd.

梁志聪

梁志聪/Swing.Liang



WTF25F04089955C

佛山市沃特测试技术服务有限公司/ Waltek Testing Group (Foshan) Co., Ltd.

<http://www.waltek.com.cn>

1 / 11



报告编号/ Report No.: WTF25F04089955C

任务号/Job No.: FSW2504120587CJ

汇总/ Summary:

检测要求/Test Requested	检测结论/Test Conclusion
根据欧盟RoHS指令2011/65/EU及其修订指令(EU) No.2015/863, 测试样品中10种限制物质的含量。 In accordance with the RoHS Directive 2011/65/EU and its amendment (EU) No. 2015/863, to determine the 10 restricted substances content in the submitted sample.	符合 (详情请参见下一页) Pass (Please refer to next pages for details)

样品图片/ Sample Photo:



**测试结果/ Test Results:****1. 铅、镉、汞、六价铬、多溴联苯和多溴二苯醚****Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs and PBDEs****测试方法/ Test method:****1) 参考IEC 62321-2:2021, 样品的拆卸、拆解和机械拆分**

With reference to IEC 62321-2:2021, disassembly, disjunction and mechanical sample preparation

2) 参考IEC 62321-3-1:2013, 使用X射线荧光光谱仪对电子产品中的铅、镉、汞、总铬和总溴进行筛选

With reference to IEC 62321-3-1:2013, screening – Lead, cadmium, mercury, total chromium and total bromine by X-ray fluorescence spectrometry

3) 参考IEC 62321-4:2013+AMD1:2017 CSV, 使用电感耦合等离子体发射光谱仪 (ICP-OES) 检测汞含量

With reference to IEC 62321-4:2013+AMD1:2017 CSV, determination of Mercury by ICP-OES

4) 参考IEC 62321-5: 2013, 使用电感耦合等离子体发射光谱仪 (ICP-OES) 检测铅、镉含量

With reference to IEC 62321-5:2013, determination of Lead and Cadmium by ICP-OES

5) 参考IEC 62321-7-2: 2017和IEC 62321-7-1:2015, 使用紫外可见分光光度计 (UV-Vis) 检测六价铬含量

With reference to IEC 62321-7-2: 2017 and IEC 62321-7-1:2015, determination of Hexavalent Chromium by UV-Vis

6) 参考IEC 62321-6: 2015, 使用气相色谱质谱联用仪 (GC-MS) 检测多溴联苯及多溴二苯醚含量

With reference to IEC 62321-6: 2015, determination of PBBs and PBDEs by GC-MS

部件 编号 Part No.	部件描述 Part Description	XRF测试结果 Result of XRF					湿化学测试结果(毫克/千克) Result of Wet Chemical Testing (mg/kg)
		Cd	Pb	Hg	Cr	Br	
1	银色金属插脚 (电解电容) Silvery metal pin (electrolytic capacitor)	BL	BL	BL	BL	--	NA
2	银色金属外壳 (电解电容) Silvery metal cshell (electrolytic capacitor)	BL	BL	BL	BL	--	NA
3	灰色金属箔 (电解电容) Grey metal foil (electrolytic capacitor)	BL	BL	BL	BL	--	NA
4	银灰色金属箔 (电解电容) Silvery-grey metal foil (electrolytic capacitor)	BL	BL	BL	BL	--	NA
5	蓝灰色塑料薄膜 (电解电容) Blue-grey plastic film (electrolytic capacitor)	BL	BL	BL	BL	BL	NA
6	黑色橡胶塞 (电解电容) Black rubber stopper (electrolytic capacitor)	BL	BL	BL	BL	BL	NA
7	棕色纸 (电解电容) Brown paper (electrolytic capacitor)	BL	BL	BL	BL	BL	NA
8	棕色电解液 (电解电容) Brown electrolyte (electrolytic capacitor)	BL	BL	BL	BL	BL	NA
9	透明塑料胶带 (电解电容) Transparent plastic adhesive tape (electrolytic capacitor)	BL	BL	BL	BL	BL	NA

**备注/ Remark:**

- (1) XRF所得的测试结果只作初步筛选, 如果XRF结果超出IEC 62321-3-1: 2013所规定的警戒范围, 建议客户用更精确的化学测试方法测试, 如: 用ICP 测试Cd、Pb、Hg, 用UV-VIS测试Cr⁶⁺, 用GS/MS测试PBBs和PBDEs (单位:mg/kg)。

Results are obtained by EDXRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-VIS (for Cr⁶⁺) and GC-MS (for PBBs, PBDEs) is recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1: 2013 (unit: mg/kg).

元素 Element	聚合物 Polymer	金属 Metal	复合材料 Composite Materials
Cd	BL ≤ (70-3σ) < IN < (130+3σ) ≤ OL	BL ≤ (70-3σ) < IN < (130+3σ) ≤ OL	LOD < IN < (150+3σ) ≤ OL
Pb	BL ≤ (700-3σ) < IN < (1300+3σ) ≤ OL	BL ≤ (700-3σ) < IN < (1300+3σ) ≤ OL	BL ≤ (500-3σ) < IN < (1500+3σ) ≤ OL
Hg	BL ≤ (700-3σ) < IN < (1300+3σ) ≤ OL	BL ≤ (700-3σ) < IN < (1300+3σ) ≤ OL	BL ≤ (500-3σ) < IN < (1500+3σ) ≤ OL
Cr	BL ≤ (700-3σ) < IN	BL ≤ (700-3σ) < IN	BL ≤ (500-3σ) < IN
Br	BL ≤ (300-3σ) < IN	--	BL ≤ (250-3σ) < IN

BL=低于限值/ Below Limit OL= 高于限值/ Over Limit LOD =检测极限值/ Limit of Detection

-- =未规定/ Not Regulated

- (2) “IN” 表示为未确定区域, 需进一步化学测试判断是否符合RoHS指令的要求。
“IN” expresses the inconclusive region, and further chemical testing to confirm whether it complies with the requirement of RoHS Directive.
- (3) XRF筛选测试RoHS元素 – 物质的不均一性导致测试结果和实际值可能存在差异。
The XRF screening test for RoHS elements – the reading may be different to the actual content in the sample be of non-uniformity composition.
- (4) mg / kg =毫克每千克(milligram per kilogram) =百万分之一(ppm), μg/cm²=微克每平方厘米(Micrograms per square centimetre).
- (5) NA =不适用, XRF筛选测试的结果低于限值或通过XRF扫描直接判定测试结果大于限值, 不需要进行化学测试。
NA = Not Applicable, as the XRF screening test result was below the limit or as the XRF screening directly determine that test result was over the limit, it was not need to conduct the wet chemical testing.
- (6) LOQ =定量限。
LOQ = Limit of quantitation.

测试项目 Test Items	Pb	Cd	Hg	Cr ⁶⁺		PBB	PBDE
单位 Units	mg/kg	mg/kg	mg/kg	mg/kg	μg/cm ²	mg/kg	mg/kg
定量限 LOQ	2	2	2	8	0.1	5	5

对于单一化合物的PBB和PBDE, LOQ为5mg/kg。对于聚合物和复合样品的Cr⁶⁺, LOQ为8mg/kg。对于金属样品的Cr⁶⁺, LOQ为0.1μg/cm²。

The LOQ for single compound of PBBs and PBDEs is 5 mg/kg, LOQ of Cr⁶⁺ for polymer and composite sample is 8 mg/kg and LOQ of Cr⁶⁺ for metal sample is 0.1 μg/cm².



(7) RoHS要求

RoHS Requirement

限制物质 Restricted Substances	限值 Limits
镉 (Cd) Cadmium (Cd)	0.01% (100 mg/kg)
铅 (Pb) Lead (Pb)	0.1% (1000 mg/kg)
汞 (Hg) Mercury (Hg)	0.1% (1000 mg/kg)
六价铬 (Cr ⁶⁺) Chromium (VI) (Cr ⁶⁺)	0.1% (1000 mg/kg)
多溴联苯 (PBBs) Polybrominated Biphenyls (PBBs)	0.1% (1000 mg/kg)
多溴二苯醚 (PBDEs) Polybrominated Diphenyl Ethers (PBDEs)	0.1% (1000 mg/kg)

- (8) 根据IEC 62321-7-1:2015电子电器产品中限用物质含量的测定程序, 金属样品中的Cr⁶⁺用沸水萃取方法来测定, 其测试结果显示为阳性/阴性。

沸水萃取:

阴性 = 表示涂层不存在Cr⁶⁺, 即在沸水萃取溶液中六价铬浓度小于0.10µg/cm²

阳性 = 表示涂层存在Cr⁶⁺, 即在沸水萃取溶液中六价铬浓度大于0.13µg/cm²

关于金属样品的保存条件和生产日期将不能被采用, 其测试结果只能证明当下方法测试下样品是否存在/不存在Cr⁶⁺。

According to IEC 62321-7-1:2015, determined of Cr⁶⁺ on metal sample by boiling water extraction test method, and result is shown as Positive/Negative.

Boiling water extraction:

Negative = Absence of Cr⁶⁺ coating, the detected concentration in boiling water extraction solution is less than 0.10 µg/cm².

Positive = Presence of Cr⁶⁺ coating, the detected concentration in boiling water extraction solution is greater than 0.13 µg/cm².

Information on storage conditions and production date of the tested sample is unavailable and thus Cr⁶⁺ results represent status of the sample at the time of testing.

- (9) 英文字符含义:

“Pb”表示铅, “Cd”表示镉, “Hg”表示汞, “Cr”表示铬, “Cr (VI)”表示六价铬, “Br”表示溴, “PBBs”表示总多溴联苯, “PBDEs”表示总多溴二苯醚。

Abbreviation:

“Pb” denotes Lead, “Cd” denotes Cadmium, “Hg” denotes Mercury, “Cr” denotes Chromium, “Cr (VI)” denotes Hexavalent Chromium, “Br” denotes Bromine, “PBBs” denotes Total Polybrominated Biphenyls, “PBDEs” denotes Total Polybrominated Diphenyl Ethers.

- (10) No.8测试点的结果是基于原材料的湿重。/The test results of No.8 were based on the wet weight of the raw material.



报告编号/ Report No.: WTF25F04089955C

任务号/Job No.: FSW2504120587CJ

2.邻苯二甲酸酯/ Phthalates:

测试方法/ Test method:

参考IEC 62321-8:2017, 使用气相色谱质谱联用仪 (GC-MS) 检测4种邻苯二甲酸酯的含量

With reference to IEC 62321-8:2017, determination of Phthalates content by GC-MS.

序列号 Serial No.	部件编号 Part No.	测试结果 (毫克/千克) / Result (mg/kg)			
		DBP	BBP	DEHP	DIBP
T01	1	--	--	--	--
T02	2	--	--	--	--
T03	3	--	--	--	--
T04	4	--	--	--	--
T05	5	ND	ND	ND	ND
T06	6	ND	ND	ND	ND
T07	7	ND	ND	ND	ND
T08	8	ND	ND	ND	ND
T09	9	ND	ND	ND	ND

备注/ Remark:

(1) mg/kg =毫克每千克(milligram per kilogram) =百万分之一(ppm)

(2) 未检出=检测值小于定量限。

ND = Not Detected or lower than limit of quantitation.

(3) -- =未规定/ Not Regulated

(4) LOQ =定量限。

LOQ = Limit of quantitation.

测试项目 Test Items	DBP	BBP	DEHP	DIBP
单位 Units	mg/kg	mg/kg	mg/kg	mg/kg
定量限 LOQ	50	50	50	50

(5) 英文字符含义:

“DBP”表示邻苯二甲酸二丁酯, “BBP”表示邻苯二甲酸丁苄酯, “DEHP”表示邻苯二甲酸二(2-乙基己基)酯, “DIBP”表示邻苯二甲酸二异丁酯, “PHT”表示邻苯二甲酸酯。

Abbreviation:

“DBP” denotes Dibutyl phthalate, “BBP” denotes Benzyl butyl phthalate (BBP), “DEHP” denotes Bis(2-ethylhexyl)-phthalate, “DIBP” denotes Diisobutyl phthalate, “PHT” denotes Phthalates.



报告编号/ Report No.: WTF25F04089955C

任务号/Job No.: FSW2504120587CJ

(6) RoHS要求

RoHS requirement

限制物质 Restricted Substances	限值 Limits
邻苯二甲酸二丁酯 Dibutyl phthalate (DBP)	0.1% (1000 mg/kg)
邻苯二甲酸丁苄酯 Benzyl butyl phthalate (BBP)	0.1% (1000 mg/kg)
邻苯二甲酸二(2-乙基己基)酯 Di(2-ethylhexyl) phthalate (DEHP)	0.1% (1000 mg/kg)
邻苯二甲酸二异丁酯 Di-iso-butyl phthalate (DIBP)	0.1% (1000 mg/kg)

- (7) No.8测试点的结果是基于原材料的湿重。/The test results of No.8 were based on the wet weight of the raw material.


WALTEK




报告编号/ Report No.: WTF25F04089955C

任务号/Job No.: FSW2504120587CJ

测试流程图:




**Measurement Flowchart:**



报告编号/ Report No.: WTF25F04089955C

任务号/Job No.: FSW2504120587CJ

测试部位图片/ Photograph(s) of parts tested:



WALTEK



报告编号/ Report No.: WTF25F04089955C

任务号/Job No.: FSW2504120587CJ

备注/ Remarks:

1. 检验检测结果仅对测试样品负责;

The results shown in this test report refer only to the sample(s) tested;

2. 报告未经本公司的书面批准不得部分复制;

This test report cannot be reproduced, except in full, without prior written permission of the company;

3. 报告经涂改、增删、无批准人签字或未加盖本司检验检测专用章无效;

The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;

4. 委托单位及地址, 样品和样品信息由委托方提供, 委托方应对其真实性负责, 沃特未核实其真实性;

The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;

5. 报告未加盖资质认定标志章, 则仅用于科研、教学、内部质量控制等活动, 不可作为向社会出具具有证明作用数据的用途。

If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.

6. 样品材质信息(型号信息)由客户提供, 测试实验室未核实主测型号与参考型号的差异, 参考型号样品未进行测试, 测试实验室不承担客户提供信息的准确性、适当性、完整性和真实性责任。

The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

=====报告结束/ End of Report =====

WALTEK