TEST REPORT

OVERALL RATING	
×	PASS
	FAIL

Test information

Applicant	:	Yiwu Tengyuan Painting Materials Co., Ltd.
Address	:	3103-1/3103-1, Building 3, Zhongfu Plaza, Futian Street, Yiwu City, Jinhua City, Zhejiang Province.
Sample Description	:	Artist Paint.
Labeled Age Grade	:	3 +
Client Request Age Grade	:	3 years+.
Age grade for testing	:	3 years+.
Country of origin	:	China.
Receiving Date	:	January 14, 2025.
Test period	:	January 14, 2025. ~January 18, 2025.
Test Requested	:	Tests requested in accordance to client requirement.

Signed for and on behalf of
RTS TEST CO., LTD.(Zhejiang)

JIANXIANG CHEN (Toy physical Approved signatory)

BINBIN ZOU (Chemistry Approved Signatory)

Scan to follow us

Scan for authenticity

Zhejiang RTS Test Co., LTD.
Phone: +86(0)579-85640080
Email: ruiyi-8@zj-rts.com
http://www.irtslab.cn
浙江省金华市义乌市后宅街道通泰路 140 号联东 U 谷 1 栋 4 楼 401
401, Floor 4, Building 1, LIANDO U VALLEY, No. 140
Tongtai Road, Houzhai Street, Yiwu, Jinhua, Zhejiang

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request. Attention is drawn to the limitation of liability ,indemnification and jurisdictional policies defined therein .The results shown in this Test report refer only to the sample(s) tested unless otherwise stated This test report shall not be reproduced ,except in full, without written approval of the Company. If in doubt, please write an email.Reports without the CMA mark are not used as proof of domestic social justice data.

TEST ITEMS	CONCLUSIONS
ASTM F963-23 - Mechanical and Physical Properties	PASS
ASTM F963-23 - Flammability test	PASS
16 CFR 1500.19 - Small Parts Labeling (Ages 3 up to 6 years old)	PASS
16 CFR 1500.48 &16 CFR 1500.49 - Sharp Point and Sharp Edge	PASS
Consumer Product Safety Act Section 14(a)(5), 15 U.S.C.§2063(a)(5)-Tracking Labels	PASS
CPSIA Section 101 & 16 CFR Part 1303 - Lead(Pb) in Paint and Other Similar Surface Coating	PASS
CPSIA Section 101 - Total Lead(Pb) in Children's Product	PASS
CPSC 16 CFR PART 1307 - Phthalates Content test	PASS
ASTM F963-23 4.3.8 - Phthalates Content test	PASS
ASTM F963-23 4.3.5.2 - Toy Substrate Materials	PASS

Zhejiang RTS Test Co., LTD.
Phone: +86(0)579-85640080
Email: ruiyi-8@zj-rts.com
http://www.irtslab.cn
浙江省金华市义乌市后宅街道通泰路 140 号联东 U 谷 1 栋 4 楼 401
401, Floor 4, Building 1, LIANDO U VALLEY, No. 140
Tongtai Road, Houzhai Street, Yiwu, Jinhua, Zhejiang

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request. Attention is drawn to the limitation of liability ,indemnification and jurisdictional policies defined therein .The results shown in this Test report refer only to the sample(s) tested unless otherwise stated This test report shall not be reproduced ,except in full, without written approval of the Company. If in doubt, please write an email.

Sample image:

RTS250114J1111TY-A



RTS250114J1111TY-A



RTS250114J1111TY-A

RTS250114J1111TY-A

Test Number	Item/ component description(s)
A	Artist Paint
A1	White coating
A2	Transparent plastic bottle

Zhejiang RTS Test Co., LTD.
Phone: +86(0)579-85640080
Email: ruiyi-8@zj-rts.com
http://www.irtslab.cn
浙江省金华市义乌市后宅街道通泰路 140 号联东 U 谷 1 栋 4 楼 401
401, Floor 4, Building 1, LIANDO U VALLEY, No. 140
Tongtai Road, Houzhai Street, Yiwu, Jinhua, Zhejiang

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request. Attention is drawn to the limitation of liability ,indemnification and jurisdictional policies defined therein .The results shown in this Test report refer only to the sample(s) tested unless otherwise stated This test report shall not be reproduced ,except in full, without written approval of the Company. If in doubt, please write an email.

Test result:

A. Standard Consumer Safety Specification For Toy Safety, ASTM F963-23-Mechanical and Physical Properties:

Clause	Test Items	Test Results A
4.	**Safety Requirements**	
4.1	Material Quality	PASS
4.3.7	Stuffing Materials	N/A
4.4	Electrical/Thermal Energy	N/A
4.5	Sound-Producing Toys	N/A
4.6	Small Objects	N/A
4.7	Accessible Edges	PASS
4.8	Projections	N/A
4.9	Accessible Points	PASS
4.10	Wires or Rods	N/A
4.11	Nails and Fasteners	N/A
4.12	Plastic Film	N/A
4.13	Folding Mechanisms and Hinges	N/A
4.14	Cords, Straps, and Elastics	N/A
4.15	Stability and Over-Load Requirements	N/A
4.16	Confined Spaces	N/A
4.17	Wheels, Tires, and Axles	N/A
4.18	Holes, Clearance, and Accessibility of Mechanisms	N/A
4.19	Simulated Protective Devices	N/A
4.20	Pacifiers	N/A
4.21	Projectile Toys	N/A
4.22	Teethers and Teething Toys	N/A
4.23	Rattles	N/A
4.24	Squeeze Toys	N/A
4.25	Battery-Operated Toys	N/A
4.26	Toys Intended to be Attached to a Crib or Playpen	N/A
4.27	Stuffed and Beanbag-Type Toys	N/A
4.28	Stroller and Carriage Toys	N/A
4.29	Art Materials	N/A
4.30	Toy Gun Marking	N/A
4.31	Balloons	N/A
4.32	Certain Toys with Nearly Spherical Ends	N/A

Zhejiang RTS Test Co., LTD.
Phone: +86(0)579-85640080
Email: ruiyi-8@zj-rts.com
http://www.irtslab.cn
浙江省金华市义乌市后宅街道通泰路 140 号联东 U 谷 1 栋 4 楼 401
401, Floor 4, Building 1, LIANDO U VALLEY, No. 140
Tongtai Road, Houzhai Street, Yiwu, Jinhua, Zhejiang

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request. Attention is drawn to the limitation of liability ,indemnification and jurisdictional policies defined therein .The results shown in this Test report refer only to the sample(s) tested unless otherwise stated This test report shall not be reproduced ,except in full, without written approval of the Company. If in doubt, please write an email.

Clause	Test Items	Test Results A
4.33	Marbles	N/A
4.34	Balls	N/A
4.35	Pompoms	N/A
4.36	Hemispheric-Shaped Objects	N/A
4.37	Yo Yo Elastic Tether Toys	N/A
4.38	Magnets	N/A
4.39	Jaw Entrapment in Handles and Steering Wheels	N/A
4.40	Expanding Materials	N/A
4.41	Toy Chests	N/A
5	**Labeling Requirements**	
5.1	Federal Government Requirements	PASS
5.1.1	The labeling requirement of the Federal Hazardous Substances Act(FHSA)	N/A
5.1.2	Tracking label	PASS
5.2	Age Grading Labeling	PASS
5.3	Safety Labeling Requirements	N/A
5.4	Aquatic Toys	N/A
5.5	Crib and Playpen Toys	N/A
5.6	Mobiles	N/A
5.7	Stroller and Carriage Toys	N/A
5.8	Toys Intended to be Assembled By an Adult	N/A
5.9	Simulated Protective Devices	N/A
5.10	Toys with Functional Sharp Edges or Points	N/A
5.11	Small Objects, Small Balls, Marbles, and Balloons	N/A
5.12	Art Materials	N/A
5.13	Electric Toys	N/A
5.14	Battery-Operated Toys	N/A
5.15	Promotional Materials	PASS
5.16	Magnets	N/A
6	**Instructional Literature**	
6.1	Definition and Description	PASS
6.2	Crib and Playpen Toys	N/A
6.3	Mobiles	N/A
6.4	Toys Intended to be Assembled By an Adult	N/A
6.5	Battery-Operated Toys	N/A
6.6	Battery Powered Ride-on Toys	N/A
6.7	Toys in Contact with Food	N/A

Zhejiang RTS Test Co., LTD.
Phone: +86(0)579-85640080
Email: ruiyi-8@zj-rts.com
http://www.irtslab.cn
浙江省金华市义乌市后宅街道通泰路 140 号联东 U 谷 1 栋 4 楼 401
401, Floor 4, Building 1, LIANDO U VALLEY, No. 140
Tongtai Road, Houzhai Street, Yiwu, Jinhua, Zhejiang

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request. Attention is drawn to the limitation of liability ,indemnification and jurisdictional policies defined therein .The results shown in this Test report refer only to the sample(s) tested unless otherwise stated This test report shall not be reproduced ,except in full, without written approval of the Company. If in doubt, please write an email.

Clause	Test Items	Test Results A
6.8	Toy Chests	N/A
6.9	The instructional material for toys which require a manufacturer-supplied specialty or custom tool to access the battery(ies)	N/A
7	**Producer's Markings**	
7.1	Producer's Markings	PASS
7.2	Battery-Powered Ride-on Toys	N/A
7.3	Toy Chests	N/A
8.5	Normal Use Testing	PASS
8.5.1	Washable Toys	N/A
8.6	Abuse Testing	PASS
8.7	Impact Tests	PASS
8.7.1	Drop Test	PASS
8.7.2	Tipover Test for Large, Bulky Toys	N/A
8.7.3	Tumble Test for Wheeled Toys	N/A
8.7.4	Impact Test for Toys that Cover the Face	N/A
8.8	Torque Tests for Removal of Components	PASS
8.9	Tension Test for Removal of Components	PASS
8.9.1	Tension Test for Seams in Stuffed Toys and Beanbag	N/A
8.9.2	Tension Test for Suction Cups on Projectiles	N/A
8.10	Compression Test	N/A
8.11	Tests for Tire Removal and Snap-in Wheel and Axle Assembly Removal	N/A
8.12	Flexure Test	N/A

Remark: N/A= Not Applicable

Zhejiang RTS Test Co., LTD.
Phone: +86(0)579-85640080
Email: ruiyi-8@zj-rts.com
http://www.irtslab.cn
浙江省金华市义乌市后宅街道通泰路 140 号联东 U 谷 1 栋 4 楼 401
401, Floor 4, Building 1, LIANDO U VALLEY, No. 140
Tongtai Road, Houzhai Street, Yiwu, Jinhua, Zhejiang

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request. Attention is drawn to the limitation of liability ,indemnification and jurisdictional policies defined therein .The results shown in this Test report refer only to the sample(s) tested unless otherwise stated This test report shall not be reproduced ,except in full, without written approval of the Company. If in doubt, please write an email.

Use and Abuse Tests:

The submitted samples were undergone the use and abuse tests in accordance with FHSA 16 CFR and whichever is applicable the tested age grade.

Age Category	Impact Test	Flexure Test	Torque Test	Tension Test	Compression Test
0-18 Months 16 CFR 1500.51	10 x 4.5 ft	120 Arc 30 Cycles 10 lbs	2 in-lbs	10 lbs	20 lbs
19-36 Months 16 CFR 1500.52	4 x 3 ft	120 Arc 30 Cycles 15 lbs	3 in-lbs	15 lbs	25 lbs
37-96 Months 16 CFR 1500.53	4 x 3 ft	120 Arc 30 Cycles 15 lbs	4 in-lbs	15 lbs	30 lbs

The clause and/or sub-clause would be indicated only in the test report whichever applicable. The comprehensive result report is available upon request

Zhejiang RTS Test Co., LTD.
Phone: +86(0)579-85640080
Email: ruiyi-8@zj-rts.com
http://www.irtslab.cn
浙江省金华市义乌市后宅街道通泰路 140 号联东 U 谷 1 栋 4 楼 401
401, Floor 4, Building 1, LIANDO U VALLEY, No. 140
Tongtai Road, Houzhai Street, Yiwu, Jinhua, Zhejiang

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request. Attention is drawn to the limitation of liability ,indemnification and jurisdictional policies defined therein .The results shown in this Test report refer only to the sample(s) tested unless otherwise stated This test report shall not be reproduced ,except in full, without written approval of the Company. If in doubt, please write an email.

B.Standard Consumer Safety Specification For Toy Safety, ASTM F963-23 Clause 4.2 Flammability test:

Test	Observation	Test Results A
Flammability of Solids	No Ignition	PASS
Flammability of Fabrics	/	N/A

Remark: N/A= Not Applicable

Requirement:

1. Flammability of Solids: A toy / component is considered a “flammable solid” if it ignites and burns with a self-sustaining flame at a rate greater than 0.1 in/sec along its major axis.

2. Flammability of Textiles:

Plain Surface Fabrics	(1) All specimens either did not ignite, ignited but self extinguished, or any combination thereof. (2) Average burn time is 3.5 s or greater.
Raised Surface Fabrics	(1) All specimens either did not ignite, ignited but self extinguished, or any combination thereof. (2) Average burn time is 4 s or greater. (3) Average burn time is less than 4 s and all specimens burn with a surface flash where the intensity of the surface flame is insufficient to ignite, char, or melt the base fabric. (4) Only 1 of 5 specimens ignites and burns in less than 4s and the base fabric does not ignite or fuse, the sample is acceptable. (5) Only 1 of 5 specimens ignites or burns in more than 4s, regardless of whether the base fabric ignites or fuses, the sample is acceptable.

Zhejiang RTS Test Co., LTD.
Phone: +86(0)579-85640080
Email: ruiyi-8@zj-rts.com
http://www.irtslab.cn
浙江省金华市义乌市后宅街道通泰路 140 号联东 U 谷 1 栋 4 楼 401
401, Floor 4, Building 1, LIANDO U VALLEY, No. 140
Tongtai Road, Houzhai Street, Yiwu, Jinhua, Zhejiang

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request. Attention is drawn to the limitation of liability ,indemnification and jurisdictional policies defined therein .The results shown in this Test report refer only to the sample(s) tested unless otherwise stated This test report shall not be reproduced ,except in full, without written approval of the Company. If in doubt, please write an email.

C.16 CFR 1500.19, Small Parts Labeling (Ages 3 up to 6 years old)

Labeling evaluated as described in 16 CFR 1501 Small Parts Testing and 16 CFR 1500.121 Labeling requirements; prominence, placement, and conspicuousness.

Test	Observation	Test Results A
Small Parts Labeling	/	N/A

Remark: N/A= Not Applicable.

D. 16 CFR 1500.48 & 16 CFR 1500.49 - Sharp Point and Sharp Edge:

Test item	Observation	Result A
16 CFR 1500.48 - Sharp Point	No accessible hazardous sharp point	PASS
16 CFR 1500.49 - Sharp Edge	No accessible hazardous sharp edge	PASS

E. Consumer Product Safety Act Section 14(a)(5), 15 U.S.C. § 2063(a)(5)-Tracking Labels:

Requirement	Observation	Test Results A
Manufacturer or private labeler listed, location & date of manufacture, including batch, run number and/or other identifying characteristics	Information was present. On Packaging: - Manufacturer or Private Labeler's name - Date of Production - Location of Production - Identifying characteristics	PASS

Zhejiang RTS Test Co., LTD.
Phone: +86(0)579-85640080
Email: ruiyi-8@zj-rts.com
http://www.irtslab.cn
浙江省金华市义乌市后宅街道通泰路 140 号联东 U 谷 1 栋 4 楼 401
401, Floor 4, Building 1, LIANDO U VALLEY, No. 140
Tongtai Road, Houzhai Street, Yiwu, Jinhua, Zhejiang

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request. Attention is drawn to the limitation of liability ,indemnification and jurisdictional policies defined therein .The results shown in this Test report refer only to the sample(s) tested unless otherwise stated This test report shall not be reproduced ,except in full, without written approval of the Company. If in doubt, please write an email.

F1. Lead(Pb) in Paint and Other Similar Surface Coating: (Unit: mg/kg)

Section 101 of the Consumer Product Safety Improvement Act of 2008 (CPSIA) (pdf) (Public Law 110-314), as modified by H.R. 2715 (Public Law 112-28, August 12, 2011) and in 16 CFR part 1303.

Test method:

Surface coating- with reference to CPSC-CH-E1003-09.1, Was analyzed by flame atomic absorption spectrometry (AAS) or inductively coupled plasma spectrometer (ICP-OES).

Test Number	Item/ component description(s)
A1	White coating

Test item	Test Number	MDL	Test Result	Maximum permissible limit	Conclusion
Lead (Pb)	A1	5	N.D.	90	PASS

Note:

1) MDL=Method Detection Limit.

2) N.D. = not detected, less than MDL.

3) Any surface coating, that is not more than 90ppm lead by weight.

4)“▲” = This data is obtained from composite testing on more than one materials or shapes, it is possible that result obtained from individual testing on any one of the materials or shapes is substantially higher. Please be cautious when using this data for compliance evaluation.

F2. Total Lead in Substrate Materials: (Unit: mg/kg)

Section 101(a) of the Consumer Product Safety Improvement Act of 2008 (CPSIA) (Public Law 110-314) (15 U.S.C. 1278a), as modified by H.R. 2715 (Public Law 112-28, August 12, 2011)

Test method:

Metal - CPSC-CH-E1001-08.3., Nonmetal - CPSC-CH-E1002-08.3., Was analyzed by flame atomic absorption spectrometry (AAS) or inductively coupled plasma spectrometer (ICP-OES).

Test Number	Item/ component description(s)
A2	Transparent plastic bottle

Test item	Test Number	MDL	Test Result	Maximum permissible limit	Conclusion
Lead (Pb)	A2	5	N.D.	100	PASS

Note:

1) MDL=Method Detection Limit.

2) N.D. = not detected, less than MDL.

3) Any substrate material, that is not more than 100ppm lead by weight.

4)“▲” = This data is obtained from composite testing on more than one materials or shapes, it is possible that result obtained from individual testing on any one of the materials or shapes is substantially higher. Please be cautious when using this data for compliance evaluation.

Zhejiang RTS Test Co., LTD.
Phone: +86(0)579-85640080
Email: ruiyi-8@zj-rts.com
http://www.irtslab.cn
浙江省金华市义乌市后宅街道通泰路 140 号联东 U 谷 1 栋 4 楼 401
401, Floor 4, Building 1, LIANDO U VALLEY, No. 140
Tongtai Road, Houzhai Street, Yiwu, Jinhua, Zhejiang

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request. Attention is drawn to the limitation of liability ,indemnification and jurisdictional policies defined therein .The results shown in this Test report refer only to the sample(s) tested unless otherwise stated This test report shall not be reproduced ,except in full, without written approval of the Company. If in doubt, please write an email.

G1. Phthalates Content Test: (Unit: mg/kg)

Consumer Product Safety Commission (CPSC)16 CFR PART 1307 Prohibited children's toys and child care articles shall not contain more than 0.1% of any of the specified phthalates.

Test method: With reference to CPSC-CH-C1001-09.4, was analyzed by Gas Chromatograph-Mass Spectrometer (GC-MS).

Test Number	Item/ component description(s)
A2	Transparent plastic bottle

Test Item(s)	CAS No.	Results A2	MDL	Limit value
Dibutyl Phthalate(DBP)	84-74-2	N.D.	50	1000
Benzylbutyl Phthalate(BBP)	85-68-7	N.D.	50	1000
Bis-(2-ethylhexyl)Phthalate(DEHP)	117-81-7	N.D.	50	1000
Di-iso-nonyl Phthalate(DINP)	28553-12-0	N.D.	50	1000
Diisobutyl phthalate (DIBP)	84-69-5	N.D.	50	1000
Dipentyl phthalate (DPENP)	131-18-0	N.D.	50	1000
di-n-Hexyl phthalate (DHEXP)	84-75-3	N.D.	50	1000
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	50	1000
Conclusion	-	PASS	-	-

Note:

1) N.D. = not detected, less than MDL.

2) MDL = Method Detection Limit.

3)"▲" = This data is obtained from composite testing on more than one materials or shapes, it is possible that result obtained from individual testing on any one of the materials or shapes is substantially higher. Please be cautious when using this data for compliance evaluation.

Zhejiang RTS Test Co., LTD.
Phone: +86(0)579-85640080
Email: ruiyi-8@zj-rts.com
http://www.irtslab.cn
浙江省金华市义乌市后宅街道通泰路 140 号联东 U 谷 1 栋 4 楼 401
401, Floor 4, Building 1, LIANDO U VALLEY, No. 140
Tongtai Road, Houzhai Street, Yiwu, Jinhua, Zhejiang

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request. Attention is drawn to the limitation of liability ,indemnification and jurisdictional policies defined therein .The results shown in this Test report refer only to the sample(s) tested unless otherwise stated This test report shall not be reproduced ,except in full, without written approval of the Company. If in doubt, please write an email.

G2. Phthalates Content Test: (Unit: mg/kg)

Standard Consumer Safety Specification For Toy Safety, ASTM F963-23 Clause 4.3.8.

Test method: With reference to CPSC-CH-C1001-09.4, was analyzed by Gas Chromatograph-Mass Spectrometer (GC-MS).

Test Number	Item/ component description(s)
A2	Transparent plastic bottle

Test Item(s)	CAS No.	Results A2	MDL	Limit value
Dibutyl Phthalate(DBP)	84-74-2	N.D.	50	1000
Benzylbutyl Phthalate(BBP)	85-68-7	N.D.	50	1000
Bis-(2-ethylhexyl)Phthalate(DEHP)	117-81-7	N.D.	50	1000
Di-iso-nonyl Phthalate(DINP)	28553-12-0	N.D.	50	1000
Diisobutyl phthalate (DIBP)	84-69-5	N.D.	50	1000
Dipentyl phthalate (DPENP)	131-18-0	N.D.	50	1000
di-n-Hexyl phthalate (DHEXP)	84-75-3	N.D.	50	1000
Dicyclohexyl phthalate (DCHP)	84-61-7	N.D.	50	1000
Conclusion	-	PASS	-	-

Note:

1) N.D. = not detected, less than MDL.

2) MDL = Method Detection Limit.

3)“▲” = This data is obtained from composite testing on more than one materials or shapes, it is possible that result obtained from individual testing on any one of the materials or shapes is substantially higher. Please be cautious when using this data for compliance evaluation.

Zhejiang RTS Test Co., LTD.
Phone: +86(0)579-85640080
Email: ruiyi-8@zj-rts.com
http://www.irtslab.cn
浙江省金华市义乌市后宅街道通泰路 140 号联东 U 谷 1 栋 4 楼 401
401, Floor 4, Building 1, LIANDO U VALLEY, No. 140
Tongtai Road, Houzhai Street, Yiwu, Jinhua, Zhejiang

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request. Attention is drawn to the limitation of liability ,indemnification and jurisdictional policies defined therein .The results shown in this Test report refer only to the sample(s) tested unless otherwise stated This test report shall not be reproduced ,except in full, without written approval of the Company. If in doubt, please write an email.

H. Soluble Heavy Metal Content in Substrate Material: (Unit: mg/kg)

Standard Consumer Safety Specification For Toy Safety, ASTM F963-23 Clause 4.3.5.2.

Test method: With reference to ASTM F963-23 (Clause 8.3.5)-Soluble elements Test method, Analysis was performed by Inductively Coupled plasma atomic emission spectrometer (ICP-OES)

Test Number	Item/ component description(s)
A2	Transparent plastic bottle

Element(s)	Pb	Cd	Cr	Ba	As	Hg	Se	Sb	Conclusion
Limit(s)	90	75	60	1000	25	60	500	60	
Test Number	Test result(s)								
A2	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	N.D.	PASS

Note:

1) MDL=Method Detection Limit.

2) N.D. = not detected, less than 2.5 (Cr.As.Hg)、5(.Sb.Cd.Pb)、10(Ba.Se) .

3)“▲” = This data is obtained from composite testing on more than one materials or shapes, it is possible that result obtained from individual testing on any one of the materials or shapes is substantially higher. Please be cautious when using this data for compliance evaluation.

---------- End of Report ----------

Zhejiang RTS Test Co., LTD.
Phone: +86(0)579-85640080
Email: ruiyi-8@zj-rts.com
http://www.irtslab.cn
浙江省金华市义乌市后宅街道通泰路 140 号联东 U 谷 1 栋 4 楼 401
401, Floor 4, Building 1, LIANDO U VALLEY, No. 140
Tongtai Road, Houzhai Street, Yiwu, Jinhua, Zhejiang

This Test Report is issued by the Company subject to its General Conditions of Service printed overleaf or available on request. Attention is drawn to the limitation of liability ,indemnification and jurisdictional policies defined therein .The results shown in this Test report refer only to the sample(s) tested unless otherwise stated This test report shall not be reproduced ,except in full, without written approval of the Company. If in doubt, please write an email.