



IECEX Certificate of Conformity

INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit www.iecex.com

Certificate No.: **IECEX CSAE 24.0059X** Page 1 of 4 [Certificate history:](#)
Status: **Current** Issue No: 0
Date of Issue: 2025-04-01
Applicant: **Fujian BelFone Communications Technology Co., Ltd.**
A-15, Shuangyang Huaqiao Economic And Development Zone
Luojiang District, Quanzhou
Fujian 362012
China
Equipment: **Explosion-proof radio BF-TD511**
Optional accessory:
Type of Protection: **Intrinsic Safety 'i'**
Marking: Ex ic IIC T4 Gc
Ex ic IIIC T100°C Dc
-10 °C ≤ Tamb ≤ +55 °C

Approved for issue on behalf of the IECEx
Certification Body:

Michelle Halliwell

Position:

Senior Director of Operations

Signature:
(for printed version)

Date:
(for printed version)

1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting www.iecex.com or use of this QR Code.



Certificate issued by:

CSA Group Testing UK Ltd
Unit 6, Hawarden Industrial Park
Hawarden, Deeside CH5 3US
United Kingdom





IECEX Certificate of Conformity

Certificate No.: **IECEX CSAE 24.0059X**

Page 2 of 4

Date of issue: 2025-04-01

Issue No: 0

Manufacturer: **Fujian BelFone Communications Technology Co., Ltd.**
A-15, Shuangyang Huaqiao Economic And Development Zone
Luojiang District, Quanzhou
Fujian 362012
China

Manufacturing locations: **Fujian BelFone Communications Technology Co., Ltd.**
A-15, Shuangyang Huaqiao Economic And Development Zone
Luojiang District, Quanzhou
Fujian 362012
China

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEX Quality system requirements. This certificate is granted subject to the conditions as set out in IECEX Scheme Rules, IECEX 02 and Operational Documents as amended

STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

[IEC 60079-0:2017](#) Explosive atmospheres - Part 0: Equipment - General requirements
Edition:7.0

[IEC 60079-11:2011](#) Explosive atmospheres - Part 11: Equipment protection by intrinsic safety "i"
Edition:6.0

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Report:

[GB/CSAE/ExTR25.0025/00](#)

Quality Assessment Report:

[GB/CSAE/QAR25.0002/00](#)



IECEX Certificate of Conformity

Certificate No.: **IECEX CSAE 24.0059X**

Page 3 of 4

Date of issue: 2025-04-01

Issue No: 0

EQUIPMENT:

Equipment and systems covered by this Certificate are as follows:

The BF-TD511 Explosion-proof radio is a portable communication device. It is powered by an internally fitted user-replaceable Li-Ion battery, whose rating is 7.40Vdc/1500mAh. The product consists of a display, speakers and microphones, divergent LED flashlight and intercom.

The enclosure and LCD lens are constructed from PC. On the shell it is fitted with encoder, volume switch and function keys and to operate the product. The equipment has an antenna port for connection to a passive antenna. There is an accessory port for connection to a headset and a charging socket for charger input in the non-hazardous area only. The equipment is only allowed to be charged outside of hazardous location, the maximum charging parameters are $U_m = 8.4Vdc$, $I_m = 0.75A$.

The equipment has been tested in accordance with the test of enclosure section of IEC 60079-0 and meets the requirements of IP65.

SPECIFIC CONDITIONS OF USE: YES as shown below:

1. The BF-TD511 Explosion-proof radio shall only be charged in safe area using a charger approved as SELV or Class 2 equipment against IEC 62368 or an equivalent IEC standard. The maximum voltage and current from the charger U_m and I_m shall not exceed 8.4 VDC and 0.75A respectively. The ambient temperature during charging shall be in the range 5°C to +45°C.
2. When using, the headset cover must be properly installed. The device cannot be connected with any accessories such like a headset in hazardous location.
3. Only a passive headset could be connected via the headset port in the non-hazardous area.
4. The equipment shall only be used in locations where there is a low risk of mechanical impact.
5. Only a passive Antenna could be connected via the Antenna port.



IECEX Certificate of Conformity

Certificate No.: **IECEX CSAE 24.0059X**

Page 4 of 4

Date of issue: 2025-04-01

Issue No: 0

**Additional information:
Conditions of Manufacture**

1. The adapter (for DC charger) supplied with the Explosion-proof radio BF-TD511 shall be approved as SELV equipment (complying with the IEC 62368, or a technically equivalent standard. The maximum charging voltage shall not exceed $U_m = 8.4$ VDC, and the maximum charging current shall not exceed $I_m = 0.75$ A.