

# Attestation of Compliance

Reference No. : LCSB04176050E

Applicant : Guangdong Mason Technologies Co., Ltd

Address : No. 2, Industrial West #1 Road, Songshan Lake .High-tech  
Industrial Development Zone, Dongguan, Guangdong, P.R.China

Product : LED Garden light

Trade Mark : N/A

Model(s) : SEE ANNEX I

Tested according to : EN IEC 55015:2019+A11:2020  
EN IEC 61000-3-2:2019+A1:2021+A2:2024  
EN 61000-3-3:2013+A1:2019+A2:2021  
EN IEC 61547:2023

Report No. : LCSB04176050E

The submitted products have been tested by us with the listed standards.  
This Attestation of Compliance is issued according to the council Directive 2014/30/EU, Referred to as the Electromagnetic Compatibility. It confirms that the listed product complies with all essential requirements of the EMC directive and applies only to the sample and its technical documentation submitted to Shenzhen Southern LCS Compliance Testing Co., Ltd. for testing.

After preparation of the necessary technical documentation as well as the EU conformity declaration the required CE marking can be affixed on the product. Other relevant Directives have to be observed.



Date of issue: May 19, 2026



Manager / DM Gu



# Attestation of Compliance

## ANNEX I:

Reference No. : LCSB04176050E

Model(s) :

Model name	Rating
<b>Series 1</b>	
MS-CY072030-XX*	100-277V~, 50/60Hz, 30W, IP65, ta:50°C
MS-CY073040-XX*	100-277V~, 50/60Hz, 40W, IP65, ta:50°C
MS-CY074050-XX*	100-277V~, 50/60Hz, 50W, IP65, ta:50°C
MS-CY075060-XX*	100-277V~, 50/60Hz, 60W, IP65, ta:50°C
MS-CY076070-XX*	100-277V~, 50/60Hz, 70W, IP65, ta:50°C
MS-CY077080-XX*	100-277V~, 50/60Hz, 80W, IP65, ta:50°C
MS-CY078090-XX*	100-277V~, 50/60Hz, 90W, IP65, ta:50°C
MS-CY079100-XX*	100-277V~, 50/60Hz, 100W, IP65, ta:50°C
MS-CY080110-XX*	100-277V~, 50/60Hz, 110W, IP65, ta:50°C
MS-CY081120-XX*	100-277V~, 50/60Hz, 120W, IP65, ta:50°C
MS-CY082130-XX*	100-277V~, 50/60Hz, 130W, IP65, ta:50°C
MS-CY083140-XX*	100-277V~, 50/60Hz, 140W, IP65, ta:50°C
MS-CY084150-XX*	100-277V~, 50/60Hz, 150W, IP65, ta:50°C
<b>Series 2</b>	
MS-CY085030-XX*	100-277V~, 50/60Hz, 30W, IP65, ta:50°C
MS-CY085040-XX*	100-277V~, 50/60Hz, 40W, IP65, ta:50°C
MS-CY085050-XX*	100-277V~, 50/60Hz, 50W, IP65, ta:50°C
MS-CY085060-XX*	100-277V~, 50/60Hz, 60W, IP65, ta:50°C
MS-CY085070-XX*	100-277V~, 50/60Hz, 70W, IP65, ta:50°C
MS-CY085080-XX*	100-277V~, 50/60Hz, 80W, IP65, ta:50°C
MS-CY085090-XX*	100-277V~, 50/60Hz, 90W, IP65, ta:50°C



# Attestation of Compliance

MS-CY085100-XX*	100-277V~, 50/60Hz, 100W, IP65, ta:50°C
MS-CY085110-XX*	100-277V~, 50/60Hz, 110W, IP65, ta:50°C
MS-CY085120-XX*	100-277V~, 50/60Hz, 120W, IP65, ta:50°C
MS-CY085130-XX*	100-277V~, 50/60Hz, 130W, IP65, ta:50°C
MS-CY085140-XX*	100-277V~, 50/60Hz, 140W, IP65, ta:50°C
MS-CY085150-XX*	100-277V~, 50/60Hz, 150W, IP65, ta:50°C
<b>Series 3</b>	
MS-CY056030-XX*	100-277V~, 50/60Hz, 30W, IP65, ta:50°C
MS-CY057040-XX*	100-277V~, 50/60Hz, 40W, IP65, ta:50°C
MS-CY058050-XX*	100-277V~, 50/60Hz, 50W, IP65, ta:50°C
MS-CY059060-XX*	100-277V~, 50/60Hz, 60W, IP65, ta:50°C
MS-CY060070-XX*	100-277V~, 50/60Hz, 70W, IP65, ta:50°C
MS-CY061080-XX*	100-277V~, 50/60Hz, 80W, IP65, ta:50°C
MS-CY062090-XX*	100-277V~, 50/60Hz, 90W, IP65, ta:50°C
MS-CY063100-XX*	100-277V~, 50/60Hz, 100W, IP65, ta:50°C
<b>Remark:</b> XX represent the color temperature, 30=3000K, 40=4000K, 50=5000K, 57=5700K, 65=6500K * represent the dimming/non-dimming, D=dimming, N=non-dimming	

