



中国认可
国际互认
检测
TESTING
CNAS L1744

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: (8825)127-0109(R1)
Date Received: May 7, 2025

Jul 30, 2025
Page 1 of 37

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD
2ND FLOOR, 115, GUANGFENG INDUSTRIAL ZONE,
FENGXIA COMMUNIY, GUANGYI STREET, CHENGHAI
DISTRICT, SHANTOU GUANGDONG, CHINA

| | | | |
|-----------------------------|--|-------------------------|----------------|
| Sample Description: | DRONE SERIES | Sample Size: | 51 |
| Vendor: | N/A | Client Reference | SEE ATTACHMENT |
| Manufacturer: | N/A | Information: | |
| Labeled Age Grade: | 8+: FX-41B 14+: NO.X19, NO.X20, GB8015, GB8023, GB8022, NO.X17, GB8007, GB8026, GB8017, GB8013, GB8035P20, GB8009, NO.H36F, H126, GB8012, GB8016, GB2005, A150, GB8005, GB80116PS, A257, GB8025, NO.X8, GB8002DIY, NO.H36, GB2005, GB8029, GB8006, X40PRO, H118PRO, H131, H128, X28PRO, H130, X28GPSPRO H102: NOT PRESENT | SKN/SKU No.: | NOT PROVIDE |
| Appropriate Age Grade: | ADULT | PO No.: | NOT PROVIDE |
| Client Specified Age Grade: | 8+ | Ref #: | NOT PROVIDE |
| Tested Age Grade: | OVER 8 YEARS OF AGE | Country of Origin: | NOT PROVIDE |
| UPC Code: | N/A | Assortment No.: | NOT PROVIDE |
| Resubmitted Sample Date: | JUN 6, 2025 | Country of Destination: | NOT PROVIDE |
| Test Starting Date: | MAY 7, 2025 | Test Finished Date: | JUL 30, 2025 |

BUREAU VERITAS SHENZHEN CO.,LTD
DONGGUAN BRANCH

Lisa Bai

Lisa Bai
Analytical lab technical ass. manager



BUREAU VERITAS SHENZHEN CO.,LTD
DONGGUAN BRANCH

Tone Tang

Tone Tang
Physics Lab Assistant Supervisor

RT/Olivia Yin

REMARK

If there are questions or concerns on this report, please contact the following persons:

Report Enquiry: (86) 0769 89952999 Ext. 8175 CPSAnalytical.DG@bureauveritas.com

Business Contact: (86) 0769 85893595

This report shall not be reproduced except in full, without the written approval of our laboratory.

Bureau Veritas Shenzhen Co., Ltd., Dongguan Branch
No.96, Houjie, Guantai Road., Houjie, Dongguan, Guangdong, China
Tel: +86-769-89982098
Fax: +86-769-85991080
www.cps.bureauveritas.com

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at <http://www.bureauveritas.com/home/about-us/our-business/cps/about-us/terms-conditions/> and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. Measurement uncertainty is only provided upon request for accredited tests. Statements of conformity are based on simple acceptance criteria without taking measurement uncertainty into account, unless otherwise requested in writing. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence or if you require measurement uncertainty; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute your unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 2 of 37

EXECUTIVE SUMMARY:

| Test Requested | Conclusion |
|--|------------|
| (#)Mechanical and physical properties requirements of the tested subclauses of the European Standard, "Safety of toys", EN71: Part 1:2014+A1:2018 clauses 1-7. | PASS |
| Labeling requirements of "CE marking, manufacturer/ Importer name and address, and product identification" under "Directive 2009/48/EC Safety of Toy". | PASS |
| (#)Flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2020. | PASS |
| (#)Mechanical and physical properties requirements of the tested subclauses of the British Standard, "Safety of toys", BS EN71: Part 1:2014+A1:2018, clauses 1-7. | PASS |
| Labeling requirements of "UKCA Marking, Company name and UK address and product identification". | PASS |
| (#)Flammability requirements of the British Standard "Safety of Toys", BS EN 71: Part 2: 2020. | PASS |
| Migration of Certain Elements in Category III - Scraped off toy material requirements of the European Standard, "Safety of toys", EN 71-3:2019+A1:2021. | PASS |
| Migration of Certain Elements in Category III - Scraped off toy material requirements of the British Standard, "Safety of toys", BS EN 71-3:2019+A1:2021. | PASS |
| (#)Migration of Certain Elements in Category III - Scraped off toy material requirements of the European Standard, "Safety of toys", EN 71-3:2019+A2:2024. | PASS |
| (#)Migration of Certain Elements in Category III - Scraped off toy material requirements of the British Standard, "Safety of toys", BS EN 71-3:2019+A2:2024. | PASS |

Note: At the request of the client, the sample(s) was evaluated for use by children 8+.

Note: At the request of client, test(s) was conducted on the certain component(s) of the submitted samples(s) / submitted component(s).

Note: Tests with (#) are accredited by CNAS.

ATTACHMENT:

Client Reference Information:

H36、H36F、H48、H56、H68、H74、H83、H101、H102、H103、H105、H106、H107、H108、H109、H110、H111、H112、H113、H115、H116、H117、H118、H119、H120、H121、H122、H123、H125、H126、H127、H128、H129、H130、H131、H132、H133、H135、H136、H137、H138、H139、H140、H141、H142H143、H145、H146、H147、H148、H149、H150、H151、H152、H153、H155、H156、H157、H158、H159、H160、H161、H162、H163、H165、H166、H167、H168、H169、H170、H171、H172、H173、H175、H176、H177、H178、H179、H180、H181、H182、H183、H185、H186、H187、H188、H189、H190、H191、H192、H196、H197、H198、H199、H200、X12、X16、X17、X19、X20、X21、X22、X23、X25、X26、X27、X28、X29、X30、X31、X32、X33、X35、X36、X37、X38、X39、X40、X41、X42、X43、X45、X46、X47、X48、X49、X50、X51、X52、X53、X55、X56、X57、X58、X59、X60、X61、X62、X63、X65、X66、X67、X68、X69、X70、X71、X72、X73、X75、X76、X77、X78、X79、X80、M02、M03、M05、JX01、E130、E160、E010、DE58、E110S、E120S、E180、E200、E135、GB2001、E88、E99、DHD58、DHD88、DHD99、X1、X8、X3、X39、H126



**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 3 of 37

Tested Component(s) Description List:

| Test Item(s) | Item / Component Description(s) | Location(s) | Style(s) |
|--------------|---------------------------------|----------------|----------|
| I001 | Black plastic | Remote control | - |
| I002 | Light purple coating | UAV | - |
| I003 | Light pink coating | UAV | - |
| I004 | Blue plastic | Fan leaf | - |
| I005 | Red plastic | Fan leaf | - |
| I006 | White plastic | Remote control | - |
| I007 | Transparent plastic | Box | - |
| I008 | Cyan coating | UAV | - |
| I009 | Grey coating | UAV | - |
| I010 | Purple red plastic | Fan leaf | - |
| I011 | Yellow plastic | Fan leaf | - |
| I012 | Orange plastic | UAV | - |
| I013 | Light blue plastic | Fan leaf | - |
| I014 | Black EVA | UAV | - |
| I015 | White/ blue coating | UAV | - |



GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 4 of 37

RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

| | |
|---|---|
| <p>The Appropriate Age Grade is determined with reference to the EN71 : Part 1 : 2014+A1:2018, CEN ISO/TR 8124-8:2016 Safety of toys - Part 8: Age determination guidelines prepared by Technical Committee CEN/TC 52 and Age Grade Determination Guidelines of the Consumer Product Safety Commission (CPSC).</p> | |
| Note : | The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing. |
| Note : | If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing. |

EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2 & 6

| Symbol | Explanation | | | | |
|--------|---|--------|--------------------|--------|---------------------|
| NM | The sample(s) DOES NOT MEET the requirement of this Subclause | | | | |
| M | The sample(s) MEET the requirement of this Subclause | | | | |
| N/A | Not Applicable | | | | |
| NR | Not Requested | | | | |
| NE | Not Evaluated | | | | |
| NP | None Present | | | | |
| NT | Not Tested | | | | |
| P | Present | | | | |
| R | Refer to Comment Section of this report | | | | |
| Symbol | Language Present | Symbol | Language Present | Symbol | Language Present |
| B | Belgian language | G | German language | PR | Portuguese language |
| D | Danish language | GR | Greek language | S | Spanish language |
| E | English language | H | Dutch language | SD | Swedish language |
| F | Finnish language | I | Italian language | SZ | Swiss language |
| FR | French language | N | Norwegian language | | |



**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 5 of 37

RESULTS:

**MECHANICAL & PHYSICAL PROPERTIES
(EN 71: PART 1 – 2014+A1 – 2018)**

| Subclause | Requirement | Result |
|---|--|---------------|
| 4.1 | Material cleanliness | M |
| 4.2 | Assembly | NA |
| 4.3 | Flexible plastic sheeting | NA |
| 4.4 | Toy Bags | NA |
| 4.5 | Glass | NA |
| 4.6 | Expanding materials | NA |
| 4.7 & 7.6 | Edges | M |
| 4.8 & 7.6 | Points and metallic wires | M |
| 4.8e | Splinters | M |
| 4.9 | Protruding parts | NA |
| 4.10.1 | Folding and sliding mechanisms | NA |
| 4.10.2 | Driving mechanisms | M |
| 4.10.3 | Hinges | NA |
| 4.10.4 | Springs | NA |
| 4.11 | Mouth actuated toys and other toys intended to be put in the mouth | NA |
| 4.12 & 7.3 | Balloons | NA |
| 4.13 & 7.9 | Cord of toy kites and other flying toys | NA |
| 4.14.1 | Toys which a child can enter | NA |
| 4.14.2 & 7.8 | Masks and helmets | NA |
| 4.15.1 | Toys propelled by child | |
| 4.15.1.2 & 7.10.1 & 7.10.2 & 7.10.3 & 7.10.4 & 7.16 | Toys propelled by child – Instructions for use | NA |
| 4.15.1.3 | Toys propelled by child – Strength | NA |
| 4.15.1.4 | Toys propelled by child – Stability | NA |
| 4.15.1.5 | Toys propelled by child – Braking | NA |
| 4.15.1.6 | Toys propelled by child - Transmission | NA |
| 4.15.1.7 | Toys propelled by child – insertion mark | NA |
| 4.15.1.8 | Electrically-driven ride-on toys | NA |
| 4.15.2 | Toy bicycles | |
| 4.15.2.2 & 7.15 | Toy bicycles – Warnings and instructions for use | NA |
| 4.15.2.3 | Toy bicycles – Braking | NA |
| 4.15.3 & 7.16 & 7.19 | Rocking horses and similar toys | NA |
| 4.15.4 & 7.16 | Toys not propelled by child | NA |
| 4.15.5 & 7.18 | Toy scooters | NA |



**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 6 of 37

RESULTS:

| Subclause | Requirement | Result |
|---|---|---------------|
| 4.16 | Heavy immobile toys | NA |
| 4.17.2 | All projectiles | NA |
| 4.17.3 & 7.7 | Projectile toys with stored energy | NA |
| 4.17.4 & 7.26 | Certain projectile toys without stored energy | NA |
| 4.18 & 7.4 | Aquatic toys and inflatable toys | NA |
| 4.19 & 7.13 & 7.14 | Percussion caps | NA |
| 4.20.2.1- 4.20.2.4, 4.20.2.6-4.20.2.12 & 7.14 | Acoustics | M |
| *4.20.2.5 | Acoustics– Toys using headphones or earphones | NA |
| 4.21 | Toys containing a non-electrical heat source | NA |
| 4.22 & 7.2 | Small balls | NA |
| 4.23 | Magnet | |
| 4.23.2 a, b & c | Toy other than magnetic / electrical experimental sets intended for children over 8 years | M |
| 4.23.3 & 7.20 | Magnetic / electrical experimental sets intended for children over 8 years | NA |
| 4.24 | Yo-yo ball | NA |
| 4.25 | Toys attached to food | NA |
| 4.26 | Toy Disguise Costumes | NA |
| 4.27.1 | Flying toys – General | M |
| 4.27.2 & 7.25.1 | Rotors and propellers on flying toys | NA |
| 4.27.3 & 7.25.2 | Rotors and propellers on remote controlled flying toys | M |
| FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS | | |
| 5.1 | General | NA |
| 5.1a | Small parts – as received | NA |
| 5.1b | Small parts, sharp points, sharp edges – after tests | NA |
| 5.1c | Cross section <2mm metal points & wires | NA |
| 5.1e | Toys contain glue | NA |
| 5.1f | Casing of toys | NA |
| 5.2 | Fillings, coverings and seams | NA |
| 5.3 | Adhesion of plastic sheeting | NA |
| 5.4.2 | Cords and chains in toys intended for children under 18 months | NA |



GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 7 of 37

RESULTS:

| Subclause | Requirement | Result |
|---------------------------------------|---|--------|
| 5.4.3 & 7.22 | Cords and chains in toys intended for children of 18 months or over but under 36 months | NA |
| 5.4.4 | Fixed loops, tangled loops and nooses | NA |
| 5.4.5 | Cords and chains on pull along toys | NA |
| 5.4.6 & 7.21 | Electrical cables | NA |
| 5.4.7 | Cross-sectional dimension of certain cords | NA |
| 5.4.8 | Self-retracting cords | NA |
| 5.4.9 & 7.11 & 7.23 | Toys attached to or intended to be strung across a cradle, cot or perambulator | NA |
| 5.5 & 7.12 | Liquid filled toys | NA |
| 5.6 | Electrically driven toys | NA |
| 5.7 | Glass and porcelain | NA |
| 5.8 | Shape and size | NA |
| 5.9 & 7.17 | Monofilament fibres | NA |
| 5.10 | Small balls | NA |
| 5.11 | Play figures | NA |
| 5.12 | Hemispheric shaped toys | NA |
| 5.13 | Suction cups | NA |
| 5.14 | Straps intended to be worn fully or partially around the neck | NA |
| 5.15 & 7.24 | Sledges with cords for pulling | NA |
| 6 | Packaging | NA |
| WARNINGS, INSTRUCTIONS FOR USE | | |
| 7.1 | General | M |
| 7.2 | Toys not intended for children under 36 months | M |
| 7.5 | Functional toys | NA |

2009/48/EC General Labeling Requirement

| Requirement | Result |
|---|--------|
| CE Mark | M |
| Manufacturer/ Importer name and address | M |
| Product Identification | M |

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section NT=Not Test

Remark:

2009/48/EC General Labeling Requirements are not accredited by CNAS.



**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 8 of 37

RESULTS:

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 1

| Sub-clause | Test Method | Sub-clause | Test Method | Sub-clause | Test Method | Sub-clause | Test Method |
|------------|---|------------|---|------------|--|------------|---|
| 4.3 | 8.25.1 | 4.15.1.5 | 8.26.1 | 4.22 | 8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.32 | 5.4.5 | 8.40 |
| 4.5 | 8.5, 8.7, 8.11, 8.12 | 4.15.1.8 | 8.29 | 4.23 | 8.2, 8.3, 8.4.2.1, 8.4.2.2, 8.5, 8.6, 8.7, 8.8, 8.34, 8.35 | 5.4.6 | 8.40 |
| 4.6 | 8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.14 | 4.15.2.4 | 8.26.2 | 4.24 | 8.37 | 5.4.7 | 8.20 |
| 4.7 | 8.11 | 4.15.3 | 8.21, 8.23.1 | 4.25 | 8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32.1 | 5.7.8 | 8.39 |
| 4.8 | 8.12, 8.13 | 4.15.4 | 8.21, 8.23.1 | 4.26 | 8.38 | 5.5 | 8.15 |
| 4.9 | 8.4.2.3, 8.11, 8.12 | 4.15.5 | 8.11, 8.12, 8.21, 8.22, 8.26.3, 8.27 | 4.27.1 | 8.43 | 5.6 | 8.29 |
| 4.10.1 | 8.18.2, 8.18.3 | 4.16 | 8.23.2 | 4.27.2 | 8.4.2.6 | 5.8 | 8.16 |
| 4.10.2 | 8.5, 8.6, 8.7, 8.11, 8.12 | 4.17.1 | 8.3, 8.4.2.1, 8.7, 8.8, 8.42 | 4.27.3 | 8.4.2.6 | 5.10 | 8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, 8.32 |
| 4.11 | 8.2, 8.3, 8.4.2.1, 8.9, 8.17 | 4.17.2 | 8.3, 8.4.2.4, 8.7, 8.8, 8.32.1, 8.43, 8.44 | 5.1 | 8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.9, 8.11, 8.12 | 5.11 | 8.33 |
| 4.13 | 8.19 | 4.17.3 | 8.3, 8.4.2.3, 8.4.2.5, 8.11, 8.12, 8.24, 8.42 | 5.3 | 8.4.2.1, 8.25 | 5.12 | 8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, |
| 4.14.1 | 8.31.1, 8.31.2 | 4.17.4 | 8.3, 8.4.2.3, 8.4.2.5, 8.11, 8.12, 8.24, 8.42 | 5.4.1 | 8.40 | 5.13 | 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32 |
| 4.14.2 | 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.11, 8.12 | 4.18 | 8.2, 8.3, 8.4.2.1 | 5.4.2 | 8.38, 8.40, 8.41 | 5.14 | 8.38 |
| 4.15.1.3 | 8.11, 8.12, 8.21, 8.22 | 4.20 | 8.28 | 5.4.3 | 8.38, 8.40, 8.41 | 6 | 8.3, 8.4.2.1, 8.25.1, 8.32.1 |
| 4.15.1.4 | 8.23.1 | 4.21 | 8.30 | 5.4.4 | 8.36, 8.38 | | |



**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 9 of 37

RESULTS:

FLAMMABILITY (EN 71 PART 2: 2020)

| Subclause | Requirement | Result |
|-----------|---|--------|
| 4.1 | Cellulose nitrate | NP |
| 4.1 | Highly flammable solids | NP |
| 4.1 | Surface flash on a piled surface | NA |
| *4.1 | Flammable gases | NA |
| *4.1 | Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels | NA |
| 4.2 | Toys to be worn on the head | NA |
| 4.3 | Toy disguise costumes and toys intended to be worn by child in play | NA |
| 4.3 | warning on product and packaging (10 - 30 mm/s) | NA |
| 4.4 | Toys intended to be entered by child | NA |
| 4.4 | warning on product and packaging (10 - 30 mm/s) | NA |
| 4.5 | Soft-filled toys | NA |

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

| Sub-clause | Test Method | Sub-clause | Test Method | Sub-clause | Test Method | Sub-clause | Test Method |
|------------|-------------|------------|-------------|------------|-------------|------------|-------------|
| 4.2.2 | 5.2 | 4.2.4 | 5.3 | 4.3 | 5.4 | 4.5 | 5.5 |
| 4.2.3 | 5.3 | 4.2.5 | 5.4 | 4.4 | 5.4 | - | - |

* Note: Subclause indicated with * are not accredited.

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section
P = Present NP = Not Present



GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 10 of 37

RESULTS:

APPROPRIATE AGE GRADE DETERMINATION

| | |
|---|---|
| <p>The Appropriate Age Grade is determined with reference to the BS EN71 : Part 1 : 2014+A1:2018, CEN ISO/TR 8124-8:2016 Safety of toys - Part 8: Age determination guidelines prepared by Technical Committee CEN/TC 52 and Age Grade Determination Guidelines of the Consumer Product Safety Commission (CPSC).</p> | |
| Note : | The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing. |
| Note : | If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing. |

EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2 & 6

| Symbol | Explanation | | | | |
|--------|---|--------|--------------------|--------|---------------------|
| NM | The sample(s) DOES NOT MEET the requirement of this Subclause | | | | |
| M | The sample(s) MEET the requirement of this Subclause | | | | |
| N/A | Not Applicable | | | | |
| NR | Not Requested | | | | |
| NE | Not Evaluated | | | | |
| NP | None Present | | | | |
| NT | Not Tested | | | | |
| P | Present | | | | |
| R | Refer to Comment Section of this report | | | | |
| Symbol | Language Present | Symbol | Language Present | Symbol | Language Present |
| B | Belgian language | G | German language | PR | Portuguese language |
| D | Danish language | GR | Greek language | S | Spanish language |
| E | English language | H | Dutch language | SD | Swedish language |
| F | Finnish language | I | Italian language | SZ | Swiss language |
| FR | French language | N | Norwegian language | | |



**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 11 of 37

RESULTS:

**MECHANICAL & PHYSICAL PROPERTIES
(BS EN 71: PART 1 – 2014+A1 – 2018)**

| Subclause | Requirement | Result |
|---|--|---------------|
| 4.1 | Material cleanliness | M |
| 4.2 | Assembly | NA |
| 4.3 | Flexible plastic sheeting | NA |
| 4.4 | Toy Bags | NA |
| 4.5 | Glass | NA |
| 4.6 | Expanding materials | NA |
| 4.7 & 7.6 | Edges | M |
| 4.8 & 7.6 | Points and metallic wires | M |
| 4.8e | Splinters | M |
| 4.9 | Protruding parts | NA |
| 4.10.1 | Folding and sliding mechanisms | NA |
| 4.10.2 | Driving mechanisms | M |
| 4.10.3 | Hinges | NA |
| 4.10.4 | Springs | NA |
| 4.11 | Mouth actuated toys and other toys intended to be put in the mouth | NA |
| 4.12 & 7.3 | Balloons | NA |
| 4.13 & 7.9 | Cord of toy kites and other flying toys | NA |
| 4.14.1 | Toys which a child can enter | NA |
| 4.14.2 & 7.8 | Masks and helmets | NA |
| 4.15.1 | Toys propelled by child | |
| 4.15.1.2 & 7.10.1 & 7.10.2 & 7.10.3 & 7.10.4 & 7.16 | Toys propelled by child – Instructions for use | NA |
| 4.15.1.3 | Toys propelled by child – Strength | NA |
| 4.15.1.4 | Toys propelled by child – Stability | NA |
| 4.15.1.5 | Toys propelled by child – Braking | NA |
| 4.15.1.6 | Toys propelled by child - Transmission | NA |
| 4.15.1.7 | Toys propelled by child – insertion mark | NA |
| 4.15.1.8 | Electrically-driven ride-on toys | NA |
| 4.15.2 | Toy bicycles | |
| 4.15.2.2 & 7.15 | Toy bicycles – Warnings and instructions for use | NA |
| 4.15.2.3 | Toy bicycles – Braking | NA |
| 4.15.3 & 7.16 & 7.19 | Rocking horses and similar toys | NA |
| 4.15.4 & 7.16 | Toys not propelled by child | NA |
| 4.15.5 & 7.18 | Toy scooters | NA |



**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 12 of 37

RESULTS:

| Subclause | Requirement | Result |
|---|---|---------------|
| 4.16 | Heavy immobile toys | NA |
| 4.17.2 | All projectiles | NA |
| 4.17.3 & 7.7 | Projectile toys with stored energy | NA |
| 4.17.4 & 7.26 | Certain projectile toys without stored energy | NA |
| 4.18 & 7.4 | Aquatic toys and inflatable toys | NA |
| 4.19 & 7.13 & 7.14 | Percussion caps | NA |
| 4.20.2.1- 4.20.2.4, 4.20.2.6-4.20.2.12 & 7.14 | Acoustics | M |
| *4.20.2.5 | Acoustics– Toys using headphones or earphones | NA |
| 4.21 | Toys containing a non-electrical heat source | NA |
| 4.22 & 7.2 | Small balls | NA |
| 4.23 | Magnet | |
| 4.23.2 a, b & c | Toy other than magnetic / electrical experimental sets intended for children over 8 years | M |
| 4.23.3 & 7.20 | Magnetic / electrical experimental sets intended for children over 8 years | NA |
| 4.24 | Yo-yo ball | NA |
| 4.25 | Toys attached to food | NA |
| 4.26 | Toy Disguise Costumes | NA |
| 4.27.1 | Flying toys – General | M |
| 4.27.2 & 7.25.1 | Rotors and propellers on flying toys | NA |
| 4.27.3 & 7.25.2 | Rotors and propellers on remote controlled flying toys | M |
| FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS | | |
| 5.1 | General | NA |
| 5.1a | Small parts – as received | NA |
| 5.1b | Small parts, sharp points, sharp edges – after tests | NA |
| 5.1c | Cross section <2mm metal points & wires | NA |
| 5.1e | Toys contain glue | NA |
| 5.1f | Casing of toys | NA |
| 5.2 | Fillings, coverings and seams | NA |
| 5.3 | Adhesion of plastic sheeting | NA |
| 5.4.2 | Cords and chains in toys intended for children under 18 months | NA |



GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 13 of 37

RESULTS:

| Subclause | Requirement | Result |
|---------------------------------------|---|--------|
| 5.4.3 & 7.22 | Cords and chains in toys intended for children of 18 months or over but under 36 months | NA |
| 5.4.4 | Fixed loops, tangled loops and nooses | NA |
| 5.4.5 | Cords and chains on pull along toys | NA |
| 5.4.6 & 7.21 | Electrical cables | NA |
| 5.4.7 | Cross-sectional dimension of certain cords | NA |
| 5.4.8 | Self-retracting cords | NA |
| 5.4.9 & 7.11 & 7.23 | Toys attached to or intended to be strung across a cradle, cot or perambulator | NA |
| 5.5 & 7.12 | Liquid filled toys | NA |
| 5.6 | Electrically driven toys | NA |
| 5.7 | Glass and porcelain | NA |
| 5.8 | Shape and size | NA |
| 5.9 & 7.17 | Monofilament fibres | NA |
| 5.10 | Small balls | NA |
| 5.11 | Play figures | NA |
| 5.12 | Hemispheric shaped toys | NA |
| 5.13 | Suction cups | NA |
| 5.14 | Straps intended to be worn fully or partially around the neck | NA |
| 5.15 & 7.24 | Sledges with cords for pulling | NA |
| 6 | Packaging | NA |
| WARNINGS, INSTRUCTIONS FOR USE | | |
| 7.1 | General | M |
| 7.2 | Toys not intended for children under 36 months | M |
| 7.5 | Functional toys | NA |

UKCA Marking and Company name and UK address Labeling

| Requirement | Result |
|-----------------------------|--------|
| UKCA Marking | M |
| Company name and UK address | M |
| Product Identification | M |

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section NT=Not Test

Remark:

UKCA Marking and Company name and UK address labeling content are not accredited by CNAS.



**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 14 of 37

RESULTS:

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 1

| Sub-clause | Test Method | Sub-clause | Test Method | Sub-clause | Test Method | Sub-clause | Test Method |
|------------|---|------------|---|------------|--|------------|---|
| 4.3 | 8.25.1 | 4.15.1.5 | 8.26.1 | 4.22 | 8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.32 | 5.4.5 | 8.40 |
| 4.5 | 8.5, 8.7, 8.11, 8.12 | 4.15.1.8 | 8.29 | 4.23 | 8.2, 8.3, 8.4.2.1, 8.4.2.2, 8.5, 8.6, 8.7, 8.8, 8.34, 8.35 | 5.4.6 | 8.40 |
| 4.6 | 8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.14 | 4.15.2.4 | 8.26.2 | 4.24 | 8.37 | 5.4.7 | 8.20 |
| 4.7 | 8.11 | 4.15.3 | 8.21, 8.23.1 | 4.25 | 8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32.1 | 5.7.8 | 8.39 |
| 4.8 | 8.12, 8.13 | 4.15.4 | 8.21, 8.23.1 | 4.26 | 8.38 | 5.5 | 8.15 |
| 4.9 | 8.4.2.3, 8.11, 8.12 | 4.15.5 | 8.11, 8.12, 8.21, 8.22, 8.26.3, 8.27 | 4.27.1 | 8.43 | 5.6 | 8.29 |
| 4.10.1 | 8.18.2, 8.18.3 | 4.16 | 8.23.2 | 4.27.2 | 8.4.2.6 | 5.8 | 8.16 |
| 4.10.2 | 8.5, 8.6, 8.7, 8.11, 8.12 | 4.17.1 | 8.3, 8.4.2.1, 8.7, 8.8, 8.42 | 4.27.3 | 8.4.2.6 | 5.10 | 8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, 8.32 |
| 4.11 | 8.2, 8.3, 8.4.2.1, 8.9, 8.17 | 4.17.2 | 8.3, 8.4.2.4, 8.7, 8.8, 8.32.1, 8.43, 8.44 | 5.1 | 8.2, 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.9, 8.11, 8.12 | 5.11 | 8.33 |
| 4.13 | 8.19 | 4.17.3 | 8.3, 8.4.2.3, 8.4.2.5, 8.11, 8.12, 8.24, 8.42 | 5.3 | 8.4.2.1, 8.25 | 5.12 | 8.3, 8.4.2.1, 8.5, 8.6, 8.7, 8.8, 8.9, |
| 4.14.1 | 8.31.1, 8.31.2 | 4.17.4 | 8.3, 8.4.2.3, 8.4.2.5, 8.11, 8.12, 8.24, 8.42 | 5.4.1 | 8.40 | 5.13 | 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.32 |
| 4.14.2 | 8.3, 8.4.2.1, 8.5, 8.7, 8.8, 8.11, 8.12 | 4.18 | 8.2, 8.3, 8.4.2.1 | 5.4.2 | 8.38, 8.40, 8.41 | 5.14 | 8.38 |
| 4.15.1.3 | 8.11, 8.12, 8.21, 8.22 | 4.20 | 8.28 | 5.4.3 | 8.38, 8.40, 8.41 | 6 | 8.3, 8.4.2.1, 8.25.1, 8.32.1 |
| 4.15.1.4 | 8.23.1 | 4.21 | 8.30 | 5.4.4 | 8.36, 8.38 | | |



GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 15 of 37

RESULTS:

FLAMMABILITY (BS EN 71 PART 2: 2020)

| Subclause | Requirement | Result |
|-----------|---|--------|
| 4.1 | Cellulose nitrate | NP |
| 4.1 | Highly flammable solids | NP |
| 4.1 | Surface flash on a piled surface | NA |
| *4.1 | Flammable gases | NA |
| *4.1 | Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels | NA |
| 4.2 | Toys to be worn on the head | NA |
| 4.3 | Toy disguise costumes and toys intended to be worn by child in play | NA |
| 4.3 | warning on product and packaging (10 - 30 mm/s) | NA |
| 4.4 | Toys intended to be entered by child | NA |
| 4.4 | warning on product and packaging (10 - 30 mm/s) | NA |
| 4.5 | Soft-filled toys | NA |

REQUIREMENTS & TEST METHODS CROSS REFERENCE TABLE FOR PART 2

| Sub-clause | Test Method | Sub-clause | Test Method | Sub-clause | Test Method | Sub-clause | Test Method |
|------------|-------------|------------|-------------|------------|-------------|------------|-------------|
| 4.2.2 | 5.2 | 4.2.4 | 5.3 | 4.3 | 5.4 | 4.5 | 5.5 |
| 4.2.3 | 5.3 | 4.2.5 | 5.4 | 4.4 | 5.4 | - | - |

* Note: Subclause indicated with * are not accredited.

M = Meet NM = Not Meet N/A = Not Applicable R = Refer to Comment Section
P = Present NP = Not Present



**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 16 of 37

RESULTS:

Migration of Certain Elements, EN 71-3:2019+A1:2021

Test Method: European Standard EN 71-3:2019+A1:2021 Section 8.

Class: Category III - Scraped off toy material

| Analyte | Requirement (mg/kg) | Result (mg/kg) | | | | |
|-----------------------------|------------------------|----------------|------|--------|------|------|
| | | Test Item(s) | | | | |
| | Category III | I001 | I002 | I003 | I004 | I005 |
| Aluminum (Al) | 28130 | ND | 480 | 330 | ND | ND |
| Arsenic (As) | 47 | ND | ND | ND | ND | ND |
| Boron (B) | 15000 | ND | ND | ND | ND | ND |
| Barium (Ba) | 18750 | ND | 3 | 3 | ND | ND |
| Cadmium (Cd) | 17 | ND | ND | ND | ND | ND |
| Cobalt (Co) | 130 | ND | ND | ND | ND | ND |
| Chromium III (Cr III) | 460 | ND | 0.22 | ND | ND | ND |
| Chromium VI (Cr VI) | 0.053 | ND# | ND# | ND# | ND | ND# |
| Copper (Cu) | 7700 | ND | ND | ND | ND | ND |
| Mercury (Hg) | 94 | ND | ND | ND | ND | ND |
| Manganese (Mn) | 15000 | 2 | ND | ND | ND | ND |
| Nickel (Ni) | 930 | ND | ND | ND | ND | ND |
| Lead (Pb) | 23 | ND | ND | ND | ND | ND |
| Antimony (Sb) | 560 | ND | ND | ND | ND | ND |
| Selenium (Se) | 460 | ND | ND | ND | ND | ND |
| Tin (Sn) | 180000 | ND | ND | ND | ND | ND |
| Organic tin | 12 | ND | ND | ND | ND | ND |
| Strontium (Sr) | 56000 | ND | 21 | 19 | ND | ND |
| Zinc (Zn) | 46000 | ND | 49 | 21 | ND | ND |
| Mass of trace amount (gram) | | - | - | 0.0944 | - | - |
| Conclusion | | PASS | PASS | PASS | PASS | PASS |



**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 17 of 37

RESULTS:

| Analyte | Requirement (mg/kg) | Result (mg/kg) | | | | |
|-----------------------------|------------------------|----------------|------|--------|------|------|
| | | Test Item(s) | | | | |
| | Category III | I006 | I007 | I008 | I009 | I010 |
| Aluminum (Al) | 28130 | ND | ND | 96 | 110 | ND |
| Arsenic (As) | 47 | ND | ND | ND | ND | ND |
| Boron (B) | 15000 | ND | ND | ND | ND | ND |
| Barium (Ba) | 18750 | ND | ND | 3 | 7 | 2 |
| Cadmium (Cd) | 17 | ND | ND | ND | ND | ND |
| Cobalt (Co) | 130 | ND | ND | ND | ND | ND |
| Chromium III (Cr III) | 460 | ND | ND | ND | 0.30 | ND |
| Chromium VI (Cr VI) | 0.053 | ND | ND | ND# | ND# | ND |
| Copper (Cu) | 7700 | ND | ND | ND | 2 | ND |
| Mercury (Hg) | 94 | ND | ND | ND | ND | ND |
| Manganese (Mn) | 15000 | ND | ND | ND | ND | ND |
| Nickel (Ni) | 930 | ND | ND | ND | ND | ND |
| Lead (Pb) | 23 | ND | ND | 8 | ND | ND |
| Antimony (Sb) | 560 | ND | ND | ND | ND | ND |
| Selenium (Se) | 460 | ND | ND | ND | ND | ND |
| Tin (Sn) | 180000 | ND | ND | ND | ND | ND |
| Organic tin | 12 | ND | ND | ND | ND | ND |
| Strontium (Sr) | 56000 | ND | ND | ND | ND | ND |
| Zinc (Zn) | 46000 | ND | ND | 27 | 14 | ND |
| Mass of trace amount (gram) | | - | - | 0.0641 | - | - |
| Conclusion | | PASS | PASS | PASS | PASS | PASS |



**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 18 of 37

RESULTS:

| Analyte | Requirement (mg/kg) | Result (mg/kg) | | | | |
|-----------------------------|------------------------|----------------|------|------|------|------|
| | | Test Item(s) | | | | |
| | Category III | I011 | I012 | I013 | I014 | I015 |
| Aluminum (Al) | 28130 | ND | ND | ND | 2 | 100 |
| Arsenic (As) | 47 | ND | ND | ND | ND | ND |
| Boron (B) | 15000 | ND | ND | ND | ND | ND |
| Barium (Ba) | 18750 | ND | ND | ND | ND | ND |
| Cadmium (Cd) | 17 | ND | ND | ND | ND | ND |
| Cobalt (Co) | 130 | ND | ND | ND | ND | ND |
| Chromium III (Cr III) | 460 | ND | ND | ND | ND | ND |
| Chromium VI (Cr VI) | 0.053 | ND | ND | ND | ND | ND# |
| Copper (Cu) | 7700 | ND | ND | ND | ND | ND |
| Mercury (Hg) | 94 | ND | ND | ND | ND | ND |
| Manganese (Mn) | 15000 | ND | ND | ND | ND | ND |
| Nickel (Ni) | 930 | ND | ND | ND | ND | ND |
| Lead (Pb) | 23 | ND | ND | ND | ND | ND |
| Antimony (Sb) | 560 | ND | ND | ND | ND | ND |
| Selenium (Se) | 460 | ND | ND | ND | ND | ND |
| Tin (Sn) | 180000 | ND | ND | ND | ND | ND |
| Organic tin | 12 | ND | ND | ND | ND | ND |
| Strontium (Sr) | 56000 | ND | ND | ND | ND | ND |
| Zinc (Zn) | 46000 | ND | ND | ND | 3 | ND |
| Mass of trace amount (gram) | | - | - | - | - | - |
| Conclusion | | PASS | PASS | PASS | PASS | PASS |

mg/kg = milligrams per kilogram (ppm=parts per million)

Organic tin = migration of total organic tin is expressed as tributyltin cation content in mg/kg

= Verified results (see note)

ND = Not detected

Detection Limit (mg/kg) :

Category III - Al : 2 ; Sb : 2 ; As : 2 ; Ba : 2 ; B : 2 ; Cd : 2 ; Cr III : 0.15 ; Cr VI : 0.025 ; Co : 2 ; Cu : 2 ; Pb : 2 ; Mn : 2 ; Hg : 2 ; Ni : 2 ; Se : 2 ; Sr : 2 ; Sn : 2 ; Organic tin : 2 ; Zn : 2

Remark:

- Results of Cr III and Cr VI were reported as sum of soluble Chromium content unless specified.
- Result(s) of organic tin was (were) calculated while assuming the tin content wholly contributed from tributyltin cation unless specified.
- The pH measured shall be reported after migration if it was outside the range of 1.1 to 1.3.
- EN 71-3:2019+A1:2021 Heavy Metals Content are not accredited by CNAS.

Note:

If soluble chromium content or soluble tin content exceeded the screening limits of soluble chromium (VI) or organic tin content, the results were verified by below method

- Chromium VI: EN 71-3:2019+A1:2021, Annex F by Ion-chromatography with ICP-MS detector analysis.
- Organic tin: EN 71-3:2019+A1:2021, Annex G by Gas Chromatography-Mass Spectroscopy analysis.



GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 19 of 37

RESULTS:

Migration of Certain Elements, BS EN 71-3:2019+A1:2021

Test Method: British Standard BS EN 71-3:2019+A1:2021 Section 8.

Class: Category III - Scraped off toy material

| Analyte | Requirement (mg/kg) | Result (mg/kg) | | | | |
|-----------------------------|------------------------|----------------|------|--------|------|------|
| | | Test Item(s) | | | | |
| | Category III | I001 | I002 | I003 | I004 | I005 |
| Aluminum (Al) | 28130 | ND | 480 | 330 | ND | ND |
| Arsenic (As) | 47 | ND | ND | ND | ND | ND |
| Boron (B) | 15000 | ND | ND | ND | ND | ND |
| Barium (Ba) | 18750 | ND | 3 | 3 | ND | ND |
| Cadmium (Cd) | 17 | ND | ND | ND | ND | ND |
| Cobalt (Co) | 130 | ND | ND | ND | ND | ND |
| Chromium III (Cr III) | 460 | ND | 0.22 | ND | ND | ND |
| Chromium VI (Cr VI) | 0.053 | ND# | ND# | ND# | ND | ND# |
| Copper (Cu) | 7700 | ND | ND | ND | ND | ND |
| Mercury (Hg) | 94 | ND | ND | ND | ND | ND |
| Manganese (Mn) | 15000 | 2 | ND | ND | ND | ND |
| Nickel (Ni) | 930 | ND | ND | ND | ND | ND |
| Lead (Pb) | 23 | ND | ND | ND | ND | ND |
| Antimony (Sb) | 560 | ND | ND | ND | ND | ND |
| Selenium (Se) | 460 | ND | ND | ND | ND | ND |
| Tin (Sn) | 180000 | ND | ND | ND | ND | ND |
| Organic tin | 12 | ND | ND | ND | ND | ND |
| Strontium (Sr) | 56000 | ND | 21 | 19 | ND | ND |
| Zinc (Zn) | 46000 | ND | 49 | 21 | ND | ND |
| Mass of trace amount (gram) | | - | - | 0.0944 | - | - |
| Conclusion | | PASS | PASS | PASS | PASS | PASS |



**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 20 of 37

RESULTS:

| Analyte | Requirement (mg/kg) | Result (mg/kg) | | | | |
|-----------------------------|------------------------|----------------|------|--------|------|------|
| | | Test Item(s) | | | | |
| | Category III | I006 | I007 | I008 | I009 | I010 |
| Aluminum (Al) | 28130 | ND | ND | 96 | 110 | ND |
| Arsenic (As) | 47 | ND | ND | ND | ND | ND |
| Boron (B) | 15000 | ND | ND | ND | ND | ND |
| Barium (Ba) | 18750 | ND | ND | 3 | 7 | 2 |
| Cadmium (Cd) | 17 | ND | ND | ND | ND | ND |
| Cobalt (Co) | 130 | ND | ND | ND | ND | ND |
| Chromium III (Cr III) | 460 | ND | ND | ND | 0.30 | ND |
| Chromium VI (Cr VI) | 0.053 | ND | ND | ND# | ND# | ND |
| Copper (Cu) | 7700 | ND | ND | ND | 2 | ND |
| Mercury (Hg) | 94 | ND | ND | ND | ND | ND |
| Manganese (Mn) | 15000 | ND | ND | ND | ND | ND |
| Nickel (Ni) | 930 | ND | ND | ND | ND | ND |
| Lead (Pb) | 23 | ND | ND | 8 | ND | ND |
| Antimony (Sb) | 560 | ND | ND | ND | ND | ND |
| Selenium (Se) | 460 | ND | ND | ND | ND | ND |
| Tin (Sn) | 180000 | ND | ND | ND | ND | ND |
| Organic tin | 12 | ND | ND | ND | ND | ND |
| Strontium (Sr) | 56000 | ND | ND | ND | ND | ND |
| Zinc (Zn) | 46000 | ND | ND | 27 | 14 | ND |
| Mass of trace amount (gram) | | - | - | 0.0641 | - | - |
| Conclusion | | PASS | PASS | PASS | PASS | PASS |



**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 21 of 37

RESULTS:

| Analyte | Requirement (mg/kg) | Result (mg/kg) | | | | |
|-----------------------------|------------------------|----------------|------|------|------|------|
| | | Test Item(s) | | | | |
| | Category III | I011 | I012 | I013 | I014 | I015 |
| Aluminum (Al) | 28130 | ND | ND | ND | 2 | 100 |
| Arsenic (As) | 47 | ND | ND | ND | ND | ND |
| Boron (B) | 15000 | ND | ND | ND | ND | ND |
| Barium (Ba) | 18750 | ND | ND | ND | ND | ND |
| Cadmium (Cd) | 17 | ND | ND | ND | ND | ND |
| Cobalt (Co) | 130 | ND | ND | ND | ND | ND |
| Chromium III (Cr III) | 460 | ND | ND | ND | ND | ND |
| Chromium VI (Cr VI) | 0.053 | ND | ND | ND | ND | ND# |
| Copper (Cu) | 7700 | ND | ND | ND | ND | ND |
| Mercury (Hg) | 94 | ND | ND | ND | ND | ND |
| Manganese (Mn) | 15000 | ND | ND | ND | ND | ND |
| Nickel (Ni) | 930 | ND | ND | ND | ND | ND |
| Lead (Pb) | 23 | ND | ND | ND | ND | ND |
| Antimony (Sb) | 560 | ND | ND | ND | ND | ND |
| Selenium (Se) | 460 | ND | ND | ND | ND | ND |
| Tin (Sn) | 180000 | ND | ND | ND | ND | ND |
| Organic tin | 12 | ND | ND | ND | ND | ND |
| Strontium (Sr) | 56000 | ND | ND | ND | ND | ND |
| Zinc (Zn) | 46000 | ND | ND | ND | 3 | ND |
| Mass of trace amount (gram) | | - | - | - | - | - |
| Conclusion | | PASS | PASS | PASS | PASS | PASS |

mg/kg = milligrams per kilogram (ppm=parts per million)

Organic tin = migration of total organic tin is expressed as tributyltin cation content in mg/kg

= Verified results (see note)

ND = Not detected

Detection Limit (mg/kg) :

Category III - Al : 2 ; Sb : 2 ; As : 2 ; Ba : 2 ; B : 2 ; Cd : 2 ; Cr III : 0.15 ; Cr VI : 0.025 ; Co : 2 ; Cu : 2 ; Pb : 2 ; Mn : 2 ; Hg : 2 ; Ni : 2 ; Se : 2 ; Sr : 2 ; Sn : 2 ; Organic tin : 2 ; Zn : 2

Remark:

- Results of Cr III and Cr VI were reported as sum of soluble Chromium content unless specified.
- Result(s) of organic tin was (were) calculated while assuming the tin content wholly contributed from tributyltin cation unless specified.
- The pH measured shall be reported after migration if it was outside the range of 1.1 to 1.3.
- BS EN 71-3:2019+A1:2021 Heavy Metals Content are not accredited by CNAS.

Note:

If soluble chromium content or soluble tin content exceeded the screening limits of soluble chromium (VI) or organic tin content, the results were verified by below method

- Chromium VI: BS EN 71-3:2019+A1:2021, Annex F by Ion-chromatography with ICP-MS detector analysis.
- Organic tin: BS EN 71-3:2019+A1:2021, Annex G by Gas Chromatography-Mass Spectroscopy analysis.



**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 22 of 37

RESULTS:

Migration of Certain Elements, EN 71-3:2019+A2:2024

Test Method: European Standard EN 71-3:2019+A2:2024 Section 8.

Class: Category III - Scraped off toy material

| Analyte | Requirement (mg/kg) | Result (mg/kg) | | | | |
|-----------------------------|------------------------|----------------|------|--------|------|------|
| | | Test Item(s) | | | | |
| | Category III | I001 | I002 | I003 | I004 | I005 |
| Aluminum (Al) | 28130 | ND | 480 | 330 | ND | ND |
| Arsenic (As) | 47 | ND | ND | ND | ND | ND |
| Boron (B) | 15000 | ND | ND | ND | ND | ND |
| Barium (Ba) | 18750 | ND | 3 | 3 | ND | ND |
| Cadmium (Cd) | 17 | ND | ND | ND | ND | ND |
| Cobalt (Co) | 130 | ND | ND | ND | ND | ND |
| Chromium III (Cr III) | 460 | ND | 0.22 | ND | ND | ND |
| Chromium VI (Cr VI) | 0.053 | ND# | ND# | ND# | ND | ND# |
| Copper (Cu) | 7700 | ND | ND | ND | ND | ND |
| Mercury (Hg) | 94 | ND | ND | ND | ND | ND |
| Manganese (Mn) | 15000 | 2 | ND | ND | ND | ND |
| Nickel (Ni) | 930 | ND | ND | ND | ND | ND |
| Lead (Pb) | 23 | ND | ND | ND | ND | ND |
| Antimony (Sb) | 560 | ND | ND | ND | ND | ND |
| Selenium (Se) | 460 | ND | ND | ND | ND | ND |
| Tin (Sn) | 180000 | ND | ND | ND | ND | ND |
| Organic tin | 12 | ND | ND | ND | ND | ND |
| Strontium (Sr) | 56000 | ND | 21 | 19 | ND | ND |
| Zinc (Zn) | 46000 | ND | 49 | 21 | ND | ND |
| Mass of trace amount (gram) | | - | - | 0.0944 | - | - |
| Conclusion | | PASS | PASS | PASS | PASS | PASS |



**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 23 of 37

RESULTS:

| Analyte | Requirement (mg/kg) | Result (mg/kg) | | | | |
|-----------------------------|------------------------|----------------|------|--------|------|------|
| | | Test Item(s) | | | | |
| | Category III | I006 | I007 | I008 | I009 | I010 |
| Aluminum (Al) | 28130 | ND | ND | 96 | 110 | ND |
| Arsenic (As) | 47 | ND | ND | ND | ND | ND |
| Boron (B) | 15000 | ND | ND | ND | ND | ND |
| Barium (Ba) | 18750 | ND | ND | 3 | 7 | 2 |
| Cadmium (Cd) | 17 | ND | ND | ND | ND | ND |
| Cobalt (Co) | 130 | ND | ND | ND | ND | ND |
| Chromium III (Cr III) | 460 | ND | ND | ND | 0.30 | ND |
| Chromium VI (Cr VI) | 0.053 | ND | ND | ND# | ND# | ND |
| Copper (Cu) | 7700 | ND | ND | ND | 2 | ND |
| Mercury (Hg) | 94 | ND | ND | ND | ND | ND |
| Manganese (Mn) | 15000 | ND | ND | ND | ND | ND |
| Nickel (Ni) | 930 | ND | ND | ND | ND | ND |
| Lead (Pb) | 23 | ND | ND | 8 | ND | ND |
| Antimony (Sb) | 560 | ND | ND | ND | ND | ND |
| Selenium (Se) | 460 | ND | ND | ND | ND | ND |
| Tin (Sn) | 180000 | ND | ND | ND | ND | ND |
| Organic tin | 12 | ND | ND | ND | ND | ND |
| Strontium (Sr) | 56000 | ND | ND | ND | ND | ND |
| Zinc (Zn) | 46000 | ND | ND | 27 | 14 | ND |
| Mass of trace amount (gram) | | - | - | 0.0641 | - | - |
| Conclusion | | PASS | PASS | PASS | PASS | PASS |



**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 24 of 37

RESULTS:

| Analyte | Requirement (mg/kg) | Result (mg/kg) | | | | |
|-----------------------------|------------------------|----------------|------|------|------|------|
| | | Test Item(s) | | | | |
| | Category III | I011 | I012 | I013 | I014 | I015 |
| Aluminum (Al) | 28130 | ND | ND | ND | 2 | 100 |
| Arsenic (As) | 47 | ND | ND | ND | ND | ND |
| Boron (B) | 15000 | ND | ND | ND | ND | ND |
| Barium (Ba) | 18750 | ND | ND | ND | ND | ND |
| Cadmium (Cd) | 17 | ND | ND | ND | ND | ND |
| Cobalt (Co) | 130 | ND | ND | ND | ND | ND |
| Chromium III (Cr III) | 460 | ND | ND | ND | ND | ND |
| Chromium VI (Cr VI) | 0.053 | ND | ND | ND | ND | ND# |
| Copper (Cu) | 7700 | ND | ND | ND | ND | ND |
| Mercury (Hg) | 94 | ND | ND | ND | ND | ND |
| Manganese (Mn) | 15000 | ND | ND | ND | ND | ND |
| Nickel (Ni) | 930 | ND | ND | ND | ND | ND |
| Lead (Pb) | 23 | ND | ND | ND | ND | ND |
| Antimony (Sb) | 560 | ND | ND | ND | ND | ND |
| Selenium (Se) | 460 | ND | ND | ND | ND | ND |
| Tin (Sn) | 180000 | ND | ND | ND | ND | ND |
| Organic tin | 12 | ND | ND | ND | ND | ND |
| Strontium (Sr) | 56000 | ND | ND | ND | ND | ND |
| Zinc (Zn) | 46000 | ND | ND | ND | 3 | ND |
| Mass of trace amount (gram) | | - | - | - | - | - |
| Conclusion | | PASS | PASS | PASS | PASS | PASS |

mg/kg = milligrams per kilogram (ppm=parts per million)

Organic tin = migration of total organic tin is expressed as tributyltin cation content in mg/kg

= Verified results (see note)

ND = Not detected

Detection Limit (mg/kg) :

Category III - Al : 2 ; Sb : 2 ; As : 2 ; Ba : 2 ; B : 2 ; Cd : 2 ; Cr III : 0.15 ; Cr VI : 0.025 ; Co : 2 ; Cu : 2 ; Pb : 2 ; Mn : 2 ; Hg : 2 ; Ni : 2 ; Se : 2 ; Sr : 2 ; Sn : 2 ; Organic tin : 2 ; Zn : 2

Remark:

- Results of Cr III and Cr VI were reported as sum of soluble Chromium content unless specified.
- Result(s) of organic tin was (were) calculated while assuming the tin content wholly contributed from tributyltin cation unless specified.
- The pH measured shall be reported after migration if it was outside the range of 1.1 to 1.3.

Note:

If soluble chromium content or soluble tin content exceeded the screening limits of soluble chromium (VI) or organic tin content, the results were verified by below method

- Chromium VI: EN 71-3:2019+A2:2024, Annex F by Ion-chromatography with ICP-MS detector analysis.
- Organic tin: EN 71-3:2019+A2:2024, Annex G by Gas Chromatography-Mass Spectroscopy analysis.



GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 25 of 37

RESULTS:

Migration of Certain Elements, BS EN 71-3:2019+A2:2024

Test Method: British Standard BS EN 71-3:2019+A2:2024 Section 8.

Class: Category III - Scraped off toy material

| Analyte | Requirement (mg/kg) | Result (mg/kg) | | | | |
|-----------------------------|------------------------|----------------|------|--------|------|------|
| | | Test Item(s) | | | | |
| | Category III | I001 | I002 | I003 | I004 | I005 |
| Aluminum (Al) | 28130 | ND | 480 | 330 | ND | ND |
| Arsenic (As) | 47 | ND | ND | ND | ND | ND |
| Boron (B) | 15000 | ND | ND | ND | ND | ND |
| Barium (Ba) | 18750 | ND | 3 | 3 | ND | ND |
| Cadmium (Cd) | 17 | ND | ND | ND | ND | ND |
| Cobalt (Co) | 130 | ND | ND | ND | ND | ND |
| Chromium III (Cr III) | 460 | ND | 0.22 | ND | ND | ND |
| Chromium VI (Cr VI) | 0.053 | ND# | ND# | ND# | ND | ND# |
| Copper (Cu) | 7700 | ND | ND | ND | ND | ND |
| Mercury (Hg) | 94 | ND | ND | ND | ND | ND |
| Manganese (Mn) | 15000 | 2 | ND | ND | ND | ND |
| Nickel (Ni) | 930 | ND | ND | ND | ND | ND |
| Lead (Pb) | 23 | ND | ND | ND | ND | ND |
| Antimony (Sb) | 560 | ND | ND | ND | ND | ND |
| Selenium (Se) | 460 | ND | ND | ND | ND | ND |
| Tin (Sn) | 180000 | ND | ND | ND | ND | ND |
| Organic tin | 12 | ND | ND | ND | ND | ND |
| Strontium (Sr) | 56000 | ND | 21 | 19 | ND | ND |
| Zinc (Zn) | 46000 | ND | 49 | 21 | ND | ND |
| Mass of trace amount (gram) | | - | - | 0.0944 | - | - |
| Conclusion | | PASS | PASS | PASS | PASS | PASS |



**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 26 of 37

RESULTS:

| Analyte | Requirement (mg/kg) | Result (mg/kg) | | | | |
|-----------------------------|------------------------|----------------|------|--------|------|------|
| | | Test Item(s) | | | | |
| | Category III | I006 | I007 | I008 | I009 | I010 |
| Aluminum (Al) | 28130 | ND | ND | 96 | 110 | ND |
| Arsenic (As) | 47 | ND | ND | ND | ND | ND |
| Boron (B) | 15000 | ND | ND | ND | ND | ND |
| Barium (Ba) | 18750 | ND | ND | 3 | 7 | 2 |
| Cadmium (Cd) | 17 | ND | ND | ND | ND | ND |
| Cobalt (Co) | 130 | ND | ND | ND | ND | ND |
| Chromium III (Cr III) | 460 | ND | ND | ND | 0.30 | ND |
| Chromium VI (Cr VI) | 0.053 | ND | ND | ND# | ND# | ND |
| Copper (Cu) | 7700 | ND | ND | ND | 2 | ND |
| Mercury (Hg) | 94 | ND | ND | ND | ND | ND |
| Manganese (Mn) | 15000 | ND | ND | ND | ND | ND |
| Nickel (Ni) | 930 | ND | ND | ND | ND | ND |
| Lead (Pb) | 23 | ND | ND | 8 | ND | ND |
| Antimony (Sb) | 560 | ND | ND | ND | ND | ND |
| Selenium (Se) | 460 | ND | ND | ND | ND | ND |
| Tin (Sn) | 180000 | ND | ND | ND | ND | ND |
| Organic tin | 12 | ND | ND | ND | ND | ND |
| Strontium (Sr) | 56000 | ND | ND | ND | ND | ND |
| Zinc (Zn) | 46000 | ND | ND | 27 | 14 | ND |
| Mass of trace amount (gram) | | - | - | 0.0641 | - | - |
| Conclusion | | PASS | PASS | PASS | PASS | PASS |



**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 27 of 37

RESULTS:

| Analyte | Requirement (mg/kg) | Result (mg/kg) | | | | |
|-----------------------------|------------------------|----------------|------|------|------|------|
| | | Test Item(s) | | | | |
| | Category III | I011 | I012 | I013 | I014 | I015 |
| Aluminum (Al) | 28130 | ND | ND | ND | 2 | 100 |
| Arsenic (As) | 47 | ND | ND | ND | ND | ND |
| Boron (B) | 15000 | ND | ND | ND | ND | ND |
| Barium (Ba) | 18750 | ND | ND | ND | ND | ND |
| Cadmium (Cd) | 17 | ND | ND | ND | ND | ND |
| Cobalt (Co) | 130 | ND | ND | ND | ND | ND |
| Chromium III (Cr III) | 460 | ND | ND | ND | ND | ND |
| Chromium VI (Cr VI) | 0.053 | ND | ND | ND | ND | ND# |
| Copper (Cu) | 7700 | ND | ND | ND | ND | ND |
| Mercury (Hg) | 94 | ND | ND | ND | ND | ND |
| Manganese (Mn) | 15000 | ND | ND | ND | ND | ND |
| Nickel (Ni) | 930 | ND | ND | ND | ND | ND |
| Lead (Pb) | 23 | ND | ND | ND | ND | ND |
| Antimony (Sb) | 560 | ND | ND | ND | ND | ND |
| Selenium (Se) | 460 | ND | ND | ND | ND | ND |
| Tin (Sn) | 180000 | ND | ND | ND | ND | ND |
| Organic tin | 12 | ND | ND | ND | ND | ND |
| Strontium (Sr) | 56000 | ND | ND | ND | ND | ND |
| Zinc (Zn) | 46000 | ND | ND | ND | 3 | ND |
| Mass of trace amount (gram) | | - | - | - | - | - |
| Conclusion | | PASS | PASS | PASS | PASS | PASS |



GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 28 of 37

RESULTS:

mg/kg = milligrams per kilogram (ppm=parts per million)

Organic tin = migration of total organic tin is expressed as tributyltin cation content in mg/kg

= Verified results (see note)

ND = Not detected

Detection Limit (mg/kg) :

Category III - Al : 2 ; Sb : 2 ; As : 2 ; Ba : 2 ; B : 2 ; Cd : 2 ; Cr III : 0.15 ; Cr VI : 0.025 ; Co : 2 ; Cu : 2 ; Pb : 2 ; Mn : 2 ;

Hg : 2 ; Ni : 2 ; Se : 2 ; Sr : 2 ; Sn : 2 ; Organic tin : 2 ; Zn : 2

Remark:

- Results of Cr III and Cr VI were reported as sum of soluble Chromium content unless specified.
- Result(s) of organic tin was (were) calculated while assuming the tin content wholly contributed from tributyltin cation unless specified.
- The pH measured shall be reported after migration if it was outside the range of 1.1 to 1.3.

Note:

If soluble chromium content or soluble tin content exceeded the screening limits of soluble chromium (VI) or organic tin content, the results were verified by below method

- Chromium VI: BS EN 71-3:2019+A2:2024, Annex F by Ion-chromatography with ICP-MS detector analysis.
- Organic tin: BS EN 71-3:2019+A2:2024, Annex G by Gas Chromatography-Mass Spectroscopy analysis.

Remark:

This report is to Supersede BV(Dong guan) report No. (8825)127-0109 dated on Jun 20, 2025.



**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 29 of 37

Photo of the Submitted Sample





**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 31 of 37

Photo of the Submitted Sample





**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 32 of 37

Photo of the Submitted Sample





**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 33 of 37

Photo of the Submitted Sample





**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 34 of 37

Photo of the Submitted Sample





**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 35 of 37

Photo of the Submitted Sample





**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 36 of 37

Photo of the Submitted Sample





**BUREAU
VERITAS**

GUANGDONG JIANJIAN INTELLIGENT TECHNOLOGY CO., LTD

Technical Report: **(8825)127-0109(R1)**

Jul 30, 2025

Page 37 of 37

Photo of the Submitted Sample



END OF REPORT