



Product Service

# Attestation of Conformity

No. E8A 126976 0001 Rev. 01

**Holder of Attestation:** **Xiangrun Electric (Dongguan) Co., Ltd.**  
Room 2201, 2002, 2003, No. 1, Changping Avenue  
Changping Town  
523570 Dongguan City, Guangdong Province  
PEOPLE'S REPUBLIC OF CHINA

**Name of Object:** **Adaptors**  
**(Rubik's cube socket)**

This Attestation of Conformity is issued on a voluntary basis according to the Directive 2014/30/EU relating to electromagnetic compatibility. It confirms that the listed apparatus complies with the principal protection requirements of the directive and is based on the technical specifications applicable at the time of issuance. It refers only to the particular sample submitted for conformity assessment. For details see: [www.tuvsud.com/ps-cert](http://www.tuvsud.com/ps-cert)

**Test report no.:** 657602408502

**Date,** 2024-09-25

( Laurent Yuan )

Page 1 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

# Attestation of Conformity

No. E8A 126976 0001 Rev. 01

**Model(s):** XR-OKR1A2C33A, XR-ODE1A2C33A, TCT30-C28A1, TCT30-C27A1, VB-OKR1A2C33, XR-OKR1A2C33, VB-ODE1A2C33, XR-ODE1A2C33, Powercube Extended USB PD 33W, TCT30-C28C, TCT30-C28C1, XR-OKR1A1C33A, XR-ODE1A1C33A, VB-OKR1A1C33, XR-OKR1A1C33, VB-ODE1A1C33, XR-ODE1A1C33, XR-OUK1A2C33, VB-OUK1A2C33, TCT30-C30A1, XR-OUK1A2C33A, XR-OUK1A1C33, VB-OUK1A1C33, TCT30-C30B1, XR-OUK1A1C33A

## Description of Object:

Ratings: See below table for details  
Protection Class: I

## Tested according to:

EN 55032:2015/A1:2020  
EN 55035:2017/A11:2020  
EN IEC 61000-3-2:2019/A1:2021  
EN 61000-3-3:2013/A2:2021

Page 2 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



# Attestation of Conformity

No. E8A 126976 0001 Rev. 01

Model No.	Rating
XR-OKR1A2C33A	16A 250VAC MAX 4000W 50/60Hz USB-C1/C2 Output: 5.0VDC, 3.0A, 9.0VDC, 3.0A, 12.0VDC, 2.5A, 15.0VDC, 2.0A, 20.0VDC, 1.5A, 30.0W Max  PPS: 3.3-11.0VDC, 3.0A, 3.3- 16.0VDC, 2.0A, 33.0W Max USB-A Output: 5.0VDC, 3.0A, 9.0VDC, 3.0A, 12.0VDC, 2.5A, 15.0VDC, 2.0A, 20.0VDC, 1.5A, 30.0W Max  Total Output: 5.0VDC, 3.6A, 18.0W Max
XR-ODE1A2C33A	
TCT30-C28A1	16A 250VAC MAX 4000W 50/60Hz USB-C1/C2 Output: 5.0VDC, 3.0A, 9.0VDC, 3.0A, 12.0VDC, 2.5A, 15.0VDC, 2.0A, 20.0VDC, 1.5A, 30.0W Max  PPS: 3.3-11.0VDC, 3.0A, 3.3- 16.0VDC, 2.0A, 33.0W Max USB-A Output: 5.0VDC, 3.0A, 9.0VDC, 3.0A, 12.0VDC, 2.5A, 15.0VDC, 2.0A, 20.0VDC, 1.5A, 30.0W Max  Total Output: 5.0VDC, 3.6A, 18.0W Max
TCT30-C27A1	
VB-OKR1A2C33	16A 250VAC MAX 4000W 50/60Hz USB-C1/C2 Output: 5.0VDC, 3.0A, 9.0VDC, 3.0A, 12.0VDC, 2.5A, 15.0VDC, 2.0A, 20.0VDC, 1.5A, 30.0W Max  PPS: 3.3-11.0VDC, 3.0A, 3.3- 16.0VDC, 2.0A, 33.0W Max USB-A Output: 5.0VDC, 3.0A, 9.0VDC, 3.0A, 12.0VDC, 2.5A, 15.0VDC, 2.0A, 20.0VDC, 1.5A, 30.0W Max  Total Output: 5.0VDC, 3.6A, 18.0W Max
XR-OKR1A2C33	
VB-ODE1A2C33	
XR-ODE1A2C33	
Powercube Extended USB PD 33W	

Page 3 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



# Attestation of Conformity

No. E8A 126976 0001 Rev. 01

TCT30-C28C	16A 250VAC MAX 4000W 50/60Hz USB-C Output: 5.0VDC, 3.0A, 9.0VDC, 3.0A, 12.0VDC, 2.5A, 15.0VDC, 2.0A, 20.0VDC, 1.5A, 30.0W Max  PPS: 3.3-11.0VDC, 3.0A, 3.3- 16.0VDC, 2.0A, 33.0W Max USB-A Output: 5.0VDC, 3.0A, 9.0VDC, 3.0A, 12.0VDC, 2.5A, 15.0VDC, 2.0A, 20.0VDC, 1.5A, 30.0W Max  Total Output: 5.0VDC, 3.6A, 18.0W Max
TCT30-C28C1	
XR-OKR1A1C33A	16A 250VAC MAX 4000W 50/60Hz USB-C Output: 5.0VDC, 3.0A, 9.0VDC, 3.0A, 12.0VDC, 2.5A, 15.0VDC, 2.0A, 20.0VDC, 1.5A, 30.0W Max  PPS: 3.3-11.0VDC, 3.0A, 3.3- 16.0VDC, 2.0A, 33.0W Max USB-A Output: 5.0VDC, 3.0A, 9.0VDC, 3.0A, 12.0VDC, 2.5A, 15.0VDC, 2.0A, 20.0VDC, 1.5A, 30.0W Max  Total Output: 5.0VDC, 3.6A, 18.0W Max
XR-ODE1A1C33A	
VB-OKR1A1C33	16A 250VAC MAX 4000W 50/60Hz USB-C Output: 5.0VDC, 3.0A, 9.0VDC, 3.0A, 12.0VDC, 2.5A, 15.0VDC, 2.0A, 20.0VDC, 1.5A, 30.0W Max  PPS: 3.3-11.0VDC, 3.0A, 3.3- 16.0VDC, 2.0A, 33.0W Max USB-A Output: 5.0VDC, 3.0A, 9.0VDC, 3.0A, 12.0VDC, 2.5A, 15.0VDC, 2.0A, 20.0VDC, 1.5A, 30.0W Max  Total Output: 5.0VDC, 3.6A, 18.0W Max
XR-OKR1A1C33	
VB-ODE1A1C33	
XR-ODE1A1C33	



Product Service

# Attestation of Conformity

No. E8A 126976 0001 Rev. 01

Model No.	Rating
XR-OUK1A2C33	13A 250VAC MAX 3250W 50/60Hz USB-C1/C2 Output: 5.0VDC, 3.0A, 9.0VDC, 3.0A, 12.0VDC, 2.5A, 15.0VDC, 2.0A, 20.0VDC, 1.5A, 30.0W Max PPS: 3.3-11.0VDC, 3.0A, 3.3- 16.0VDC, 2.0A, 33.0W Max USB-A Output: 5.0VDC, 3.0A, 9.0VDC, 3.0A, 12.0VDC, 2.5A, 15.0VDC, 2.0A, 20.0VDC, 1.5A, 30.0W Max
VB-OUK1A2C33	15.0VDC, 2.0A, 20.0VDC, 1.5A, 30.0W Max Total Output: 5.0VDC, 3.6A, 18.0W Max
TCT30-C30A1	13A 250VAC MAX 3250W 50/60Hz USB-C1/C2 Output: 5.0VDC, 3.0A, 9.0VDC, 3.0A, 12.0VDC, 2.5A, 15.0VDC, 2.0A, 20.0VDC, 1.5A, 30.0W Max PPS: 3.3-11.0VDC, 3.0A, 3.3- 16.0VDC, 2.0A, 33.0W Max USB-A Output: 5.0VDC, 3.0A, 9.0VDC, 3.0A, 12.0VDC, 2.5A, 15.0VDC, 2.0A, 20.0VDC, 1.5A, 30.0W Max Total Output: 5.0VDC, 3.6A, 18.0W Max

Page 5 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



# Attestation of Conformity

No. E8A 126976 0001 Rev. 01

XR-OUK1A2C33A	<p>13A 250VAC MAX 3250W 50/60Hz                  USB-C1/C2 Output: 5.0VDC, 3.0A,                  9.0VDC, 3.0A, 12.0VDC, 2.5A,                  15.0VDC, 2.0A, 20.0VDC, 1.5A,                  30.0W Max</p> <p>PPS: 3.3-11.0VDC, 3.0A, 3.3-                  16.0VDC, 2.0A, 33.0W Max</p> <p>USB-A Output: 5.0VDC, 3.0A,                  9.0VDC, 3.0A, 12.0VDC, 2.5A,                  15.0VDC, 2.0A, 20.0VDC, 1.5A,                  30.0W Max</p> <p>Total Output: 5.0VDC, 3.6A, 18.0W                  Max</p>
XR-OUK1A1C33	<p>13A 250VAC MAX 3250W 50/60Hz                  USB-C Output: 5.0VDC, 3.0A,                  9.0VDC, 3.0A, 12.0VDC, 2.5A,                  15.0VDC, 2.0A, 20.0VDC, 1.5A,                  30.0W Max</p> <p>PPS: 3.3-11.0VDC, 3.0A, 3.3-                  16.0VDC, 2.0A, 33.0W Max</p> <p>USB-A Output: 5.0VDC, 3.0A,                  9.0VDC, 3.0A, 12.0VDC, 2.5A,                  15.0VDC, 2.0A, 20.0VDC, 1.5A,                  30.0W Max</p> <p>Total Output: 5.0VDC, 3.6A, 18.0W                  Max</p>
VB-OUK1A1C33	<p>13A 250VAC MAX 3250W 50/60Hz                  USB-C Output: 5.0VDC, 3.0A,                  9.0VDC, 3.0A, 12.0VDC, 2.5A,                  15.0VDC, 2.0A, 20.0VDC, 1.5A,                  30.0W Max</p> <p>PPS: 3.3-11.0VDC, 3.0A, 3.3-                  16.0VDC, 2.0A, 33.0W Max</p> <p>USB-A Output: 5.0VDC, 3.0A,                  9.0VDC, 3.0A, 12.0VDC, 2.5A,                  15.0VDC, 2.0A, 20.0VDC, 1.5A,                  30.0W Max</p> <p>Total Output: 5.0VDC, 3.6A, 18.0W                  Max</p>
TCT30-C30B1	<p>13A 250VAC MAX 3250W 50/60Hz                  USB-C Output: 5.0VDC, 3.0A,                  9.0VDC, 3.0A, 12.0VDC, 2.5A,                  15.0VDC, 2.0A, 20.0VDC, 1.5A,                  30.0W Max</p> <p>PPS: 3.3-11.0VDC, 3.0A, 3.3-                  16.0VDC, 2.0A, 33.0W Max</p> <p>USB-A Output: 5.0VDC, 3.0A,                  9.0VDC, 3.0A, 12.0VDC, 2.5A,                  15.0VDC, 2.0A, 20.0VDC, 1.5A,                  30.0W Max</p> <p>Total Output: 5.0VDC, 3.6A, 18.0W                  Max</p>

Page 6 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.



Product Service

# Attestation of Conformity

No. E8A 126976 0001 Rev. 01

<p>XR-OUK1A1C33A</p>	<p>13A 250VAC MAX 3250W 50/60Hz                  USB-C Output: 5.0VDC, 3.0A,                  9.0VDC, 3.0A, 12.0VDC, 2.5A,                  15.0VDC, 2.0A, 20.0VDC, 1.5A,                  30.0W Max                  PPS: 3.3-11.0VDC, 3.0A, 3.3-                  16.0VDC, 2.0A, 33.0W Max                  USB-A Output: 5.0VDC, 3.0A,                  9.0VDC, 3.0A, 12.0VDC, 2.5A,                  15.0VDC, 2.0A, 20.0VDC, 1.5A,                  30.0W Max                  Total Output: 5.0VDC, 3.6A, 18.0W                  Max</p>
----------------------	---

Page 7 of 7

This Attestation does not replace the regulatory EU Declaration of Conformity (DoC) and does not allow for CE marking. After preparation of the necessary documentation and establishing compliance to requirements of all applicable directives, the manufacturer may sign a DoC and apply the CE marking. The DoC is issued under the sole responsibility of the manufacturer.