



CONSUMER PRODUCTS SERVICES DIVISION

SHANGHAI PROMO COMPANY LIMITED

Technical Report: (6624)228-0006
Date Received: August 15, 2024

August 29, 2024
Page 1 of 14

XU YALI
SHANGHAI PROMO COMPANY LIMITED
ROOM 1502, BUILDING NO.15, LANE 2228, ZHANGYANG ROAD
200135, SHANGHAI, CHINA

Sample Description:	LAMPS	Sample Size:	75
Vendor:	SHANGHAI PROMO COMPANY LIMITED	Style No(s):	E26/110V/60HZ/5W(4PCS) /71(71PCS)
Manufacturer:	MOUNTAIN BOAT NEW ENERGY SHANDONG CO., LTD	SKN/SKU No.:	BSLD2418
Buyer:	SHANGHAI PROMO COMPANY LIMITED	PO No.:	SHP240605
Labeled Age Grade:	NOT PRESENT	Ref #:	N/A
Appropriate Age Grade:	NOT REQUESTED	Country of Origin:	CHINA
Client Specified Age Grade:	OVER 3 YEARS OF AGE	Assortment No.:	N/A
Tested Age Grade:	OVER 3 YEARS OF AGE	Country of Destination:	USA
UPC Code:	N/A		
Color:	N/A		

EXECUTIVE SUMMARY:

The sample(s) MEETS the following requirement(s):

- The mechanical and physical properties requirements of the tested subclauses of the European Standard, "Safety of toys", EN71: Part 1:2014+A1:2018, clauses 1-6 (exclude section 4.2) (with note 2).
- The flammability requirements of the European Standard "Safety of Toys", EN 71: Part 2: 2020.
- The migration of certain elements in toy material requirements of the European Standard, "Safety of Toys" EN 71 Part 3: 2019+A1:2021.



**BUREAU
VERITAS**

SHANGHAI PROMO COMPANY LIMITED

Technical Report: **(6624)228-0006**

August 29, 2024

Page 2 of 14

Note:

1. The sample is tested for "OVER 3 YEARS OF AGE" as the client's request.
2. No relevant packaging was provided with the submitted sample(s), consequently, evaluation of the labeling requirements of this European Standard, "Safety of toys", EN 71:Part 1:2014+A1:2018 Clause 7, and CE Marking, Manufacturer/Importer name and address, Product Identification under 2009/48/EC, were not conducted.

BVCPS (SHANGHAI) GENERAL CONTACT INFORMATION FOR THIS REPORT

TELEPHONE NO.:

86-21-24166888

E-MAIL:

bvcpshtoy.sh@cn.bureauveritas.com

BUREAU VERITAS

CONSUMER PRODUCTS SERVICE DIVISION (SHANGHAI)

Laboratory Test location :

**No. 368, Guangzhong Road, Zhuanqiao Town, Minhang,
Shanghai.**

**No. 168, Guanghua Road, Zhuanqiao Town, Minhang,
Shanghai.**

LEON DENG

PRODUCT LINE MANAGER (TOY DIVISION)



APPROPRIATE AGE GRADE DETERMINATION

The Appropriate Age Grade is determined with reference to the EN71: Part 1 : 2014 +A1:2018, CEN ISO/TR 8124-8:2016 Safety of toys - Part 8: Age Determination Guidelines prepared by Technical Committee CEN/TC 52 and Age Grade Determination Guidelines of the Consumer Product Safety Commission (CPSC)

Note : The most stringent age grade from the Labeled Age Grade and the Appropriate Age Grade will be used for testing.

Note : If the client does not specify an age grade for testing or request Bureau Veritas Consumer Products Services, Inc. to determine an appropriate age grade, the labeled age grade will be used for testing.

EXPLANATION OF THE ABBREVIATIONS FOR PART 1, 2

Symbol	Explanation				
NM	The samples are NOT IN COMPLIANCE WITH the requirement of this Subclause				
M	The samples are IN COMPLIANCE WITH the requirement of this Subclause				
N/A	Not Applicable				
NR	Not Requested				
NE	Not Evaluated				
NP	None Present				
P	Present				
R	Refer to Comment Section of this report				
Symbol	Language Present	Symbol	Language Present	Symbol	Language Present
B	Belgian language	G	German language	PR	Portuguese language
D	Danish language	GR	Greek language	S	Spanish language
E	English language	H	Dutch language	SD	Swedish language
F	Finnish language	I	Italian language	SZ	Swiss language
FR	French language	N	Norwegian language		



**MECHANICAL & PHYSICAL PROPERTIES
(EN 71: PART 1 – 2014+A1 – 2018)**

Subclause	Requirement	Result
4.1	Material cleanliness	M
4.2	Assembly	NR
4.3	Flexible plastic sheeting	NA
4.4	Toy Bags	NA
4.5	Glass	NA
4.6	Expanding materials	NA
4.7 & 7.6	Edges	M
4.8 & 7.6	Points and metallic wires	M
4.8e	Splinters	M
4.9	Protruding parts	NA
4.10.1	Folding and sliding mechanisms	NA
4.10.2	Driving mechanisms	NA
4.10.3	Hinges	NA
4.10.4	Springs	NA
4.11	Mouth actuated toys and other toys intended to be put in the mouth	NA
4.12 & 7.3	Balloons	NA
4.13 & 7.9	Cord of toy kites and other flying toys	NA
4.14.1	Toys which a child can enter	NA
4.14.2 & 7.8	Masks and helmets	NA
4.15.1	Toys propelled by child	
4.15.1.2 & 7.10.1 & 7.10.2 & 7.10.3 & 7.10.4 & 7.16	Toys propelled by child – Instructions for use	NA
4.15.1.3	Toys propelled by child – Strength	NA
4.15.1.4	Toys propelled by child – Stability	NA
4.15.1.5	Toys propelled by child – Braking	NA
4.15.1.6	Toys propelled by child - Transmission	NA
4.15.1.7	Toys propelled by child – insertion mark	NA
4.15.1.8	Electrically-driven ride-on toys	NA
4.15.2	Toy bicycles	
4.15.2.2 & 7.15	Toy bicycles – Warnings and instructions for use	NA
4.15.2.3	Toy bicycles – Braking	NA
4.15.3 & 7.16 & 7.19	Rocking horses and similar toys	NA
4.15.4 & 7.16	Toys not propelled by child	NA
4.15.5 & 7.18	Toy scooters	NA
4.16	Heavy immobile toys	NA
4.17.2	All projectiles	NA
4.17.3 & 7.7	Projectile toys with stored energy	NA
4.17.4 & 7.26	Certain projectiles toys without stored energy	NA
4.18 & 7.4	Aquatic toys and inflatable toys	NA
4.19 & 7.13 & 7.14	Percussion caps	NA



**MECHANICAL & PHYSICAL PROPERTIES
(EN 71: PART 1 – 2014+A1 – 2018)**

Subclause	Requirement	Result
*4.20.2.1- 4.20.2.8, 4.20.2.10, 4.20.2.12	Acoustics	NA
4.20.2.9, 4.20.2.11 & 7.14	Acoustics – percussion toys & cap-firing toys	NA
4.21	Toys containing a non-electrical heat source	NA
4.22 & 7.2	Small balls	NA
4.23	Magnet	
4.23.2 a, b & c	Toy other than magnetic / electrical experimental sets intended for children over 8 years	NA
4.23.3 & 7.20	Magnetic / electrical experimental sets intended for children over 8 years	NA
4.24	Yo-yo ball	NA
4.25	Toys attached to food	NA
4.26	Toy Disguise Costumes	NA
4.27.1	Flying toys – General	NA
4.27.2 & 7.25.1	Rotors and propellers on flying toys	NA
4.27.3 & 7.25.2	Rotors and propellers on remote controlled flying toys	NA
FOR TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS		
5.1	General	NA
5.1a	Small parts – as received	NA
5.1b	Small parts, sharp points, sharp edges – after tests	NA
5.1c	Cross section <2mm metal points & wires	NA
5.1e	Toys contain glue	NA
5.1f	Casing of toys	NA
5.2	Fillings, coverings and seams	NA
5.3	Adhesion of plastic sheeting	NA
5.4.2	Cords and chains in toys intended for children under 18 months	NA
5.4.3 & 7.22	Cords and chains in toys intended for children of 18 months or over but under 36 months	NA
5.4.4	Fixed loops, tangled loops and nooses	NA
5.4.5	Cords and chains on pull along toys	NA
5.4.6 & 7.21	Electrical cables	NA
5.4.7	Cross-sectional dimension of certain cords	NA
5.4.8	Self-retracting cords	NA
5.4.9 & 7.11 & 7.23	Toys attached to or intended to be strung across a cradle, cot or perambulator	NA
5.5 & 7.12	Liquid filled toys	NA
5.6	Electrically driven toys	NA
5.7	Glass and porcelain	NA
5.8	Shape and size	NA
5.9 & 7.17	Monofilament fibres	NA
5.10	Small balls	NA
5.11	Play figures	NA
5.12	Hemispheric shaped toys	NA



**MECHANICAL & PHYSICAL PROPERTIES
(EN 71: PART 1 – 2014+A1 – 2018)**

Subclause	Requirement	Result
5.13	Suction cups	NA
5.14	Straps intended to be worn fully or partially around the neck	NA
5.15 & 7.24	Sledges with cords for pulling	NA
6	Packaging	NA
WARNINGS, INSTRUCTIONS FOR USE		
7.1	General	SEE NOTE 2
7.2	Toys not intended for children under 36 months	SEE NOTE 2
7.5	Functional toys	SEE NOTE 2

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section NR = Not Request

FLAMMABILITY (EN 71 PART 2: 2020)

Subclause	Requirement	Result
4.1	Cellulose nitrate	NP
4.1	Highly flammable solids	NP
4.1	Surface flash on a piled surface	M
4.1	Flammable gases	NA
4.1	Extremely flammable liquids, highly flammable liquids, flammable liquids and flammable gels	NA
4.2	Toys to be worn on the head	NA
4.3	Toy disguise costumes and toys intended to be worn by child in play	NA
4.3	warning on product and packaging (10 - 30 mm/s)	NA
4.4	Toys intended to be entered by a child	NA
4.4	warning on product and packaging (10 – 30 mm/s)	NA
4.5	Soft-filled toys	M

M = Meet NM = Not Meet NA = Not Applicable R = Refer to Comment Section P = Present
NP = Not Present



**BUREAU
VERITAS**

SHANGHAI PROMO COMPANY LIMITED

Technical Report: **(6624)228-0006**

August 29, 2024

Page 7 of 14

Tested Component(s) Breakdown List

Sample Identity	Color / Component	Location	Remark
1	White coating on metal	Lampshade frame	/
2	White coating on metal	Pole	/
3	White plastic	Bulb	/
4	White plastic	Lampholder	/
5	White plastic	Locking knob	/
6	White plastic	Adapting piece	/
7	White plastic	Connector base	/
8	Semi-transparent plastic	Lampshade frame connection	/
9	White soft plastic	Plug	/
10	White soft plastic	Wire coat	/
11	White plastic	Switch	/
12	White plastic	Switch base	/
13	White fabric with pink coating	/	/
14	White thread	/	/
15	White fur fabric	Big body	/
16	Pink fabric	Nose	/
17	Black/white coating on label	/	/
18	Label remove coating	/	/



**BUREAU
VERITAS**

SHANGHAI PROMO COMPANY LIMITED

Technical Report: **(6624)228-0006**

August 29, 2024

Page 8 of 14

Migration of Certain Elements - European Parliament and Council Directive 2009/48/EC, Annex II, Part III, Point 13 with its Latest Amendment

Method: : European Standard EN 71 Part 3: 2019+A1:2021

Parameter	CAS No.	Unit	Detection Limit	Result			Limit
				1	2	3	
Category III	-	-	-	-	-	-	-
Boron (B)	7440-42-8	mg/kg	1500	ND	ND	ND	15000
Aluminium (Al)	7429-90-5	mg/kg	2813	ND	ND	ND	28130
Chromium III (Cr III)	7440-47-3	mg/kg	46	ND	ND	ND	460
Chromium VI (Cr VI)	18540-29-9	mg/kg	0.005	ND	ND	ND	0.053
Manganese (Mn)	7439-96-5	mg/kg	1500	ND	ND	ND	15000
Cobalt (Co)	7440-48-4	mg/kg	13	ND	ND	ND	130
Nickel (Ni)	7440-02-0	mg/kg	93	ND	ND	ND	930
Copper (Cu)	7440-50-8	mg/kg	770	ND	ND	ND	7700
Zinc (Zn)	7440-66-6	mg/kg	4600	ND	ND	ND	46000
Arsenic (As)	7440-38-2	mg/kg	4.7	ND	ND	ND	47
Selenium (Se)	7782-49-2	mg/kg	46	ND	ND	ND	460
Strontium (Sr)	7440-24-6	mg/kg	5600	ND	ND	ND	56000
Cadmium (Cd)	7440-43-9	mg/kg	1.7	ND	ND	ND	17
Tin (Sn)	7440-31-5	mg/kg	18000	ND	ND	ND	180000
Antimony (Sb)	7440-36-0	mg/kg	56	ND	ND	ND	560
Barium (Ba)	7440-39-3	mg/kg	1875	ND	ND	ND	18750
Mercury (Hg)	7439-97-6	mg/kg	9.4	ND	ND	ND	94
Lead (Pb)	7439-92-1	mg/kg	2.3	ND	ND	ND	23
Organic tin	various	mg/kg	1.2	ND	ND	ND	12
Conclusion	-	-	-	PASS	PASS	PASS	-



**BUREAU
VERITAS**

SHANGHAI PROMO COMPANY LIMITED

Technical Report: **(6624)228-0006**

August 29, 2024

Page 9 of 14

Parameter	CAS No.	Unit	Detection Limit	Result			Limit
				4	5	6	
Category III	-	-	-	-	-	-	-
Boron (B)	7440-42-8	mg/kg	1500	ND	ND	ND	15000
Aluminium (Al)	7429-90-5	mg/kg	2813	ND	ND	ND	28130
Chromium III (Cr III)	7440-47-3	mg/kg	46	ND	ND	ND	460
Chromium VI (Cr VI)	18540-29-9	mg/kg	0.005	ND	ND	ND	0.053
Manganese (Mn)	7439-96-5	mg/kg	1500	ND	ND	ND	15000
Cobalt (Co)	7440-48-4	mg/kg	13	ND	ND	ND	130
Nickel (Ni)	7440-02-0	mg/kg	93	ND	ND	ND	930
Copper (Cu)	7440-50-8	mg/kg	770	ND	ND	ND	7700
Zinc (Zn)	7440-66-6	mg/kg	4600	ND	ND	ND	46000
Arsenic (As)	7440-38-2	mg/kg	4.7	ND	ND	ND	47
Selenium (Se)	7782-49-2	mg/kg	46	ND	ND	ND	460
Strontium (Sr)	7440-24-6	mg/kg	5600	ND	ND	ND	56000
Cadmium (Cd)	7440-43-9	mg/kg	1.7	ND	ND	ND	17
Tin (Sn)	7440-31-5	mg/kg	18000	ND	ND	ND	180000
Antimony (Sb)	7440-36-0	mg/kg	56	ND	ND	ND	560
Barium (Ba)	7440-39-3	mg/kg	1875	ND	ND	ND	18750
Mercury (Hg)	7439-97-6	mg/kg	9.4	ND	ND	ND	94
Lead (Pb)	7439-92-1	mg/kg	2.3	ND	ND	ND	23
Organic tin	various	mg/kg	1.2	ND	ND	ND	12
Conclusion	-	-	-	PASS	PASS	PASS	-



**BUREAU
VERITAS**

SHANGHAI PROMO COMPANY LIMITED

Technical Report: **(6624)228-0006**

August 29, 2024

Page 10 of 14

Parameter	CAS No.	Unit	Detection Limit	Result			Limit
				7	8	9	
Category III	-	-	-	-	-	-	-
Boron (B)	7440-42-8	mg/kg	1500	ND	ND	ND	15000
Aluminium (Al)	7429-90-5	mg/kg	2813	ND	ND	ND	28130
Chromium III (Cr III)	7440-47-3	mg/kg	46	ND	ND	ND	460
Chromium VI (Cr VI)	18540-29-9	mg/kg	0.005	ND	ND	ND	0.053
Manganese (Mn)	7439-96-5	mg/kg	1500	ND	ND	ND	15000
Cobalt (Co)	7440-48-4	mg/kg	13	ND	ND	ND	130
Nickel (Ni)	7440-02-0	mg/kg	93	ND	ND	ND	930
Copper (Cu)	7440-50-8	mg/kg	770	ND	ND	ND	7700
Zinc (Zn)	7440-66-6	mg/kg	4600	ND	ND	ND	46000
Arsenic (As)	7440-38-2	mg/kg	4.7	ND	ND	ND	47
Selenium (Se)	7782-49-2	mg/kg	46	ND	ND	ND	460
Strontium (Sr)	7440-24-6	mg/kg	5600	ND	ND	ND	56000
Cadmium (Cd)	7440-43-9	mg/kg	1.7	ND	ND	ND	17
Tin (Sn)	7440-31-5	mg/kg	18000	ND	ND	ND	180000
Antimony (Sb)	7440-36-0	mg/kg	56	ND	ND	ND	560
Barium (Ba)	7440-39-3	mg/kg	1875	ND	ND	ND	18750
Mercury (Hg)	7439-97-6	mg/kg	9.4	ND	ND	ND	94
Lead (Pb)	7439-92-1	mg/kg	2.3	ND	ND	ND	23
Organic tin	various	mg/kg	1.2	ND	ND	ND	12
Conclusion	-	-	-	PASS	PASS	PASS	-



**BUREAU
VERITAS**

SHANGHAI PROMO COMPANY LIMITED

Technical Report: **(6624)228-0006**

August 29, 2024

Page 11 of 14

Parameter	CAS No.	Unit	Detection Limit	Result			Limit
				10	11	12	
Category III	-	-	-	-	-	-	-
Boron (B)	7440-42-8	mg/kg	1500	ND	ND	ND	15000
Aluminium (Al)	7429-90-5	mg/kg	2813	ND	ND	ND	28130
Chromium III (Cr III)	7440-47-3	mg/kg	46	ND	ND	ND	460
Chromium VI (Cr VI)	18540-29-9	mg/kg	0.005	ND	ND	ND	0.053
Manganese (Mn)	7439-96-5	mg/kg	1500	ND	ND	ND	15000
Cobalt (Co)	7440-48-4	mg/kg	13	ND	ND	ND	130
Nickel (Ni)	7440-02-0	mg/kg	93	ND	ND	ND	930
Copper (Cu)	7440-50-8	mg/kg	770	ND	ND	ND	7700
Zinc (Zn)	7440-66-6	mg/kg	4600	ND	ND	ND	46000
Arsenic (As)	7440-38-2	mg/kg	4.7	ND	ND	ND	47
Selenium (Se)	7782-49-2	mg/kg	46	ND	ND	ND	460
Strontium (Sr)	7440-24-6	mg/kg	5600	ND	ND	ND	56000
Cadmium (Cd)	7440-43-9	mg/kg	1.7	ND	ND	ND	17
Tin (Sn)	7440-31-5	mg/kg	18000	ND	ND	ND	180000
Antimony (Sb)	7440-36-0	mg/kg	56	ND	ND	ND	560
Barium (Ba)	7440-39-3	mg/kg	1875	ND	ND	ND	18750
Mercury (Hg)	7439-97-6	mg/kg	9.4	ND	ND	ND	94
Lead (Pb)	7439-92-1	mg/kg	2.3	ND	ND	ND	23
Organic tin	various	mg/kg	1.2	ND	ND	ND	12
Conclusion	-	-	-	PASS	PASS	PASS	-



**BUREAU
VERITAS**

SHANGHAI PROMO COMPANY LIMITED

Technical Report: **(6624)228-0006**

August 29, 2024

Page 12 of 14

Parameter	CAS No.	Unit	Detection Limit	Result			Limit
				13	14	15	
Category III	-	-	-	-	-	-	-
Boron (B)	7440-42-8	mg/kg	1500	ND	ND	ND	15000
Aluminium (Al)	7429-90-5	mg/kg	2813	ND	ND	ND	28130
Chromium III (Cr III)	7440-47-3	mg/kg	46	ND	ND	ND	460
Chromium VI (Cr VI)	18540-29-9	mg/kg	0.005	ND	ND	ND	0.053
Manganese (Mn)	7439-96-5	mg/kg	1500	ND	ND	ND	15000
Cobalt (Co)	7440-48-4	mg/kg	13	ND	ND	ND	130
Nickel (Ni)	7440-02-0	mg/kg	93	ND	ND	ND	930
Copper (Cu)	7440-50-8	mg/kg	770	ND	ND	ND	7700
Zinc (Zn)	7440-66-6	mg/kg	4600	ND	ND	ND	46000
Arsenic (As)	7440-38-2	mg/kg	4.7	ND	ND	ND	47
Selenium (Se)	7782-49-2	mg/kg	46	ND	ND	ND	460
Strontium (Sr)	7440-24-6	mg/kg	5600	ND	ND	ND	56000
Cadmium (Cd)	7440-43-9	mg/kg	1.7	ND	ND	ND	17
Tin (Sn)	7440-31-5	mg/kg	18000	ND	ND	ND	180000
Antimony (Sb)	7440-36-0	mg/kg	56	ND	ND	ND	560
Barium (Ba)	7440-39-3	mg/kg	1875	ND	ND	ND	18750
Mercury (Hg)	7439-97-6	mg/kg	9.4	ND	ND	ND	94
Lead (Pb)	7439-92-1	mg/kg	2.3	ND	ND	ND	23
Organic tin	various	mg/kg	1.2	ND	ND	ND	12
Conclusion	-	-	-	PASS	PASS	PASS	-



Parameter	CAS No.	Unit	Detection Limit	Result			Limit
				16	17	18	
Category III	-	-	-	-	-	-	-
Boron (B)	7440-42-8	mg/kg	1500	ND	ND	ND	15000
Aluminium (Al)	7429-90-5	mg/kg	2813	ND	ND	ND	28130
Chromium III (Cr III)	7440-47-3	mg/kg	46	ND	ND	ND	460
Chromium VI (Cr VI)	18540-29-9	mg/kg	0.005	ND	ND	ND	0.053
Manganese (Mn)	7439-96-5	mg/kg	1500	ND	ND	ND	15000
Cobalt (Co)	7440-48-4	mg/kg	13	ND	ND	ND	130
Nickel (Ni)	7440-02-0	mg/kg	93	ND	ND	ND	930
Copper (Cu)	7440-50-8	mg/kg	770	ND	ND	ND	7700
Zinc (Zn)	7440-66-6	mg/kg	4600	ND	ND	ND	46000
Arsenic (As)	7440-38-2	mg/kg	4.7	ND	ND	ND	47
Selenium (Se)	7782-49-2	mg/kg	46	ND	ND	ND	460
Strontium (Sr)	7440-24-6	mg/kg	5600	ND	ND	ND	56000
Cadmium (Cd)	7440-43-9	mg/kg	1.7	ND	ND	ND	17
Tin (Sn)	7440-31-5	mg/kg	18000	ND	ND	ND	180000
Antimony (Sb)	7440-36-0	mg/kg	56	ND	ND	ND	560
Barium (Ba)	7440-39-3	mg/kg	1875	ND	ND	ND	18750
Mercury (Hg)	7439-97-6	mg/kg	9.4	ND	ND	ND	94
Lead (Pb)	7439-92-1	mg/kg	2.3	ND	ND	ND	23
Organic tin	various	mg/kg	1.2	ND	ND	ND	12
Conclusion	-	-	-	PASS	PASS	PASS	-

Note / Key:

ND = Not detected
Req. = Requirement
g = gram(s)

">" = Greater than
NR = Not requested
mg/kg = milligram(s) per kilogram = ppm = part(s) per million

Note: ND = Not detected

Remark:

- Results of Cr III and Cr VI were reported as sum of soluble chromium content unless further verified.
- If combined Cr content exceeds 0.02mg/kg in I mat., 0.005 mg/kg in II mat., or 0.053mg/kg in III mat., confirmation Cr(VI). Cr(III)=Combined Cr – Cr(VI)
- Result(s) of organic tin was (were) calculated by assuming the soluble tin content was wholly contributed from tributyltin (TBT) cation unless further specified.
- The pH measured shall be reported after migration if it was outside the range of 1.1 to 1.3.
- Sample weight of < 1 , 2 , 11 , 14 , 18 , 19> obtained to conduct the test is between 0.010 g and 0.100 g. However, the analytical results is calculated as though 0.100 g of test portion had been used.



**BUREAU
VERITAS**

SHANGHAI PROMO COMPANY LIMITED

Technical Report: **(6624)228-0006**

August 29, 2024

Page 14 of 14



END OF REPORT