

Test Report

Applicant : XINHUI BROTHERS LEATHER GOODS MFG LTD
XINSHA INDUSTRIAL PARK ,MUZHOU TOWN XINHUI
DISTRICT JIANGMEN CITY GUANGDONG CHINA 529143

Issue Date : Apr 02, 2024

Attn : CHRISTY

SAMPLE DESCRIPTION AS DECLARED

No. of Sample	One
Fibre Content	Outer: 100% Polyester Lining: 100% Polyester
Material	Game Console Case
Finishing	-
End Uses	Game Console Case
Season	-
Colour	Black
Style No.	T9.GC01S
Order No./PO No.	24000075 OP
Standard	SASO Technical Regulation Of Textile Products
Buyer's Name	JARIR BOOKSTORE
Manufacturer's Name	XINHUI BROTHERS LEATHERGOODS MFG LTD
SABER Request No.	-
Ref	Product Name:Game Console Case; Country Of Original:China; Goods Exported To: Saudi Arabia; Age Group: Adult
Receive Date	Mar 14, 2024
Confirmation Date	-

CARE LABEL AS PROVIDED



Spot Clean Only

Intertek Testing Services Shenzhen Ltd, Guangzhou Branch

Room 401/501/601/801/901/1003, No. 8, East Baoying Road, Huangpu District
Guangzhou, China

深圳天祥质量技术服务有限公司广州分公司

广州市黄埔区保盈东路8号401房、501房、601房、801房、901房、1003房

Tel: +86 20 2820 9118 E-mail: info@intertek.com Postcode:510730

www.intertek.com



Intertek Testing Services Shenzhen Ltd, Guangzhou Branch

Room 401/501/601/801/901/1003, No. 8, East Bao'ing Road, Huangpu District
Guangzhou, China

深圳天祥质量技术服务有限公司广州分公司

广州市黄埔区保盈东路8号401房、501房、601房、801房、901房、1003房

Tel: +86 20 2820 9118 E-mail: sz@intertek.com Postcode: 510730
www.intertek.com

Conclusions

Test Item	
Fibre Analysis	*1
Material Identification (Main Components By FTIR)	*1
pH Value	P
Determination Of Formaldehyde: Free And Hydrolyzed Formaldehyde	P
Colour Fastness To Water	P
Colour Fastness To Perspiration	P
Colour Fastness To Rubbing	P
Availability Of Labelling & Marking Of Fibre Composition - Fiber	#
Azo Dye Content	P
Dyes, Navy Blue colorants Content	P
Allergenic Disperse Dyes Content	P
Extractable Heavy Metal Content	P
Carcinogenic Dyes Content	P
Chlorinated Benzenes and Toluenes Content	P
Organic Tin Compounds Content	P

Note:

Tests presented in this report are conducted as requested by Applicant.

C = Conform Label P* = Commercially Acceptable

P = Meet SASO standard Requirement F* = Fail

F = Fail To Meet SASO standard Requirement N/A = Not Applicable

= Data - = Did Not Perform

* = See Remark

Approved By:

Intertek Testing Services Shenzhen Ltd,
Guangzhou Branch



James Ma

Textile Lab Senior Manager

Reviewer: Lingyu Gao

Intertek Testing Services Shenzhen Ltd, Guangzhou Branch

Room 401/501/601/801/901/1003, No. 8, East Baoying Road, Huangpu District

Guangzhou, China

深圳天祥质量技术服务有限公司广州分公司

广州市黄埔区保盈东路8号401房、501房、601房、801房、901房、1003房

Tel: +86 20 2820 9118 E-mail: info@intertek.com Postcode: 510730

www.intertek.com

Remark:

*1 We recommend the fibre label of the sample to be rewritten as follows:

“Shell: 100% Polyester

Bottom: Ground Fabric: 100% Polyester

Coating: Polyvinyl Chloride

Lining: 100% Polyester”.

Remark :

We didn't proceed test items below as no suitable material was found on the submitted sample per SASO SALEEM - POP 015 requirement.

1. Colorfastness To saliva: For infants below 2 years old only

2. Flame Retardants Content: For garment doing flame retardant treatment only

3. Phthalates Content: For PVC material and infants below 2 years old only

4. Chlorinated Phenol and OPP Content: For Natural fibres only

5. Pesticide Content: For 100% cotton only

Approved By:

Intertek Testing Services Shenzhen Ltd,
Guangzhou Branch



James Ma

Textile Lab Senior Manager

Reviewer: Lingyu Gao

Intertek Testing Services Shenzhen Ltd, Guangzhou Branch

Room 401/501/601/801/901/1003, No. 8, East Bao'ing Road, Huangpu District
Guangzhou, China

深圳天祥质量技术服务有限公司广州分公司

广州市黄埔区保盈东路8号401房、501房、601房、801房、901房、1003房

Tel: +86 20 2820 9118 E-mail: info@intertek.com Postcode: 510730
www.intertek.com

1 Fibre Analysis

Test Method	Test Result	Marked
SASO ISO 1833-17:2007	Shell: 100% Polyester Lining: 100% Polyester Bottom - Ground Fabric: 100% Polyester*	Outer: 100% Polyester Lining: 100% Polyester

Remarks:

*=Failed Item

2 Material Identification (Main Components By FTIR)

By Fourier Transform Infrared Spectroscopy (FTIR) Analysis

Sample - Bottom - Coating
The Submitted Sample Was Found To Be Mainly Composed Of
Polyvinyl Chloride*

Remarks:

*=Failed Item

3 pH Value

SASO ISO 3071:2014

Test Condition		
Extracting Solution: Distilled Water		
Sample - Tested only Base-Shell		
	Result	REQ
pH Value	5.9	4.0-7.5
Sample - Tested only Base-Lining		
	Result	REQ
pH Value	6.1	4.0-7.5

4 Determination Of Formaldehyde: Free And Hydrolyzed Formaldehyde

Part 1-SASO ISO 14184-1:2014

Intertek Testing Services Shenzhen Ltd, Guangzhou Branch

Room 401/501/601/801/901/1003, No. 8, East Bao'ing Road, Huangpu District
Guangzhou, China

深圳天祥质量技术服务有限公司广州分公司

广州市黄埔区保盈东路8号401房、501房、601房、801房、901房、1003房

Tel: +86 20 2820 9118 E-mail: info@intertek.com Postcode: 510730
www.intertek.com

	Tested only Base	REQ
Formaldehyde Content	5 ppm	<75 ppm

5 Colour Fastness To Water

ISO 105 E01:2013, Specimen In Vertical Position

	Tape	Shell	Lining	REQ
Colour Change	4-5	4-5	4-5	3
Colour Staining-Acetate	4-5	4	4-5	3
Colour Staining-Cotton	4-5	4-5	4-5	3
Colour Staining-Nylon	4-5	4	4-5	3
Colour Staining-Polyester	4-5	4-5	4-5	3
Colour Staining-Acrylic	4-5	4-5	4-5	3
Colour Staining-Wool	4-5	4-5	4-5	3

6 Colour Fastness To Perspiration

ISO 105 E04:2013, Specimen In Vertical Position

Sample - Shell			
	Result		REQ
	Acid	Alkaline	
Colour Change	4-5	4-5	3-4
Colour Staining-Acetate	4	4	3-4
Colour Staining-Cotton	4-5	4-5	3-4
Colour Staining-Nylon	4	4	3-4
Colour Staining-Polyester	4-5	4-5	3-4
Colour Staining-Acrylic	4-5	4-5	3-4
Colour Staining-Wool	4	4	3-4
Sample - Lining			
	Result		REQ
	Acid	Alkaline	
Colour Change	4-5	4-5	3-4
Colour Staining-Acetate	4-5	4-5	3-4

Colour Staining-Cotton	4-5	4-5	3-4
Colour Staining-Nylon	4-5	4-5	3-4
Colour Staining-Polyester	4-5	4-5	3-4
Colour Staining-Acrylic	4-5	4-5	3-4
Colour Staining-Wool	4-5	4-5	3-4

Sample - Tape			
	Result		REQ
	Acid	Alkaline	
Colour Change	4-5	4-5	3-4
Colour Staining-Acetate	4-5	4-5	3-4
Colour Staining-Cotton	4-5	4-5	3-4
Colour Staining-Nylon	4-5	4-5	3-4
Colour Staining-Polyester	4-5	4-5	3-4
Colour Staining-Acrylic	4-5	4-5	3-4
Colour Staining-Wool	4-5	4-5	3-4

7 Colour Fastness To Rubbing

ISO 105 X12:2016

Sample - Shell		
	Result	REQ
Dry	4-5	4
Sample - Lining		
	Result	REQ
Dry	4-5	4
Sample - Tape		
	Result	REQ
Dry	4-5	4

8 Availability Of Labelling & Marking Of Fibre Composition - Fiber

Reference To SASO 1173-1998, GSO 1829-2007

	Result
Fibre Content	Present
Manufacturer's Name And/Or Trade Mark	Present
Country Of Origin	Present

9 Azo Dye Content

With Reference To SASO ISO 14362-1:2018 And SASO ISO 14362-3:2018, By High Performance Liquid Chromatograph (HPLC) Or Gas Chromatograph-Mass Spectrometry (GC-MS) Analysis.

Method T : Direct buffer extraction as per ISO 14362-1 : 2017 Section 10.2

Test Item / Substance	CAS No.	Result				Units	D.L.	Limits
		1	-	-	-			
4-Aminodiphenyl	92-67-1	ND	-	-	-	mg/kg	5	20
Benzidine	92-87-5	ND	-	-	-	mg/kg	5	20
4-Chloro-o-toluidine	95-69-2	ND	-	-	-	mg/kg	5	20
2-Naphthylamine	91-59-8	ND	-	-	-	mg/kg	5	20
o-Aminoazotoluene	97-56-3	ND	-	-	-	mg/kg	5	20
2-Amino-4-nitrotoluene	99-55-8	ND	-	-	-	mg/kg	5	20
4-Chloroaniline	106-47-8	ND	-	-	-	mg/kg	5	20
2,4-Diaminoanisole	615-05-4	ND	-	-	-	mg/kg	5	20
4,4'-Diaminodiphenylmethane	101-77-9	ND	-	-	-	mg/kg	5	20
3,3'-Dichlorobenzidine	91-94-1	ND	-	-	-	mg/kg	5	20
3,3'-Dimethoxybenzidine	119-90-4	ND	-	-	-	mg/kg	5	20
3,3'-Dimethylbenzidine	119-93-7	ND	-	-	-	mg/kg	5	20
4,4'-Methylenedi-o-toluidine	838-88-0	ND	-	-	-	mg/kg	5	20
p-Cresidine	120-71-8	ND	-	-	-	mg/kg	5	20
4,4'-Methylene-bis-(2-chloro-aniline)	101-14-4	ND	-	-	-	mg/kg	5	20
4,4'-Oxydianiline	101-80-4	ND	-	-	-	mg/kg	5	20
4,4'-Thiodianiline	139-65-1	ND	-	-	-	mg/kg	5	20
o-Toluidine	95-53-4	ND	-	-	-	mg/kg	5	20
2,4-Toluylendiamine	95-80-7	ND	-	-	-	mg/kg	5	20
2,4,5-Trimethylaniline	137-17-7	ND	-	-	-	mg/kg	5	20
o-Anisidine	90-04-0	ND	-	-	-	mg/kg	5	20
2,4-Xylidine	95-68-1	ND	-	-	-	mg/kg	5	20
2,6-Xylidine	87-62-7	ND	-	-	-	mg/kg	5	20
4-Aminoazobenzene	60-09-3	ND	-	-	-	mg/kg	5	20

Method D : Colourant extraction with Xylene as per ISO 14362-1 : 2017 Section 10.1

Test Item / Substance	CAS No.	Result				Units	D.L.	Limits
		1	2+3+4	-	-			
4-Aminodiphenyl	92-67-1	ND	ND	-	-	mg/kg	5	20

Intertek Testing Services Shenzhen Ltd, Guangzhou Branch

Room 401/501/601/801/901/1003, No. 8, East Baoying Road, Huangpu District

Guangzhou, China

深圳天祥质量技术服务有限公司广州分公司

广州市黄埔区保盈东路8号401房、501房、601房、801房、901房、1003房

Tel: +86 20 2820 9118 E-mail: info@intertek.com Postcode: 510730

www.intertek.com

Benzidine	92-87-5	ND	ND	-	-	mg/kg	5	20
4-Chloro-o-toluidine	95-69-2	ND	ND	-	-	mg/kg	5	20
2-Naphthylamine	91-59-8	ND	ND	-	-	mg/kg	5	20
o-Aminoazotoluene	97-56-3	ND	ND	-	-	mg/kg	5	20
2-Amino-4-nitrotoluene	99-55-8	ND	ND	-	-	mg/kg	5	20
4-Chloroaniline	106-47-8	ND	ND	-	-	mg/kg	5	20
2,4-Diaminoanisole	615-05-4	ND	ND	-	-	mg/kg	5	20
4,4'-Diaminodiphenylmethane	101-77-9	ND	ND	-	-	mg/kg	5	20
3,3'-Dichlorobenzidine	91-94-1	ND	ND	-	-	mg/kg	5	20
3,3'-Dimethoxybenzidine	119-90-4	ND	ND	-	-	mg/kg	5	20
3,3'-Dimethylbenzidine	119-93-7	ND	ND	-	-	mg/kg	5	20
4,4'-Methylenedi-o-toluidine	838-88-0	ND	ND	-	-	mg/kg	5	20
p-Cresidine	120-71-8	ND	ND	-	-	mg/kg	5	20
4,4'-Methylene-bis-(2-chloro-aniline)	101-14-4	ND	ND	-	-	mg/kg	5	20
4,4'-Oxydianiline	101-80-4	ND	ND	-	-	mg/kg	5	20
4,4'-Thiodianiline	139-65-1	ND	ND	-	-	mg/kg	5	20
o-Toluidine	95-53-4	ND	ND	-	-	mg/kg	5	20
2,4-Toluyldiamine	95-80-7	ND	ND	-	-	mg/kg	5	20
2,4,5-Trimethylaniline	137-17-7	ND	ND	-	-	mg/kg	5	20
o-Anisidine	90-04-0	ND	ND	-	-	mg/kg	5	20
2,4-Xylidine	95-68-1	ND	ND	-	-	mg/kg	5	20
2,6-Xylidine	87-62-7	ND	ND	-	-	mg/kg	5	20
4-Aminoazobenzene	60-09-3	ND	ND	-	-	mg/kg	5	20

Remarks:

D.L. = Detection Limit

Product Class			
Class I	Class II	Class III	Class IV
For Children (up to 2 years)	Direct contact to skin	With no direct contact to skin	Decoration material

Azo Colorants That Are Able To Form 4-Aminoazobenzene, Generate Under The Condition Of This Method Aniline (CAS-Number 62-53-3) And 1,4-Phenylenediamine (CAS-Number 106-50-3). Due To Detection Limits, Only Aniline May Be Detected. The Presence Of These Colorants Should Be Tested By ISO 14362-3.

Method T: Direct Buffer Extraction As Per ISO 14362-1:2017 Section 10.2

Method D: Colourant Extraction With Xylene As Per ISO 14362-1:2017 Section 10.1

ND = Not Detected

Intertek Testing Services Shenzhen Ltd, Guangzhou Branch

Room 401/501/601/801/901/1003, No. 8, East Bao'ing Road, Huangpu District

Guangzhou, China

深圳天祥质量技术服务有限公司广州分公司

广州市黄埔区保盈东路8号401房、501房、601房、801房、901房、1003房

Tel: +86 20 2820 9118 E-mail: info@intertek.com Postcode: 510730

www.intertek.com

ppm = parts per million = mg/kg

10 Dyes, Navy Blue colorants Content

With Reference to SASO ISO 16373-2:2017, by Liquid Chromatography /Tandem Mass Spectrometer (LC-MS-MS) analysis.

Test Item / Substance	CAS No.	Result					Units	D.L.	Limits
		1	2	-	-	-			
Navy Blue	118685-33-9	ND	ND	-	-	-	mg/kg	15	20

Remarks:

D.L. = Detection Limit

11 Allergenic Disperse Dyes Content

With Reference To SASO ISO 16373-2:2017, By Liquid Chromatography/Tandem Mass Spectrometer (LC-MS-MS) Analysis.

Test Item / Substance	CAS No.	Result					Units	D.L.	Limits
		1+2	-	-	-	-			
Disperse blue 3	2475-46-9	ND	-	-	-	-	mg/kg	15	60
Disperse blue 7	3179-90-6	ND	-	-	-	-	mg/kg	15	60
Disperse blue 26	3860-63-7	ND	-	-	-	-	mg/kg	15	60
Disperse blue 35	12222-75-2	ND	-	-	-	-	mg/kg	15	60
Disperse blue 102	12222-97-8	ND	-	-	-	-	mg/kg	15	60
Disperse blue 106	12223-01-7	ND	-	-	-	-	mg/kg	15	60
Disperse blue 124	61951-51-7	ND	-	-	-	-	mg/kg	15	60
Disperse brown 1	23355-64-8	ND	-	-	-	-	mg/kg	15	60
Disperse orange 1	2581-69-3	ND	-	-	-	-	mg/kg	15	60
Disperse orange 3	730-40-5	ND	-	-	-	-	mg/kg	15	60
Disperse orange 37/59/76	13301-61-6	ND	-	-	-	-	mg/kg	15	60
Disperse red 1	2872-52-8	ND	-	-	-	-	mg/kg	15	60
Disperse red 11	2872-48-2	ND	-	-	-	-	mg/kg	15	60
Disperse red 17	3179-89-3	ND	-	-	-	-	mg/kg	15	60
Disperse yellow 1	119-15-3	ND	-	-	-	-	mg/kg	15	60
Disperse yellow 3	2832-40-8	ND	-	-	-	-	mg/kg	15	60
Disperse yellow 9	6373-73-5	ND	-	-	-	-	mg/kg	15	60
Disperse yellow 39	12236-29-2	ND	-	-	-	-	mg/kg	15	60
Disperse yellow 49	54824-37-2	ND	-	-	-	-	mg/kg	15	60

Intertek Testing Services Shenzhen Ltd, Guangzhou Branch

Room 401/501/601/801/901/1003, No. 8, East Bao'ing Road, Huangpu District

Guangzhou, China

深圳天祥质量技术服务有限公司广州分公司

广州市黄埔区保盈东路8号401房、501房、601房、801房、901房、1003房

Tel: +86 20 2820 9118 E-mail: info@intertek.com Postcode: 510730

www.intertek.com

Remarks:

D.L. = Detection Limit

12 Extractable Heavy Metal Content

With Reference To EN 16711-2:2015, By Inductively Coupled Plasma Spectrometry (ICP-OES) or Inductively Coupled Plasma-Mass Spectrometry (ICP-MS) or Ultraviolet/Visible Spectrophotometry (UV/Vis) Analysis.

Test Item / Substance	Result					Units	D.L.	Limits
	1	2	3	4	-			
Antimony (Sb)	4.4	ND	ND	ND	-	mg/kg	1	30.0
Arsenic (As)	ND	ND	ND	0.17	-	mg/kg	0.1	-
Lead (Pb)	ND	ND	ND	ND	-	mg/kg	0.1	1.0
Cadmium (Cd)	ND	0.03	0.04	0.04	-	mg/kg	0.03	0.1
Chromium (Cr)	ND	ND	ND	ND	-	mg/kg	0.5	2.0
Chromium (VI) (Cr VI)	ND	ND	ND	ND	-	mg/kg	0.5	0.5
Cobalt (Co)	ND	ND	ND	ND	-	mg/kg	0.3	4.0
Copper (Cu)	ND	ND	ND	ND	-	mg/kg	1	50
Nickel (Ni)	ND	ND	ND	ND	-	mg/kg	0.3	4.0
Mercury (Hg)	ND	ND	ND	ND	-	mg/kg	0.01	-

Remarks:

D.L. = Detection Limit

Product Class			
Class I	Class II	Class III	Class IV
For Children (up to 2 years)	Direct contact to skin	With no direct contact to skin	Decoration material

ND = Not Detected

ppm = parts per million = mg/kg

13 Carcinogenic Dyes Content

With Reference To SASO ISO 16373-2:2017, By Liquid Chromatography/Tandem Mass Spectrometer (LC-MS-MS) Analysis.

Test Item / Substance	CAS No.	Result					Units	D.L.	Limits
		1+2	-	-	-	-			
Acid red 26	3761-53-3	ND	-	-	-	-	mg/kg	15	60
Basic red 9	569-61-9	ND	-	-	-	-	mg/kg	15	60

Intertek Testing Services Shenzhen Ltd, Guangzhou Branch

Room 401/501/601/801/901/1003, No. 8, East Bao'ing Road, Huangpu District

Guangzhou, China

深圳天祥质量技术服务有限公司广州分公司

广州市黄埔区保盈东路8号401房、501房、601房、801房、901房、1003房

Tel: +86 20 2820 9118 E-mail: info@intertek.com Postcode: 510730

www.intertek.com

Basic green 4	569-64-2 2437-29-8 10309-95-2	ND	-	-	-	-	mg/kg	15	60
Basic violet 14	632-99-5	ND	-	-	-	-	mg/kg	15	60
Basic blue 26	2580-56-5	ND	-	-	-	-	mg/kg	15	60
Direct black 38	1937-37-7	ND	-	-	-	-	mg/kg	15	60
Disperse blue 3	2475-46-9	ND	-	-	-	-	mg/kg	15	60
Direct blue 6	2602-46-2	ND	-	-	-	-	mg/kg	15	60
Direct red 28	573-58-0	ND	-	-	-	-	mg/kg	15	60
Disperse blue 1	2475-45-8	ND	-	-	-	-	mg/kg	15	60
Disperse orange 11	82-28-0	ND	-	-	-	-	mg/kg	15	60

Remarks:

D.L. = Detection Limit

14 Chlorinated Benzenes and Toluenes Content

With Reference To DIN 54232:2010, By Gas Chromatography-Mass Spectrometry (GC-MS) Analysis.

Test Item / Substance	CAS No.	Result					Units	D.L.	Limits
		1+2	3+4	-	-	-			
Chlorobenzene	108-90-7	ND	ND	-	-	-	mg/kg	0.1	-
Dichlorobenzenes	-	ND	ND	-	-	-	mg/kg	0.1	-
Trichlorobenzenes	-	ND	ND	-	-	-	mg/kg	0.1	-
Tetrachlorobenzenes	-	ND	ND	-	-	-	mg/kg	0.1	-
Pentachlorobenzene	608-93-5	ND	ND	-	-	-	mg/kg	0.1	-
Hexachlorobenzene	118-74-1	ND	ND	-	-	-	mg/kg	0.1	-
Chlorotoluenes	95-49-8 108-41-8 106-43-4	ND	ND	-	-	-	mg/kg	0.1	-
Dichlorotoluenes	32768-54-0 95-73-8 19398-61-9 118-69-4 95-75-0	ND	ND	-	-	-	mg/kg	0.1	-
Trichlorotoluenes	-	ND	ND	-	-	-	mg/kg	0.1	-
Tetrachlorotoluenes	-	ND	ND	-	-	-	mg/kg	0.1	-
Pentachlorotoluene	877-11-2	ND	ND	-	-	-	mg/kg	0.1	-
Sum of Detected COCs	-	ND	ND	-	-	-	mg/kg	0.1	1

Intertek Testing Services Shenzhen Ltd, Guangzhou Branch

Room 401/501/601/801/901/1003, No. 8, East Bao'ing Road, Huangpu District

Guangzhou, China

深圳天祥质量技术服务有限公司广州分公司

广州市黄埔区保盈东路8号401房、501房、601房、801房、901房、1003房

Tel: +86 20 2820 9118 E-mail: info@intertek.com Postcode: 510730

www.intertek.com

Remarks:

D.L. = Detection Limit

ND = Not Detected

ppm = parts per million = mg/kg

15 Organic Tin Compounds Content

With Reference To ISO 17353:2004, By Gas Chromatography-Mass Spectrometry (GC-MS) Analysis.

Test Item / Substance	CAS No.	Result					Units	D.L.	Limits
		1	-	-	-	-			
Di-n-butyltin (DBT)	683-18-1	ND	-	-	-	-	mg/kg	0.05	1.0
Tri-n-butyltin (TBT)	1461-22-9	ND	-	-	-	-	mg/kg	0.05	1.0

Remarks:

D.L. = Detection Limit

Product Class			
Class I	Class II	Class III	Class IV
For Children (up to 2 years)	Direct contact to skin	With no direct contact to skin	Decoration material

ND = Not Detected

ppm = parts per million = mg/kg

Component List

No.	Component
(1)	Black woven fabric with surface treatment (shell)
(2)	Grey woven fabric (lining)
(3)	Black woven fabric (lining)
(4)	Black mesh fabric (pocket on lining)

End of Report

This report is made solely on the basis of your instructions and/or information and materials supplied by you. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the Review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct.

Intertek Testing Services Shenzhen Ltd, Guangzhou Branch

Room 401/501/601/801/901/1003, No. 8, East Bao'ing Road, Huangpu District

Guangzhou, China

深圳天祥质量技术服务有限公司广州分公司

广州市黄埔区保盈东路8号401房、501房、601房、801房、901房、1003房

Tel: +86 20 2820 9118 E-mail: info@intertek.com Postcode: 510730

www.intertek.com