



A P P R O V A L S ®

Certificate of Conformity/Approval

Certificate No.: SAA-193217-EA

Certificate Holder: Dongguan Rico Electronic Co., Ltd.
Area 301, Building 1, No. 3 Hengli Nanhuan Road,
Hengli Town, Dongguan City,
Guangdong Province
P.R. China

Regulatory Definition: Power supply or charger

Product Description: LED Driver (Independent, SELV, Constant Voltage)

Standard/s: AS 61347.2.13:2018
AS/NZS 61347.1:2016 Inc A1:2018

Condition/s: For use as a lighting power supply with class III LED
Lighting only.

Approval Marks: RCM (In accordance with AS/NZS 4417 and EESS requirements)
and
SAA-193217-EA (In accordance with NSW legislative requirements)

Initial Issue Date: 20 November 2019

Expiry Date: 20 November 2029

R. A. Hill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 1 of 21



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating / Marking
RKP-AU0303000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 3Vdc 3A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0303000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 3Vdc 3A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0303500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 3Vdc 3.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0303500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 3Vdc 3.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0304000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 3Vdc 4A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0304000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 3Vdc 4A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0304500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 3Vdc 4.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0304500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 3Vdc 4.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0305000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 3Vdc 5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0305000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 3Vdc 5A ta:40°C tc:75°C, IP68, Do not cover, Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 2 of 21



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating / Marking
RKP-AU0353000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 3.5Vdc 3A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0353000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 3.5Vdc 3A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0353500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 3.5Vdc 3.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0353500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 3.5Vdc 3.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0354000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 3.5Vdc 4A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0354000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 3.5Vdc 4A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0354500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 3.5Vdc 4.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0354500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 3.5Vdc 4.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0355000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 3.5Vdc 5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0355000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 3.5Vdc 5A ta:40°C tc:75°C, IP68, Do not cover, Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 3 of 21



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating / Marking
RKP-AU0403000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 4Vdc 3A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0403000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 4Vdc 3A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0403500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 4Vdc 3.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0403500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 4Vdc 3.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0404000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 4Vdc 4A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0404000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 4Vdc 4A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0404500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 4Vdc 4.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0404500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 4Vdc 4.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0405000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 4Vdc 5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0405000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 4Vdc 5A ta:40°C tc:75°C, IP68, Do not cover, Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 4 of 21



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating / Marking
RKP-AU0453000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 4.5Vdc 3A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0453000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 4.5Vdc 3A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0453500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 4.5Vdc 3.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0453500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 4.5Vdc 3.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0454000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 4.5Vdc 4 A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0454000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 4.5Vdc 4 A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0454500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 4.5Vdc 4.5 A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0454500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 4.5Vdc 4.5 A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0455000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 4.5Vdc 5 A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0455000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 4.5Vdc 5 A ta:40°C tc:75°C, IP68, Do not cover, Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 5 of 21



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating / Marking
RKP-AU0503000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 5Vdc 3 A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0503000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 5Vdc 3 A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0503500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 5Vdc 3.5 A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0503500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 5Vdc 3 .5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0504000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 5Vdc 4A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0504000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 5Vdc 4A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0504500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 5Vdc 4.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0504500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 5Vdc 4.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0505000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 5Vdc 5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0505000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 5Vdc 5A ta:40°C tc:75°C, IP68, Do not cover, Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 6 of 21



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating / Marking
RKP-AU0602500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6Vdc 2.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0602500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6Vdc 2.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0603000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6Vdc 3A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0603000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6Vdc 3A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0603500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6Vdc 3.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0603500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6Vdc 3.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0604000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6Vdc 4A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0604000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6Vdc 4A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0604500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6Vdc 4.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0604500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6Vdc 4.5A ta:40°C tc:75°C, IP68, Do not cover, Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 7 of 21



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating / Marking
RKP-AU0605000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6Vdc 5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0605000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6Vdc 5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0652300CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6.5Vdc 2.3A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0652300CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6.5Vdc 2.3A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0652500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6.5Vdc 2.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0652500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6.5Vdc 2.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0653000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6.5Vdc 3A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0653000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6.5Vdc 3A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0653500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6.5Vdc 3.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0653500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6.5Vdc 3.5A ta:40°C tc:75°C, IP68, Do not cover, Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 8 of 21



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating / Marking
RKP-AU0654000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6.5Vdc 4A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0654000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6.5Vdc 4A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0654500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6.5Vdc 4.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0654500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6.5Vdc 4.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0655000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6.5Vdc 5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0655000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 6.5Vdc 5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0702140CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 7Vdc 2.14A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0702140CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 7Vdc 2.14A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0702500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 7Vdc 2.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0702500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 7Vdc 2.5A ta:40°C tc:75°C, IP68, Do not cover, Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 9 of 21



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating / Marking
RKP-AU0703000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 7Vdc 3A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0703000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 7Vdc 3A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0703500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 7Vdc 3.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0703500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 7Vdc 3.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0704000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 7Vdc 4A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0704000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 7Vdc 4A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0704500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 7Vdc 4.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0704500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 7Vdc 4.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0705000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 7Vdc 5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0705000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 7Vdc 5A ta:40°C tc:75°C, IP68, Do not cover, Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 10 of 21



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating / Marking
RKP-AU0902000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 9Vdc 2A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0902000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 9Vdc 2A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0902500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 9Vdc 2.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0902500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 9Vdc 2.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0903000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 9Vdc 3A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0903000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 9Vdc 3A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0903500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 9Vdc 3.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0903500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 9Vdc 3.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU0904000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 9Vdc 4A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0904000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 9Vdc 4A ta:40°C tc:75°C, IP68, Do not cover, Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 11 of 21



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating / Marking
RKP-AU0904500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 9Vdc 4.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU0904500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 9Vdc 4.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1001500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 10Vdc 1.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1001500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 10Vdc 1.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1002000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 10Vdc 2A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1002000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 10Vdc 2A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1002500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 10Vdc 2.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1002500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 10Vdc 2.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1003000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 10Vdc 3A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1003000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 10Vdc 3A ta:40°C tc:75°C, IP68, Do not cover, Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 12 of 21



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating / Marking
RKP-AU1003500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 10Vdc 3.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1003500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 10Vdc 3.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1004000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 10Vdc 4A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1004000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 10Vdc 4A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1201500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 12Vdc 1.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1201500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 12Vdc 1.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1202000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 12Vdc 2A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1202000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 12Vdc 2A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1202500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 12Vdc 2.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1202500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 12Vdc 2.5A ta:40°C tc:75°C, IP68, Do not cover, Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 13 of 21



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating / Marking
RKP-AU1203000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 12Vdc 3A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1203000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 12Vdc 3A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU12035000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 12Vdc 3.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1203500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 12Vdc 3.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1401000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 14Vdc 1A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1401000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 14Vdc 1A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1401500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 14Vdc 1.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1401500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 14Vdc 1.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1402000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 14Vdc 2A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1402000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 14Vdc 2A ta:40°C tc:75°C, IP68, Do not cover, Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 14 of 21



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating / Marking
RKP-AU1402500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 14Vdc 2.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1402500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 14Vdc 2.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1402800CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 14Vdc 2.8A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1402800CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 14Vdc 2.8A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1403000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 14Vdc 3A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1403000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 14Vdc 3A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1501000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 15Vdc 1A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1501000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 15Vdc 1A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1501500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 15Vdc 1.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1501500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 15Vdc 1.5A ta:40°C tc:75°C, IP68, Do not cover, Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 15 of 21



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating / Marking
RKP-AU1502000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 15Vdc 2A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1502000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 15Vdc 2A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1502500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 15Vdc 2.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1502500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 15Vdc 2.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1502800CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 15Vdc 2.8A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1502800CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 15Vdc 2.8A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1800800CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 18Vdc 0.8A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1800800CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 18Vdc 0.8A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1801000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 18Vdc 1A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1801000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 18Vdc 1A ta:40°C tc:75°C, IP68, Do not cover, Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 16 of 21



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating / Marking
RKP-AU1801500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 18Vdc 1.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1801500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 18Vdc 1.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1802000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 18Vdc 2A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1802000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 18Vdc 2A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1802330CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 18Vdc 2.33A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1802330CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 18Vdc 2.33A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1900750CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 19Vdc 0.75A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1900750CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 19Vdc 0.75A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1901000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 19Vdc 1A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1901000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 19Vdc 1A ta:40°C tc:75°C, IP68, Do not cover, Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 17 of 21



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating / Marking
RKP-AU1901500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 19Vdc 1.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1901500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 19Vdc 1.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1902000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 19Vdc 2A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1902000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 19Vdc 2A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU1902210CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 19Vdc 2.21A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU1902210CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 19Vdc 2.21A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU2000750CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 20Vdc 0.75A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU2000750CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 20Vdc 0.75A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU2001000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 20Vdc 1A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU2001000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 20Vdc 1A ta:40°C tc:75°C, IP68, Do not cover, Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 18 of 21



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating / Marking
RKP-AU2001500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 20Vdc 1.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU2001500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 20Vdc 1.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU2001800CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 20Vdc 1.8A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU2001800CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 20Vdc 1.8A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU2002000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 20Vdc 2A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU2002000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 20Vdc 2A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU2002100CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 20Vdc 2.1A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU2002100CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 20Vdc 2.1A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU2100700CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 21Vdc 0.7A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU2100700CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 21Vdc 0.7A ta:40°C tc:75°C, IP68, Do not cover, Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 19 of 21



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating / Marking
RKP-AU2101000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 21Vdc 1A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU2101000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 21Vdc 1A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU2101500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 21Vdc 1.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU2101500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 21Vdc 1.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU2101800CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 21Vdc 1.8A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU2101800CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 21Vdc 1.8A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU2102000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 21Vdc 2A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU2102000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 21Vdc 2A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU2400620CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 24Vdc 0.62A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU2400620CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 24Vdc 0.62A ta:40°C tc:75°C, IP68, Do not cover, Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 20 of 21



A P P R O V A L S ®

Certificate of Conformity/Approval

Model	Trade Name	Rating / Marking
RKP-AU2400750CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 24Vdc 0.75A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU2400750CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 24Vdc 0.75A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU2401000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 24Vdc 1A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU2401000CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 24Vdc 1A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU2401250CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 24Vdc 1.25A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU2401250CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 24Vdc 1.25A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU2401500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 24Vdc 1.5A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU2401500CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 24Vdc 1.5A ta:40°C tc:75°C, IP68, Do not cover, Class II
RKP-AU2401750CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 24Vdc 1.75A ta:40°C tc:75°C, IP20, Do not cover, Class II
RKPO-AU2401750CD-4	Rico Electronic	Input:100-240Vac, 50/60Hz, 0.9A Output: 24Vdc 1.75A ta:40°C tc:75°C, IP68, Do not cover, Class II

R. A. Nill

For and on Behalf of
SAA Approvals Pty Ltd

This certificate is issued by SAA Approvals Pty Ltd in accordance with the SAA Approvals Electrical Product Safety Certification Scheme accredited by JAS-ANZ under AS/NZS ISO/IEC 17065, RECS accreditation under the Queensland Government legislative requirements and REAS accreditation under the NSW Government legislative requirements. SAA certifies the product nominated in this certificate complies with standard/s listed above in accordance with the schemes herein.

For SAA Contact Details and Certificate verification, go to:

www.saaapprovals.com.au



www.jas-anz.org/register



Issued: 30-04-25 193217
Renewed Page 21 of 21