



ANYCONN[®]

做中国优质的连接器&线束制造商
让客户连接更简单

联系我们 / Keep in Touch



电话: (86-769)89049672
传真: (86-769)89049671



广东省东莞市长安镇上角社区新居路200号
No.200 Shangjiao Xinju Road, Changan Town, Dongguan City, Guangdong, China



sales@enkcom.com
oversales@anyconn.tw



Http://www.enkcom.com
Http://www.anyconn.tw



ANYCONN[®]

东莞市恩康电子科技有限公司

DONGGUAN ENKANG ELECTRONIC TECHNOLOGY CO.,LTD.



**一站式专业解决方案
精密连接器制造商**

One stop professional solution
Precision connector manufacturer



UL No.:E496131



IATF16949 / ISO9001 / ISO14001

做中国优质的连接器&线束制造商 20年行业深耕
致力于为客户提供优质的产品以及服务 让客户连接更简单

Becoming a premium connector & wire harness manufacturer in China, with 20 years of deep industry experience
Dedicated to providing customers with high-quality products and services, making customer connections simpler



成立于2015



厂房面积10000+



员工300+

公司简介

Company Profile

东莞市恩康电子科技有限公司，是一家有十多年经验专业从事连接器研发、制造、销售为一体的现代化高科技企业，公司坐落于中国电子行业最为集中的东莞市长安镇，公司主要专业生产板对板，线对板，电子线等连接器及车载连接器，有一支技术精良的产品研发队伍及高素质的管理团队，力求为客户提供优质的产品，使公司产品不断满足国内外市场的需要，我们把品质视为企业的第一生命，始终坚持科技领先和品牌战略，并在此基础上创建拥有自主品牌——ANYCONN®。

公司已通过IATF16949, ISO9001质量管理体系, ISO14001环境管理体系认证, UL (E496131) 安规认证, 国家高新技术企业认证, 并获得多项产品专利, 产品符合ROHS、REACH、无卤等环保要求。

产品广泛用于：各类消费电子电器、电子通讯、汽车、工业、电脑主板机、手机、风扇马达、LED/LCD显示幕模组等诸多领域。

Dongguan Enkang electronic technology co., LTD., is a company with more than 10 years experience specializing in connector development, manufacturing, sales for the integration of modern high-tech enterprises, the company is located in China's electronics industry Changan town, dongguan city, the company is mainly specialized in the production of Board to board, Wire to Board, electronic wire connector and Automotive connectors, we have a superior product research team and high-quality management team, makes every effort to provide customers with high quality products, the company product constantly to meet the needs of the market both at home and abroad, we put the quality as the first, always adhere to the leading technology and brand strategy, on this basis to create our own brand -ANYCONN®.

The company has obtained certifications for IATF16949, ISO9001 quality management system, ISO14001 environmental management system, UL (E496131) safety standard certification, national high-tech enterprise certification, and has acquired several product patents. The products comply with environmental requirements such as ROHS, REACH, and halogen-free.

The product is widely used in various fields such as consumer electronics, electronic communications, automobiles, industry, computer motherboards, mobile phones, fan motors, LED/LCD display module assemblies, and many others.



企业文化
CORPORATE CULTURE



品质方针 / QUALITY POLICY

顾客为先、服务至上、全面品管、持续改善。
Customer Oriented, Service Supreme, Total Quality Control, Continuous Improvement.

环境政策 / ENVIRONMENTAL POLICY

遵守环境法规、预防污染，减少环境负荷、制造绿色产品、
提高环保意识，持续改善环境。
Comply with environmental laws and regulations, prevent pollution,
reduce environmental load, manufacture green products, improve
environmental awareness, and continuously improve the environment.

经营理念 / BUSINESS PHILOSOPHY

感恩 诚信 关爱 责任
Be grateful, Good faith, Concern and love, Responsibility.

企业荣誉
COMPANY HONORS



我们始终将创新视为发展的驱动力，将质量看作企业生存的根本。
一路走来，收获的每一份认可，都是对我们坚持的见证。
我们不沉湎于荣誉，只将其视为通往更高处必经的台阶。

We always regard innovation as the driving force for development, and quality as the foundation for the survival of the enterprise.
Along the way, every recognition we have received is a testament to our persistence. We do not indulge in glory; we merely view it as a
necessary step on the path to greater heights.



注塑车间

INJECTION MOLDING WORKSHOP




公司始终将产品质量置于首位，在运营过程中，我们严格执行品质保证体系，贯彻从进料到生产环节的全面质量控制。从原材料采购、制造加工、产品出货到售后服务，每一个流程均设有严格的检验标准与质量管制。公司深信，持续的教育培训不仅能促进员工个人成长，也能确保团队紧跟技术领域的最新发展，最终为客户提供品质始终如一的产品。

冲压车间

STAMPING WORKSHOP





The company has always placed product quality at the forefront. In its operations, we strictly implement a quality assurance system and carry out comprehensive quality control from raw material intake to the entire production process. From raw material procurement, manufacturing and processing, product delivery to after-sales service, every procedure is equipped with strict inspection standards and quality control measures. The company firmly believes that continuous education and training not only promotes the personal growth of employees but also ensures that the team keeps pace with the latest developments in technology, ultimately delivering consistently high-quality products to customers.



高速五金/冲压模具

HIGH-SPEED HARDWARE/STAMPING MOLDS







精密注塑模具

PRECISION INJECTION MOLDS

恩康针对每款定制连接器，从产品概念到模具交付、样品验证，我们具备全流程的技术能力与项目组织经验，确保连接器的开发周期与质量可控。

For each customized connector developed by Enkang, we possess full-process technical capabilities and project management experience spanning from product conceptualization to mold delivery and sample validation, ensuring controllable development cycles and consistent quality for the connectors.



自动化车间

AUTOMATIC WORKSHOP

ANYCONN®
恩康电子科技

以客户需求为原动力，创一流产品，以零缺点作为评定质量成效的标准，制程中严格按材质工艺要求加工生产保证质量。

Taking customer demands as the driving force, we create first-class products. We use zero defects as the standard for evaluating quality performance. During the manufacturing process, we strictly adhere to material and process requirements to ensure quality.



线束车间

WIRING HARNESS WORKSHOP



精密检测设备

PRECISION INSPECTION EQUIPMENT



二次元影像量测仪
2D-Projector

严格的品质检测是优良产品质量的保证。品质管理贯穿整个工作流程，精密品检设备和高度责任心，准确交期和良好的售后服务，是我们为客户提供一流产品，与客户长期合作的坚实基础。

Strict quality inspection is the guarantee of excellent product quality. Quality management throughout the whole workflow, precision inspection equipment and a high sense of responsibility, accurate delivery and good after-sales service, is a solid foundation for our customers to provide first-class products, long-term cooperation with customers.




X-R 电镀膜厚测试仪
X-R Plating Thickness Tester



I-R回流焊炉
I-R Solder Reflow



自动拉拔力测试仪
Tensile Tester




硬度测试仪
Hardness Tester



台式研磨机
Desktop Lapping Machine



高压测试机
High Voltage Tester



耐压绝缘测试机
Withstanding Insulation Tester



高塑胶水份测试仪
Plastic Moisture Analysis Tester



无铅锡炉
Lead-Free Solder Pot



恒温恒湿测试仪
Temp&Humi Programmable Tester



ROHS测试
ROHS Tester

COOPERATIVE PARTNER 合作伙伴

➔ 为全球客户提供专业、优质的连接器。

我们深信，每一次合作都是共同奔赴。这不仅关乎商业的合作，更是对匠心品质、创新与价值创造理念的共鸣。我们期待与全球志同道合的伙伴并肩前行，以值得信赖的连接技术，共拓未来，赋能无限可能。

We firmly believe that every collaboration is a joint pursuit of excellence. This is not only about business cooperation, but also a resonance with the concepts of craftsmanship quality, innovation and value creation. We look forward to moving forward together with like-minded partners worldwide, using reliable connection technologies to explore the future and empower unlimited possibilities.




ANYCONN®
恩康电子科技

CONTENTS 目录

15/18	Automotive Connector 汽车连接器
19/20	Pin Header Connector 排针连接器
21/22	Female Header Connector 排母连接器
23/24	IC Socket Connector 圆孔连接器
25/26	Box Header Connector 简牛连接器
27/28	IDC Socket/Card Edge Connector IDC插座系列连接器
29/32	WTB Connector 线对板系列连接器
33/36	Wire Harness And Cable Assembly 线束、线缆连接器
37/37	USB2.0/USB3.0/Micro USB/TYPE-C USB、TYPE-C连接器
38/38	D-SUB Connector D-SUB 连接器
39/39	Terminal Blocks Series 端子台连接器
40/40	POGO PIN 弹簧针系列
41/42	Maching Round Pin/Special-shaped Pin Continuous Pin/Terminal 车针/异形针/连续Pin/端子






汽车连接器
Automotive Connector






汽车连接器
Automotive Connector




汽车系列	汽车系列	汽车系列
		
●排针PH3.3 H9.48 90° 1X2P	●单排 PH2.5 H3.34 W5.08 90° 1X2P 带柱	●简牛 PH2.54 H10.52 2X2P
汽车系列	汽车系列	汽车系列
		
●Wafer PH2.54 H8.30 W6.5 180度有靠背	●WFFDD004SNBWDW5 2X2P	●Wafer PH1.25 1*6P L 7.59
汽车系列	汽车系列	汽车系列
		
●简牛 PH2.0 H10.36 1X8pin 180°	●MX3.0 90° WF 2X4喇叭口	●扁形排针 2x5P 弯针
汽车系列	汽车系列	汽车系列
		
●排针PH2.0 2*18	●排针PH2.5 2*08P	●排针PH2.5 2*03P

汽车系列	汽车系列	汽车系列
		
●Wafer PH2.5 H7.0 W5.0 H-SMT 1X2P 塑胶有缺口	●插针 PH3.3 H9.48 90°	●排针PH2.54 H3.24 W8.44 90度 1x6P
汽车系列	汽车系列	汽车系列
		
●Mini Power PH4.2 H12.8 W9.75 180度	●排针PH2.54 H5.68 W4.84 H-SMT 1X2P 带双侧柱	●排针PH4.0 H2.6 W2.5 180度 1X2P 扁针
汽车系列	汽车系列	汽车系列
		
●Wafer Connector PH1.00 H4.35 W5.40 SMT	●排针PH2.5 H2.4W3.0 1X4P 90°	●PH5.0 BCM控制器 36PIN针座
汽车系列	汽车系列	汽车系列
		
●排针PH3.5 03P、04P、10P	●排针PH3.5 2*03	●排针PH4.0 04P




汽车连接器
Automotive Connector





汽车连接器
Automotive Connector




汽车系列	汽车系列	汽车系列
		
●9孔针座	●BCM控制器 2X6P排针 PH5.0	●BCM控制器 18P
汽车系列	汽车系列	汽车系列
		
●BCM控制器 20P	●ECU控制系统插头 防水接插件 90°	●PH4.2 2X3P 180°
汽车系列	汽车系列	汽车系列
		
●排针 PH 2.0 90° P11912008T3RCBNR009	●扁形排针 2X8P	●2PIN PH2.55 H 3.0
汽车系列	汽车系列	汽车系列
		
●排针 Pitch 2.20 2*12P	●排针 Pitch 2.20 1x4Pin	●排针 Pitch 2.20 1x4P

汽车系列	汽车系列	汽车系列
		
●扁形排针 PH2.54 90°	●扁形排针 PH2.54 SMT	●扁形排针 PH4.0 180°
汽车系列	汽车系列	汽车系列
		
●排针 SMT 带柱	●圆针 35P	●针座PH6.1 H4.0mm W3.8 180度 1x2Pin
汽车系列	汽车系列	汽车系列
		
●板端 8P8S电源连接器PH2.30(8P)/PH1.25(8S) 2x8Pin 90度	●PH5.08 排针	●排针PH3.95 H4.75 W6.25 SMT卧贴 1X2P
汽车系列	汽车系列	汽车系列
		
●排针 Pitch 2.20 180° 2x4P	●Pitch 3.50 2*8P	●排针 Pitch 4.0 1x3P



排针连接器 Pin Header Connector
1.27/2.0/2.54/3.96/5.08/7.62mm Pitch



P113系列



- Pitch 1.27mm H1.0 单排 SMT SQ0.40
- Positions: 1*2P~1*50P

P113系列



- Pitch 1.27mm H1.0 双排双塑 SMT SQ0.40
- Positions: 2*2P~2*50P

P115系列



- Pitch 1.27mm H2.5 双排双塑 SMT SQ0.40
- Positions: 2*2P~2*50P

P115系列



- Pitch 1.27mm H2.5 90°
- Positions: 2*2P~2*25P

P115系列



- Pitch 1.27mm H2.5 单排双塑 180°SQ0.40
- Positions: 1*1P~1*50P

P115系列



- Pitch 1.27mm H2.5 单排 180° SQ0.4
- Positions: 1*1P~1*50P

P117系列



- Pitch 1.27*2.54mm H2.5 双排双塑180° SQ0.40
- Positions: 2*2P~2*50P

P118系列



- Pitch 2.00mm H2.0 双排三塑 180°SQ0.50
- Positions: 2*2P~2*40P

P118系列



- Pitch 2.00mm H2.0 双排H-SMT SQ0.50
- Positions: 2*2P~2*40P

P120系列



- Pitch 2.54mm H2.5 180°
- Positions: 2*1P~2*50P

P120系列



- Pitch 2.54mm H2.5 SMT 三塑
- P12031003G0BCBNS001


P120系列



- Pitch 2.54mm H2.5 单排 90°SQ0.64
- Positions: 1*1P~1*50P



排针连接器 Pin Header Connector
1.27/2.0/2.54/3.96/5.08/7.62mm Pitch



P120系列



- Pitch 2.54mm H2.5 双排 SMT SQ0.64
- Positions: 2*2P~2*40P

P120系列



- Pitch 2.54mm H2.5 单排+CAP H-SMT SQ0.64
- Positions: 1*2P~1*40P

P120系列



- Pitch 2.54mm H2.5 双排 H-SMT SQ0.64
- Positions: 2*2P~2*40P

P120系列



- Pitch 2.54mm H2.5 双排双塑 180°SQ0.64
- Positions: 2*1P~2*50P

P120系列



- Pitch 2.54 H2.5 W2.5 1x2P U型
- P12011002XXUXNK025L

P120系列




- Pitch 2.54mm H2.5 单排 U型 SQ0.64
- Positions: 1*2P~1*40P

P120系列



- Pitch 2.54mm H2.5 单排+CAP H-SMT SQ0.64
- Positions: 1*2P~1*40P

P120系列



- Pitch2.54 mm H2.5 三排单塑 180°
- Positions: 3*3P~3*40P

P120系列



- Pitch2.54 mm H2.5 双排 90度
- Positions: 2*2P~2*40P

P120系列



- Pitch 2.54mm H2.5 卧式 SMT
- Positions: 1*2P~1*50P

P120系列



- Pitch 2.54mm H2.5 180°
- Positions:1*2P~1*40P


P128系列




- Pitch 2.0mm H1.5 SMT
- Positions:2*2P~2*40P



排母连接器 Female Header Connector
1.27/2.0/2.54/3.96/5.08/7.62mm Pitch



排母连接器 Female Header Connector
1.27/2.0/2.54/3.96/5.08/7.62mm Pitch



F122系列




- Pitch 2.00mm H4.3 双排 180° OC=2.8
- Positions:2*2P~2*40P

F122系列



- Pitch 2.00mm H4.3 单排SMT OE=4.1 加CAP
- Positions:1*2P~1*40P

F122系列



- Pitch 2.00mm H4.3 双排SMT OE=6.2 加CAP
- Positions:2*2P~2*40P

F134系列



- Pitch 2.54mm H8.5 Y型 180° OC=3.2
- Positions:2*2P~2*40P

F134系列



- Pitch 2.54mm H8.5 三排六塑 180°OC=3.0
- Positions:3*2P~3*40P

F134系列



- Pitch 2.54mm H8.5 单排H-SMT OE=1.27
- Positions:1*2P~1*40P

F122系列



- Pitch 2.00mm H4.3 SMT OE=6.2 CAP帽内柱
- Positions:2*2P~2*40P

F124系列




- Pitch 2.00mm H6.35 四排 180°OC=3.1
- Positions:4*2P~4*40P

F128系列



- Pitch 2.54 H5.0 W2.54 蜈蚣脚U型端子
- F12811XXXXXUXBNB00

F134系列



- Pitch 2.54mm H8.5 Y型 180° OC=3.2
- Positions:1*2P~1*40P

F134系列



- Pitch 2.54mm H8.5 三排三塑 180°OC=3.0
- Positions:3*2P~3*40P

F134系列



- Pitch 2.54mm H8.5 双排 90°OC=2.8
- Positions:2*2P~2*40P

F128系列



- Pitch 2.54mm H5.0 双排 蜈蚣脚 OC=3.0
- Positions:2*2P~2*40P

F131系列



- Pitch 2.54mm H6.8 双排 180°OC=3.0 上插式
- Positions:2*2P~2*40P

F132系列



- Pitch 2.54mm H7.1 U型SMT OE=6.7 带内柱
- F13212016G1SFBWJ0CP

F134系列



- Pitch 2.54mm H8.5 双排三塑 90°OC=3.0
- Positions:2*2P~2*40P

F134系列



- Pitch 2.54 H8.5 Y型 90度 OC=2.7带防呆点
- Positions:2*2P~2*40P

F134系列



- Pitch 2.54 mm H8.5 Y型 90度
- Positions:1*2P~1*40P

F132系列



- Pitch 2.54mm H7.1 双排SMT OE=6.6 贴麦拉
- Positions:2*2P~2*40P

F132系列



- Pitch 2.54 H7.1 W2.5 SMT U型端子
- F13211XXXXXXCBNA00

F132系列



- Pitch 2.54mm H7.1 U型SMT OE=6.6 带柱
- F13212320G1SCBWA0FP

F134系列



- Pitch 2.54 H5.0 W2.5 SMT U型端子
- F12811XXXXXXCBXA0CP

F136系列



- Pitch 1.27mm H4.3 180°OC=2.4
- Positions:2*2P~2*40P


F140系列




- Pitch 2.54 H8.5 W2.54 1X3P U型端子
- F14011003SNDXCXNC00



圆孔连接器IC Socket Connector
1.778/1.27/2.0/2.54mm Pitch



圆孔连接器IC Socket Connector
1.778/1.27/2.0/2.54mm Pitch



PGD系列



- Pitch 1.27 H2.0 180° 双排 双头针
- Positions: 2*2P~2*40P

PGD系列



- Pitch 1.27 H2.8 180° 双排 双头针
- Positions: 2*2P~2*40P

PAB系列



- Pitch 2.54 H3.0 SMT 单排 双头针
- Positions: 1*2P~1*40P

PHS系列



- Pitch 1.27 H3.8 双排圆孔
- Positions:2*2P~2*40P

PHD系列



- Pitch 1.27 H1.9 180° 三排
- Positions:3*2P~3*50P

PHR系列




- Pitch 1.27 H4.1 90° 单排
- Positions:1*2P~1*40P

PAR系列



- Pitch 2.54 H3.0 90° 单排 双头针
- Positions: 1*2P~1*40P

PAS系列



- Pitch 2.54 H3.0 六型
- Positions:04P~64P

PAS系列



- Pitch 2.54 H3.0
- Positions:2*2P~2*40P

PBD系列



- Pitch 2.54 H3.0 180° 单排 圆孔
- Positions: 1*2P~1*40P

PBD系列




- Pitch 2.54 H3.0 180° 双排叠加 圆孔
- Positions: 04P~64P

PBD系列



- Pitch 2.54 H3.0 180°双排 圆孔 带双杠
- Positions: 04P~64P

PAD系列



- Pitch 2.54 H3.0 180°双头针
- Positions:04P~64P

PAD系列



- Pitch 2.54 180°单排
- Positions:1*2P~1*40P

PAD系列



- Pitch 2.54 H3.0 180°双排 双头针
- Positions: 2*2P~2*40P

PBD系列



- Pitch 2.54 H3.0 单排 圆孔
- Positions: 1*2P~1*40P

PBS系列



- Pitch 2.54 H3.0 180°双排 圆孔 带杠
- Positions: 04P~64P

PBS系列



- Pitch 2.54 H3.0 SMT 双排 圆孔
- Positions: 2*2P~2*40P

PAD系列



- Pitch 2.54 H3.0
- Positions:1*2P~1*40P

PAD系列



- Pitch 2.54 H3.0 180°双头针
- Positions: 1*2P~1*40P

PAR系列



- Pitch 2.54 H3.0 90° 单排 双头针
- Positions: 1*2P~1*40P

PBS系列



- Pitch 2.54 H3.0 SMT 双排 圆孔
- Positions: 04P~64P

PBR系列



- Pitch 2.54 H2.5 90° 圆孔
- Positions: 04P~64P


PBR系列




- Pitch 2.54 H7.0 90° 单排 圆孔
- Positions: 1*2P~1*40P



简牛 系列 Box header Connector
1.27/2.0/2.54mm Pitch Box header



简牛 系列 Box header Connector
1.27/2.0/2.54mm Pitch Box header



BHI系列



- Pitch 1.27mm H5.7 双排H-SMT OE=1.25
- Positions:2*2P~2*25P

BHI系列



- Pitch 1.27mm H5.7 双排SMT OE=6.4
- Positions: 2*3P~2*25P

BHI系列



- Pitch 1.27mm H5.7 双排SMT OE=6.2
- Positions: 2*2P~2*25P

BHA系列



- Pitch 2.54mm H8.9 双排 180°OC=2.50
- Positions: 2*3P~2*25P

BHA系列



- Pitch 2.54 H8.9 双排SMT OE=7.75
- Positions: 2*3P~2*25P

BHA系列



- Pitch 2.54mm H8.9 双排SMT OE=9.8+CAP
- Positions: 2*3P~2*25P

BHI系列



- Pitch 1.27mm H3.5 双排 180°OC=2.3
- Positions: 2*5P

BHK系列 短耳



- Pitch 1.27mm 勾勾牛角 双排SMT OC=2.8
- Positions: 2*2P~2*25P

BHK系列 长耳



- Pitch 1.27mm 勾勾牛角 双排 90°OC=2.8
- Positions: 2*2P~2*25P

BHB系列



- Pitch 2.54mm 勾勾牛角 双排180° OE=6.2
- Positions: 2*3P~2*25P

BHB系列



- Pitch 2.54mm H27.5 勾勾牛角 双排180° OE5.8
- Positions:2*3P~2*25P

BHB系列



- Pitch 2.54mm 勾勾牛角 双排180°OC=3.50
- Positions: 2*3P~2*25P

BHD系列




- Pitch 2.00mm H6.4 双排+90°OC=2.5
- Positions: 2*2P~2*25P

BHD系列



- Pitch 2.00mm H6.4 双排 180°OC=2.5
- Positions: 2*2P~2*25P

BHD系列



- Pitch 2.00mm H6.4 双排 180°OC=2.1
- Positions: 2*2P~2*25P

BHB系列



- Pitch 2.54mm 勾勾牛角 双排90° OE=9.8
- Positions: 2*3P~2*25P

BHB系列



- Pitch 2.54mm 勾勾牛角 双排 90°OC=2.3
- Positions: 2*3P~2*25P

BHC系列



- Pitch H2.0 H5.7 双排SMT OE=6.2
- Positions: 2*3P~2*25P

BHD系列



- Pitch 2.00mm H6.4 双排 90°
- Positions: 2*2P~2*25P

BHD系列



- Pitch 2.0mm H6.4 双排SMT OE5.8
- Positions:2*2P~2*25P

BHD系列



- Pitch 2.00mm H6.4 双排90°OC=2.1
- Positions: 2*2P~2*25P

BHC系列



- Pitch 2.0 H5.7 双排90度 OC=2.90
- Positions: 2*3~2*25P

BHM系列



- Pitch 2.0mm H5.8 双排 180°OC=2.1
- Positions: 2*10P


BHP系列



- Pitch 2.0mm H10.6 单排180°OC=2.3
- Positions: 1*4P~1*10P



IDC 插座系列连接器
1.27/2.0/2.54mm Pitch IDC Socket/Card Edge Connector



IDC系列



●1.27X2.54 带不锈钢蝴蝶扣压线头

IDC系列



●Pitch 1.27mm 三件式
●Positions: 2*3P~2*25P

IDC系列



●Pitch 1.27mm 两件式
●Positions: 2*3P~2*25P

IDC系列



●Pitch 1.27mm 三件式带弹片
●Positions: 2*3P~2*25P

IDC系列



●Pitch 1.27mm 两件式公座
●Positions: 2*3P~2*25P

IDC系列



●Pitch 1.27mm 两件式公座
●Positions: 2*3P~2*25P

IDC系列



●Pitch 1.27mm 两件式带鼻
●Positions: 2*3P~2*25P

IDC系列



●Pitch 1.27 三件式全金
●Positions: 2*8P~2*34P

IDC系列



●Pitch1.27 刺破式SMC-34P

IDC系列



●Pitch2.0 蝴蝶扣型压线头三件套

IDC系列



●Pitch 2.54mm 三件式带鼻
●Positions: 2*3P~2*25P

IDC系列



●Pitch 2.54 两件式半金镍
●Positions: 2*6P~2*40P



IDC 插座系列连接器
1.27/2.0/2.54mm Pitch IDC Socket/Card Edge Connector



IDC系列



●Pitch 2.54mm 两件式
●Positions: 2*3P~2*25P

IDC系列



●Pitch 2.54mm 两件式带鼻
●Positions: 2*3P~2*25P

IDC系列



●Pitch 2.54mm 两件式带鼻
●Positions: 2*2P~2*40P

IDC系列



●Pitch 2.54mm 三件式带鼻
●Positions: 2*3P~2*25P

IDC系列



●Pitch 2.54mm 两件式带鼻
●Positions: 2*3P~2*25P

IDC系列



●Pitch 2.54mm 两件式带鼻
●Positions: 2*3P~2*25P

IDC系列



●Pitch 2.54mm 三件式带鼻
●Positions: 2*3P~2*25P

IDC系列



●Pitch 2.54mm 两件式带鼻
●Positions: 2*3P~2*25P

IDC系列



●Pitch 2.54mm 两件式
●Positions: 2*3P~2*25P

IDC系列



●Pitch2.54 DIP-40P排线头IDC

IDC系列



●Pitch2.54 供扁平线 双排IDC

IDC系列



●Pitch2.54 单排FC刺破式IDC



Wafer 系列

1.0/1.25mm Pitch








Wafer 系列

1.25/1.5mm Pitch



Wafer 系列  ●WF PH1.0 2P SMT	Wafer 系列  ●WF PH1.0 2P SMT	Wafer 系列  ●WF PH1.0 6P SMT
Wafer 系列  ●WF PH1.0 6P Housing	Wafer 系列  ●WF PH1.0 端子	Wafer 系列  ●WF PH1.0 6P H-SMT
Wafer 系列  ●Wire to Board 1.0mm Pitch	Wafer 系列  ●A1002-AWB(2-20)1.0mm	Wafer 系列  ●Pitch 1.00 4P
Wafer 系列  ●WF PH1.0 6P Housing	Wafer 系列  ●Pitch 1.00 2*08~2*25P	Wafer 系列  ●GH-AB\AWB(2-16)1.25mm

Wafer 系列  ●Pitch 1.25 6P	Wafer 系列  ●1.25-AB(2-16)1.25mm	Wafer 系列  ●GH-AB\AWB(2-16)1.25mm
Wafer 系列  ●MX1.5内扣 SMT 180°WF 6P	Wafer 系列  ●MX1.5内扣 SMT 90°WF 2P	Wafer 系列  ●MX1.5内扣 SMT 90°WF 6P
Wafer 系列  ●MX1.5内扣 SMT 90°WF 2X5P	Wafer 系列  ●MX1.5内扣 SMT 90°WF 2X6P	Wafer 系列  ●MX1.5内扣 SMT 180°WF 2X6P
Wafer 系列  ●MX1.5内扣 Housing 2P	Wafer 系列  ●MX1.5带扣 SMT WF5P	Wafer 系列  ●MX1.5内扣 SMT 90°WF 6P



Wafer 系列
2.0/2.5/3.0mm Pitch



Wafer 系列
3.0/4.2/6.35mm Pitch




Wafer 系列



●Pitch 2.00 02~15P

Wafer 系列



●Pitch 2.00 2*02~2*20P

Wafer 系列



●Pitch 2.00 02~16P

Wafer 系列



●PH 3.0 Housing 母 WHF12XXXBXCR06

Wafer 系列



●Mini Power PH3.0mm 板端

Wafer 系列




●Wire to Wire HP 3.0mm

Wafer 系列




●MX2.0内扣 SMT 180°WF 6P

Wafer 系列



●PHB-AB/AWB(2~16)2.0mm

Wafer 系列



●Pitch 2.00 02~16P

Wafer 系列



●PH3.0 Housing
●PH3.0 端子

Wafer 系列




●Mini Power PH3.0mm 板端

Wafer 系列



●Mini Power PH3.0mm 板端

Wafer 系列



●Pitch 2.00 02~16P

Wafer 系列



●Pitch 2.00 02~16P

Wafer 系列



●Pitch 2.50 卧贴 02~16P

Wafer 系列



●Mini Power PH4.20 板端 线端

Wafer 系列




●WF PH 4.20 180° 加帽带柱

Wafer 系列



●PH 4.20 Housing(母)

Wafer 系列



●PH2.54mm Straight Dip Type

Wafer 系列




●WF PH3.0 90°单排

Wafer 系列




●Mini Power PH3.0mm 板端

Wafer 系列



●Mini Power PH 4.20 板端 线端

Wafer 系列



●Mini Power PH 4.20 板端 线端

Wafer 系列



●Wafer Pitch6.35 H17.27 5P 90°



线束系列
Wire Harness



EK-QL-005



EK-QL-026



EK-QL-032



EK-QL-034



EK-QL-035



EK-QL-041



EK-QL-042



EK-QL-043



EK-QL-001



EK-QL-042



EK-QL-043



EK-QL-001



线束系列
Wire Harness



EK-QL-006



EK-QL-013



EK-QL-022



EK-QL-025



EK-QL-028



EK-QL-006



EK-QL-007



EK-QL-051



EK-QL-029



EK-QL-007



EK-QL-051



EK-QL-029





电 缆 系 列
Cable Assembly



EK-QL-028



EK-QL-019



EK-QL-007



EK-QL-053



EK-QL-009



EK-QL-057



EK-QL-015



EK-QL-011



EK-QL-016



EK-QL-017



EK-QL-018



EK-QL-019



电 缆 系 列
Cable Assembly



EK-QL-330



EK-QL-331



EK-QL-332



EK-QL-333



EK-QL-334



EK-QL-335



EK-QL-336



EK-QL-337



EK-QL-338



EK-QL-339



EK-QL-340



EK-QL-341





USB/TYPE-C 连接器
USB2.0/USB3.0/Micro USB/TYPE-C



USB系列



●2.0 A公 沉板 90度白

USB系列



●MINI USB 全贴型

USB系列



●2.0 B母 90度

USB系列



●2.0 B母 侧插

USB系列



●3.0 A母 沉板 90度

USB系列



●3.0 A母 鱼叉脚

TYPE系列



●TYPE C 公头拉伸款

TYPE系列



●TYPE C 母头12PIN

TYPE系列



●TYPE C 母头沉板式 (带屏蔽壳)

TYPE系列



●TYPE C 公头冲压款(带板)

TYPE系列



●TYPE C 母头DIP+SMT

TYPE系列



●TYPE C 母头沉板式



D-SUB 连接器
D-SUB Connector



D-SUB系列



●DR 9公 高架 180度

D-SUB系列



●DR 25P 公座镀金

D-SUB系列



●HDB 44 公

D-SUB系列



●HDEC 44 公

D-SUB系列



●HDP 15P 公

D-SUB系列



●HDP 26P 公

D-SUB系列



●HDR 44 公三排

D-SUB系列



●公座 9Pin 折弯90°插板

D-SUB系列



●D SUB大电流

D-SUB系列



●DR 9公

D-SUB系列



●DR 50P 公座镀金


D-SUB系列



●HDB 15 公



端子台连接器
Terminal Blocks



端子台系列



- EQ系列 90°
- Pitch 3.5mm 1*3P DIP3.4 有耳

端子台系列



- EQ系列 180°
- Pitch 5.08mm 1*2P DIP2.5

端子台系列



- EQ系列 90°
- Pitch 5.08mm 1*3P DIP2.5

端子台系列



- AJ5系列
- Pitch 5.00mm 1*3P 有耳

端子台系列



- AJ系列
- Pitch 3.5mm 6P

端子台系列



- EK25EDGWC系列
- Pitch 5.08mm 4P有耳

端子台系列



- EK2EDGKB双层(双列)推压式系列
- Pitch 3.5mm

端子台系列



- EQ系列 90°
- Pitch 5.08mm 1*2P DIP2.5

端子台系列



- EK2EDG系列 直针型
- 可插拔连接器的PCB 插座端

端子台系列



- EK2EDG系列90°/180°
- Pitch 5.08mm

端子台系列



- EK2EDGWC系列
- 可插拔PCB 接线端子

端子台系列




- EQ系列 180°
- Pitch 5.08mm 1*6P DIP2.5




弹簧针系列
POGO PIN Connector



EK-QL-111



EK-QL-112



EK-QL-142



EK-QL-143



EK-QL-149



EK-QL-150



EK-QL-151



EK-QL-152



EK-QL-153



EK-QL-154



EK-QL-155



EK-QL-156





Maching Round Pin
Special-shaped Pin
Continuous Pin
Terminal



Maching Round Pin
Special-shaped Pin
Continuous Pin
Terminal

