





Model	Image	Specifications		Giftbox & accessories
S130		Display	0.96", IPS	ACCESSORY DIAGRAM  S130 SIZE CHART 
		Lens	60 degree	
		Memory	Micro SD card, Max.128G	
		Battery	3.7V, 200mAh,Li-ion Polymer	
		Working time	about 60min	
		Video	480P	
		Loop time	3min	
		MIC	Yes	
		Compressure	MJPEG	
		Accessories	1,Chain*1	
S142		Display	0.96", IPS	 Mod: S150 G.W: 48.5g N.W: 17.5g 
		Lens	110 degree	
		Memory	Micro SD card, Max.32G	
		Battery	3.7V, 180mAh,Li-ion Polymer	
		Working time	about 50min	
		Video	720P	
		Loop time	3min	
		MIC	Yes	
		Compressure	H.264	
		Accessories	1,Chain*1	

S150		<table><tr><td>Display</td><td>0.96", IPS</td></tr><tr><td>Lens</td><td>110 degree</td></tr><tr><td>Memory</td><td>Micro SD card, Max.128G</td></tr><tr><td>Battery</td><td>3.7V, 180mAh,Li-ion Polymer</td></tr><tr><td>Working time</td><td>about 50min</td></tr><tr><td>Video</td><td>1080P</td></tr><tr><td>Loop time</td><td>3min</td></tr><tr><td>MIC</td><td>Yes</td></tr><tr><td>Compressure</td><td>H.264</td></tr><tr><td>Accessories</td><td>1,Chain*1</td></tr></table>	Display	0.96", IPS	Lens	110 degree	Memory	Micro SD card, Max.128G	Battery	3.7V, 180mAh,Li-ion Polymer	Working time	about 50min	Video	1080P	Loop time	3min	MIC	Yes	Compressure	H.264	Accessories	1,Chain*1	 Hanging buckle 6.5CM Square bead chain 60CM Mod: S150 G.W: 48.5g N.W: 17.5g 
Display	0.96", IPS																						
Lens	110 degree																						
Memory	Micro SD card, Max.128G																						
Battery	3.7V, 180mAh,Li-ion Polymer																						
Working time	about 50min																						
Video	1080P																						
Loop time	3min																						
MIC	Yes																						
Compressure	H.264																						
Accessories	1,Chain*1																						
S160		<table><tr><td>Display</td><td>1.47", IPS</td></tr><tr><td>Lens</td><td>70degree</td></tr><tr><td>Memory</td><td>Micro SD card, Max.128G</td></tr><tr><td>Battery</td><td>3.7V, 180mAh,Li-ion Polymer</td></tr><tr><td>Working time</td><td>about 50min</td></tr><tr><td>Video</td><td>2560*1440P</td></tr><tr><td>Loop time</td><td>3min</td></tr><tr><td>MIC</td><td>Yes</td></tr><tr><td>Compressure</td><td>H.264</td></tr><tr><td>Accessories</td><td>1,Chain*1</td></tr></table>	Display	1.47", IPS	Lens	70degree	Memory	Micro SD card, Max.128G	Battery	3.7V, 180mAh,Li-ion Polymer	Working time	about 50min	Video	2560*1440P	Loop time	3min	MIC	Yes	Compressure	H.264	Accessories	1,Chain*1	 Hanging buckle 6.5CM Square bead chain 60CM S160 SIZE CHART Host weight: 20g GW: 53g 
Display	1.47", IPS																						
Lens	70degree																						
Memory	Micro SD card, Max.128G																						
Battery	3.7V, 180mAh,Li-ion Polymer																						
Working time	about 50min																						
Video	2560*1440P																						
Loop time	3min																						
MIC	Yes																						
Compressure	H.264																						
Accessories	1,Chain*1																						


S161		Display	1.47", IPS	 Square bead chain 60CM Hanging buckle 6.5CM S161 SIZE CHART Host weight: 26g GW: 61g Front  36mm 50mm Side  40mm  95mm 80mm 42mm
		Lens	70degree	
		Memory	Micro SD card, Max.128G	
		Battery	3.7V, 180mAh,Li-ion Polymer	
		Working time	about 50min	
		Video	2560*1440P	
		Loop time	3min	
		MIC	Yes	
		Compressure	H.264	
		Accessories	1,Chain*1	
S83		Display	1.47", IPS	S83 Thumb Camera ACCESSORY DISPLAY DIAGRAM  Magnetic neck suspension  S83 Host  Type-C Charging line  Instructions  Lanyard
		Video	AVI,1920*1080P@30fps	
		Lens	110 degree	
		Memory	Micro SD card, Max.128G	
		Battery	3.7V, 250mAh,Li-ion Polymer	
		Working time	about 1hour	
		MIC	Support ,MIC-2X4MM,42+-3dB	
		Compressure	H.264	
		Language	Multi-language,we can customized the languages. The standard one has been with the following: Eglish,Traditional Chinese,Simple Chinese,French,Germany,Korea,Japanese, Italian,Spain,Poland	

S110		<table><tr><td>Display</td><td>0.96", IPS</td></tr><tr><td>Lens</td><td>110 degree</td></tr><tr><td>Memory</td><td>Micro SD card, Max.128G</td></tr><tr><td>Battery</td><td>3.7V, 250mAh,Li-ion Polymer</td></tr><tr><td>Working time</td><td>about 1hour</td></tr><tr><td>WiFi</td><td>Yes,2.4G</td></tr><tr><td>App</td><td>Roadcam</td></tr><tr><td>MIC</td><td>Support ,MIC-2X4MM,42+-3dB</td></tr><tr><td>Compressure</td><td>H.264</td></tr><tr><td>Language</td><td>Multi-language,we can customized the languages. The standard one has been with the following: Eglish,Traditional Chinese,Simple Chinese,French,Germany,Korea,Japanese, Italian,Spain,Poland</td></tr></table>	Display	0.96", IPS	Lens	110 degree	Memory	Micro SD card, Max.128G	Battery	3.7V, 250mAh,Li-ion Polymer	Working time	about 1hour	WiFi	Yes,2.4G	App	Roadcam	MIC	Support ,MIC-2X4MM,42+-3dB	Compressure	H.264	Language	Multi-language,we can customized the languages. The standard one has been with the following: Eglish,Traditional Chinese,Simple Chinese,French,Germany,Korea,Japanese, Italian,Spain,Poland	S110 FPV Glasses Camera ACCESSORY DIAGRAM  S110 host  Flat light anti blue light glasses  Type-C power line  Pouch  Instructions  Glasses case S110 SIZE CHART Host weight: 21g GW: 240g Front  20mm 17mm Side  85mm  60mm 175mm 73mm
Display	0.96", IPS																						
Lens	110 degree																						
Memory	Micro SD card, Max.128G																						
Battery	3.7V, 250mAh,Li-ion Polymer																						
Working time	about 1hour																						
WiFi	Yes,2.4G																						
App	Roadcam																						
MIC	Support ,MIC-2X4MM,42+-3dB																						
Compressure	H.264																						
Language	Multi-language,we can customized the languages. The standard one has been with the following: Eglish,Traditional Chinese,Simple Chinese,French,Germany,Korea,Japanese, Italian,Spain,Poland																						
S111		<table><tr><td>Display</td><td>0.96", IPS</td></tr><tr><td>Lens</td><td>110 degree</td></tr><tr><td>Memory</td><td>Micro SD card, Max.128G</td></tr><tr><td>Battery</td><td>3.7V, 250mAh,Li-ion Polymer</td></tr><tr><td>Working time</td><td>about 1hour</td></tr><tr><td>WiFi</td><td>Yes,2.4G</td></tr><tr><td>App</td><td>Roadcam</td></tr><tr><td>MIC</td><td>Support ,MIC-2X4MM,42+-3dB</td></tr><tr><td>Compressure</td><td>H.264</td></tr><tr><td>Language</td><td>Multi-language,we can customized the languages. The standard one has been with the following: Eglish,Traditional Chinese,Simple Chinese,French,Germany,Korea,Japanese, Italian,Spain,Poland</td></tr></table>	Display	0.96", IPS	Lens	110 degree	Memory	Micro SD card, Max.128G	Battery	3.7V, 250mAh,Li-ion Polymer	Working time	about 1hour	WiFi	Yes,2.4G	App	Roadcam	MIC	Support ,MIC-2X4MM,42+-3dB	Compressure	H.264	Language	Multi-language,we can customized the languages. The standard one has been with the following: Eglish,Traditional Chinese,Simple Chinese,French,Germany,Korea,Japanese, Italian,Spain,Poland	S111 Head mounted camera ACCESSORY DISPLAY DIAGRAM  S111 Host  Instruction Manual  Head mounted bracket  Type-C charging cable S111 SIZE CHART Host weight: 54g GW: 179g S111 Host   165mm 178mm 55mm
Display	0.96", IPS																						
Lens	110 degree																						
Memory	Micro SD card, Max.128G																						
Battery	3.7V, 250mAh,Li-ion Polymer																						
Working time	about 1hour																						
WiFi	Yes,2.4G																						
App	Roadcam																						
MIC	Support ,MIC-2X4MM,42+-3dB																						
Compressure	H.264																						
Language	Multi-language,we can customized the languages. The standard one has been with the following: Eglish,Traditional Chinese,Simple Chinese,French,Germany,Korea,Japanese, Italian,Spain,Poland																						

S70		<table><tr><td>Display</td><td>1.47", IPS</td></tr><tr><td>Video</td><td>MOV,2.7K</td></tr><tr><td>Lens</td><td>110 degree</td></tr><tr><td>Memory</td><td>Micro SD card, Max.128G</td></tr><tr><td>Battery</td><td>3.7V, 250mAh,Li-ion Polymer</td></tr><tr><td>Working time</td><td>about 1hour</td></tr><tr><td>WiFi</td><td>Yes,2.4G</td></tr><tr><td>App</td><td>Roadcam</td></tr><tr><td>MIC</td><td>Support ,MIC-2X4MM,42+-3dB</td></tr><tr><td>Compressure</td><td>H.264</td></tr><tr><td>Language</td><td>Multi-language,we can customized the languages. The standard one has been with the following: Eglish,Traditional Chinese,Simple Chinese,French,Germany,Korea,Japanese, Italian,Spain,Poland</td></tr></table>	Display	1.47", IPS	Video	MOV,2.7K	Lens	110 degree	Memory	Micro SD card, Max.128G	Battery	3.7V, 250mAh,Li-ion Polymer	Working time	about 1hour	WiFi	Yes,2.4G	App	Roadcam	MIC	Support ,MIC-2X4MM,42+-3dB	Compressure	H.264	Language	Multi-language,we can customized the languages. The standard one has been with the following: Eglish,Traditional Chinese,Simple Chinese,French,Germany,Korea,Japanese, Italian,Spain,Poland	S70 Thumb Action Camera ACCESSORY DISPLAY DIAGRAM  S70 SIZE CHART 
Display	1.47", IPS																								
Video	MOV,2.7K																								
Lens	110 degree																								
Memory	Micro SD card, Max.128G																								
Battery	3.7V, 250mAh,Li-ion Polymer																								
Working time	about 1hour																								
WiFi	Yes,2.4G																								
App	Roadcam																								
MIC	Support ,MIC-2X4MM,42+-3dB																								
Compressure	H.264																								
Language	Multi-language,we can customized the languages. The standard one has been with the following: Eglish,Traditional Chinese,Simple Chinese,French,Germany,Korea,Japanese, Italian,Spain,Poland																								
S80		<table><tr><td>Display</td><td>1.47", IPS</td></tr><tr><td>Video</td><td>MOV,2.7K</td></tr><tr><td>Lens</td><td>110 degree</td></tr><tr><td>Memory</td><td>Micro SD card, Max.128G</td></tr><tr><td>Battery</td><td>3.7V, 250mAh,Li-ion Polymer</td></tr><tr><td>Working time</td><td>about 1hour</td></tr><tr><td>WiFi</td><td>Yes,2.4G</td></tr><tr><td>App</td><td>Roadcam</td></tr><tr><td>MIC</td><td>Support ,MIC-2X4MM,42+-3dB</td></tr><tr><td>Compressure</td><td>H.264</td></tr><tr><td>Language</td><td>Multi-language,we can customized the languages. The standard one has been with the following: Eglish,Traditional Chinese,Simple Chinese,French,Germany,Korea,Japanese, Italian,Spain,Poland</td></tr></table>	Display	1.47", IPS	Video	MOV,2.7K	Lens	110 degree	Memory	Micro SD card, Max.128G	Battery	3.7V, 250mAh,Li-ion Polymer	Working time	about 1hour	WiFi	Yes,2.4G	App	Roadcam	MIC	Support ,MIC-2X4MM,42+-3dB	Compressure	H.264	Language	Multi-language,we can customized the languages. The standard one has been with the following: Eglish,Traditional Chinese,Simple Chinese,French,Germany,Korea,Japanese, Italian,Spain,Poland	S80 Thumb Action Camera ACCESSORY DISPLAY DIAGRAM  S80 SIZE CHART 
Display	1.47", IPS																								
Video	MOV,2.7K																								
Lens	110 degree																								
Memory	Micro SD card, Max.128G																								
Battery	3.7V, 250mAh,Li-ion Polymer																								
Working time	about 1hour																								
WiFi	Yes,2.4G																								
App	Roadcam																								
MIC	Support ,MIC-2X4MM,42+-3dB																								
Compressure	H.264																								
Language	Multi-language,we can customized the languages. The standard one has been with the following: Eglish,Traditional Chinese,Simple Chinese,French,Germany,Korea,Japanese, Italian,Spain,Poland																								

SAW1pro		Lens Angle	170°	             Remote control unit	SAW1 SIZE CHART Front  33mm Side  27mm Host weight: 56g  228mm 127mm 73mm GW: 639g
		Video	<u>4K30fps/2K60FPS/2K30FPS/1080P120FPS/1080p60fps/1080p30fps/720p120fps/720p60fps/720p30fps/</u>		
		Video Format	TS		
		WiFi	Built-in,App:Roadcam		
		Charging	200mA		
		volts	5V,1A		
		Working	650mA		
		Still current	120uA		
		Battery	Li-ion,1200mAh(Backup:2200mAh)		
		Anti-shake	Gyroscope		
Memory	MAX 256G,U1				

SAW3		Lens Angle	170°	RAW3 STYLISH SMART HELMET ACCESSORY DISPLAY DIAGRAM     RAW3 Helmet Remote control Type-C charging cable Storage bag	RAW3 SIZE CHART Host weight: 470g   290mm 240mm 185mm GW: 876g
		Video	1920*1080@30fps),AVI		
		Image	1920*1080		
		Power	Li-ion Battery,Built-in,1350mAh		
		Working time per charging	4h		
		GPS Logger	Built-in		
		Interface	Type-c		
		Memory	128GB		
		Bluetooth	Built-in		
		Remote Controller	Support		

S20+		Lens Angle	160°	S20+ ACCESSORIES DIAGRAM  S20+ SIZE CHART 
		Video	4K(3840*2160)@30fps	
		Image	20M	
		Built-in	WIFI	
		Power	Li-ion Battery,Built-in,1000mAh	
		Battery life	1hour	
		Waterproof	10m	
		Interface	USB2.0	
		Memory	256GB	
S50+		Lens Angle	170°	S50+ ACCESSORIES DIAGRAM  S50+ SIZE CHART 
		Video	1-ch:4K@30fps; 2-ch:Front: 1920*1080/30fps; Rear: 1920*1080/30fps	
		Video Format	MP4	
		WiFi	Built-in,App:Roadcam	
		Charging	200mA	
		volts	5V,2A	
		Working	650mA	
		Still current	120uA	
		Battery	Li-ion,2400mAh	
Interface	MINI 5pin USB			
Memory	MAX 256G,U1			

T1	 	Features	2-ch,3M sticker mount	T1 Pro Accessory diagram  T1 PRO SIZE CHART 
		Screen	3.2" IPS Panel	
		Video	F:1920*1080P;R:VGA , MOV	
		Lens	4-layer glass	
		Memory	Micro SD card , Max .128GB	
		Battery	200mAh	
		Compresure	H.264	
		Language	Simple Chinese, Traditional Chinese, English, French,Espanal, Germany, Russian, Japanese. Thailand,Italian,Polish etc.	
		Accessories	Car Charger, User Manual,3M sticker mount	
		Power	5V, 1.0A	

T1pro	 	Features	2-ch,3M sticker mount	T1 Pro Accessory diagram  T1 PRO SIZE CHART 
		Screen	3.2" IPS Panel	
		Video	F:2560*1440P;R:1080P,MOV	
		Lens	6-layer glass	
		Memory	Micro SD card , Max .512GB	
		WiFi	2.4G	
		Battery	200mAh	
		Compresure	H.264	
		Language	Simple Chinese, Traditional Chinese, English, French,Espanal, Germany, Russian, Japanese. Thailand,Italian,Polish etc.	
		Accessories	Rear cable camera, Car Charger, User Manual,3M sticker mount	
Power	5V, 1.0A			

T1max		Features	2-ch,3M sticker mount	T1 Pro Accessory diagram  T1 PRO SIZE CHART Side  Back side  Box  GW: 515g NW: 65g
		Screen	3.2" IPS Panel	
		Video	F:3840*2160P;R:1080P,TS	
		Lens	6-layer glass	
		Memory	Micro SD card , Max .512GB	
		WiFi	2.4G	
		Battery	200mAh	
		Compresure	H.265	
		Language	Simple Chinese, Traditional Chinese, English, French,Espanal, Germany, Russian, Japanese. Thailand,Italian,Polish etc.	
		Accessories	Rear cable camera, Car Charger, User Manual,3M sticker mount	
Power	5V, 1.0A			

T2pro		Features	2-ch,3M sticker mount	T2 Pro Accessory diagram  T2 PRO SIZE CHART Side  Back side  Box  GW: 521g NW: 86g
		Screen	3.0" IPS Panel	
		Video	F:2560*1440P;R:1080P,MOV	
		Lens	6-layer glass	
		Memory	Micro SD card , Max .512GB	
		WiFi	2.4G	
		Battery	200mAh	
		Compresure	H.264	
		Language	Simple Chinese, Traditional Chinese, English, French,Espanal, Germany, Russian, Japanese. Thailand,Italian,Polish etc.	
		Accessories	Rear cable camera, Car Charger, User Manual,3M sticker mount	
Power	5V, 1.0A			

T2max		<table><tr><td>Features</td><td>2-ch,3M sticker mount</td></tr><tr><td>Screen</td><td>3.2" IPS Panel</td></tr><tr><td>Video</td><td>F:3840*2160P;R:1080P,TS</td></tr><tr><td>Lens</td><td>6-layer glass</td></tr><tr><td>Memory</td><td>Micro SD card , Max .512GB</td></tr><tr><td>WiFi</td><td>2.4G</td></tr><tr><td>Battery</td><td>200mAh</td></tr><tr><td>Compresure</td><td>H.265</td></tr><tr><td>Language</td><td>Simple Chinese, Traditional Chinese, English, French,Espanal, Germany, Russian, Japanese. Thailand,Italian,Polish etc.</td></tr><tr><td>Accessories</td><td>Rear cable camera, Car Charger, User Manual,3M sticker mount</td></tr><tr><td>Power</td><td>5V, 1.0A</td></tr></table>	Features	2-ch,3M sticker mount	Screen	3.2" IPS Panel	Video	F:3840*2160P;R:1080P,TS	Lens	6-layer glass	Memory	Micro SD card , Max .512GB	WiFi	2.4G	Battery	200mAh	Compresure	H.265	Language	Simple Chinese, Traditional Chinese, English, French,Espanal, Germany, Russian, Japanese. Thailand,Italian,Polish etc.	Accessories	Rear cable camera, Car Charger, User Manual,3M sticker mount	Power	5V, 1.0A	T2 Pro Accessory diagram  T2 PRO SIZE CHART Side: 67mm Back side: 38mm, 82mm Box: 58mm, 118mm, 223mm GW: 521g NW: 86g
Features	2-ch,3M sticker mount																								
Screen	3.2" IPS Panel																								
Video	F:3840*2160P;R:1080P,TS																								
Lens	6-layer glass																								
Memory	Micro SD card , Max .512GB																								
WiFi	2.4G																								
Battery	200mAh																								
Compresure	H.265																								
Language	Simple Chinese, Traditional Chinese, English, French,Espanal, Germany, Russian, Japanese. Thailand,Italian,Polish etc.																								
Accessories	Rear cable camera, Car Charger, User Manual,3M sticker mount																								
Power	5V, 1.0A																								
T3pro		<table><tr><td>Features</td><td>2-ch,3M sticker mount</td></tr><tr><td>Screen</td><td>3.0" IPS Panel</td></tr><tr><td>Video</td><td>F:2560*1440P;R:1080P,MOV</td></tr><tr><td>Lens</td><td>6-layer glass</td></tr><tr><td>Memory</td><td>Micro SD card , Max .512GB</td></tr><tr><td>WiFi</td><td>2.4G</td></tr><tr><td>Battery</td><td>200mAh</td></tr><tr><td>Compresure</td><td>H.264</td></tr><tr><td>Language</td><td>Simple Chinese, Traditional Chinese, English, French,Espanal, Germany, Russian, Japanese. Thailand,Italian,Polish etc.</td></tr><tr><td>Accessories</td><td>Rear cable camera, Car Charger, User Manual,3M sticker mount</td></tr><tr><td>Power</td><td>5V, 1.0A</td></tr></table>	Features	2-ch,3M sticker mount	Screen	3.0" IPS Panel	Video	F:2560*1440P;R:1080P,MOV	Lens	6-layer glass	Memory	Micro SD card , Max .512GB	WiFi	2.4G	Battery	200mAh	Compresure	H.264	Language	Simple Chinese, Traditional Chinese, English, French,Espanal, Germany, Russian, Japanese. Thailand,Italian,Polish etc.	Accessories	Rear cable camera, Car Charger, User Manual,3M sticker mount	Power	5V, 1.0A	T3 Pro Accessory diagram  T3 PRO SIZE CHART Side: 60mm Back side: 50mm, 86mm Box: 58mm, 118mm, 223mm GW: 540g NW: 70g
Features	2-ch,3M sticker mount																								
Screen	3.0" IPS Panel																								
Video	F:2560*1440P;R:1080P,MOV																								
Lens	6-layer glass																								
Memory	Micro SD card , Max .512GB																								
WiFi	2.4G																								
Battery	200mAh																								
Compresure	H.264																								
Language	Simple Chinese, Traditional Chinese, English, French,Espanal, Germany, Russian, Japanese. Thailand,Italian,Polish etc.																								
Accessories	Rear cable camera, Car Charger, User Manual,3M sticker mount																								
Power	5V, 1.0A																								

T3max		Features	2-ch,3M sticker mount	T3 Pro Accessory diagram  T3 PRO SIZE CHART 
		Screen	2.0" IPS Panel	
		Video	F:3840*2160P;R:1080P,TS	
		Lens	6-layer glass	
		Memory	Micro SD card , Max .512GB	
		WiFi	2.4G	
		Battery	200mAh	
		Compresure	H.265	
		Language	Simple Chinese, Traditional Chinese, English, French,Espanal, Germany, Russian, Japanese. Thailand,Italian,Polish etc.	
		Accessories	Rear cable camera, Car Charger, User Manual,3M sticker mount	
		Power	5V, 1.0A	