



# SHINYSOURCE COMPANY LIMITED

Add: Third Floor, Five Buildings, Jinshun Industrial Park, Fudi Gang, Pingdi, Shenzhen, China

Email: sales@shinysource.com

Website: www.shinysource.com

Photo	Item	Description
	SS-960 Metal Led Table Lamp	Material: Aluminium, Acrylic Size: D80*H340mm Color: black/white/grey/golden Power: 4400mAH-Usb cord-Micro Voltage: DC 5V Current: 700mA Consumption: 3.5W Light Flux: 200LM Led temp: 3000K Waterproof: IP54 Touch Switch, USB Re-charging
	SS-961 Metal Led Table Lamp	Material: Aluminium, Acrylic Size: D80*H300mm Color: black/silver/golden Power: 2200mAH-Usb cord-Micro Voltage: DC 5V Current: 700mA Consumption: 3.5W Light Flux: 200LM Led temp: 3000K Waterproof: IP54 Touch Switch, USB Re-charging
	SS-963 Metal Led Table Lamp	Material: Aluminium, Acrylic Size: D110*H356mm Color: black/white/grey/golden Power: 5200mAH-Usb cord-Micro Voltage: DC 5V Current: 700mA Consumption: 3.5W Light Flux: 200LM Led temp: 3000K Waterproof: IP54 Touch Switch, USB Re-charging
	SS-L13 Metal Led Table Lamp	Material: High quality Iron Size: D90*H210mm Color: gold/red bronze/silver/black/white etc. Power: 1W/3W Voltage: 100-220V Battery: 1800mAh Lithium battery Input: 100-250V Led temp: 3000K Charging time: 3-4 hours Working time: 10-15 hours Switch Type: Touch switch Dimming: Touch dimming Power Source: Rechargeable
	SS-L01 LED ScreenBar Hanging Desk Lamp	Product Color: Black or White Material: ABS+PC Lamp Luminous(LM): >90LM Rated Power: 5W Rated Voltage: 5V Rated Current: 1A Light source: LED 3 Light color: White, Warm white, Yellow Color Temperature: 3000K/4000K/6000K Color Rendering Index(Ra): >80 Working Temperature: -5° ~ +45° Switch Type: 3 touch keys Adjustable Brightness: Stepless Dimming Timer: 60 mins Product Size: 500*22mm

	<p>SS-L20 LED Desk Lamp (Foldable)</p>	<p>Product Color: White  Item Size: 420X158X158mm  Light Source: LED(2835*88*0.5W/LED)  Lamp Luminous(LM): &gt;1052LM  Rated Power: 12W  Rated Voltage: 12V/1A  3 Lighting Colors: White,Warm White, Warm Yellow  Color Temperature: 3000K/4000K/6500K  Color Rendering Index(Ra): ≥95  Comply with CE,RoHS</p>
	<p>SS-L02 LED Desk Lamp (Foldable)</p>	<p>Material: ABS  Size: around 171*125*339mm  Color: White or required  Light source: LED (5730*28*0.5W/LED)  Light color: yellow/white/warm white 3 color adjustable  Light color temperature: 3200-6000K  Color Rendering Index(Ra): &gt;80  Lamp Luminous Flux: 850lm  Rated Power: 5W Rated Voltage: 5V  Switch: 3 Touch control (Reading, Timing, Dimming/ON-OFF) Brightness: Stepless dimming  Folding: Top in 180 rotatory, Bottom in 90 rotatory  Working time: 12-15h (low brightness),6-11h ( medium brightness),3-5h ( high brightness).  Comply with CE, RoHS, CCC</p>
	<p>SS-L03 LED Desk Lamp (Foldable)</p>	<p>Body Material: ABS  Product Dimension: L288mm, H330mm; Base 160*120mm  Light Source: LED Power Source: DC5V USB  Light Color : Yellow/White/Warm White  Power: 5W Voltage: 5V  Battery: built-in rechargeable Lithium battery 1800mAh  Comply with CE,RoHS</p>
	<p>SS-L04 LED Desk Lamp (High grade)</p>	<p>Body Material: ABS  Product Color: White or required  Item Size: 495*195*135mm  Switch Type: 3 Touch Keys  Lamp Luminous(LM): 740LM  Rated Power: 24W Rated Voltage: 12V  3 Lighting Colors: White,Warm White, Yellow  Color Temperature: 3000-6500K  Color Rendering Index(Ra): 95 Light Source: LED  Comply with CE,RoHS</p>
	<p>SS-L05 LED Desk Lamp</p>	<p>Body Material: ABS  Product Dimension: around 158*420mm  Light Source: LED Power Source: DC5V  Light Color : Yellow/White/Warm White  Battery: Built-in 18650 Lithium Battery, 4000mAh  Rated Power: 10W Rated Voltage: 5V  Rated Current: 2A Lamp Luminous(LM): 300LM  Color Temperature: 3000K-4000K-6000K  Color Rendering Index(Ra): 80  Brightness: 3 Level Stepless Dimming  Comply with CE,RoHS</p>

	<p>SS-L06 LED Desk Lamp (square base)</p>	<p>Product Dimension: Base-Rectangle 100*95mm, Height 470mm or 365mm          Body Material: ABS Light Source: LED          Power Source: DC5V          Light Color : Yellow/White/Warm White          Rated Power: 7W Rated Voltage: 5V          Lamp Luminous(LM): 700LM          Color Temperature: 3200K-6000K          Rendering Index(Ra): 90          Brightness: 3 Level Stepless Dimming          Battery: built-in 18650 Lithium battery 1600mAh          Touch Control Comply with CE,RoHS</p>
	<p>SS-L07 LED Desk Lamp (round base)</p>	<p>Product Dimension: Round Base-110*90mm, Height 470mm or 365mm          Body Material: ABS Light Source: LED          Power Source: DC5V          Light Color : Yellow/White/Warm White          Rated Power: 7W Rated Voltage: 5V          Lamp Luminous(LM): 700LM          Color Temperature: 3200K-6000K          Color Rendering Index(Ra): 90          Brightness: 3 Level Stepless Dimming          Battery: built-in 18650 Lithium battery 1600mAh          Touch Control Comply with CE,RoHS</p>
	<p>SS-L10 LED Desk Lamp (round base)</p>	<p>Body Material: ABS          Product Dimension: around 171*125*339mm          Battery: built-in 18650 Lithium Battery          1800mA/2500mAh          Light Source: LED Power Source: DC5V          Light Color : Yellow/White/Warm White          Rated Power: 5W Rated Voltage: 5V Rated Current: 1A          Lamp Luminous(LM): 850LM          Color Temperature: 3200K-6000K          Color Rendering Index(Ra): 80          Brightness: 3 Level Stepless Dimming          Comply with CE,RoHS</p>
	<p>SS-209 Wireless Bluetooth Speaker</p>	<p>Shell material:plastic          Size :50*50*46mm Product weight:80g          Power mode :USB Bluetooth protocol :5.0          Battery capacity: 120mA 3.7V          Frequency response range :2.40G-2.480GHZ          Power :3W Signal to noise ratio: ≥ 90dB          Power supply :built-in lithium battery          Play time :4-5 hours          Effective distance : 8-10 meters</p>
	<p>SS-211 Wireless Bluetooth Speaker</p>	<p>Shell material:plastic          Size :62*48*32mm Product weight:51g          Power mode :USB Bluetooth protocol :5.0          Battery capacity: 120mA 3.7V          Frequency response range :2.40G-2.480GHZ          Power :3W Signal to noise ratio: ≥ 90dB          Power supply :built-in lithium battery          Play time :4-5 hours          Effective distance : 8-10 meters</p>

	<p>SS-212 Wireless Bluetooth Speaker</p>	<p>Shell material:plastic  Size :59*38*20mm    Product weight:25g  Power mode :USB    Bluetooth protocol :5.0  Battery capacity: 120mA 3.7V  Frequency response range :2.40G-2.480GHZ  Power :3W    Signal to noise ratio: <math>\geq</math> 90dB  Power supply :built-in lithium battery  Play time :4-5 hours  Effective distance : 8-10 meters</p>
	<p>SS-212 Wireless Bluetooth Speaker</p>	<p>Shell material:plastic  Size :150*68.5*46mm    Product weight:217g  Power mode :USB    Bluetooth protocol :5.0  Battery capacity: 120mA 3.7V  Frequency response range :2.40G-2.480GHZ  Power :3W    Signal to noise ratio: <math>\geq</math> 90dB  Power supply :built-in lithium battery  Play time :4-5 hours  Effective distance : 8-10 meters</p>
	<p>SS-213 Wireless Bluetooth Speaker</p>	<p>Shell material:plastic  Size :98*48*24mm    Product weight: 63g  Power mode :USB    Bluetooth protocol :5.0  Battery capacity: 120mA 3.7V  Frequency response range :2.40G-2.480GHZ  Power :3W    Signal to noise ratio: <math>\geq</math> 90dB  Power supply :built-in lithium battery  Play time :4-5 hours  Effective distance : 8-10 meters</p>