SHENZHEN MYIXI POWER SUPPLY CO.,LTD
MYIXI TECHNOLOGY(HONGKONG) CO.,LIMITED

Add:3floor,5building,Henghui Science and Technology Park,
63# Yuxing road,Yuly village,New Guangming District,
Shenzhen China Zipcode 518132

Website:www.myx-power.com

Tel:+86-755-29553695
Fax:+86-755-29553126

MYIXI®

深圳市铭一兴电源有限公司

POWER ADAPTER MANUFACTURER
PROFESSIONAL R&D

Shenzhen MYIXI power supply Co., Ltd ,was set up in 2011,a professional of high-tech manufacturer of switching power supply and chargers.We have own standard automatic production-line,advanced high-tech testing equipment and scientific management system.

As a professional high-tech company specializing in the R&D, the sales and the services for the switching power supply and our company can flexibly and effectively according to customer requirements to provide overall power solutions,All of our products comply with UL/cUL,FCC,CE,GS,CB,SAA,RCM.PSE. KC/KCC,BS,BIS,S-Mark etc.

MYIXI sticks to the operation of the customer, credit-ability and progressive. And strictly enforce the overall quality management system.MYIXI willing to work together with all sectors of business,mutual benefit and common development,create brilliant future!

We have powerful forces.










Company 企采 CULTURAL GARDEN

Quality
Value
Mission
Culture
Purpose
Win–win
Integrity
Innovation

Business
image

If you fell we are better ,please join us.
Your best partner

Certification













Contents

① --------- 120W 24V5A Power adapter

② --------- 96W 12V8A Power adapter

③ --------- 65W 12V5A Power adapter

④ --------- 48W 12V4A Power adapter

⑤ --------- 36W 12V3A Power adapter

⑥ --------- 24W 12V2A Power adapter

⑦ --------- 6W 12V 0.5A Power adapter

⑧ --------- 12W 5V2.1A Power adapter



120W Power adapter

120W Power adapter



Features:

Universal AC Input/
Full Range

workpiece ratio :95%

Energy Efficiency
Level VI

Output Protections:
OVP/SCP/OCP/OTP

3 Year Warranty

Dimension: 148*66*31mm

I/P Voltage	Model No.	Output Voltage(V)	Output Current(mA)	Ripple& Nolse(mV)
90V~264V 50-60Hz	MYX-12010000	12	10000	120
	MYX-1906315	19	6315	150
	MYX-2405000	24	5000	150
	MYX-4802500	48	2500	200

RoHS CB

96W Power adapter



Features:

Universal AC Input/
Full Range

workpiece ratio :95%

Energy Efficiency
Level VI

Output Protections:
OVP/SCP/OCP/OTP

3 Year Warranty

Dimension: 147*66*31mm

I/P Voltage	Model No.	Output Voltage(V)	Output Current(mA)	Ripple& Nolse(mV)
90V~264V 50-60Hz	MYX-1208000	12	8000	120
	MYX-1905000	19	5000	120
	MYX-2404000	24	4000	150
	MYX-4802000	48	2000	200

65W Power adapter



Features:

Universal AC Input/
Full Range

Wall-mount/
Desktop type

Energy Efficiency
Level VI

Output Protections:
OVP/SCP/OCP/OTP

3 Year Warranty

Dimension: 119.5*51*33mm

I/P Voltage	Model No.	Output Voltage(V)	Output Current(mA)	Ripple& Nolse(mV)
90V~264V 50-60Hz	MYX-0906000	9	6000	100
	MYX-1205500	12	5500	100
	MYX-1504000	15	4000	120
	MYX-2402500	24	2500	120
	MYX-2902200	29	2200	120
	MYX-1903420	19	3420	120

48W Power adapter



Features:

- Universal AC Input/ Full Range
- Wall-mount/ Desktop type
- Energy Efficiency Level VI
- workpiece ratio :95%
- Output Protections: OVP/SCP/OCP
- 3 Year Warranty
- Dimension: 119.5*51*33mm

I/P Voltage	Model No.	Output Voltage(V)	Output Current(mA)	Ripple& Nolse(mV)
90V~264V 50-60Hz	MYX-0905000	9	5000	100
	MYX-1204000	12	4000	100
	MYX-1503200	15	3200	100
	MYX-182660	18	2660	120
	MYX-2402000	24	2000	120
	MYX-2901650	29	1650	120
	MYX-4801000	48	1000	200

36W Power adapter



Features:

- Universal AC Input/ Full Range
- Wall-mount/ Desktop type
- Energy Efficiency Level VI
- workpiece ratio :95%
- Output Protections: OVP/SCP/OCP
- 3 Year Warranty
- Dimension: 93.5*49.5*32.5mm

I/P Voltage	Model No.	Output Voltage(V)	Output Current(mA)	Ripple& Nolse(mV)
90V~264V 50-60Hz	MYX-0505000	5	5000	50
	MYX-0903000	9	3000	80
	MYX-1203000	12	3000	100
	MYX-0904000	9	4000	80
	MYX-1802000	18	2000	120
	MYX-2401500	24	1500	120


CE GS 61347 Certification
24W Power Adapter







24W Interchangeable Power Adapter




Features:

- Universal AC Input/ Full Range
- Wall-mount/ Desktop type
- Energy Efficiency Level VI
- workpiece ratio :95%
- Output Protections: OVP/SCP/OCP
- 3 Year Warranty
- Dimension: 85*45*32mm

I/P Voltage	Model No.	Output Voltage(V)	Output Current(mA)	Ripple& Nolse(mV)
90V~264V 50-60Hz	MYX-0503000	5	3000	50
	MYX-0504000	5	4000	50
	MYX-0902000	9	2000	80
	MYX-1201500	12	1500	100
	MYX-1202000	12	2000	100
	MYX-2401000	24	1000	100

RoHS CB





6W Power adapter

6W Power adapter



Features:

Universal AC Input/
Full Range

Energy Efficiency
Level VI

workpiece ratio :95%

Output Protections:
VOP/SCP/OCP

3 Year Warranty

Dimension: 81*46*20mm

I/P Voltage	Model No.	Output Voltage(V)	Output Current(mA)	Ripple& Nolse(mV)
90V~264V 50-60Hz	MYX-0501000	5	1000	60
	MYX-0901000	9	1000	60
	MYX-1201000	12	1000	60
	MYX-1202000	12	2000	120
	MYX-1203000	12	3000	200

RoHS CB

12W Power adapter



Features:

Universal AC Input/
Full Range

Energy Efficiency
Level VI

workpiece ratio :95%

Output Protections:
OVP/SCP/OCP

3 Year Warranty

Dimension: 45*38*25mm

I/P Voltage	Model No.	Output Voltage(V)	Output Current(mA)	Ripple& Nolse(mV)
90V~264V 50-60Hz	MYX-0501000	5	1000	50
	MYX-0502000	5	2000	50
	MYX-0901000	9	1000	50
	MYX-0901500	9	1500	80
	MYX-1201000	12	1000	80
	MYX-1201250	12	1250	80
	MYX-2400500	24	500	100

Professional R&D Power Adapter Manufacturer

WE ARE YOUR BEST PARTNERS

WHY CHOOSE US?

Warranty Period
We have a **3** year warranty.

Reliable
Our products have received a number of international certification,including UL/CUL/FCC/GS/BS/CE/CB/SAA/PSE/KC/S-MARK etc.

OEM&ODM Service
We have an experienced R&D team. Any power adapter can be special customized based on your requests.

Power Efficiency
Power adapter workpiece ratio : **95%**
Power efficiency is **85%**