



美络金属制品（河北）有限公司

Meiluo Metal Products (Hebei) Co., LTD





地址：河北省衡水市安平县东黄城镇台城村北66米处
ADD:66 meters north of Taicheng Village, Donghuang Town, Anping
County, Hengshui City, Hebei Province
电话 (Tel) : 0086-318-7610333
手机 (Mobile) : 0086-13473832777
E-mail: meiluo@meiluocn.com





业绩展示

RESULTS SHOWING



产品目录

CONTENTS >

- 01 电焊网 Welded Wire Mesh
- 02 电焊网片 Welded Wire Mesh Panel
- 03 六角网 Hexagonal Wire Mesh
- 04 勾花网 Chain Link Fence
- 05 石笼网 Gabion Mesh
- 06 刺绳 / 刀片刺绳 Barbed Wire, Razor Barbed Wire Mesh
- 07 丝类 Wire
- 08 钢板网 Expanded Metal Mesh
- 09 冲孔网 Perforated Metal Sheet
- 10 网格布 / 牛栏网 Fiberglass Mesh, Kraal Network
- 11 窗纱 Window Screen
- 12 不锈钢网 (金刚网) Stainless Steel Wire Mesh(Diamond Network)
- 13 轧花网 Crimped Wire Mesh
- 14 方眼网 / Y型柱 Square Wire Mesh、Y Type Column
- 15 护栏网 Fence Netting
- 16 网筐/网栏
- 17 狗笼/鸡笼

企业简介

ENTERPRISE PROFILE

Founded in 1995

Meiluo Metal Products (Hebei) Co., LTD, founded in 1995, is located in Anping - the famous hometown for wire mesh in mainland China. Our factory covers an area of 15,000 square meters and houses 100 special machines. We have a fixed capital of over \$2.4 million, a working capital of over \$9.8 million, 100 skilled employees, and a first-class management level. With more than 150 sets of machines for stainless steel wire mesh weaving, automatic welding, perforated metal punching, gabion mesh weaving and expanded metal mesh making, Meiluo is well prepared through its efforts over the past 28 years and has built itself into a superb professional manufacturer and seller across mainland China. We're more than capable of handling large-volume bulk orders. Our annual sales revenue exceeds USD4,000,000.

Meeting ISO 9001:2008 and ISO 14000 Standards

We are capable of providing top-quality wire mesh, and fence products and services for purchasers from over 100 countries and regions. We adopt updated technology and exquisite process while implementing exquisite and sensible process flow. We are one of the leading companies to secure validation of ISO 9001 and ISO 14000. We have the complete testing and measuring equipment, ensuring the stable and reliable quality of our products. In one word, we are ready to supply our customers with good quality products and services by their requirements.

Wide Range of Products to Choose from

Our main products are stainless steel wire mesh, nickel wire mesh, stainless steel window screens, filter discs, crimped wire mesh, all kinds of woven wire mesh, expanded mesh, perforated mesh, decorative wire mesh, temporary fences welded mesh series, fence accessories and more. Our products are extremely popular in Asia, Europe, Africa, Canada, Pakistan, the US, and many other countries and areas.

Get Prompt Reply Today

Enquire now to get your order started.

电焊网 WELDED WIRE MESH

材料:选用优质低碳钢丝、不锈钢丝

编制及特点:分先编后镀,先镀后编:具有极强抗氧化的特点

用途:广泛用于工业、农业、建筑、交通运输,采矿"球场,草坪、养殖等
各行业的围栏,装饰,机械防护。

Materials: high quality low carbon steel wire, stainless steel wire

Weaving and characteristics: including galvanized after weaving, galvanized before weaving; have the strong characteristic of antiseptis and contradicting oxygenation.

Use: used widely in industry, agriculture, building, transportation, mine field, lawn, cultivation, etc. profession sguard, decorate, machine proterion etc.



电焊网片 WELDED WIRE MESH PANEL

产品特点:防腐,防老化、抗晒,耐热等特点。防腐形式有电镀、热镀。喷塑'浸塑。


丝径:2mm-14mm规格:2.3mx11.5m

Galvanized welded wire mesh panel is made of superior quality welded mesh, with flat even surtace, firm structure, be widely used in bullding. food, agriculture and so on.

Wire dia: 2mm-14mm size:2 3mx11.5m

种类:不锈钢网片、黑铁丝网片、镀锌铁丝网片、涂塑网片、带框网片、折弯网片

Assortments available:Welded stainless steel wire mesh panel
Galvanized welded wire mesh panel(Hot Dipped Galand Electric Gal)
PVC coated welded wire mesh panel



六角网 HEXAGONAL WIRE MESH

材料:选用优质低碳钢丝、不锈钢丝。

编制及特点:正、反捻。双向搓捻,先编后镀。先镀后编,分电镀、热镀。涂塑。PVC涂层等,具有良好的防腐蚀。抗氧化等特点。

用途:多用于建筑、石油、化工、养殖、食品加工等行业的加固、防护及保温;如石笼、隔离网、。锅炉罩、家禽围栏等。

Materials:high quality low carbon steel wire,stainless steel wire.

Weaving and characteristics: reverse twistef,galvanized after weaving or galvanized before weaving,it is divided to electroplate gavanized.Hot dipped,plastic coating,stainless steel,PVC coating.etc.it has the characteristics of corrosion resisting and oxidation- resisting.

Usea:used widly in bilinil,chemical inusty,breed.plant protectood processings reintorce,guard and heat keeping for example,make net cast,stone cage,insulated net wall boller coverpoultry fence,etc.



Mesh		Normal Wire Gauge(BWG)
Inch	mm	
3/8"	10	27,26,25,24,23,22,21
1/2"	13	25,24,23,22,21,20
5/8"	16	27,26,24,24,23,22
3/4"	20	25,24,23,22,21,20,19
1"	25	25,24,23,22,21,20,19,18
1-1/4"	32	22,21,20,19,18
1-1/2"	40	22,21,20,19,18,17
2"	50	22,21,20,19,18,17,16,15,14
3"	75	21,20,19,18,17,16,15,14
4"	100	17,16,15,14

勾花网 CHAIN LINK MESH

勾花网又名菱形网,由勾花网机对镀锌丝、包塑丝、不锈钢丝等勾编而成,可分为折边缩把,拧边锁把两种,配以不同配件可用于装饰网,运动场草场围栏,绿化带防护网,公园防护网,动物园围网,机场车站等建筑设施防护网等。

Chain link mesh is manufactured from high quality low carbon steel wire, PVC coated wire, etc... Ste wire first needs to be galvanized or PVC coated. Then, the wire will be woven and linked into chain link fabrics. The widest chain link rolls Enzar, Metal can reach is 8 meters, which are produced by hand. The basic raw material is low carbon steel wire drawn from wire rod. As per customers' requirements, wire will be galv. or coated with PVC before weaving. Ditferent material grade decdes the quality of chain link significantly. We have the tllowing wire quality available in our production.

High zinc volume galvanized wire with zinc weight 200g/aqm to 260g/sqm

Electro- galvanized wire with zinc weight 10- -20g/sqm

Hot dipped galvanized wire with zinc weight 60- 80g/sqm

High zinc volume galvanized wire with zinc weight 200g/aqm to 260g/sqm

Galtan Wire(Zn+5%Al or Zn+ 10%Al) with zinc weight over 200g/sqm

Stainless steel wire in ss 304 or 316



All the galvanized wire can be PVC coated for additional corrosion resistance and color variety,



石笼网 GABION MESH

包塑丝、镀锌丝石笼网可用作水库截流用的乱石网箱，同时也是优良的建筑用材料，广泛用作高速公路、铁路护栏网、绿化栏网、山坡网箱、抗洪网箱、护堤栏网、动物园栏网、井巷防护网等，并可提高河床边坡的稳固性，保护河床防止冲刷，在邻近环境水源的保持上，有控制水流量，防止水资源流失的作用，以及生态环境的保护与治理。

Plastic coated wire, galvanized wire stone cage wire mesh, is not only used as the stone net cage, but also as the high quality construction materials. widely used in highways, railways, greening fence hillside net cage, flood fighting net cage,revet fence, z00 fence, well and alley fence etc. Meanwhile it can improve the stability of hillside, preventing the riverbed from washing out. On the maintenance of neighborhood environment and waterhead, it also have the effect of contolling the flowing quantity, preventing the watersource from flowing, protecting and governing the zoology environment.



Hexagonal Wire Mesh Regular Sizes

Parameter	Finish Type	
	Galvanized	PVC Coated
Mesh	80x100mm & 83x114mm	80x100mm & 83x114mm
Mesh Wire	2.4/2.7/3.0mm	2.4/2.7mm
Sehege Wire	3.0/3.4/3.8mm	3.0/3.4mm
Binding Wire	2.2mm	2.2mm

Gabion Box Regular Sizes

Length	Width	Height	Cell Nos	Volume
m	m	m	pcs	CBM
2	1	1	2	2
3	1	1	3	3
4	1	1	4	4
2	1	0.5	2	1
3	1	0.5	3	1.2
4	1	0.5	4	2
2	1	0.3	2	0.6
3	1	0.3	3	0.9
4	1	0.3	4	1.2



刺绳 BARBED WIRE

材料:优质低碳钢丝(镀锌、涂塑、喷塑) PVC;有蓝、绿、黄等颜色。
 编织及特点:拧编而成;牢固、美观。
 用途:用于草场边界、铁路高速公路的隔离防护等。
 Materials: high quality low carbon steel wire, PVC wire. The color have blue, green, yellow etc.
 Weaving and characteristics: twisting and weaving.
 Uses: used in protecting grass boundary, railway, highway, etc.



刀片刺绳 RAZOR BARBED BARBED WIRE

钢丝为芯丝,刀片包裹在芯丝上,产品具有极强的防护能力和优秀的恐吓能力,安装方便,寿命长。它分为直线型、交叉型、直线盘绕型、交叉盘绕型和十字交叉型。
 用途:用于边界隔离、军事设施、监狱、别墅区、军事基地、飞机场等。
 Technology: Wire as the core wire, the blade wrapped in a good punch on the core wire, once made.
 Character : strong protection and excellent intimidation ability ,easy to install , long life.
 Shape: Linear, cross-type, linear coil-type, cross-coil type.
 Usages: To border quarantine, military facilities, prisons, vllal area, military bases, airports. Etc

Reference Number	Blade Style	Thickness	Wire Dia	Barb Length	Barb Width	Barb spacing
BTO-10		0.5±0.05	2.5±0.1	10±1	13±1	26±1
BTO-12		0.5±0.05	2.5±0.1	12±1	15±1	26±1
BTO-18		0.5±0.05	2.5±0.1	18±1	15±1	33±1
BTO-22		0.5±0.05	2.5±0.1	22±1	15±1	34±1
BTO-28		0.5±0.05	2.5±0.1	28±1	15±1	45±1
BTO-30		0.5±0.05	2.5±0.1	30±1	18±1	45±1
CBT-60		0.6±0.05	2.5±0.1	60±2	32±1	100±2
CBT-65		0.6±0.05	2.5±0.1	65±2	21±1	100±2



金属丝 METAL WIER

金属丝 METAL WIER

不锈钢丝 stainless steel wire
不锈钢系列, 如: SUS201. SUS304、SUS304L. SUS316. SUS16L 以及奥氏体不锈
钢系列。

镀锌丝 galvanized wire

扎助丝 Bailing Wire

种类: 热镀锌丝, 电镀锌铁丝

用途: 主要用于通信器材, 医疗器械及编织网, 刷子,
钢索, 滤网, 高压管, 建筑, 工艺品等行业




截断丝 (cut straight wire)

PVC丝 (PVC coated wire)



U型丝 (U type wire)

八字丝 (8type wire)



牛栏网

KRAAL FENCE

产品特点:机械压力网面平整、结构坚固精密,网眼均匀、整体性强,即使局部裁截,局部受冲压也不至发生松动现象,该产品防腐性能好。

用途:主要用于牧区草原建设,可围建草原和实行定点放牧,分栏放牧。便于草场资源的计划使用,有效的提高草原利用率和放牧效率,防止草场退化,保护自然环境。同时也适用与农、牧专业户建立家庭养殖场设立。

Features of products: Flat mesh surface, firm and precise structure, well-distributed mesh, strong integration, etc. Even if part of the wire mesh is cut or pressed, it will not loosen. Grassland fence is corrosion resistant.

Field Fence Net Use: Field Fence is mainly used in construction of pastoral area and grassland. We can make enclosure, grazing in fixed places or subfields. It is convenient for designedly using grass resources, effectively improve utilization rate of grassland and pasturage efficiency; protect natural environment, etc. Field Fence also applies to family farm of agriculture and animal husbandry.



窗纱

WINDOW SCREEN

窗纱广泛用于门窗,走廊上来防止小昆虫的打扰。

规格包括: 14x14目, 16x14目, 16x16目, 18x16目, 18x18目, 18x14目, 丝径通常为BWG31或BWG32。

Window screening is widely used for windows and corridors to prevent insects from bugging you.

The specifications include 14x14 mesh, 16x14 mesh, 16x16 mesh, 18x16 mesh, 18x18 mesh, 18x14 mesh, and the wire diameter generally is BWG31 or BWG32.

玻璃窗纱



不锈钢窗纱



镀锌窗纱



铝窗纱





不锈钢网(金刚网) STAINLESS STEEL WIRE

轧花网 CRIMPED WIRE MESH

材料: 302、304、304L、316、316L等不锈钢丝。
 编织及特点: 平织、斜织、密纹编织而成, 具有耐酸、耐碱、耐高温、耐磨等性能。
 用途: 用于矿业、石油、化工、食品、医药、机械制造等行业。
 Materials: 302, 304, 304L, 316, 316L stainless steel wire.
 Weaving and characteristics: Plain weave, twilled weave, dutch weave, it has the characteristics of heat-resisting, acid-resisting, wear-resisting, alkali-resisting.
 Uses: Used in mine, petroleum, chemical industry, food industry, medicine, machine-making etc.

材料: 黑铜丝、白铜丝、铅丝、不锈钢丝等。
 编织及特点: 先轧后编, 结构坚固。
 用途: 多用于煤山、矿山、建筑等行业。
 Materials: Black steel wire, white steel wire, lead wire, stainless steel wire, etc.
 Weaving and characteristics: Crimped before woven, stable structure.
 Uses: Mainly used in coal, mine, building, etc.



Specification List of Crimped Wire Mesh/Wire Mesh for Roast

Wire Gauge SWG	Wire Diameter mm	Mesh/Inch	Aperture mm	Weight kg/m ²
14	2.0	21	1	4.2
8	4.05	18	1	15
25	0.50	20	0.61	2.6
23	0.61	18	0.8	3.4
24	0.55	16	0.1	2.5
24	0.55	14	0.12	4
22	0.71	12	0.14	2.94
19	1	2.3	0.18	1.45
6	4.8	1.2	2	20
6	4.8	1	2	20
6	4.8	0.7	3	14
14	2.0	5.08	0.3	12
14	2.0	2.1	1	2.5
14	2.0	3.6	1.5	1.9

方眼网 SQUARE WIRE MESH

方眼网可分为电镀锌方眼网、热镀锌方眼网材质:镀锌铁丝、不锈钢丝等。编织及特点:平纹编织。结构精密,网眼均匀,具有抗腐蚀性好和结实耐用的特点。用途:广泛用于工业及建筑业,筛选砂砾,过滤液体及气体。还用于机械附件的安全防护等。

Square wire mesh is divided into electro galvanized square wire mesh and hot-dipped galvanized square wire mesh. Material: Galvanized iron wire, stainless steel wire, etc. Weaving and characteristic: Plain weaving, stable structure, good corrosion resistance and durable and so on. Uses: Used in industry and constructions to sieve grain powder, filter liquid and gas, safety guards on machinery enclosures and so on.



Y型柱 Y TYPE COLUMN



护栏网 FENCE NETTING

材料:低碳钢丝

用途:用于公路、铁路、飞机场、住宅小区、港口码头、花园、运动场等的护栏防护。

Material: Low carbon steel wire.

Uses: Prevention for road, railway, airport, residence district, seaport, garden, playground.



护栏网 FENCE NETTING

折弯护栏网片 Curvy Fence Panel/3D Fence Panel(Nylofor 3D)

三角网护栏主要用于市政绿地、园林花坛、单位绿地、道路、机场、港口绿地围栏。其产品具有造型美观、花色多样，既起到围栏作用，又起到美化作用。

Triangle defending mesh is mainly used in municipal greenfield, flowerbed, workplace greenfield road, airport, harbor greenfield etc. The products have beautiful shape, various colors, not only have the effect of defending, but also beautifying.



Panel Dim. W x H (mm)	Square Post Height (mm)	Wire (mm)	Opening (mm)	Curve Nos	Fastner Nos
2500×830	1400	4.0mm or 5.0mm	50×200	2	2
2500×1030	1600			2	2
2500×1230	1800			2	3
2500×1530	2000			3	3
2500×1730	2200			3	3
2500×2030	2600			4	4

Note: Customer sizes are available. All RAL colors can be made as per your requirements.



护栏网 FENCE NETTING

夹丝护栏网片 Double Wire Panel/2D Fence Panel(Nylofor 2D)

双加丝护栏网是用优质冷拔低碳钢丝，PVC丝焊接成的隔离护栏产品，用连接附件与钢管支柱固定。

用途:双加丝护栏网主要用于市政绿地、园林花坛，单位绿地、道路、机场、港口绿地围栏。本产品具有具有强度高、钢性好。造型美观、牢固。视野宽广、安装简便、感觉明亮、便于运输，安装不受地形起伏限制等特点：特别是对于山地、坡地。多弯地带适应性极强:价格中等，适合大面积采用。



Panel Dim. W x H (mm)	Square Post Height (mm)	Wire (mm)	Opening (mm)	Fastner Nos
2500×830	1400	8/6/8mm or 6/5/6mm	50×200	2
2500×1030	1600			3
2500×1230	1800			3
2500×1530	2000			4
2500×1630	2200			4
2500×1830	2400			4
2500×2030	2600	6		



网筐/网篮 WIRE MESH BASKET & CONTAINER

狗笼 DOG KENNEL/RUN/CAGE

折弯护栏网片 Curvy Fence Panel/3D Fence Panel(Nylofor 3D)

三角网护栏主要用于市政绿地、园林花坛、单位绿地。道路、机场、港口绿地围栏。其产品具有造型美观、花色多样，既起到围栏作用，又起到美化作用。

Triangle defending mesh is mainly used in municipal greenfield, flowerbed, workplace greenfield road, airport, harbor greenfield etc. The products have beautiful shape, various colors, not only have the effect of defending, but also beautifying.



夹丝护栏网片 Double Wire Panel/2D Fence Panel(Nylofor 2D)

双加丝护栏网是用优质冷拔低碳钢丝，PVC丝焊接成的隔离护栏产品，用连接附件与钢管支柱固定。

用途:双加丝护栏网主要用于市政绿地、园林花坛，单位绿地、道路、机场、港口绿地围栏。本产品具有具有强度高、钢性好。造型美观、牢固。视野宽广、安装简便、感觉明亮、便于运输，安装不受地形起伏限制等特点：特别是对于山地。坡地。多弯地带适应性极强:价格中等，适合大面积采用。



鸡笼 CHICKEN COOP/CHICKEN CAGE

