Muzetek

2026

WIRELESS GAMING HEADSET SOLUTIONS



Muzetek

Company Profile

Professional Audio Solution Provider

Why Muzetek?

- 50+ exclusive private-mold models with patent protection
- 250,000 pcs monthly production capacity
- 20-person R&D team
- 20+ new models developed every year
- 100+ long-term international customers













Muzetek

2026

2.4G GAMING HEADSET CATALOG

2.4G Gaming Audio Solutions

PLAY BIGGER. HEAR THE DIFFERENCE.

Muzetek

M7-Pro

Product Parameters

Hom diameter 50mm	Battery Runtime 100H
Horn sensitivity 112±3dB	Frequency response 20-20KHz
Mic Diameter 6mm Dual Mic Mode	Sensitivity -40±3dB
Impedance 20Ω+15%	Working voltage DV3.7-4.2V
Internal battery 1200mA	Charging time Approx. 2.5 hours

Wireless charging function
Wireless charging/ convenient docking

Wide Compatibility Support multiple devices, play freely

PC | Laptop | Phone/Tablet | PS4/PS5 | XBOX







Muzetek

X9-Pro







Product Parameters

Hom diameter 50mm	Battery Runtime 100H
Horn sensitivity 112±3dB	Frequency response 20-20KHz
Mic Diameter 6mm Dual Mic Mode	Sensitivity -40±3dB
Impedance 20Ω+15%	Working voltage DV3.7-4.2V
Internal battery 1200mA	Charging time Approx. 2.5 hours

Wireless charging function
Wireless charging/ convenient docking

Wide Compatibility Support multiple devices, play freely

PC | Laptop | Phone/Tablet | PS4/PS5 | XBOX

Muzetek

S12
TV headphones

Product Parameters

Horn diameter 40mm	Active Noise Cancellation ANC
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter 6mm 6-Mic Headset	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 450mA	Charging time approximately 2 hours

Wireless charging function
Wireless charging / convenient docking

Wide Compatibility Support multiple devices, play freely

PC | Laptop | Phone & Tablet | PS4/PS5 | XBOX







Muzetek

M7





Product parameters

Horn diameter 50mm	Music time 100H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter **6mm** **Dual Mic Mode**	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1200mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely



Muzetek

M6



Product parameters

Horn diameter 50mm	Music time 80H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter **6mm** **Dual Mic Mode**	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1000mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely

PC | Laptop | Phone & Tablet | PS4/PS5 | Xbox



Muzetek

X9





Product parameters

Horn diameter 50mm	Music time 100H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter **6mm** **Dual Mic Mode**	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1200mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely

PC | Laptop | Phone & Tablet | PS4/PSS | Xbox

Muzetek

L9



Product parameters

Horn diameter 50mm	Music time 100H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter **6mm** **Dual Mic Mode**	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1200mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely





Muzetek

A5000





Product parameters

Horn diameter 50mm	Music time 100H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter **6mm** **Dual Mic Mode**	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1200mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely

PC | Laptop | Phone & Tablet | PS4/PS5 | Xbox

Muzetek

A2000

Product parameters

Horn diameter	50mm
Music time	100H
Horn sensitivity	112±3dB
Frequency response	20HZ-20KHZ
Mic Diameter	6*2.7mm
Sensitivity	-40±3dB
Impedance	20Ω±15%
Working voltage	DV3.7-4.2V
Internal battery	1200mA
Charging time	approximately 2 hours

Wide Compatibility Support multiple devices, play freely





Muzetek

M7-GT





Product parameters

Horn diameter 50mm	Music time 100H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter **6mm** **Dual Mic Mode**	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1200mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely

PC | Laptop | Phone & Tablet | PS4/PS5 | Xbox

Muzetek

M6-GT



Product parameters

Horn diameter 50mm	Music time 80H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter **6mm** **Dual Mic Mode**	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1000mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely





Muzetek

M7-Ultra









Product parameters

Horn diameter 50mm	Music time 100H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter **6mm** **Dual Mic Mode**	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1200mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely

PC | Laptop | Phone & Tablet | PS4/PS5 | Xbox

Muzetek

M6-Ultra



Product parameters

Horn diameter 50mm	Music time 80H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter **6mm** **Dual Mic Mode**	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1000mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely

PC | Laptop | Phone & Tablet | PS4/PS5 | Xbox



Muzetek

S10







Product parameters

Horn diameter 40mm	Music time 50H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter 6*2.7mm	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 450mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely



Muzetek

M888



Product parameters

Horn diameter 40mm	Music time 35H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter **6mm** **Dual Mic Mode**	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 600mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely





Muzetek

D9







Product Parameters

RGB Lighting Effects
30 Lighting Effects

Wireless Charging
Supports Wireless Charging

USB Ports
Wireless 2.4GHz

Lighting Switch
Independent Switch

Charging Port
Type-C

Cable Length
1.5 m

Housing Material
ABS Plastic Material

Stand Size
260x161x138mm

Wide Compatibility Support multiple devices, play freely

PC | Laptop | Phone & Tablet | PS4/PSS | Xbox

Muzetek

WG1



Product parameters

Horn diameter 50mm	Music time 100H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter 6*2.7mm	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1200mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely











Muzetek

WG2









Product parameters

Horn diameter 50mm	Music time 100H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter 6*2.7mm	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1200mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely



Muzetek

WG3



Product parameters

Horn diameter 50mm	Music time 100H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter 6*2.7mm	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1200mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely











Muzetek

FC-100











Product parameters

Horn diameter 50mm	Music time 100H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter 6*2.7mm	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1200mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely



Muzetek

FC-200



Product parameters

Horn diameter 50mm	Music time 100H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter 6*2.7mm	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1200mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely





Muzetek

KGH2











Product parameters

Horn diameter 50mm	Music time 100H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter 6*2.7mm	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1200mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely



Muzetek

HW10



Product parameters

Horn diameter 50mm	Music time 100H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter 6*2.7mm	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1200mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely











Muzetek

HW11











Product parameters

Horn diameter 50mm	Music time 80H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter 6*2.7mm	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1000mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely



Muzetek

HW12



Product parameters

Horn diameter 50mm	Music time 100H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter 6*2.7mm	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1200mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely











Muzetek



VK80









Product parameters

Horn diameter 50mm	Music time 100H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter 6*2.7mm	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1200mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely



Muzetek

VK81



Product parameters

Horn diameter 50mm	Music time 80H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter 6*2.7mm	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1000mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely





Muzetek

VK82









Product parameters

Horn diameter 50mm	Music time 100H
Horn sensitivity 112±3dB	Frequency response 20HZ-20KHZ
Mic Diameter 6*2.7mm	Sensitivity -40±3dB
Impedance 20Ω±15%	Working voltage DV3.7-4.2V
Internal battery 1200mA	Charging time approximately 2 hours

Wide Compatibility Support multiple devices, play freely



Muzetek

VK81

Product parameters

Horn diameter	50mm
Music time	100H
Horn sensitivity	112±3dB
Frequency response	20HZ-20KHZ
Mic Diameter	6*2.7mm
Sensitivity	-40±3dB
Impedance	20Ω±15%
Working voltage	DV3.7-4.2V
Internal battery	1200mA
Charging time	approximately 2 hours

Wide Compatibility Support multiple devices, play freely





Muzetek

CATALOG
WIRED HEADSET

WIRED HEADSET CATALOG

Wired Gaming Audio Solutions

PLAY BIGGER. HEAR THE DIFFERENCE.

Muzetek

S12

Product Parameters

Driver Unit	40mm
Impedance	20Ω ± 15%
Sensitivity	112 ± 3dB
Frequency Response	20Hz–20KHz
Mic Size	6.0 × 2.7mm
Mic Sensitivity	-42 ± 3dB
Mic Impedance	2.2KΩ
Directivity	Omnidirectional
Cable Length	2.0m ± 0.15m
LED Operating Voltage	DC 5V ± 5%
Audio Jack	USB + 3.5mm

Wide Compatibility

Plug and play, enjoy gaming anywhere







Muzetek

VK81









Product Parameters

Driver Unit 40mm	Mic Impedance 2.2KΩ
Impedance 20Ω ± 15%	Directivity Omnidirectional
Sensitivity 112 ± 3dB	Cable Length 2.0m ± 0.15m
Frequency Response 20Hz–20KHz	LED Operating Voltage DC 5V ± 5%
Mic Size 6.0 × 2.7mm	Audio Jack USB + 3.5mm
Mic Sensitivity -42 ± 3dB	

Wide Compatibility

Plug and play, enjoy gaming anywhere


PC


Laptop


Phone & Tablet


PS4/PS5

Muzetek

KGH2



Product Parameters

Driver Unit	50mm
Impedance	20Ω ± 15%
Sensitivity	112 ± 3dB
Frequency Response	20Hz–20KHz
Mic Size	6.0 × 2.7mm
Mic Sensitivity	-42 ± 3dB
Mic Impedance	2.2KΩ
Directivity	Omnidirectional
Cable Length	2.0m ± 0.15m
LED Operating Voltage	DC 5V ± 5%
Audio Jack	USB + 3.5mm

Wide Compatibility

Plug and play, enjoy gaming anywhere


PC


Laptop


Phone & Tablet


PS4/PS5









Muzetek

FC-100





Product Parameters

Driver Unit	50mm
Impedance	20Ω ± 15%
Sensitivity	112 ± 3dB
Frequency Response	20Hz–20KHz
Mic Size	6.0 × 2.7mm
Mic Sensitivity	-42 ± 3dB
Mic Impedance	2.2KΩ
Directivity	Omnidirectional
Cable Length	2.0m ± 0.15m
LED Operating Voltage	DC 5V ± 5%
Audio Jack	USB + 3.5mm

Wide Compatibility

Plug and play, enjoy gaming anywhere



Muzetek

FC-200



Product Parameters

Driver Unit	50mm
Impedance	20Ω ± 15%
Sensitivity	112 ± 3dB
Frequency Response	20Hz–20KHz
Mic Size	6.0 × 2.7mm
Mic Sensitivity	-42 ± 3dB
Mic Impedance	2.2KΩ
Directivity	Omnidirectional
Cable Length	2.0m ± 0.15m
LED Operating Voltage	DC 5V ± 5%
Audio Jack	USB + 3.5mm

Wide Compatibility

Plug and play, enjoy gaming anywhere


PC


Laptop


Phone & Tablet


PS4/PS5



Muzetek

WG1











Product Parameters

Driver Unit 50mm	Mic Impedance 2.2KΩ
Impedance 20Ω ± 15%	Directivity Omnidirectional
Sensitivity 112 ± 3dB	Cable Length 2.0m ± 0.15m
Frequency Response 20Hz–20KHz	LED Operating Voltage DC 5V ± 5%
Mic Size 6.0 × 2.7mm	Audio Jack USB + 3.5mm
Mic Sensitivity -42 ± 3dB	

Wide Compatibility

Plug and play, enjoy gaming anywhere


PC


Laptop


Phone & Tablet


PS4/PS5

Muzetek

WG2




Product Parameters

Driver Unit	50mm
Impedance	20Ω ± 15%
Sensitivity	112 ± 3dB
Frequency Response	20Hz–20KHz
Mic Size	6.0 × 2.7mm
Mic Sensitivity	-42 ± 3dB
Mic Impedance	2.2KΩ
Directivity	Omnidirectional
Cable Length	2.0m ± 0.15m
LED Operating Voltage	DC 5V ± 5%
Audio Jack	USB + 3.5mm

Wide Compatibility

Plug and play, enjoy gaming anywhere







Muzetek

HW11









Product Parameters

Driver Unit 50mm	Mic Impedance 2.2KΩ
Impedance 20Ω ± 15%	Directivity Omnidirectional
Sensitivity 112 ± 3dB	Cable Length 2.0m ± 0.15m
Frequency Response 20Hz–20KHz	LED Operating Voltage DC 5V ± 5%
Mic Size 6.0 × 2.7mm	Audio Jack USB + 3.5mm
Mic Sensitivity -42 ± 3dB	

Wide Compatibility

Plug and play, enjoy gaming anywhere



Muzetek



HW12

Product Parameters

Driver Unit	50mm
Impedance	20Ω ± 15%
Sensitivity	112 ± 3dB
Frequency Response	20Hz–20KHz
Mic Size	6.0 × 2.7mm
Mic Sensitivity	-42 ± 3dB
Mic Impedance	2.2KΩ
Directivity	Omnidirectional
Cable Length	2.0m ± 0.15m
LED Operating Voltage	DC 5V ± 5%
Audio Jack	USB + 3.5mm

Wide Compatibility

Plug and play, enjoy gaming anywhere


PC


Laptop


Phone & Tablet


PS4/PS5









Muzetek

VK80











Product Parameters

Driver Unit	50mm	Mic Impedance	2.2KΩ
Impedance	20Ω ± 15%	Directivity	Omnidirectional
Sensitivity	112 ± 3dB	Cable Length	2.0m ± 0.15m
Frequency Response	20Hz–20KHz	LED Operating Voltage	DC 5V ± 5%
Mic Size	6.0 × 2.7mm	Audio Jack	USB + 3.5mm
Mic Sensitivity	-42 ± 3dB		

Wide Compatibility

Plug and play, enjoy gaming anywhere


PC


Laptop


Phone & Tablet


PS4/PS5

Muzetek

Universal 2.4G dongle, compatible with all our headset series.





- **2.4G** wireless transmitter



- **XBOX** wireless transmitter

Wide Compatibility Support multiple devices, play freely



Muzetek

东莞市华玮科技有限公司

E-mail: sales@muzetek.com
Website: www.muzetek.com
Factory address: Building 1, No. 39, Yongping, Dongshan, Qishi Town, Dongguan City, Guangdong Province