



Scan for faster
communication and
better service

POWER BANK

SHENZHEN E-BESTA ENTERPRISES CO.,LTD
email: sales@e-besta.com
www.e-besta.com
Web: <http://e-besta.manufacturer.globalsources.com>

Camera Grip series

EB-X1B Camera Grip



EB-X1 3-IN-1 Camera Grip Powerbank



Detachable
remote
control handle



EB-X2 3-IN-1 Magnetic Selfie Power bank



EB-X3 3-IN-1 Camera Grip Powerbank





EB-X1 Camera Grip

FEATURES

Selfie/photography mode

- .Ergonomic grip mimics the feel of a traditional camera,Easily hold and snap photos
- .remotely shoot from a distance of ten meters by detachable magnetic components
- .BT camera controller supports the focal length zooming function.
- .Connect via Bluetooth to control shutter button
- .BT indicate led shows Bluetooth connection
- .Easily connect to more devices (Tripod,Bicycle,car,etc.) by 1/4 standard screw hole
- .The standard slot allow and Magnetic sucker are available for fill lights.
- .phone is attached to the magnetic connection pad with magnetic connection and stands, convenient to watch videos
- .easily hang on the bag strap or neck by the hanging rope hole function

Multiple colour options available

SPECIFICATIONS

BT Capacity : 120mAh

BT USB-C input: 5V 110MA

Bluetooth version: 5.4

Bluetooth Name: EB-X1

Transmission frequency: 2.4GHz to 2.4835GHz

Transmission distance: 10 meters

Applicable system: Android 8.0 or above versions; iOS 15 or above versions

Material: ABS

Size:120*100*49MM

Product NW.: 87g

Selling point:

1. Bracket function
2. Multiple external accessories to enhance product functionality
3. Detachable long-range camera aid with built-in multifunctional toggle switch



EB-X1 3-IN-1 Camera Grip Powerbank

FEATURES

Selfie/photography mode

- .Ergonomic grip mimics the feel of a traditional camera, Easily hold and snap photos
- .remotely shoot from a distance of ten meters by detachable magnetic components
- .BT camera controller supports the focal length zooming function.
- .Connect via Bluetooth to control shutter button
- .BT indicate led shows Bluetooth connection
- .Easily connect to more devices (Tripod,Bicycle,car,etc.) by 1/4 standard screw hole
- .The standard slot allow and Magnetic sucker are available for fill lights.
- .phone is attached to the magnetic connection pad with magnetic connection and stands, convenient to watch videos
- .easily hang on the bag strap or neck by the hanging rope hole function

Magnetic Power bank

- .Fast Charging phones via USB cable
- .Magnetic wireless charging for compatible phones
- .Intelligent digital display screen shows battery remaining and charging mode
- .Check the remaining battery by pressing the power button

Multiple colour options available

SPECIFICATIONS

Capacity : 5000mAh USB-C input: 18W(Max) USB-C output: 20W(Max)
Wireless output: 15W(Max) USB-A output: 22.5W(Max)

BT Capacity : 120mAh BT USB-C input: 5V 110MA Bluetooth version: 5.4

Bluetooth Name: EB-X1 Transmission frequency: 2.4GHz to 2.4835GHz

Transmission distance: 10 meters

Applicable system: Android 8.0 or above versions; iOS 15 or above versions

Material: ABS Size:120*100*49MM Product NW.: 176g

Selling point:

1. Bracket function
2. Magnetic wireless charging+wired charging
3. Multiple external accessories to enhance product functionality
4. Detachable long-range camera aid with built-in multifunctional toggle switch

EB-X2 3-IN-1 Camera Grip Powerbank

FEATURES

Selfie/photography mode

- .Ergonomic grip mimics the feel of a traditional camera,Easily hold and snap photos
- .Connect via Bluetooth to control shutter button
- .BT indicate led shows Bluetooth connection
- .Easily connect to more devices (Tripod,Bicycle,car,etc.) by 1/4 standard screw hole
- .Magnetic sucker are available for fill lights.
- .phone is attached to the magnetic connection pad with magnetic connection and stands, convenient to watch videos
- .easily hang on the bag strap or neck by the hanging rope hole function

Magnetic Power bank

- .Fast Charging phones via USB cable
- .Magnetic wireless charging for compatible phones
- .Intelligent digital display screen shows battery remaining and charging mode
- .Check the remaining battery by pressing the power button

Multiple colour options available

SPECIFICATIONS

Capacity : 10000mAh

USB-C input: 18W(Max)

USB-C output: 20W(Max)

Wireless output: 15W(Max)

USB-A output: 22.5W(Max)

Bluetooth version: 5.4

Bluetooth Name: EB-X2

Transmission distance: 10 meters

Size:46*96.5*132.9MM

Product NW.: 244g



Selling point:

1. Bracket function
2. Selfie Stick Function+Magnetic wireless charging+wired charging
3. Multiple external accessories to enhance product functionality



EB-X3 3-IN-1 Camera Grip Powerbank

FEATURES

Selfie/photography mode

- .Ergonomic grip mimics the feel of a traditional camera,Easily hold and snap photos
- .remotely shoot from a distance of ten meters by detachable magnetic components
- .BT camera controller supports the focal length zooming function.
- .Connect via Bluetooth to control shutter button
- .BT indicate led shows Bluetooth connection
- .Easily connect to more devices (Tripod,Bicycle,car,etc.) by 1/4 standard screw hole
- .The standard slot allow and Magnetic sucker are available for fill lights.
- .phone is attached to the magnetic connection pad with magnetic connection and stands, convenient to watch videos
- .easily hang on the bag strap or neck by the hanging rope hole function

Magnetic Power bank

- .Fast Charging phones via USB cable
- .Magnetic wireless charging for compatible phones
- .Intelligent digital display screen shows battery remaining and charging mode
- .Check the remaining battery by pressing the power button

Multiple colour options available

SPECIFICATIONS

Capacity : 10000mAh USB-C input: 18W(Max) USB-C output: 20W(Max)

Wireless output: 15W(Max) USB-A output: 22.5W(Max)

BT Capacity : 120mAh BT USB-C input: 5V 110MA Bluetooth version: 5.4

Bluetooth Name: EB-X3 Transmission frequency: 2.4GHz to 2.4835GHz

Transmission distance: 10 meters

Applicable system: Android 8.0 or above versions; iOS 15 or above versions

Size:53*103.5*134.5MM Product NW.: 270g



Selling point:

1. Bracket function
2. Magnetic wireless charging+wired charging
3. Multiple external accessories to enhance product functionality
4. Detachable long-range camera aid with built-in multifunctional toggle switch



MODEL: EB-PJ02

Material (shell material): metal+ABS+silicone

Product Size: 58 * 69 * 28mm, stretching range 54-105mm

Product weight: 45g

Function: Non stick magnet N52 strong magnetic attraction can be attracted anywhere and taken at any time,Support 4.7-7.2 inch mobile phone usage



MODEL: EB-BGD001

Battery Capacity: 200mAh

TYPE-C Input: 5V

Output power: 2W

Brightness adjustment: 1/2/3 level adjustment

Lighting modes: cold light, soft light, warm light

Color temperature: 2500K-9000K(\pm 200K)

Material:ABS+magnet

Accessory cable length and spec.:

USB-TYPE-C 30CM, 5V1A,

Product size: 58 x16 x136mm

Product NW.): 39g



MODEL: EB-H01

Remote control battery: 300MA

Charging condition: 5V/0.3A

Charging interface: TypeC

Usage time: Approximately: 1-2 hours

Charging time: Approximately 2 hours

Led beads :19 white +16 warm white, 35
bulbs totaling 0.2w

Material: ABS+PC

Product size: 75*100*30mm

Product NW: 55g



MODEL: EB-Q29

Product size: 55*28mm

Net weight of the product :75g

Material: Plastic + metal

The head is a 1/4 screw and the bottom is a 1/4 nut



MODEL: EB-ZJ035

Product shrinkage height: 16.5CM

Product unfolding height: Open:10CM,

stretch one section:25CM,

Stretch two sections : 35CM

Metal pan-tilt: Size 55*28mm

Product N.W.: 110g

Material: Plastic+Metal

1/4 threaded connection of the head



Laptop power bank
35W



MODEL: EB-2501-1

Battery Capacity : 10000MA

Typec input: 5V/3A 9V/2A 12V/2A 15V/2A 20V/1.5A

Typec output: 5V/3A 9V/2A 12V/2A 15V/2A 20V/1.5A

USB output: 5V/3A 9V/2A 10V/2.25A 12V/1.5A

Two output ports working simultaneously: 5V/3A

Materia: ABS+PC

Accessory cable length and spec:

35W 30CM C-C线 (自配线)

Product size: 86*64*25mm

MODEL: EB-2503

Battery Capacity : 10000MA

Typec input: 5V/3A 9V/2A 12V/2A 15V/2A 20V/1.5A

Typec cable input: 5V/3A 9V/2A 12V/2A 15V/2A 20V/1.5A

Typec output: 5V/3A 9V/2A 12V/2A 15V/2A 20V/1.5A

USB output: 5V/3A 9V/2A 10V/2.25A 12V/1.5A

Typec cable output: 5V/3A 9V/2A 12V/2A 15V/2A 20V/1.5A

Two output ports working simultaneously: 5V/3A

Materia: ABS+PC

Accessory cable length and spec:

35W 30CM C-C线 (自带线)

Product size: 86*64*25mm



Laptop power bank
45W



MODEL: EB-CK056
Battery Capacity : 20000MA
Typec input: 5V/3A、9V/3A、12V/3A、15V/3A、20V/2.25A
Typec cable input: 5V/3A、9V/3A、12V/3A、15V/3A、20V/2.25A
Typec output: 5V/3A、9V/3A、12V/3A、15V/3A、20V/2.25A
Typec cable output: 5V/3A、9V/3A、12V/3A、15V/3A、20V/2.25A
Usb output: 5V/3A、9V/2A、10V/2.25A、12V/1.5A
Lighting cable output: 5V/2A
Two output ports working simultaneously: 5V/3A
Materia: ABS+PC
Accessory cable length and spec:
45W 30CM C-C线
Product size: 100*64.6*32mm

MODEL: EB-CK057
Battery Capacity: 20000MAH
Typec input: 5V/3A、9V/3A、12V/3A、15V/3A、20V/2.25A
Typec cable input: 5V/3A、9V/3A、12V/3A、15V/3A、20V/2.25A
Typec output: 5V/3A、9V/3A、12V/3A、15V/3A、20V/2.25A
Typec cable output: 5V/3A、9V/3A、12V/3A、15V/3A、20V/2.25A
Usb output: 5V/3A、9V/2A、10V/2.25A、12V/1.5A
Lighting cable output: 5V/2A
Two output ports working simultaneously: 5V/3A
Materia: ABS+PC
Accessory cable length and spec:
45W 30CM C-C线
Product size: 100*64.6*32mm



Laptop power bank
45W



MODEL: EB-CK058
Battery Capacity : 20000mah
Typec input: 5V/3A、9V/3A、12V/3A、15V/3A、20V/2.25A
Typec cable input: 5V/3A、9V/3A、12V/3A、15V/3A、20V/2.25A
Typec output: 5V/3A、9V/3A、12V/3A、15V/3A、20V/2.25A
Typec cable output: 5V/3A、9V/3A、12V/3A、15V/3A、20V/2.25A
Usb output: 5V/3A、9V/2A、10V/2.25A、12V/1.5A
Lighting cable output: 5V/2A
Two output ports working simultaneously: 5V/3A
Materia: ABS+PC
Accessory cable length and spec:
45W 30CM C-C线
Product size: 100*64.6*32mm

MODEL: EB-CK059
Battery Capacity: 20000MAH
Typec input: 5V/3A、9V/3A、12V/3A、15V/3A、20V/2.25A
Typec cable input: 5V/3A、9V/3A、12V/3A、15V/3A、20V/2.25A
Typec output: 5V/3A、9V/3A、12V/3A、15V/3A、20V/2.25A
Typec cable output: 5V/3A、9V/3A、12V/3A、15V/3A、20V/2.25A
Usb output: 5V/3A、9V/2A、10V/2.25A、12V/1.5A
Lighting cable output: 5V/2A
Two output ports working simultaneously: 5V/3A
Materia: ABS+PC
Accessory cable length and spec:
45W 30CM C-C线
Product size: 100*64.6*32mm

Laptop power bank
100W



MODEL: EB-ZP93-100

Battery Capacity: 20000MAH

Typec input: 5V/3A 9V/3A 12V/3A 15V/3A 20V/5A

Typec cable input: 5V/3A 9V/3A 12V/3A 15V/3A 20V/5A

Typec output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/5A

Typec cable output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/5A

Usb output: 5V/3A 9V/2A 12V/1.5A 5V/4.5A

Two output ports working simultaneously: 5V/3A

Materia: ABS+PC

Accessory cable length and spec:

100W 30CM C-C线

Product size: 108.3*53.4*48.7mm



MODEL: EB-HDD128
Battery Capacity : 5000mah
TYPEC input:5V/3A,9V/2.22A,12V/1.5A
TYPEC output:5V/3A,9V/2.22A,12V/1.67A
Wireless output: 15W
Material: ABS
Accessory cable length and spec.: 30CM
9V2A
Product size: 102*66*11.7MM



MODEL: EB-HDD129
Battery Capacity: 10000MAH
TypeC input: 5V/2.4A,9V/2.22A,12V/1.67A
TypeC output: 5V/2.4A,9V/2.22A,12V/1.67A
lightning input: 5V/2.4A
Wireless output: 15w
Material: ABS
Accessory cable length and spec:
30CM 9V2A
Product size: 74*116*17mm

TFT colour screens



MODEL: EB-AXD117
Battery Capacity : 5000mah
TypeC input: 5V/3A,9V/2A,12V/1.5A
TypeC output: 5V/3A,9V/2.2A,12V/1.67A
Wireless output: 15W
Material: stalinite+Metal
Accessory cable length and spec.: 30CM 9V2A
Product size: 103*67*8.9mm



MODEL: EB-AXD119
Battery Capacity : 9500mah
TypeC input: 5V/3A,9V/2A,12V/1.5A
TypeC output: 5V/3A,9V/2.2A,12V/1.67A
Wireless output: 15W
Material: stalinite+Metal
Accessory cable length and spec.: 30CM 9V2A
Product size: 103*67*14.2mm



MODEL: EB-A3C

AC输入 (AC-Plug) Input: 100-240V-50/60Hz 0.5A

AC输出DC (AC-USB)Output: 5V=2A

Battery Capacity : 15000MA

TypeC input: 5V/3A 9V/2A 12V/1.5A

TypeC output: 5V/3A 9V/2.2A 12V/1.67A

TypeC cableoutput: 5V/3A 9V/2A 10V/2.25A 12V/1.5

USB output: 5V/3A 9V/2A 10V/2.25A 12V/1.5A

Wireless output: 5W/7.5W/10W/15W

Materia: ABS+PC

Accessory cable length and spec:

30CM、U-C、9V/2A

Product size: 85*85*34mm

Product NW: 260g



MODEL: EB-W15

Battery Capacity: 5000MAH

TypeC input: 5V/2.4A,9V/2.22A,12V/1.67A

TypeC output: 5V/2.4A,9V/2.22A,12V/1.67A

lightning input: 5V/2.4A

Wireless output: 15w

Material: ABS

Accessory cable length and spec: 30CM 9V2A

Product size: 74*116*13mm

MODEL: EB-W16

Battery Capacity: 10000MAH

TypeC input: 5V/2.4A,9V/2.22A,12V/1.67A

TypeC output: 5V/2.4A,9V/2.22A,12V/1.67A

lightning input: 5V/2.4A

Wireless output: 15w

Material: ABS

Accessory cable length and spec: 30CM 9V2A

Product size: 74*116*17mm

MODEL: EB-W17

Battery Capacity: 20000MAH

TypeC input: 5V/2.4A,9V/2.22A,12V/1.67A

TypeC output: 5V/2.4A,9V/2.22A,12V/1.67A

lightning input: 5V/2.4A

Wireless output: 15w

Material: ABS

Accessory cable length and spec: 30CM 9V2A

Product size: 74*116*29mm



SUPER MINI

MODEL: EB-2410

Battery Capacity: 5000MA

Typec input: 5V/3A 9V/2A 12V/1.5A

Typec output: 5V/3A 9V/2.2A 12V/1.67A

Material: ABS+PC

Accessory cable length and spec.:

30CM Typec、9V/2A

Product size: 62*79*14mm

Product NW.: 120g

Color boxColor box size:

Master carton size/ GW./Pcs



MODEL: EB-W29C
Battery Capacity: 5000MAH
TypeC input: 5V/2.4A,9V/2.22A,12V/1.67A
TypeC output: 5V/2.4A,9V/2.22A,12V/1.67A
Wireless output: 5W/7.5W/10W/15W
Material: ABS
Accessory cable length and spec: 30CM 9V2A
Product size: 71*104*12mm



MODEL: EB-W33
Battery Capacity: 5000MAH
TypeC input: 5V/2.4A,9V/2.22A,12V/1.67A
TypeC output: 5V/2.4A,9V/2.22A,12V/1.67A
Wireless output: 5W/7.5W/10W/15W
Material: ABS
Accessory cable length and spec: 30CM 9V2A
Product size: 71*104*12mm



MODEL: EB-W31

Battery Capacity: 5000MAH

TypeC input: 5V/2.4A,9V/2.22A,12V/1.67A

TypeC output: 5V/2.4A,9V/2.22A,12V/1.67A

Wireless output: 5W/7.5W/10W/15W

Material: ABS

Accessory cable length and spec: 30CM 9V2A

Product size: 71*104*12mm



MODEL: EB-W31S

Battery Capacity: 5000MAH

TypeC input: 5V/2.4A,9V/2.22A,12V/1.67A

TypeC output: 5V/2.4A,9V/2.22A,12V/1.67A

Phone Wireless Output: 5W/7.5W/10W/15W

Watch Wireless Output: 2.5W(Apple Watch module)

airpod Wireless Output: 3W

Material: ABS

Accessory cable length and spec: 30CM 9V2A

Product size: 71*104*12mm



MODEL: EB-W32

Battery Capacity: 10000MAH

TypeC input: 5V/2.4A,9V/2.22A,12V/1.67A

TypeC output: 5V/2.4A,9V/2.22A,12V/1.67A

Wireless output: 5W 7.5W 10W 15W

Material: ABS

Accessory cable length and spec: 30CM 9V2A

Product size: 72*105*20mm



MODEL: EB-W32S

Battery Capacity: 10000MAH

TypeC input: 5V/2.4A,9V/2.22A,12V/1.67A

TypeC output: 5V/2.4A,9V/2.22A,12V/1.67A

Phone Wireless output: 5W 7.5W 10W 15W

Watch Wireless:2.5W

airpod Wireless:3W

Material: ABS

Accessory cable length and spec: 30CM 9V2A

Product size: 72*105*20mm



MODEL: EB-T18

Battery Capacity : 10000mah

TYPEC input:5V/3A,9V/2.22A,12V/1.5A

TYPEC output:5V/3A,9V/2.22A,12V/1.67A

USB1 output: 10V/2.25A,5V/3A,9V/2A,12V/1.5A

Material: ABS

Accessory cable length and spec.: 30CM 9V2A

Product size: 73.7*66.4*27mm



MODEL: EB-T18W

Battery Capacity : 10000mah

TYPEC input:5V/3A,9V/2.22A,12V/1.5A

TYPEC output:5V/3A,9V/2.22A,12V/1.67A

USB output: 10V/2.25A,5V/3A,9V/2A,12V/1.5A

Wireless output:15W

Material: ABS

Accessory cable length and spec.: 30CM 9V2A

Product size: 73.7*66.4*27mm



MODEL: EB-T95
Battery Capacity : 10000mah
TYPEC input:5V/3A,9V/2.22A,12V/1.5A
TYPEC output:5V/3A,9V/2.22A,12V/1.67A
USB1 output:
10V/2.25A,5V/3A,9V/2A,12V/1.5A
USB2 output: 5V/2A
Typec cable: 5V/3A,9V/2.22A,12V/1.67A
10V2.25A
Lightning cable: 5V/2A
Material: ABS
Accessory cable length and spec.: 30CM
9V2A
Product size: 149*76*16MM



MODEL: EB-T96
Battery Capacity : 20000mah
TYPEC input:5V/3A,9V/2.22A,12V/1.5A
TYPEC
output:5V/3A,9V/2.22A,12V/1.67A
USB1 output:
10V/2.25A,5V/3A,9V/2A,12V/1.5A
USB2 output: 5V/2A
Typec cable:
5V/3A,9V/2.22A,12V/1.67A 10V2.25A
Lightning cable: 5V/2A
Material: ABS
Accessory cable length and spec.:
30CM 9V2A
Product size: 149*76*28.5MM



MODEL: EB-T97
Battery Capacity : 30000mah
TYPEC input:5V/3A,9V/2.22A,12V/1.5A
TYPEC output:5V/3A,9V/2.22A,12V/1.67A
USB1 output:
10V/2.25A,5V/3A,9V/2A,12V/1.5A
USB2 output: 5V/2A
Typec cable: 5V/3A,9V/2.22A,12V/1.67A
10V2.25A
Lightning cable: 5V/2A
Material: ABS
Accessory cable length and spec.: 30CM
9V2A
Product size: 149*76*30.5MM



MODEL: EB-T98

Battery Capacity : 10000mah

TYPEC input:5V/3A,9V/2.22A,12V/1.5A

TYPEC output:5V/3A,9V/2.22A,12V/1.67A

USB1/2 output: 10V/2.25A,5V/3A,9V/2A,12V/1.5A

Material: ABS

Accessory cable length and spec.: 30CM 9V2A

Product size: 141*68*16MM



MODEL: EB-T99

Battery Capacity : 20000mah

TYPEC input:5V/3A,9V/2.22A,12V/1.5A

TYPEC output:5V/3A,9V/2.22A,12V/1.67A

USB1/2 output: 10V/2.25A,5V/3A,9V/2A,12V/1.5A

Material: ABS

Accessory cable length and spec.: 30CM 9V2A

Product size: 141*68*26MM



MODEL: EB-T64

Battery Capacity : 10000mah

TYPEC input:5V/3A,9V/2.22A,12V/1.5A

TYPEC output:5V/3A,9V/2.22A,12V/1.67A

USB1/2 output: 10V/2.25A,5V/3A,9V/2A,12V/1.5A

Material: ABS

Accessory cable length and spec.: 30CM 9V2A

Product size: 141*68*16MM



MODEL: EB-T65

Battery Capacity : 20000mah

TYPEC input:5V/3A,9V/2.22A,12V/1.5A

TYPEC output:5V/3A,9V/2.22A,12V/1.67A

USB1/2 output: 10V/2.25A,5V/3A,9V/2A,12V/1.5A

Material: ABS

Accessory cable length and spec.: 30CM 9V2A

Product size: 141*68*26MM



MODEL: EB-F38

Battery capacity: 20000mAh TypeC input:

5V/3A,9V/3A,12V/3A,15V/3A,20V/5A

TypeC Output: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A

USB Output: 4.5V5A,9V2.5A,12V1.87A

Material: PC+Metal

Accessory cable length and spec.: TYPE-C TYPE-C
30CM

Product size: 155*50*36MM



MODEL: EB-F32

Battery capacity: 20000mAh

TypeC input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A

TypeC Output: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A

USB Output: 4.5V5A,9V2.5A,12V1.87A

Material: PC+Metal

Accessory cable length and spec.: TYPE-C TYPE-C
30CM

Product size: 155*50*36MM



MODEL: EB-F29

Battery capacity: 10000mAh

TypeC input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A


TypeC Output: 5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A

USB Output: 4.5V5A,9V2.5A,12V1.87A

Material: PC+Metal

Accessory cable length and spec.: TYPE-C TYPE-C 30CM

Product size: 86.5*50*36MM



MODEL: EB-F23

Battery capacity: 10000mAh

TypeC input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A

TypeC Output: 5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A

USB Output: 4.5V5A,9V2.5A,12V1.87A

Material: PC+Metal

Accessory cable length and spec.: TYPE-C TYPE-C 30CM

Product size: 86.5*50*36MM



MODEL: EB-A26
Battery Capacity : 5000mah
TypeC input: 5V/3A,9V/2.2A,12V/1.67A
TypeC output: 5V/3A,9V/2.2A,12V/1.67A
Wireless output: 15W
Material: ABS+Metal
Accessory cable length and spec.: 30CM 9V2A
Product size: 103*64*9.8mm



MODEL: EB-A46
Battery Capacity : 10000mah
TypeC input: 5V/3A,9V/2.2A,12V/1.67A
TypeC output: 5V/3A,9V/2.2A,12V/1.67A
USB Output: 10V/2.25A,5V/3A,9V/2A,12V/1.5A
Wireless output: 15W
Material: ABS+Metal
Accessory cable length and spec.: 30CM 9V2A
Product size: 104*67*15.5mm



MODEL: EB-A19

Battery Capacity : 5000mah

TypeC input: 5V/3A,9V/2A,12V/1.67A

TypeC output: 5V/3A,9V/2.2A,12V/1.67A

USB Output: 10V/2.25A,5V/3A,9V/2.22A,12V/1.5A

TYPE-C cable : 5V/3A,9V/2.2A,12V/1.5A

Wireless output: 15W 10W 7.5W 5W 2.5W

Material: ABS+Metal

Accessory cable length and spec.: 30CM 9V2A

Product size: 112*69*13.5mm



MODEL: EB-A29

Battery Capacity : 10000mah

TypeC input: 5V/3A,9V/2.2A,12V/1.67A

TypeC output: 5V/3A,9V/2.2A,12V/1.67A

USB Output: 10V/2.25A,5V/3A,9V/2.22A,12V/1.5A

TYPE-C cable : 5V/3A,9V/2.2A,12V/1.5A

Wireless output: 15W 10W 7.5W 5W 2.5W

Material: ABS+Metal

Accessory cable length and spec.: 30CM 9V2A

Product size: 111*68*22MM



MODEL: EB-A13

Battery Capacity : 10000mah

TypeC input: 5V/3A,9V/2.2A,12V/1.67A

TypeC output: 5V/3A,9V/2.2A,12V/1.67A

USB Output: 10V/2.25A,5V/3A,9V/2.22A,12V/1.5A

TYPE-C cable : 5V/3A,9V/2.2A,12V/1.5A


Wireless output: 15W 10W 7.5W 5W 2.5W

Material: ABS+Metal

Accessory cable length and spec.: 30CM 9V2A

Product size: 110*71.5*15.8MM

Portable 5000mAh large capacity mobile power supply



Model: EB-HXH85

Battery Capacity : 5000MA

Typec input: 5V/2A

USB output: 5V/2A

Typec cable output: 5V/2A

Materia: ABS

Accessory cable length and spec.:
30CM、U-C、5V/2A

Product size: 110*25.5*27mm



Model:EB-B18
 Battery Capacity : 5000mA
 Typec input: 5V/2A
 USB output: 5V/2A
 Typec cable output: 5V/2A
 lightning cable output: 5V/2A
 Material: ABS+PC
 Accessory cable length and spec.:
 30CM Micro 5V/2A
 Product size: 105*68*15.5mm

Model:	EB-B19	
Battery Capacity :	10000mAh	
TYPE-C input:	5V/2A	5V/3A 9V/2A 12V/1.5A
TYPE-C output:	/	5V3A, 9V2.22A, 12V1.67A
USB Output:	5V/2A	5V/4.5A 9V/2A 12V/1.5A
TYPE-C cable output:	5V/2A	5V/4.5A, 5V/3A, 9V/2.22A, 12V/1.67A
Lighting cable output	5V/2A	
Material:	ABS+PC	
Accessory cable length and spec. :	30CM 5V2A	30CM 22.5W
Productsize:	105*69.5*27mm	

EB-T100 10000MAH 22.5W FAST CHARGING



charact:

T shirt style

NECK HOOK

digital display

pattern design

rubber finish

Model: EB-T100

Battery Capacity : 10000mah

Type-C input: 5V3A,9V2A,12V1.5A

Type-C output: 5V3A,9V2.22A,12V1.67A

USB1output: 5V3A,9V2A,10V2.25A,12V1.5A

USB2output: 5V3A,9V2A,10V2.25A,12V1.5A

Material: ABS

Accessory cable length and spec: 30CM USB -
TYPE-C

Product size: 113*95*25.5mm

FEATURES

- 4-in-1 multi-functional
- Fast Charging phones via USB cable
- Magnetic wireless charging for compatible phones
- AC PLUG input
- Built-in cable

Model:EB-Y376

Battery Capacity : 10000MA

AC input (AC-Plug) input: 100-240V-50/60Hz 0.35A

AC output (AC-USB)Output: 5V=2A

lightning input: 5V/3A 9V/2.2A 12V/1.67A

lightning output: 5V/3A 9V/2.2A 12V/1.67A

Typec input: 5V/3A 9V/2.2A 12V/1.67A

Typec output: 5V/3A 9V/2.2A 12V/1.67A

USB output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A

Wireless output: 15W

Materia: ABS+PC

Accessory cable length and spec.:

Product size: 91*63*28mm





charact:
AC Wall Plug
Built-in Cable
digital display
Fast Charging 22.5W



Model:EB-K07
Battery Capacity : 10000MA
AC input: 110-240v/50-65HZ, 5v-2.0A
Typec input: 5V/3A 9V/2.2A 12V/1.67A
Typec output: 5V/3A 9V/2.2A 12V/1.67A
USB output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A
Typec cable output: 22.5W
lightning cable output: 5V/2A
Materia: ABS+PC
Product size: 113*69.5*26.5mm

Model:EB-K07S
Battery Capacity : 20000MA
AC input: 110-240v/50-65HZ, 5v-2.0A
Typec input: 5V/3A 9V/2.2A 12V/1.67A
Typec output: 5V/3A 9V/2.2A 12V/1.67A
USB output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A
Typec cable output: 22.5W
lightning cable output: 5V/2A
Materia: ABS+PC
Product size: 117*73*31.5mm



Model:EB-SXYK08

Battery Capacity : 10000MA

(AC - Plug) : 110-240v 5v/2.0A

TypeC input: 5V/3A 9V/2.2A 12V/1.67A

TypeC output: 5V/3A 9V/2.2A 12V/1.67A

USB output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A

Wireless output: 5W/7.5W/10W/15W

TYPC cable output: 22.5W

lightning cable output: 5V/2A

Materia: ABS+PC

Accessory cable length and spec:

30CM、U-C、9V/2A

Product size: 81*81*26.7mm



Model:EB-HBA3

Battery Capacity : 15000MA

(AC - Plug) : 110-240v 5v/2.0A

TypeC input: 5V/3A 9V/2.2A 12V/1.67A

TypeC output: 5V/3A 9V/2.2A 12V/1.67A

USB output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A

TYPC cable output: 22.5W

lightning cable output: 5V/2A

Materia: ABS+PC

Accessory cable length and spec:

30CM、U-C、9V/2A

Product size: 90*84.5*34.6mm



charact:
AC Wall Plug
Built-in Cable
digital display
Fast Charging 22.5W

Model: EB-HBA1
AC (AC-Plug) Input: 100-240V-50/60Hz 0.5A
AC DC (AC-USB) Output:5V/2A
Battery Capacity : 5000mAh
TypeC input: 5V/3A 9V/2.2A 12V/1.67A
TypeC output: 5V/3A 9V/2.22A 10V/2.25A 12V/1.66A
TYPC cable output: 5V/3A 9V/2A 10V/2.25A 12V/1.5A
Materia: ABS+PC
Accessory cable length and spec:
30CM、C-C、9V/2A
Product size: 111*33.7*38.2mm



Model: EB-SXY23
AC (AC-Plug) Input: 100-240V-50/60Hz 0.5A
AC DC (AC-USB) Output:5V/2A
Battery Capacity : 5000mAh
Typec input: 5V/3A 9V/2.2A 12V/1.67A
Typec output: 5V/3A 9V/2.2A 12V/1.67A
Typec cable output: 5V/3A 9V/2.2A 12V/1.67A
Materia: ABS+PC
Accessory cable length and spec:
30CM、U-C、9V/2A
Product size: 120*32*31mm

charact:

Magnetic attraction



Model: EB-CK207

Battery Capacity : 5000mah

TypeC input: 5V2.4A 9V2.22A 12V1.67A

TypeC Output : 5V3A ,9V2.22A ,12V1.67A

Wireless output:15W

Material: ABS

Accessory cable length and spec.: 30CM

C-C cable

Product size: 105*70*7.8mm



charact:

Magnetic attraction

digital display

phone holder

Model: EB-CK103

Battery Capacity : 10000mAh

TypeC input: 5V2.4A 9V2.22A 12V1.67A

TypeC Output : 5V3A ,9V2.22A ,12V1.67A

Usb output: 5V4.5A 5V3A 9V2A 12V1.5A

Wireless output:15W

Material: ABS+PC

Accessory cable length and spec.: 30CM

USB-TypeC

Product size: 113*70*17mm



Model: EB-Y372

Battery Capacity : 5000MA

Typec input: 5V/3A 9V/2.2A 12V/1.67A

Typec output: 5V/3A 9V/2.2A 12V/1.67A

USB output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A

Wireless output: 5W/7.5W/10W/15W

Material: ABS+PC+aluminium alloy

Accessory cable length and spec.:

30CM Fasting charger cable 9V/2A U-C

Product size: 103*65*16mm



Model: EB-Y373

Battery Capacity : 10000MA

Typec input: 5V/3A 9V/2.2A 12V/1.67A

Typec output: 5V/3A 9V/2.2A 12V/1.67A

USB output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A

Wireless output: 5W/7.5W/10W/15W

Material: ABS+PC+aluminium alloy

Accessory cable length and spec.:

30CM Fasting charger cable 9V/2A U-C

Product size: 109*69*20mm



Model: EB-Y330
Battery Capacity : 5000MA
TypeC input: 5V/3A 9V/2.2A 12V/1.67A
TypeC output: 5V/3A 9V/2.2A 12V/1.67A
USB output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A
Wireless output: 5W/7.5W/10W/15W
USB cable input: 5V/3A 9V/2.2A 12V/1.67A
TYPC cable: 22.5W lightning cable: 5V/2.1A
Materia: ABS+PC+aluminum alloy
Accessory cable length and spec:
30CM、U-C、9V/2A
Product size: 103*65*19mm

charact:
Magnetic attraction
built-in cable
digital display
phone holder



Model: EB-Y329
Battery Capacity : 10000mAh
TypeC input: 5V/3A 9V/2.2A 12V/1.67A
TypeC output: 5V/3A 9V/2.2A 12V/1.67A
USB output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A
Wireless output: 5W/7.5W/10W/15W
USB cable input: 5V/3A 9V/2.2A 12V/1.67A
TYPC cable: 22.5W lightning cable: 5V/2.1A
Materia: ABS+PC+aluminum alloy
Accessory cable length and spec:
30CM、U-C、9V/2A
Product size: 112.5*69*22.5mm



charact:

Magnetic attraction

Automatic charging after adsorption

Super magnetic

Model:EB-DR031

Battery Capacity : 10000mAh

TypeC input: 5V/3A 9V/2.2A 12V/1.67A

TypeC output: 5V/3A 9V/2.2A 12V/1.67A

USB output: 5V/3A 9V/2A 10V2.25A 12V/1.5A

Wireless output: 5W/7.5W/10W/15W

Material: ABS+PC

Accessory cable length and spec.:

9V/2A、30CM、TypeC

Product size: 110*70*18mm



charact:

Magnetic attraction

digital display

phone holder

3-in-1 wireless charger

Model: EB-A218

Battery Capacity : 10000mah

TypeC input: 5V/3A,9V/2A,12V/1.5A

TypeC output: 5V/3A,9V/2.2A,12V/1.5A

USB Output: 4.5V/5A,5V/3A,9V/2A,12V/1.5A

TYPE-C cable : 5V/3A,9V/2.2A,12V/1.5A

Lighting cable: 5V/2A

Phone Wireless Output: 15W

Watch Wireless Output: 2.5W(Apple Watch module)

airpod Wireless Output: 3W

Material: ABS

Accessory cable length and spec.: USB TYPE-C
30CM

Product size: 113*70*21.5mm



Model: EB-YM861
Capacity:10000mah
micro input: 5V3A ,9V2A ,12V1.5A
TypeC input : 5V3A ,9V2A ,12V1.67A
TypeC Output : 5V3A ,9V2.22A ,12V1.67A
USB1/2 Output: 5V3A,9V2A,12V1.5A,10V2.25A
Wireless output: 15W
Material: ABS+PC
Accessory cable length and spec.: 30CM 9V2A
Size: 150*69*21mm



Model: EB-YM862
Capacity:20000mah
micro input: 5V3A ,9V2A ,12V1.5A
TypeC input : 5V3A ,9V2A ,12V1.67A
TypeC Output : 5V3A ,9V2.22A ,12V1.67A
USB1/2 Output: 5V3A,9V2A,12V1.5A,10V2.25A
Wireless output: 15W
Material: ABS
Accessory cable length and spec.: 30CM 9V2A
Size: 150*69*33mm



Model: EB-YM863DX
Capacity:10000mah
micro input: 5V3A ,9V2A ,12V1.5A
TypeC input : 5V3A ,9V2A ,12V1.67A
TypeC Output : 5V3A ,9V2.22A ,12V1.67A
USB1/2 Output: 5V3A,9V2A,12V1.5A,10V2.25A
USB cable: 5V2A
Lighting cable: 5V2A
type-c cable: 5V3A,9V2A,12V1.5A,10V2.25A
Micro cable: 5V2A
Wireless output: 15W
Material: ABS
Accessory cable length and spec.: 30CM 9V2A
Size: 150*69*23.5mm

charact:
Magnetic attraction
digital display
Fast Charging 22.5W
Built-in Cable



Model: EB-YM864DX
Capacity:20000mah
micro input: 5V3A ,9V2A ,12V1.5A
TypeC input : 5V3A ,9V2A ,12V1.67A
TypeC Output : 5V3A ,9V2.22A ,12V1.67A
USB1/2 Output: 5V3A,9V2A,12V1.5A,10V2.25A
USB cable: 5V2A
Lighting cable: 5V2A
type-c cable: 5V3A,9V2A,12V1.5A,10V2.25A
Micro cable: 5V2A
Wireless output: 15W
Material: ABS
Accessory cable length and spec.: 30CM 9V2A
Size: 150*69*36mm



charact:

Magnetic attraction

digital display

Fast Charging 22.5W

Built-in Cable

Model: EB-YM895

Capacity:20000mah

lighting input: 5V2.4A ,9V2A ,12V1.5A

TypeC input : 5V3A ,9V2A ,12V1.67A

TypeC Output : 5V3A ,9V2.22A ,12V1.67A

USB Output: 5V3A,9V2A,12V1.5A,10V2.25A

USB cable: 5V2A

Lighting cable: 5V2A

type-c cable: 5V3A,9V2A,12V1.5A,10V2.25A

Wireless output: 15W

Material: ABS

Accessory cable length and spec.: 30CM 9V2A

Size: 114*69.5*37.5mm



EB-H240 10000mAh PD45W



EB-F02 15000mAh PD65W



EB-H260 20000mAh PD100W

Classic laptop Series. Aluminum 45W,65W,100W



Model: EB-H240
Battery capacity: 10000mAh
TYPEC input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A
TYPEC output: 5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A
USB output: 5V/3A 9V/2A 12V/1.5A
A+C=5V3A
Material: ABS+ Metal
Accessory cable length and spec.: TYPE-C,TYPE-C
30CM
Product size: 104*50* 24mm



Model:EB-F02
Battery Capacity : 15000mAh
TypeC input: 5v/3A 9v/3A 12v/3A 15V/3A 20v/2.25A (45W)
TypeC Output: 5v/3A 9v/3A 12v/3A 15V/3A 20v/3.25A (65W)
USB1 Output: 5V/3A 9V/2A 10V2.25A 12V/1.5A
USB2 Output: 5V/3A 9V/2A 10V2.25A 12V/1.5A
Two or more output ports working simultaneously: 5V/3A
Material: ABS+metal
Accessory cable length and spec:
65W/C-C/30CM
Product size: 115x70.5x26.5mm



Model:EB-H260
Battery Capacity: 20000mAh
TypeC1 input :5V/3A,9V/3A,12V/3A,15V/3A,20V/5A
TypeC1 output:5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
TypeC2 input :5V/3A,9V/3A,12V/3A,15V/3A,20V/5A
TypeC2 output :5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
USB1 output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A
USB2 output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A
C1+C2+USB1+USB2=5V3A
WMaterial: ABS+Metal
Accessory cable length and spec.: 1m, 100w
Product size: 136*78.5*26mm



PD 45W,65W



Model:EB- A34 PD45W
Battery Capacity : 24000MA
Micro Inpu: 5V/2A 9V/2A 12V/1.5A
TypeC input: 5V/2.4A 9V/3A 12V/3A 15V/3A 20V/2.25A
TypeC Output: 5V/2.4A 9V/3A 12V/3A 15V/3A 20V/2.25A
USB2 Output: 4.5V/5A 5V/3A 9V/2A 12V/1.5A
USB1-3-4 Output: 5V/3A
USB1+USB2+USB3+USB4=5V/3A
Two or more output ports working simultaneously: 5V/3A
Material: ABS+PC
Accessory cable length and spec:
45W、C-C、30CM
Product size: 143*68*40mm

Model: EB-S46-3 PD65W
Battery Capacity : 30000MA
TypeC1 input: 5v/3A 9v/3.0A 12v/3.0A 20v/3.25A(65w)
TypeC2 input: 5v/3A 9v/3.0A 12v/3.0A 20v/3.25A(65w)
TypeC1 Output: 5v/3A 9v/3.0A 12v/3.0A 20v/3.25A(65w)
TypeC2 Output: 5v/3A 9v/3.0A 12v/3.0A 20v/3.25A(65w)
USB1 Output: 4.5V/5A 5V/3A 9V/2A 12V/1.5A
USB2 Output: 4.5V/5A 5V/3A 9V/2A 12V/1.5A
Two or more output ports working simultaneously: 5V/3A
Material: ABS+PC+aluminum alloy
Accessory cable length and spec:
65W、C-C、30CM
Product size: 144*66*39mm

Classic and newest laptop Series. Aluminum 100W

EB-300, 30000MAH



EB-400, 40000MAH



EB-500, 50000MAH



EB-600, 60000MAH



character:
with handle
Digital display
4 output
High-power camping light
Aluminum shell
Customized power, 35W~100W



MODEL:EB-300

Battery capacity: 30000mAh

TYPEC 1 input:5V/3A,9V/3A,12V/3A,15V/3A,20V/5A

TYPEC 2 input:5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A

TYPEC 1 output:5V/3A,9V/3A,12V/3A,15V/3A,20V/5A

TYPEC 2 output:5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A

USB 1 output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A


USB 2 output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A

C1+C2,C1+C2+USB1+USB2=5V3A

Material: ABS + Metal

Accessory cable length and spec.: TypeC-TYPE-C 30CM

Product size: 110* 73*48mm



MODEL: EB-400

Battery capacity: 40000mAh

TYPEC 1 input:5V/3A,9V/3A,12V/3A,15V/3A,20V/5A

TYPEC 2 input:5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A

TYPEC 1 output:5V/3A,9V/3A,12V/3A,15V/3A,20V/5A

TYPEC 2 output:5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A

USB 1 output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A

USB 2 output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A

C1+C2,C1+C2+USB1+USB2=5V3A

Material: ABS + Metal

Accessory cable length and spec.: TypeC-TYPE-C 30CM

Product size: 126*81.5*48.5mm



Model: EB- 500

Battery capacity: 50000mAh

TYPEC 1 input:5V/3A,9V/3A,12V/3A,15V/3A,20V/5A

TYPEC 2 input:5V/3A.9V/3A,12V/3A.15V/3A,20V/3.25A

TYPEC 1 output:5V/3A,9V/3A,12V/3A.15V/3A.20V/5A

TYPEC 2 output:5V/3A,9V/3A,12V/3A.15V/3A.20V/3.25A

USB 1 output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A

USB 2 output: 5V/4. 5A 5V/3A 9V/2A 12V/1.5A

C1+C2,C1+C2+USB1+USB2=5V3A

Material: ABS + Metal

Accessory cable length and spec.: TypeC-TYPE-C 30CM .

Product size. 148*81. 5*48.5mm



Model: EB-600

Battery capacity: 60000mAh

TYPEC 1 input:5V/3A,9V/3A,12V/3A,15V/3A,20V/5A

TYPEC 2 input:5V/3A.9V/3A.12V/3A.15V/3A.20V/3.25A

TYPEC 1 output:5V/3A,9V/3A,12V/3A,15V/3A,20V/5A

TYPEC 2 output:5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A

USB 1 output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A .

USB 2 output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A

C1+C2,C1+C2+USB1+USB2=5V3A

Material: ABS+ Metal

Accessory cable length and spec.: TypeC- TYPE-C 30CM

Product size: 170*81 .5*48.5mm

EB-AK52-AKX01
20000mAh PD30W



EB-AK53-AKX01
30000mAh PD45W



EB-AK54-AKX01
40000mAh PD65W



EB-AK55-AKX01
50000mAh PD100W





Model: EB-AK52-AKX01

Capacity:20000mAh

TypeC input: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A

TypeC output: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A

USB1 Output: 5V/3A,9V/3A,10V/2.25A,12V/2.5A,

USB2 Output: 5V/3A,9V/3A,10V/2.25A,12V/2.5A,

Material: ABS

Accessory cable length and spec.: TYPE-C -TYPE-C

Size: 150*67.9*28mm



Model: EB-AK53-AKX01

Capacity:30000mAh

TypeC input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A

TypeC output: 5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A

USB1 Output: 5V/3A,9V/3A,10V/2.25A,12V/2.5A,

USB2 Output: 5V/3A,9V/3A,10V/2.25A,12V/2.5A,

Material: ABS

Accessory cable length and spec.: TYPE-C -TYPE-C

Size: 150*67.9*40.3mm



Model: EB-AK54-AKX01

Capacity:40000mAh

TypeC input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A

TypeC output: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A

USB1 Output: 5V/3A,9V/3A,10V/2.25A,12V/2.5A,

USB2 Output: 5V/3A,9V/3A,10V/2.25A,12V/2.5A,

Material: ABS

Accessory cable length and spec.: TYPE-C -TYPE-C

Size: 150*68.1*52.8mm



Model: EB-AK55-AKX01

Capacity:50000mAh

MICRO input:5V/2A,9V/2A,12V/1.5A

TypeC input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A

TypeC output: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A

USB1 Output: 5V/3A,9V/3A,10V/2.25A,12V/2.5A,

USB2 Output: 5V/3A,9V/3A,10V/2.25A,12V/2.5A,

Material: ABS

Accessory cable length and spec.: TYPE-C-TYPE-C

Size: 150*68.1*64.8mm

EB-K56



EB-K56-2



60000mAh
PD65W/PD100W

EB-K56-5



EB-K56-6



EB-K56
60000mAh
PD65W/PD100W



Capacity:60000mAh
TypeC1 input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
TypeC2 input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
TypeC1 output: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
TypeC2 output: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
USB1 Output: 5V/3A,9V/3A,10V/2.25A,12V/2.5A,
USB2 Output: 5V/3A,9V/3A,10V/2.25A,12V/2.5A,
USB3 Output: 5V/2A
Material: ABS
Accessory cable length and spec.: TYPE-C-TYPE-C 65W
Size: 162.6*88.6*69mm

EB-K56-2
60000mAh
PD65W/PD100W



EB-K56-5
60000mAh
PD65W/PD100W



Capacity:60000mAh
TypeC1 input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A
TypeC2 input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A
TypeC1 output: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A
TypeC2 output: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A
USB1 Output: 5V/3A,9V/3A,10V/2.25A,12V/2.5A,
USB2 Output: 5V/3A,9V/3A,10V/2.25A,12V/2.5A,
USB3 Output: 5V/2A
Material: ABS
Accessory cable length and spec.: TYPE-C-TYPE-C 100W
Size: 162.6*88.6*69mm

EB-K56-6
60000mAh
PD65W/PD100W



EB-K58



EB-K58-2



80000mAh PD65W

EB-K58-5



EB-K58-6



EB-K58
80000mAh PD65W



Capacity:80000mAh
TypeC1 input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
TypeC2 input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
TypeC1 output: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
TypeC2 output: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
USB1 Output: 5V/3A,9V/3A,10V/2.25A,12V/2.5A,
USB2 Output: 5V/3A,9V/3A,10V/2.25A,12V/2.5A,
USB3 Output: 5V/2A
Material: ABS
Accessory cable length and spec.: TYPE-C-TYPE-C 65W
Size: 162.6*112.6*69.03mm

EB-K58-2
80000mAh PD65W



EB-K58-5
80000mAh PD65W



EB-K58-6
80000mAh PD65W



PD100W/PD140W



Model:EB-BC60

Capacity:60000mAh

TypeC1 input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A (100W)

TypeC2 input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A (100W)

TypeC1 output: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A(100W)

TypeC2 output: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A(100W)

USB1 Output: 5V/3A,9V/3A,10V/2.25A,12V/2.5A,

USB2 Output: 5V/3A,9V/3A,10V/2.25A,12V/2.5A,

USB3 Output: 5V/2A

Material: ABS

Accessory cable length and spec.: TYPE-C-TYPE-C 100W

Size: 155*97.8*86.8mm

Model:EB-BC60

Capacity:60000mAh

TypeC1 input: 5V/3A,9V/3A,12V/3A,15V/3A,20V5A,28V/5A(140W)

TypeC2 input: 5V/3A,9V/3A,12V/3A,15V/3A,20V5A,28V/5A(140W)

TypeC1 output: 5V/3A,9V/3A,12V/3A,15V/3A,20V5A,28V/5A(140W)

TypeC2 output: 5V/3A,9V/3A,12V/3A,15V/3A,20V5A,28V/5A(140W)

USB1 Output: 5V/3A,9V/3A,10V/2.25A,12V/2.5A,

USB2 Output: 5V/2A

USB3 Output: 5V/2A

Material: ABS

Accessory cable length and spec.: TYPE-C-TYPE-C 140W

Size: 155*97.8*86.8mm

Classic Business Series 22.5W fast charging

EB-A32 10000MAH



EB-A33 20000MAH



EB-A34 30000MAH



EB-A38 40000MAH



EB-A39 50000MAH



EB-A40 60000MAH





Model: EB-A32
Battery Capacity: 10000MA
Micro Inpu: 5V/2A 9V/2A 12V/1.5A
TypeC input: 5V/3A 9V/2.2A 12V/1.67A
TypeC output: 5V/3A 9V/2.2A 12V/1.67A
USB output: 4.5V/5A 5V/3A 9V/2A 12V/1.5A
Material: ABS+ PC
Accessory cable length and spec.: 30CM,TypeC-USB
Product size: 141*68*16mm



Model: EB- A33
Battery Capacity: 20000MA
Micro Input: 5V/2A 9V/2A 12V/1.5A
TypeC input: 5V/3A 9V/2.2A 12V/1 .67A
TypeC output: 5V/3A 9V/2.2A 12V/1.67A
USB1/2 output: 4.5V/5A 5V/3A 9V/2A 12V/1.5A
Material: ABS+PC
Accessory cable length and spec.: 30CM/USB-TypeC
Product Product size: 143*68* 28mm



Model: EB-A34
Battery Capacity: 30000MA
Micro Input: 5V/2A 9V/2A 12V/1.5A
TypeC input: 5V/3A 9V/2.2A 12V/1.67A
TypeC output: 5V/3A 9V/2.2A 12V/1.67A
USB2 output: 4. 5V/5A 5V/3A 9V/2A 12V/1.5A
USB(1-3-4) Output: 5V/3A
Material: ABS+PC
Accessory cable length and spec.: 30CM/USB-TypeC
Product Product size: 143*68*40mm



Model: EB-A38
Battery Capacity: 40000MA
Micro Input: 5V/2A 9V/2A 12V/1.5A
TypeC input: 5V/3A 9V/2.2A 12V/1.67A
TypeC output: 5V/3A 9V/2.2A 12V/1.67A
USB2 output: 4.5V/5A 5V/3A 9V/2A 12V/1.5A
USB(1-3-4) Output: 5V/3A
Material: ABS+PC
Accessory cable length and spec.:30CM/USB-TypeC
Product Product size: 143*68* 52mm



Model: EB-A39

Battery Capacity: 50000MA

Micro Input: 5V/2A 9V/2A 12V/1.5A

TypeC input: 5V/3A 9V/2.2A 12V/1.67A

TypeC output: 5V/3A 9V/2.2A 12V/1.67A

USB2 output: 4.5V/5A 5V/3A 9V/2A 12V/1.5A

USB(1-3-4) Output: 5V/3A

Material: ABS+ PC

Accessory cable length and spec.: 30CM/USB-TypeC

Product size: 143*68*65mm



Model: EB-A40

Battery Capacity: 60000MA

Micro Input: 5V/2A 9V/2A 12V/1.5A

TypeC input: 5V/3A 9V/2.2A 12V/1.67A

TypeC output: 5V/3A 9V/2.2A 12V/1.67A

USB2 output: 4.5V/5A 5V/3A 9V/2A 12V/1.5A

USB(1 -3-4) Output: 5V/3A

Material: ABS+PC

Accessory cable length and spec.30CM/USB-TypeC

Product size: 143*68*76mm



Model:EB-QCH15P
Battery capacity: 10000mAh
TypeC input: 5V/3A 9V/2.2A 12V/1.67A
TypeC output: 5V/3A 9V/2.2A 12V/1.67A
USB output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A
TypeC cable output: 22.5W
lightning cable output: 5V/2A
Materia: ABS+PC+Silicone
Accessory cable length and spec:
30CM、U-C、9V/2A
Product size: 106.8*68.8*18.2mm



Model:EB-QCH16P
Battery capacity: 20000mAh
TypeC input: 5V/3A 9V/2.2A 12V/1.67A
TypeC output: 5V/3A 9V/2.2A 12V/1.67A
USB output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A
TypeC cable output: 22.5W
lightning cable output: 5V/2A
Materia: ABS+PC+Silicone
Accessory cable length and spec:
30CM、U-C、9V/2A
Product size: 106.8*68.8*32.2mm



Model:EB-Y349

Battery Capacity : 10000MA

TypeC1 input: 5V/3A 9V/2.2A 12V/1.67A

TypeC2 input: 5V/3A 9V/2.2A 12V/1.67A

TypeC2 output: 5V/3A 9V/2.2A 12V/1.67A

USB output: 5V/3A 9V/2.2A 12V/1.67A

USB cable input: 5V/2.A

TYPC cable output: 5V/2A lightning cable

output: 5V/2.1A

Material: ABS+PC

Accessory cable length and spec:

30CM、U-C、9V/2A

Product size: 145* 68.3*17.3mm



Model:EB-Y350

Battery Capacity : 20000MA

TypeC1 input: 5V/3A 9V/2.2A 12V/1.67A

TypeC2 input: 5V/3A 9V/2.2A 12V/1.67A

TypeC2 output: 5V/3A 9V/2.2A 12V/1.67A

USB output: 5V/3A 9V/2.2A 12V/1.67A

USB cable input: 5V/2.A

TYPC cable output: 5V/2A lightning cable

output: 5V/2.1A

Material: ABS+PC

Accessory cable length and spec:

30CM、U-C、9V/2A

Product size: 145*68*29mm

Classic cable mobile power supply series

EB-QCQ65 10000mAh



EB-QCQ66 20000mAh



EB-QCQ67 30000mAh



EB-QCQ95 10000mAh



EB-QCQ96 20000mAh



EB-QCQ97 30000mAh





Model: EB-QCQ65
Battery Capacity : 10000MAH
TypeC input: 5V/3A 9V/2.2A 12V/1.67A
TypeC output: 5V/3A 9V/2.2A 12V/1.67A
USB output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A
TYPC cable: 22.5W lightning cable: 5V/2.1A
Material: ABS+ PC
Accessory cable length and spec.30CM USB -
TypeC
Product size: 147.5*69*18mm



Model: EB-QCQ66
Battery Capacity : 20000MAH
TypeC input: 5V/3A 9V/2.2A 12V/1.67A
TypeC output: 5V/3A 9V/2.2A 12V/1.67A
USB output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A
TYPC cable: 22.5W lightning cable: 5V/2.1A
Material: ABS+ PC
Accessory cable length and spec.30CM USB -
TypeC
Product size: 147.5*69*30.5mm



Model: EB-QCQ67
Battery Capacity : 30000MAH
TypeC input: 5V/3A 9V/2.2A 12V/1.67A
TypeC output: 5V/3A 9V/2.2A 12V/1.67A
USB output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A
TYPC cable: 22.5W lightning cable: 5V/2.1A
Material: ABS+ PC
Accessory cable length and spec.30CM USB -
TypeC
Product size: 147.5*69*42mm



Model: EB-QCQ95
Battery Capacity : 10000MAH
TypeC input: 5V/3A 9V/2.2A 12V/1.67A
TypeC output: 5V/3A 9V/2.2A 12V/1.67A
USB output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A
TYPC cable: 22.5W
lightning cable: 5V/2.1A
Accessory cable length and spec.:
9V/2A,30CM USB-TYPC
Product size: 147.5*69*18mm



Model: EB-QCQ96
Battery Capacity : 20000MAH
TypeC input: 5V/3A 9V/2.2A 12V/1.67A
TypeC output: 5V/3A 9V/2.2A 12V/1.67A
USB output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A
TYPC cable: 22.5W
lightning cable: 5V/2.1A
Accessory cable length and spec.:
9V/2A,30CM USB-TYPC
Product size: 147.5*69*30.4mm



Model: EB-QCQ97
Battery Capacity : 30000MAH
TypeC input: 5V/3A 9V/2.2A 12V/1.67A
TypeC output: 5V/3A 9V/2.2A 12V/1.67A
USB output: 5V/4.5A 5V/3A 9V/2A 12V/1.5A
TYPC cable: 22.5W
lightning cable: 5V/2.1A
Accessory cable length and spec.:
9V/2A,30CM USB-TYPC
Product size: 147.5*69*42.4mm



character:

with handle, Striped shell, digital display, QC22.5Wsuper Fast charging, 4 built-in cables, Customizable colors, Customizable capacity: 10000-30000mAh

Model:EB- DX233

Battery Capacity : 10000mah

TypeC input: 5V/2.4A.9V/2.22A.12V/1.67A

Micro input: 5V/2A,9V/2A,12V/1.5A

TypeC Output : 5V/3A.9V/2.22A.12V/1.67A

USB1 /2 Output: 5V/4.5A.5V/3A.9V/2A.12V/1.5A

USB cable': 5V2A

MICRO cable: 5V2A

Typec-usb cable: 5V2A

Lighting-usb cable: 5V2A

Material: ABS+PC

Product size: 146*70*20mm

Model:EB- DX234

Battery Capacity : 20000mah

TypeC input: 5V/2.4A.9V/2.22A.12V/1.67A

Micro input: 5V/2A,9V/2A,12V/1.5A

TypeC Output : 5V/3A.9V/2.22A.12V/1.67A

USB1 /2 Output: 5V/4.5A.5V/3A.9V/2A.12V/1.5A

USB cable': 5V2A

MICRO cable: 5V2A

Typec-usb cable: 5V2A

Lighting-usb cable: 5V2A

Material: ABS+PC

Product size: 149*71*35mm

Model:EB- DX235

Battery Capacity : 30000mah

TypeC input: 5V/2.4A.9V/2.22A.12V/1.67A

Micro input: 5V/2A,9V/2A,12V/1.5A

TypeC Output : 5V/3A.9V/2.22A.12V/1.67A

USB1 Output: 5V/4.5A.5V/3A.9V/2A.12V/1.5A

USB2/3/4 Output: 5V3A

USB cable': 5V2A

MICRO cable: 5V2A

Typec-usb cable: 5V2A


Lighting-usb cable: 5V2A

Material: ABS+PC

Product size: 149*71*35mm



Model: EB-YM300S
Battery Capacity:10000mAh
Micro Input:5V1A
TypeC input: 5V1A
USB cable: 5V1A
Micro-usb cable : 5V1A
Lighting-usb cable: 5V1A
Type-C-usb cable: 5V1A
USB1 /2 Output: 5V1A
Material: ABS+PC
Size: 87*84*28mm



Model: EB-DX16
Battery Capacity : 10000mah
TypeC input: 5V/2A
Micro input: 5V/2A
USB1/2 Output: 5V/2A
USB cable: 5V2A
MICRO cable: 5V2A
Typec-usb cable: 5V2A
Lighting-usb cable: 5V1A
Material: ABS+PC
Product size: 89x80x24.8mm



Model: EB-DX22
Battery Capacity : 10000mah
MICRO input:5V2A
TYPE-C input: 5V/2A
Usb1/2 output: 5V/2A
Typec cable: 5V/2A
lighting cable: 5V1A
Micro cable: 5V2A
USB cable: 5V2A
Material: ABS+PC
Product size: 90x80x26.5mm



Model:EB-TP-236
Battery Capacity: 5000mAh
Micro input: 5V/2A
TypeC input: 5V/2A
USB output: 5V/2A
USB cable: 5V/2A
TypeC-usb cable: 5V2A
Lighting-usb cable: 5V2A
Material: ABS
Accessory cable length and spec: 30CM 5V2A
Product size: 105.5*70.5*15MM



Model:EB-TP-233
Battery Capacity: 10000mAh
Micro input: 5V/2A
TypeC input: 5V/2A
USB output: 5V/2A
USB cable: 5V/2A
TypeC-usb cable: 5V2A
Lighting-usb cable: 5V2A
Material: ABS
Accessory cable length and spec: 30CM 5V2A
Product size: 105.5*70.5*25MM



Model:EB-E11
Battery Capacity : 10000mAh
TypeC input: 5V/3A 9V/2.2A 12V/1.67A
TypeC output: 5V/3A 9V/2.2A 12V/1.67A
USB output: 5V/3A 9V/2A 10V2.25A 12V/1.5A
USB cable: 5V/2A
TYPC cable: 22.5W
Micro cable: 5V/2A
lightning cable: 5V/2A
Flashlight light :180 lumens
Material: ABS+PC
Accessory cable length and spec.:
9V/2A 30CM TYPC
Product size: 99.5*66.2*32mm

charact:
flashlight
Built-in Cable
digital display
Fast Charging 22.5W



Model:EB-E21
Battery Capacity : 20000mAh
TypeC input: 5V/3A 9V/2.2A 12V/1.67A
TypeC output: 5V/3A 9V/2.2A 12V/1.67A
USB output: 5V/3A 9V/2A 10V2.25A 12V/1.5A
TYPC cable : 22.5W
Micro cable: 5V/2A
lightning cable: 5V/2A
Flashlight light :180 lumens
Material: ABS+PC
Accessory cable length and spec.:
9V/2A 30CM TYPC
Product size: 141*69*34mm

Mirror mobile power supply

charact:
Built-in Cable
mirror

EB-YM817 10000mAh



EB-YM-441 10000mAh



EB-YM-442 10000mAh





charact:
Built-in Cable
mirror

Model:EB-YM817

Battery Capacity: 10000MA

TypeC input: 5V/2.4A,9V/2.22A,12V/1.67A

TypeC Onput : 5V/3A,9V/2.22A,12V/1.67A

USB Output: 10V/2.25A,5V/3A,9V/2A,12V/1.5A

Typec-cable: 10V/2.25A,5V/3A,9V/2A,12V/1.5A

Lightning cable: 5V2A

Material: ABS+PC

Accessory cable length and spec.: 9V 2A 30CM

Product size: 75*66*25mm



Model:EB-YM-441
Battery Capacity: 10000MA
Micro input: 5V2.1A
TypeC input: 5V2.1A
USB1/2 output: 5V2.1A
Type-C-usb cable: 5V2.1A
Lighting-usb cable: 5V2.1A
Micro-usb cable: 5V2.1A
Material: ABS
Accessory cable length and spec: 30CM
5V2A
Product size: 84*78*33mm



Model:EB-YM-442
VBattery Capacity: 10000MAH
Micro input: 5V2.1A
TypeC input: 5V2.1A
USB1 output: 5V2.1A
Type-C-usb cable: 5V2.1A
Lighting-usb cable: 5V2.1A
Micro-usb cable: 5V2.1A
Material: ABS
Accessory cable length and spec: 30CM
5V2A
Product size: 93*93*34mm

EB-Win5/EB-DR051 5000mAh



EB-Win10/EB-DR052 10000mAh



EB-Win12/EB-DR053 10000mAh



New classic series

EB-Win20/EB-DR054 20000mAh





Model:EB-Win5/EB-DR051
Battery Capacity : 5000mAh
Micro input: 5V/2A
TypeC input: 5V/2A
USB1/2 output: 5V/2A
Material: ABS
Accessory cable length and spec.:
30CM 5V2A
Product size: 101.9*65*13.9mm



Model:EB-Win10/EB-DR052
Battery Capacity : 10000mAh
Micro input: 5V/2A 9V/2A 12V/1.5A
TypeC input: 5V/3A 9V/2.2A 12V/1.67A
TypeC output: 5V/3A 9V/2.2A 12V/1.67A
USB1/2 output: 4.5V/5A 5V/3A 9V/2A 12V/1.5A
Accessory cable length and spec.:
30CM、TypeC
Material: ABS
Product size: 101.9*68*24.6



Model:EB-Win12/EB-DR053

Battery Capacity : 10000mAh

Micro input: 5V/2A 9V/2A 12V/1.5A

TypeC input: 5V/3A 9V/2.2A 12V/1.67A

TypeC output: 5V/3A 9V/2.2A 12V/1.67A

USB1/2 output: 4.5V/5A 5V/3A 9V/2A 12V/1.5A

Accessory cable length and spec.:

30CM、TypeC

Material: ABS

Product size: 138*70.4*15.9mm



Model:EB-Win20/EB-DR054

Battery Capacity : 20000mAh

Micro input: 5V/2A 9V/2A 12V/1.5A

TypeC input: 5V/3A 9V/2.2A 12V/1.67A

TypeC output: 5V/3A 9V/2.2A 12V/1.67A

USB1/2 output: 4.5V/5A 5V/3A 9V/2A 12V/1.5A

Accessory cable length and spec.:

30CM、TypeC

Material: ABS

Product size: 140*70.5*28mm



Model:EB-TP206A

Battery Capacity:5000mAh

Micro input: 5V2A

USB1 Output: 5V2A

USB2 Output: 5V2A

Material: ABS

Accessory cable length and spec.:

30CM,5V2A, micro-USB

Product size: 93*63*13.5MM



Model: EB-TP167

Battery Capacity: 10000MAH

Micro input: 5V/2A

TypeC input: 5V/2A

USB1/2 output: 5V/2A

Materia: ABS

Accessory cable length and spec.:

30CM,5V2A, micro-USB

Product size: 93*64*24MM



Model:EB-TP352

Battery Capacity : 10000mah

Micro Input:5V/2.1A, 9V/2A,12V/1.5A

TypeC input : 5V/2.4A,9V/2.2A,12V/1.67A

USB Output: 9V/2A, 5V3A, 12V1.5A

TypeC Output: 5V3A, 9V,2.2A,12V1.67A

Material: ABS

Accessory cable length and spec.:

30CM,9V2A, TypeC-USB

Size: 141.5*67.5*15mm



Model:EB-TP382

Battery Capacity : 20000mah

Micro Input:5V/2.1A, 9V/2A,12V/1.5A

TypeC input : 5V/2.4A,9V/2.2A,12V/1.67A

USB Output: 9V/2A, 5V3A, 12V1.5A

TypeC Output: 5V3A, 9V,2.2A,12V1.67A

Material: ABS

Accessory cable length and spec.:

30CM,9V2A, TypeC-USB

Size: 141.5*67.5*28.5mm



character: QC22.5W super Fast charging, Customizable capacity: 10000-30000mAh

Model: EB-QCK21

Battery Capacity : 10000MAH

Micro input: 5V/2A 9V/2A 12V/1.5A

TypeC input: 5V/3A 9V/2.2A 12V/1.67A

TypeC output: 5V/3A 9V/2.2A 12V/1.67A

USB1/2 output: 4.5V/5A 5V/3A 9V/2A 12V/1.5A

Material: ABS

Accessory cable length and spec:

30CM/TypeC/ 9V/2A

Product size: 136.5*69.2*15.5mm

Model: EB-QCK22

Battery Capacity : 20000MAH

Micro input: 5V/2A 9V/2A 12V/1.5A

TypeC input: 5V/3A 9V/2.2A 12V/1.67A

TypeC output: 5V/3A 9V/2.2A 12V/1.67A

USB1/2 output: 4.5V/5A 5V/3A 9V/2A 12V/1.5A

Material: ABS

Accessory cable length and spec:

30CM/TypeC/ 9V/2A

Product size: 136.5*69.2*28mm

Model: EB-QCK23

Battery Capacity : 30000MAH

Micro input: 5V/2A 9V/2A 12V/1.5A

TypeC input: 5V/3A 9V/2.2A 12V/1.67A

TypeC output: 5V/3A 9V/2.2A 12V/1.67A

USB1/2 output: 4.5V/5A 5V/3A 9V/2A 12V/1.5A

Material: ABS

Accessory cable length and spec:

30CM/TypeC/ 9V/2A

Product size: 137.3*70*39mm



Model:EB-K201

Battery Capacity : 5000mAh

TypeC input: 5V2A

TypeC output: 5V2A

USB1/2 output: 5V2A

Material: ABS

Accessory cable length and spec.:

30CM,5V2A, TYPE-C-type-c

Product size: 102*64.5*14.5mm



Model:EB-K21

Battery Capacity: 10000mah

TypeC input: 5V2A

USB1/2 output: 5V2A

Material: ABS

Accessory cable length and spec.:

30CM,5V2A, micro-USB

Product size:

139.5*69.6*15.7mm



Model:EB-K22

Battery Capacity: 20000mah

TypeC input: 5V2A

Micro input: 5V2A

USB1/2 output: 5V2A

Material: ABS

Accessory cable length and spec.:

30CM,5V2A, Micro-USB

Product size: 146*70.3*27.5mm



Model: EB-Y176
Battery Capacity :10000MA
Micro Input: 5V/2A 9V/2A 12V/1.5A
TypeC input :5V=3A 9V=2.6A 12V=1.67A
TypeC Output :5V=3A 9V=2.2A 12V=1.67A
USB Output: 4.5V/5A 5V/3A 9V/2A 12V/1.5A
TYPE-C cable Output: 4.5V/5A 5V/3A 9V/2A 12V/1.5A
Lighting cable Output: 5V/2.1A
Material: ABS+PC
Accessory cable length and spec.30CM,9V/2A
Size: 146*69*15.5mm



Model:EB-Y186
Battery Capacity :20000MA
Micro Input: 5V/2A 9V/2A 12V/1.5A
TypeC input :5V=3A 9V=2.2A 12V=1.67A
TypeC Output :5V=3A 9V=2.2A 12V=1.67A
USB Output: 4.5V/5A 5V/3A 9V/2A 12V/1.5A
TYPE-C cable Output: 4.5V/5A 5V/3A 9V/2A 12V/1.5A
Lighting cable Output: 5V/2.1A
Material: ABS+PC
Accessory cable length and spec.30CM,9V/2A
Size: 146*69*27.5mm



Model: EB-Y244

Battery Capacity: 10000MAH

Micro Input: 5V/2A 9V/2A 12V/1.5A

TypeC input: 5V/3A 9V/2.2A 12V/1.67A

TypeC output: 5V/3A 9V/2.2A 12V/1.67A

USB1/2 output: 4.5V/5A 5V/3A 9V/2A 12V/1.5A

Material: ABS+PC

Accessory cable length and spec:

30CM/TypeC/ 9V/2A

Product size: 141*68*15mm



Model: EB-Y245

Battery Capacity: 20000MAH

Micro Input: 5V/2A 9V/2A 12V/1.5A

TypeC input: 5V/3A 9V/2.2A 12V/1.67A

TypeC output: 5V/3A 9V/2.2A 12V/1.67A

USB1/2 output: 4.5V/5A 5V/3A 9V/2A 12V/1.5A

Material: ABS+PC

Accessory cable length and spec:

30CM/TypeC/ 9V/2A

Product size: 141*68*27.5mm

character:
Transparent Power Bank, QC22.5W & PD20W output, Fast charging, The transparent design gives you a intuitive vision



Model: A108
Battery Capacity: 10000MAH
MICRO input: 5V/2A, 9V/2A,12V/1.5A
TypeC input: 5V/3A,9V/2.22A,12V/1.67A 20W(max)
TypeC output: 5V/3A,9V/2.22A,12V/1.67A 20W(max)
USB1 /2 output: 4.5V/5A,5V/3A,9V/2A,12V/1.5A 22.5W(max)
Material: ABS+PC
Accessory cable length and spec.: 30CM,9V2A, TypeC-USB
Product size: 140*68*16.5mm



Model:A109
Battery Capacity: 20000MAH
MICRO input: 5V/2A, 9V/2A,12V/1.5A
TypeC input: 5V/2.4A,9V/2.22A,12V/1.67A 20W(max)
TypeC output: 5V/3A,9V/2.22A,12V/1.67A 20W(max)
USB1/2 output: 4.5V/5A,5V/3A,9V/2A,12V/1.5A 22.5W(max)
Material: ABS+PC
Accessory cable length and spec.: 30CM,9V2A, TypeC-USB
Product size:140*68*28mm

character:

1.solar battery charging

2.Charge the laptop

3.Type-c input and output: 65W

4.Wireless output: 15W

5.flashlight

Model: EB-XWD2101

Capacity:30000mah

TypeC1 input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A

TypeC1 output: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A

TypeC2 input: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A

TypeC2 output: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A

USB output: 4.5V/5A,5V/3A,9V/2A,12V/1.5A

Wireless output: 5W/7.5W/10W/15W

Solar Panel spec: 2W

Led 灯: 2W

Material: ABS+PC

Accessory cable length and spec.: 30CM C对C 65W

Size: 183*95*29mm





Model: EB-ZL906
 Capacity:20000mah
 MICRO input: 5V/2A, 9V/2A,12V/1.5A
 TypeC input: 5V/2.4A,9V/2.22A,12V/1.67A
 TypeC output: 5V/2.4A,9V/2.22A,12V/1.67A
 USB1/2 output: 4.5V/5A,5V/3A,9V/2A,12V/1.5A
 Wireless output: 15W
 Solar Panel spec: 5.5V/1.2W
 Led 灯: 2W
 Material: ABS+PC
 Accessory cable length and spec.: 30CM 9V2A
 Size: 164*80*32mm



Model: EB-Z907
 Capacity:30000mah
 MICRO input: 5V/3A
 TypeC input: 5V/3A
 USB Output:5V/3A
 Lightning cable: 5V2A
 Type-c cable: 5V2A
 USB cable: 5V2A
 Micro cable: 5V/2A
 Wireless output: 5W
 Solar Panel spec: 1.2W
 Led : 2W
 Material: ABS+PC
 Accessory cable length and spec.: 30CM 5V2A
 Product Size: 164*80*32mm

拆卸手摇电源



Model: EB-ZL904
Capacity:10000mah
TypeC input: 5V/3A
USB Output:5V/3A
Lightning cable: 5V2A
Type-c cable: 5V2A
Solar Panel spec: 1.2W
Led : 2W
Hand cranked motor power: DC5V260mA 110 RPM
Material: ABS+PC
Accessory cable length and spec.: 30CM 5V2A
Product Size: 164*80*32mm



Model: EB-ZL190
Capacity:10000mah
TYPEC input:5V/3A,9V/2.22A,12V/1.5A
TYPEC output:5V/3A,9V/2.22A,12V/1.67A
USB1/2 output: 10V/2.25A,5V/3A,9V/2A,12V/1.5A
Solar Panel spec: 1.2W
Led : 2W
Material: ABS+PC
Accessory cable length and spec.: 30CM 5V2A
Size: 158*78*25mm



Model: EB-ZL909
 Capacity:10000mah
 MICRO input: 5V/2A
 TypeC input: 5V/2A
 USB Output:5V/2A
 Lightning cable: 5V2A
 Type-c cable: 5V2A
 Wireless output: 5W
 Solar Panel spec: 1.2W
 Led : 2W
 Material: ABS+PC
 Accessory cable length and spec.: 30CM 5V2A
 Size: 153*80*22mm



MoDEL: EB-ZL910
 Capacity:10000mah
 MICRO input: 5V/2A
 TypeC input: 5V/2A
 USB Output:5V/2A
 Lightning cable: 5V2A
 Type-c cable: 5V2A
 USB cable: 5V2A
 Micro cable: 5V/2A
 Solar Panel spec: 1.2W
 Led : 2W
 Material: ABS+PC
 Accessory cable length and spec.: 30CM 5V2A
 Size: 165*85*25mm



Model: EB-ZL602
Capacity:20000mah
TypeC1/2 input:
5V/3A,9V/3A,12V/2.9A,15V/2.33A,20V/1.75A(35W)
TypeC1/2 output:
5V/3A,9V/3A,12V/2.9A,15V/2.33A,20V/1.75A(35W)
USB Output:10V/2.25A 5V/3A 9V/2A 12V/1.5A
Wireless output: 15W
Solar Panel spec: 1.5W
Led : 3W
Material: ABS+PC
Accessory cable length and spec.: 30CM 9V2A
Size: 166*85*32mm



MoDEL: EB-ZL501
Capacity:10000mah
MICRO input: 5V/2A
TypeC input: 5V/2A
USB Output:5V/2A
Solar Panel spec: 1.2W
Led : 2W
Material: ABS+PC
Accessory cable length and spec.: 30CM 5V2A
Size: 90*90*36.5mm



Model: EB-Y90
Battery Capacity: 10000mAh
TypeC input: 5V/2A
USB1/2 output: 5V/2.4A
USB cable: 5V/2A
Micro-usb cable : 5V2A
Lighting-usb cable: 5V1A
Type-C-usb cable: 5V2A
Material: ABS+PC
Accessory cable length and spec.:
30CM/USB-TYPEC、5V/2A
Product size: 146*68*20mm



charact:
solar battery charging
Built-in 4-wire
LED lighting

Model: EB-Y100
Battery Capacity: 20000mAh
TypeC input: 5V/2A
USB1/2 output: 5V/2.4A
USB cable: 5V/2A
Micro-usb cable : 5V2A
Lighting-usb cable: 5V1A
Type-C-usb cable: 5V2A
Material: ABS+PC
Accessory cable length and spec.:
30CM/USB-TYPEC、5V/2A
Product size: 143*70*35mm



Model: EB-Y110
Battery Capacity: 30000mAh
TypeC input: 5V/2A
USB1/2 output: 5V/2.4A
USB cable: 5V/2A
Micro-usb cable : 5V2A
Lighting-usb cable: 5V1A
Type-C-usb cable: 5V2A
Material: ABS+PC
Accessory cable length and spec.:
30CM/USB-TYPEC、5V/2A
Product size: 147*70*44mm



Model: EB-ZL903
Capacity:10000mah
MICRO input: 5V/2A
TypeC input: 5V/2.4A
TypeC ouput: 5V/2.4A
USB output: 5V/2A
lighting cable:5V/2A 、 type-c cable:5V/2A
Wireless output: 5W
Solar Panel spec: 2W
Led : 2W
With cigarette lighter
Material: ABS+PC
Accessory cable length and spec.: 30CM 9V2A
Size: 166*80*22.5mm



MoDEL: EB-ZL807
Capacity:20000mah
Micro input: 5V/2A
TypeC input: 5V/2A
USB1 Output: 5V/3A
USB2 Output: 5V/3A
Wireless output: 5W
Solar Panel spec: 1.2W
Led : 2W
Material: ABS+PC
Accessory cable length and spec.: 30CM 5V2A
Size: 172*87*26mm



Model: EB-ZL809
Capacity:10000mah
Micro input: 5V/2A
TypeC input: 5V/2A
USB Output: 5V/2A
USB cable: 5V/2A
Micro cable:5V/2A
lighting cable:5V/2A
type-c cable:5V/2A
Solar Panel spec: 1.2W
Led : 1W
Material: ABS+PC
Accessory cable length and spec.: 30CM 5V2A
Size: 159*75*22mm



MoDEL: EB-ZL902
Capacity:20000mah
MICRO input: 5V/2A
TypeC input: 5V/3A TypeC output: 5V/3A
USB output: 5V/3A
USB cable: 5V/2A
Micro cable:5V/2A
lighting cable:5V/2A
type-c cable:5V/2A
Wireless output: 5W
Solar Panel spec: 2W
Led : 2W
Material: ABS
Accessory cable length and spec.: 30CM 5V2A
Size: 178*93*30mm



MoDEL: EB-ZL900
Capacity:16000mah
TypeC input: 5V/2A
TypeC output: 5V/2A
USB1/2 Output: 5V/2A
Solar Panel spec: 6W
Led : 1W
Material: ABS
Accessory cable length and spec.: 30CM 5V2A
Size: 161*83*32mm



MoDEL: EB-XHT180
Battery Capacity: 10000mAh
Micro input: 5V2A
TypeC input: 5V2A
USB1/2 output: 5V2A
Wireless output: 5V1A
Solar Panel spec: 1.3W*1
Material: ABS+PC
Accessory cable length and spec:
30CM,USB-MICRO
Product size: 88*88*20MM



Model: EB-ZL806
Capacity:20000mah
MICRO input: 5V/2A
TypeC input: 5V/3A
TypeC output: 5V/3A
USB1 output: 5V3A
USB2 output: 5V3A
Wireless output: 5W
Solar Panel spec: 2W
Led : 2W
Material: ABS
Accessory cable length and spec.: 30CM 5V2A
Size: 183*94*27mm



Model: EB-ZL300
Battery Capacity: 8000mah
Micro input: 5V2A
USB1 output: 5V2A
USB2 output: 5V2A
Solar Panel spec: 1.2W*1
Material: ABS
Accessory cable length and spec.: 1A Micro 30cm
Product size: 135*75*18mm



Model: EB-ZL700
Battery Capacity : 10000MAH
micro input: 5V/1A
USB1/2 Output: 5V/1A
Solar Panel spec: 5.5V/1.5W
Material: ABS+TPU
Accessory cable length and spec.: USB MICRO
30CM 5V1A
Product size: 161*79*17mm



Model: EB-P403
Battery Capacity : 4000mAh
Micro input: 5V1A
USB1 output: 5V1A
USB2 output: 5V1A
Solar Panel spec: 1.2w
Material: ABS+silica gel
Accessory cable length and spec: 30CM 5V1A
Product size: 142*75*13.6mm

character:
Solar charging,
camping light
Customizable colors



Model: EB-ZL100
Battery Capacity : 4000mAh
Micro input: 5V1A
USB1 output: 5V1A
USB2 output: 5V1A
Solar Panel spec: 1.2w
Material: ABS+silica gel
Accessory cable length and spec: 30CM 5V1A
Product size: 142*75*13.6mm

Portable 5000mAh large capacity mobile power supply,flashlight



Model: EB-E01

Battery Capacity : 5000mah

TypeC input: 5V/2A

TypeC output: 5V/2A

Materia: ABS+PC

Accessory cable length and spec:

30CM、U-C、5V/2A

Product size: 78*43*27mm

Portable 5000mAh large capacity mobile power supply



character:

built-in cable

Watch Wireless Output: 2.5W (Apple Watch module)

Model: EB-H11

Battery Capacity : 5000mah

Typec input: 5V/3A 9V/2.2A 12V/1.67A

Typec output: 5V/3A 9V/2.2A 12V/1.67A

Lightning cable output: 5V2A 5V/3A 9V/2A

Typec cable output: 5V/3A 9V/2A 10V/2.25A
12V/1.5A

Watch Wireless Output: 2.5W

Materia: ABS

Accessory cable length and spec.:

9V2A U-C 30CM

Product size: 89*59*26mm

Portable 5000mAh large capacity mobile power supply, Lighting output and TypeC Output two versions, there is a fast charge PD20W output version



Model: EB-T02-03

Lighting

Battery Capacity : 5000mah

TypeC input: 5V/3A,9V/2A,12V/1.5A

TypeC Output: 5V/3A,9V/2.22A,12V/1.67A,
10V2.25A

Lighting output:5V/3A,9V/2.22A

TYPE-C

TypeC input: 5V/3A,9V/2A,12V/1.5A

TypeC 1/2 Output:

5V/3A,9V/2.22A,12V/1.67A ,10V2.25A

Material: ABS

Accessory cable length and spec.: 30CM 9V2A

Product size: 88*28.4*40.5mm

Portable 5000mAh large capacity mobile power supply, lamp display and digital display two versions, there is a fast charge PD20W output version

EB-HXH091 10W/22.5W



EB-HXH090 10W/22.5W



EB-HXH088 10W



EB-HXH089 10W





Model:	EB-HXH091	
Battery Capacity :	5000mAh	
TYPE-C input:	5V/2A	5V2. 4A, 9V2. 22A, 12V1. 67A
TYPE-C output:	/	5V3A, 9V2. 22A, 12V1. 67A
TYPE-C cable output:	5V/2A	5V4. 5A, 5V3A, 9V2. 22A, 12V1. 67A
Lighting cable output	5V/2A	
Material:	ABS+PC	
Accessory cable length and spec.:	30CM 5V2A	30CM 22. 5W
Productsize:	78*43*27mm	

Model:	EB-HXH090	
Battery Capacity :	5000mAh	
TYPE-C input:	5V/2A	5V2. 4A, 9V2. 22A, 12V1. 67A
TYPE-C output:	/	5V3A, 9V2. 22A, 12V1. 67A
TYPE-C cable output:	5V/2A	5V4. 5A, 5V3A, 9V2. 22A, 12V1. 67A
Lighting cable output	5V/2A	
Material:	ABS+PC	
Accessory cable length and spec.:	30CM 5V2A	30CM 22. 5W
Productsize:	78*43*27mm	



Model:EB-HXH088

Battery Capacity: 5000MA

TypeC input: 5V/2A

USB cable input: 5V/2A

TypeC cable output: 5V/2A

lightning cable output: 5V/2A

Material: ABS+PC

Accessory cable length and spec.: 30CM 5V2A

Product size: 78*43*27mm



Model: EB-HXH089

Battery Capacity: 5000MA

TypeC input: 5V/2A

USB cable input: 5V/2A

TypeC cable output: 5V/2A

lightning cable output: 5V/2A

Material: ABS+PC

Accessory cable length and spec.: 30CM 5V2A

Product size: 78*43*27mm



character: built-in cable, emergency charger, LED lighting, with holder

Model: EB-PC1001
Battery Capacity : 5000mah
TYPE-C input: 5V/2A
Lighting output: 5V/2A
Typec cable: 5V/2A
Material: ABS+PC
Accessory cable length and spec.:
30CM 5V2A
Product size: 79*33.5*27mm



Model:EB-DX121
Battery Capacity : 5000mah
TYPE-C input: 5V/2A
Lighting Output: 5V/2A
Typec cable: 5V/2A
Material: ABS+PC
Accessory cable length and spec.:
30CM 5V2A
Product size: 79*46*26.5mm



Model:EB-DX143
Battery Capacity : 5000mah
TYPE-C input: 5V/2A
Lighting Output: 5V/2A
Typec cable: 5V/2A
Material: ABS+PC
Accessory cable length and spec.:
30CM 5V2A
Product size: 77*36*26mm



Model:EB-TP079

Battery Capacity : 5000mah

TYPE-C input: 5V/2A

Lighting output: 5V/2A

Typec cable: 5V/2A

Material: ABS+PC

Accessory cable length and spec.: 30CM 5V2A

Product size: 79*46*27mm



Model:EB-T185

Battery Capacity : 5000mah

TYPE-C input: 5V/2A

Lighting output: 5V/2A

Material: ABS+PC

Accessory cable length and spec.: 30CM 5V2A

Product size: 79*33.5*27mm

EMOJI POWER BANK 21700 5000MAH 5V 2A TYPE-C, WELCOME ODM ORDER



Battery Capacity : 5000MA

TypeC input: 5V/2A

USB output: 5V/2A

Material: PVC

Accessory cable length and spec.:

5V/2A,30CM,TYPC

EB-P002, 1800MAH, ANY PATTERN AVAILABLE

A compact and rechargeable emergency power bank



Battery Capacity : 1800mAh

Micro input: 5V/1A

USB output: 5V/1A

Material: ABS+PC

Accessory cable length and spec.:
30CM 5V1A

HAND WARMER POWER BANK

character:
classic design, high capacity, TYPEC charging, Aluminum material heating fast, three gears adjustable



Model:EB-NQ7

Battery Capacity: 5000MA

TYPE-C input: 5V/2A

USB output: 5V/2A

The temperature divided three levels: 45 degrees, 52 degrees, and 60 degrees

Material: ABS+metal

Accessory cable length and spec.: 30CM、MICRO、5V/2A

Product size: 102*58*24mm



Model:EB-JH01

Battery Capacity : 5000MA

TYPC input: 5V/2A

USB output: 5V/2A

The temperature divided three levels: 40 degrees, 50 degrees, and 60 degrees

Material: ABS+metal

Accessory cable length and spec.: 5V/2A、TYPC,30CM

Product size: 110x33mm



Bluetooth Speaker

40W high-power speaker unit

Model:EB-H58

Bluetooth Version: 5.3

Battery Capacity: 7.4V 3600mAh

Input: TYPE-C

Speaker : 20W*2

SNR: ≥ 85 dB

Frequency response: 100Hz- 20KHz

THD: 0.8%

Playing time: Max Volume:3H, Middle Volume:6H

Stand by time: 20 days

Function: Bluetooth, TF,AUX,USB,

6.5 microphone interface

Accessory cable length and spec.: USB-TYPE-C

30CM

Product size: 266*106*172mm





Model:EB-Y06
Bluetooth Version: 5.3
Battery Capacity: 500mAh
Input: TYPE-C 5V
Speaker : 5W
SNR: ≥ 85 dB
Frequency response: 100Hz- 20KHz
THD: 0.8%
Playing time: Max Volume:2H, Middle Volume:4H
Stand by time: 20 days
Function: BT, TF
Waterproof: IPX4
Accessory cable length and spec.: USB-TYPE-C 30CM
Product size: 92*44.5*92mm



Model:EB-Y16
Bluetooth Version: 5.3
Battery Capacity: 1200mAh
Input: TYPE-C 5V
Speaker : 5W
SNR: ≥ 85 dB
Frequency response: 100Hz- 20KHz
THD: 0.8%
Playing time: Max Volume:2H, Middle Volume:4H
Stand by time: 20 days
Function: BT, TF,AUX,USB
Waterproof: IPX4
Accessory cable length and spec.(: USB-TYPE-C 30CM
Product size: 150*40*78mm



Model:EB-S100
Bluetooth Version: 5.3
Battery Capacity: 1200mAh
Input: TYPE-C 5V
Speaker : 5W
SNR: ≥ 85 dB
Frequency response: 100Hz- 20KHz
THD: 0.8%
Playing time: Max Volume:3H, Middle Volume:6H
Stand by time: 20 days
Function: BT, TF, USB
Waterproof: IPX5
Accessory cable length and spec.: USB-TYPE-C 30CM
Product size: 95*74*39mm



Model:EB-S28
Bluetooth Version: 5.3
Battery Capacity: 1200mAh
Input: TYPE-C 5V
Speaker : 5W
SNR: ≥ 85 dB
Frequency response: 100Hz- 20KHz
THD: 0.8%
Playing time: Max Volume:3H, Middle Volume:6H
Stand by time: 20 days
Function: BT, TF,AUX,USB
Waterproof: IPX4
Accessory cable length and spec.: USB-TYPE-C 30CM
Product size: 139*43*75mm



Model:EB-S62
Bluetooth Version: 5.3
Battery Capacity: 1200mAh
Input: TYPE-C 5V
Speaker : 5W
SNR: ≥ 85 dB
Frequency response: 100Hz- 20KHz
THD: 0.8%
Playing time: Max Volume:2H, Middle Volume:4H
Stand by time: 20 days
Function: BT, TF,
Waterproof: IPX5
Accessory cable length and spec.: USB-TYPE-C 30CM
Product size: 95*82.5mm



Model:EB-S70
Bluetooth Version: 5.3
Battery Capacity: 500mAh
Input: TYPE-C 5V
Speaker : 3W
SNR: ≥ 85 dB
Frequency response: 100Hz- 20KHz
THD: 0.8%
Playing time: Max Volume:2H, Middle Volume:4H
Stand by time: 20 days
Function: BT, TF, USB,
Waterproof: /
Accessory cable length and spec.: USB-TYPE-C 30CM
Product size: 76.6*112*71.5mm



Model:EB-S68
Bluetooth Version: 5.3
Battery Capacity: 1200mAh
Input: TYPE-C 5V
Speaker : 5W
SNR: ≥ 85 dB
Frequency response: 100Hz- 20KHz
THD: 0.8%
Playing time: Max Volume:2H, Middle Volume:4H
Stand by time: 20 days
Function: BT, TF, USB
Waterproof: /
Accessory cable length and spec.: USB-TYPE-C 30CM
Product size: 83*83*80mm



Model:EB-S86
Bluetooth Version: 5.3
Battery Capacity: 1200mAh
Input: TYPE-C 5V
Speaker : 5W
SNR: ≥ 85 dB
Frequency response: 100Hz- 20KHz
THD: 0.8%
Playing time: Max Volume:2H, Middle Volume:4H
Stand by time: 20 days
Function: BT, TF,AUX,USB
Waterproof: IPX4
Accessory cable length and spec.: USB-TYPE-C 30CM
Product size: 140*84*81mm

40W high-power speaker unit

Model:EB-Y09
Bluetooth Version: 5.3
Battery Capacity: 7.4V 3600mAh
Input: TYPE-C
Speaker : 20W*2
SNR: ≥ 85 dB
Frequency response: 100Hz- 20KHz
THD: 0.8%
Playing time: Max Volume:3H, Middle Volume:6H
Stand by time: 20 days
Function: BT, TF,AUX,USB
Accessory cable length and spec.: USB-TYPE-C 30CM
Product size: 280*183*149mm



No Bluetooth

Autoplay

Intelligent sensing bracket speaker

Built in sensitive sensor

Put on the connected audio system

No need to turn on the Bluetooth switch,

it automatically connects

when placed on the bracket



Model:EB-ZF18

Bluetooth Version: 5.3

Battery Capacity: 3.7V/500mAh

Micro input: 5V/1A

Speaker : 4Ω5W*1 52mm

SNR: ≥ 80 dB

Frequency response: 100Hz-18KHz

Playing time: Max Volume:2H, Middle Volume:4H

Stand by time: Six months

Accessory cable length and spec:

30CM、5V/1A、Typec

Product size: 136*108*92mm



Seven-color Light Wireless Bluetooth Speaker



Model:EB-M3
Bluetooth Version: JL5.3
Battery Capacity: 3.7V/400mAh
Typec input: 5V/0.5A
Speaker : 4Ω5W*1
SNR: ≥ 75 dB
Frequency response: 20Hz-20KHz
Playing time: Max Volume:1.5H, Middle Volume:3H
Stand by time: Six months
Accessory cable length and spec:
30CM、5V/1A、Typec
Product size: 110*110*120mm

Model:EB-M4
Bluetooth Version: JL5.3
Battery Capacity: 3.7V/400mAh
Typec input: 5V/0.5A
Speaker : 4Ω5W*1
SNR: ≥ 75 dB
Frequency response: 20Hz-20KHz
Playing time: Max Volume:1.5H, Middle Volume:3H
Stand by time: Six months
Accessory cable length and spec:
30CM、5V/1A、Typec
Product size: 110*110*130mm

Karaoke Bluetooth speaker high sound quality



Model:EB-MY162

Bluetooth Version: JL5.3

Speaker battery capacity: 3.7V/3000mAh

Microphone battery capacity: 3.7V/600mAh

Typec input: 5V/1A

voice tube input: 5V/0.5A

Speaker : 3Ω/10W*1

SNR: ≥ 60 dB

Frequency response: 60Hz-20KHz


Playing time:Max Volume: 3 hours .Middle Volume:6 hours

Stand by time (standby time) :Six months

cable length and spec: 30CM、5V/1A

Product size: 168*139*171 mm

Fabric speaker
high sound quality



Model:EB-MY181
Bluetooth Version: JL5.3
Battery Capacity: 3.7V/1800mAh
Typec input: 5V/1A
Speaker : 4Ω5W*2 + vibrating diaphragm*1
SNR: ≥ 95 dB
Frequency response: 100Hz-20KHz
Playing time: Max Volume:2H, Middle Volume:4H
Stand by time: Six months
Accessory cable length and spec:
30CM、5V/1A、Typec
Product size: 213*75*75mm

Mini speaker
high sound quality



Model:EB-MY183
Bluetooth Version: JL5.3
Battery Capacity: 300mAh
Typec input: 5V/0.5A
Speaker : 4Ω3W
SNR: ≥ 75 dB
Frequency response: 100Hz-20KHz
Playing time: Max Volume:2H, Middle Volume:4H
Stand by time: Six months
Accessory cable length and spec:
30CM、5V/1A、Typec
Product size: 58*58*30mm



Bathroom speaker

Model:EB-2408

Bluetooth Version: JL5.3

Battery Capacity: 300mAh

Typec input: 5V/0.5A

Speaker : 4Ω/5W*1

SNR: ≥ 75 dB

Frequency response: 20Hz-20KHz

Playing time: Max Volume:2H, Middle Volume:4H

Stand by time: Six months

Waterproof: IPX5

Accessory cable length and spec: 5V1A

Product size: 125*100*80mm

Product NW.: 210g



EB-DK-HYD1 Bluetooth speaker

FEATURES

- .The atmosphere of flickering flames light
- .Standard screw hole easily connect pillar to insert into the lawn or hang in the tent.etc.
- .Broadcasting function more than two pcs TWS connection
- .IPX4

SPECIFICATIONS

Bluetooth Version: 5.3

Battery Capacity: 1200mAh

Input: Mirco 5V/1A

Speaker : 5W

SNR: ≥ 80 dB

Frequency response: 100Hz- 20KHz

THD: 0.8%

Playing time: Max Volume: 2H, Middle Volume: 4H

Stand by time: 20 days

size: 165*98mm





IPX4
Flame light
Removable Stake
Broadcasting
(more than two pcs TWS connection)



Model:EB-P5
Bluetooth Version:
JL5.3
Battery Capacity:
3600MA
TYPC input:
5V/1A
Speaker :
4Ω 10W



Model: EB-M9
Bluetooth Version:
5.3
Battery Capacity:
1800mah
Typc input: 5V/1A
Speaker :
8W



Model: EB-K9
Bluetooth Version:
5.0
Battery Capacity:
1200mah
TYPC Input:
5V1.5A
Speaker :
5W



Model: EB-Q53
Bluetooth Version:
5.3
Battery Capacity:
600MAH
TypeC input:
DC 5V
Speaker :
5W



Model:EB-S32
Bluetooth Version:
5.0
Battery Capacity:
500mAh
Input:
5V
Speaker :
3W



Model: EB-M15
Bluetooth Version:
JL5.3
Battery Capacity:
3.7V/200mAh
TYPC Input:
5V/0.2A
Speaker :
4Ω3W

The end

Thank you!

