

SUNJOY WONGGUAN SUNJOY ELECTRONIC TECHNOLOGY CO.,LTD

Item No.	Image	Specification	Package	Packing details
Wired Gaming Mouse				
GM3310 (private mode)		8D Wired RGB gaming mouse 1. Chip: original phase PAW3327 + MCU Hetai 541 2. Switch lifetime: Huano 20 million 3. DPI: 800-1200-1600-2000-2800-3600-6200 (the highest can be adjusted to 12400) 4. Lighting: full-colour RGB 5. Process: surface matte UV + laser engraving 6. Cable length: 1.8M braided wire with magnetic ring		60pcs/ctn
GM3312		7D RGB Gaming Mouse 1. Chip: 725 + MCU Hetai 541 2. Switch life: Huanyu 20 million 3. DPI: 800-1200-2400-3200-4800-7200dpi 4. Lighting: full-colour RGB 5. Process: transparent + plating 6. Cable: 1.8M braided wire with magnetic ring		60pcs/ctn
GM3320		9D Programmable RGB Gaming Mouse 1. Chipset: Lingyang 193, with memory storage chipset 2. DPI :800-1200(default)-2400-3200-4800-6400 3. 1.5m braided cable with magnetic ring 4. UV surface, rubber rollers 5. RGB running light, multiple light modes 6.LOGO light up		60pcs/ctn
GM3325		7D Programmable RGB Gaming Mouse 1. Chipset 725 with Mcu 2. DPI: 1000-2400-3200-4800-6400-7200 3. Polling Rate: 125Hz 4. Accelerated speed: 20G for gaming mouse 5. Switch lifetime: 5 million clicks with Huano brand 6. LED: RGB running light 7. Cable Length: 1.5m nylon braided USB 8. Print: matte black with carving pattern and logo 9. Mouse size: 124*66*40mm 10. This kind of structure can protect the PCB from the dust		60pcs/ctn
GM3330		6D Transparent material gaming mouse 1. DPI: 1000-2400-3200-4800-6400-7200DPI 2. Chipset 725+D26 MCU 3. Polling Rate: 1000Hz 4. Accelerated speed: 20G for gaming mouse 5. Switch lifetime: 10 million clicks 6. LED: RGB running light 7. Cable Length: 1.5m nylon braided USB		60pcs/ctn
GM3360		8D wired hole gaming mouse with software 2. IC 6651+MCU 3. Polling Rate: 1000Hz 4. Accelerated speed: 20G for gaming mouse 5. Switch lifetime: 10 million clicks with Huano brand 6. LED: RGB running light 7. DPI: 800-1600-3200-4800-6400-12800DPI 8. Cable Length: 1.5m nylon braided USB 9. Mouse size: 125*80*40mm Print: matte black with carving logo		60pcs/ctn

 GM3380+		<ol style="list-style-type: none">1. 7D wired gaming mouse with software2. IC 825 with Mcu3. Polling Rate:1000Hz4. Accelerated speed: 20G for gaming mouse5. Switch lifetime: 10 million clicks with Huano brand6. LED: RGB running linght7. DPI: 800-1600-3200-4800-6400-12800DPI8. Cable Length: 1.5m nylon braided USB9. Mouse size:124*71*39mm10. Print: matte UV with logo11. Both of side can do any pattern		60pcs/ctn
--	---	--	---	-----------

 GM3400		8D wired gaming RGB luminous mouse Product size: 122*68*36mm Chip: 725F DPI: 800-1200-2400-3200-4800-7200 Return rate :125HZ Lighting effects: 13 lighting modes Wire: Braided wire exposed 1.5 meters Switch life: left and right key Huano 3 million times		60pcs/ctn
GM100		7D Wired Gaming Mouse 1.DPI:1200-1800-2400-3600 2.Chipset: 603EP 3. Size: 130*82*33mm 4.Return rate: 125HZ 5.Lighting effect: 7 colours lighting 6.Cable length: braided cable 1.5m 7. Switch life: left and right key Huano 3 million time		60pcs/ctn
GM110		4D Wired Gaming Mouse 1.DPI:1200-1800-2400-3600 2.Chipset: 603EP 3.Size: 123 × 63 × 42mm 4.Lighting effect: 7 colours lighting 5.Cable length : PVC cable 1.5m S6.witch life: left and right keys Huano 3 million time		60pcs/ctn
GM4755		6D Wired Rainbow lighting gaming mouse 1.IC:603EP 2.DPI:1200-1800-2400-3600 3.Mouse size:120*74*40mm 4.Mouse weight:73.6g 5.Cable: 1.5m PU cable 6.Lighting:Breathing lighting		60pcs/ctn
Rechargeable Dual mode Gaming mouse				
 GW100		7D RGB light gaming mouse without software 1. DPI: 800-1600-3200-4800 2.Sensor:PixArt 3212 (Dual modes, 2.4G wireless & bluetooth) 3. With black matte UV 4.Accelerated speed :10G for really gaming mouse 5. Switch life time :5million Huano switch 6. LED:RGB running lights 7. Polling rate: 125Hz 8. mouse weight : 135g+/-5 G 9. cable 1.5M TYPE-C PVC cable 10. Mouse size :124*66*40mm 11.Recharging battery: 700mAh 12.Exchange back cover by magnet		60pcs/ctn
 GW110		9D Wireless Rechargeable Dual Mode Gaming Mouse 1.DPI:1200-1600-2400-4800 2.Programme:Hantianxia+3212 3.Switch: Huano 5 million times 4.Size: 126.5 * 83 * 46mm 5.Weight: 135g 6. Material: ABS injection moulding plating, oil spraying, rubber 7.Battery:500mAh 8.Interface type:TYPE-C charging port		60pcs/ctn
 GW150		6D Bluetooth+2.4G dual mode mouse 1. Solution and Chipset: Han tianxia6621D + 3212 2.DPI: 800-1600-2400-4800 3. Return rate :250hz 4. Size: 112 * 58 * 40mm 5.Cable: PVC charging cable exposed 0.5m(type-c) 6. Switch life: left and right keys Huano 3 million times 7.Battery : 300ma 8. Product weight:65g without receiver		60pcs/ctn


 <p>GM160 (light weight)</p>		<p>6D Wired+Bluetooth+2.4G Tri-mode mouse</p> <ol style="list-style-type: none"> 1. Solution and Chipset: TLSR8355+3325 2.DPI: 1200-2400-3200-4800-8000-10000 3. Return rate : 125-250-500-1000hz 4. Size: 123*67*42mm 5. Cable: Umbrella Cable Data Cable 1.5m 6. Switch life: left and right keys Huano 20 million times 7. Battery life: 300ma 8. Product weight:53g without receiver 		60pcs/ctn
 <p>GM170 (light weight)</p>		<p>6D Wired+Bluetooth+2.4G Tri-mode mouse</p> <ol style="list-style-type: none"> 1. Solution and Chipset: TLSR8355+3325 2.DPI: 1200-2400-3200-4800-8000-10000 3. Return rate : 125-250-500-1000hz 4. Size: 123*67*42mm 5. Cable: Umbrella Cable Data Cable 1.5m 6. Switch life: left and right keys Huano 20 million times 7. Battery life: 300ma 8. Product weight:55g without receiver 		60pcs/ctn
 <p>GM175</p>		<p>6D Wired+Bluetooth+2.4G Tri-mode mouse</p> <ol style="list-style-type: none"> 1. Chipset: PMW3325+MCU Tailingwei 2. Cable: 1.5m TYPE-C interface transmission cable 3. Switch lifetime: huano 20 million 4. Process: left and right silicone process, weight 85 grams 5. Return rate: 2.4G state return rate of 1000Hz 6. DPI: actual up to 5000 7. Battery: 650 mAh 		60pcs/ctn
 <p>GM180 (light weight)</p>		<p>7D Tri-modeWired+2.4g+BT Gaming Mouse</p> <ol style="list-style-type: none"> 1. Chip: PMW3325 + MCU Tailingwei 2. Cable: 1.8m TYPE-C interface transmission line umbrella rope line 3. Left and right micro-movement: Huano 20 million 4. Process: surface LOGO silkscreen 5. Return rate: 2.4G state Return rate 1000Hz with driver software 6. DPI: 800-1200-1600-2400-3600-5000 7. Battery: 650 mAh 8. Weight: 62g 		60pcs/ctn
 <p>GM185 (light weight)</p>		<p>7D Wired+Bluetooth+2.4G Tri-mode mouse</p> <ol style="list-style-type: none"> 1. Chipset: PMW3325+MCU Tailingwei 2. Cable: 1.8m TYPE-C interface transmission cable Umbrella rope cable 3. Switch lifetime:: Huano 20 million 4. Process: surface LOGO silkscreen 5. Return rate: 2.4G state return rate 1000Hz with driver software 6. DPI: 800-1200-1600-2400-3600-5000 7. Battery: 650 mAh 8. Weight: 78g 		60pcs/ctn

 GM190 (light weight)	 	1.Chipset:PAW3212 2.MCU: Fu Rui Kun 3.Cable: 1.6 m TYPE-C interface transmission cable Pvc cable 4.Left and right micro-movement: Huano 20 million times 5.Process: surface LOGO silkscreen 6.Return rate: 2.4G state Return rate 1000Hz With driver software 7.DPI: 800-1200-1600-2400-4800 8.Lighting Mode: Tail a circle of RGB 9.Battery: 400 mAh 10.Weight: 58 grams		60pcs/ctn
		1.Chipset:PMW3325 2.MCU: Tai ling wei 3.Cable: 1.8m TYPE-C connector transmission cable Umbrella rope cable 4.Left and right micro-movement: Huano 20 million times 5.Process: surface LOGO silkscreen 6.Return rate: 2.4G state Return rate 1000Hz With driver software 7.DPI: 800-1200-1600-2400-3600-5000 8.Lighting Mode: Tail a circle of RGB 9.Battery: 400 mAh 10.Weight: 58 grams		60pcs/ctn
		1.Chipset:PAW3311 2.MCU: Tai ling wei 3.Cable: 1.8m TYPE-C connector transmission cable Umbrella rope cable 4.Left and right micro-movement: Huano 20 million times 5.Process: surface LOGO silkscreen 6.Return rate: 2.4G state Return rate 1000Hz With driver software 7.DPI: 800-1200-1600-2400-5000-12000 8.Lighting Mode: Tail a circle of RGB 9.Battery: 400 mAh 10.Weight: 58 grams		60pcs/ctn
		1.Chipset:PAW3395 2.MCU: Tai ling wei 3.Cable: 1.8m TYPE-C connector transmission cable Umbrella rope cable 4.Left and right micro-movement: Huano 50 million times 5.Process: surface LOGO silkscreen 6.Return rate: 2.4G state Return rate 1000Hz With driver software 7.DPI: 800-1200-2000-3600-6000-26000 8.Lighting Mode: Tail a circle of RGB 9.Battery: 400 mAh 10.Weight: 58 grams		60pcs/ctn

SUNJOY DONGGUAN SUNJOY ELECTRONIC TECHNOLOGY CO.,LTD

Item No.	Image	Specification	Package	Packing details
Wired Office Mouse				
 M10 (one keys return to desktop)		4D Wired mouse 1.IC solution: MA8733 2.DPI: 1200 3. Left and right switch lifetime: 1 million times 4. Cable: 2.6*1.35M PU Cable 5. Material: ABS		100pcs/ctn
 M11		3D Wired mouse 1.IC solution: MA8733 2.DPI: 1200 3. Left and right switch lifetime: 1 million times 4. Mouse size: 110*60*36mm 5. Weight: 96g±10g 6. Cable: 2.6*1.35M PU Cable 7. Material: ABS		100pcs/ctn
 M12		3D Wired mouse 1.IC solution: MA8733 2.DPI: 1200 3. Left and right switch lifetime: 1 million times 4. Mouse size: 115*61*38mm 5. Weight: 96g±10g 6. Cable: 2.6*1.35M PU Cable 7. Material: ABS		100pcs/ctn
 M13		3D Wired mouse 1.IC solution: MA8733 2.DPI: 1200 3. Left and right switch lifetime: 1 million times 4. Cable: 2.6*1.35M PU Cable 5. Material: ABS		100pcs/ctn
M14		4D Wired mouse 1.IC solution: MA8733 2.DPI: 1200 3. Left and right switch lifetime: 1 million times 4. Cable: 2.6*1.35M PU Cable 5. Material: ABS		100pcs/ctn
M15		3D Wired mouse 1.IC solution: MA8733 2.DPI: 1200 3. Left and right switch lifetime: 1 million times 4. Cable: 2.6*1.35M PU Cable 5. Material: ABS		100pcs/ctn
M16		3D Wired mouse 1.IC solution: MA8733 2.DPI: 1200 3. Left and right switch lifetime: 1 million times 4. Mouse size: 120*60*38mm 5. Weight: 96g±10g 6. Cable: 2.6*1.35M PU Cable 7. Material: ABS		100pcs/ctn

M17		3D Wired mouse 1.IC solution: MA8733 2.DPI: 1200 3. Left and right switch lifetime: 1 million times 4. Mouse size: 118*46*45mm 5. Weight: 68g±10g 6. Cable: 2.6*1.35M PU Cable 7. Material: ABS		200pcs/ctn
M18		3D Wired mouse 1.IC solution: MA8733 2.DPI: 1200 3. Left and right switch lifetime: 1 million times 4. Mouse size: 120*60*38mm 5. Weight: 96g±10g 6. Cable: 2.6*1.35M PU Cable 7. Material: ABS		200pcs/ctn
M19 (cheapest)		3D Wired mouse 1.IC solution: MA8733 2.DPI: 1200 3. Left and right switch lifetime: 1 million times 4. Mouse size: 110*46*45mm 5. Weight: 100g±10g 6. Cable: 2.6*1.35M PU Cable 7. Material: ABS		200pcs/ctn
M21 (environment friendly materials, good quality)		3D Wired mouse 1.IC solution: MA8733 2.DP1:1200 3. Left and right switch lifetime: 3 million times 4. Material: ABS 5. Cable length: 1.5m		100pcs/ctn
M22 (logitech GPW)		3D Wired mouse 1.IC solution: MA8733 2.DP1:1200 3. Left and right switch lifetime: 3 million times 4. Material: ABS 5. Cable length: 1.35m		100pcs/ctn
M23 (private model)		3D Wired Mouse 1.Material:ABS 2.Chipset:MX8650/KA8 3.DPI:1200 4.Micro switch:3 million times 5. Electroplating + leather ring scroll wheel		100pcs/ctn
M24 (private model)		3D Wired Mouse 1.Material:ABS 2.Chipset:MX8650/KA8 3.DPI:1200 4.Micro switch:3 million times 5. Electroplating + leather ring scroll wheel		100pcs/ctn
M25		3D wired mouse 1.Chipset: 8733 2.DPI: 1000 3.Switch: 1 million times 4.Cable: 2.6×1.2m leather wire 5.Size :115*66*40mm 6.Material: ABS		100pcs/ctn
Wired LED lighting Mouse				


M100		3D Wired LED mouse 1.IC solution: MA8733 2.DPI: 1000 3. Left and right switch lifetime: 1 million times 4. Mouse size: 130*68*39mm 5. Weight: 96g±10g 6. Lighting mode:Rainbow 7. Material: ABS		100pcs/ctn
M101		4D Wired LED mouse 1.IC solution: MA8733 2.DPI: 800-1200-1600 3. Left and right switch lifetime: 3 million times 4. Mouse size: 160*80*45mm 5. Weight: 125g±10g 6. Lighting mode:Rainbow 7. Material: ABS		100pcs/ctn
M102		3D Wired LED mouse 1.IC solution: MA8733 2.DPI: 800-1200-1600 3. Left and right switch lifetime: 3 million times 4. Mouse size: 118.5*64*37mm 5. Weight: 100g±10g 6. Lighting mode:Rainbow 7. Material: ABS		100pcs/ctn
M104		6D Wired LED mouse 1.IC program: A603EP 2. DPI: 1200-1800-2400-3600 3. Left and right switch: 5 million times 4. Mouse machine size: 115*62*38mm 5. Weight: 100g±10g 6. Cable: 2.6 * 1.35M PU Cable 7. Light: rainbow light 8. Material: ABS		100pcs/ctn
M105		6D Wired LED mouse 1.IC solution: A603EP 2. DPI: 1200-1800-2400-3600 3. Left and right switch: 5 million times 4. Mouse machine size: 130*72*41mm 5. Weight: 135g±10g 6. Cable: 2.6 * 1.5M braided Cable 7. Light: rainbow light 8. Material: ABS		100pcs/ctn
M106		4D Wired LED mouse 1.IC solution: MA8733 2.DPI: 800-1200-1600 3. Left and right switch lifetime: 3 million times 4. Lighting mode:Rainbow 5. Material: ABS		100pcs/ctn
M108		4D Wired LED mouse 1.IC solution: MA8733 2.DPI: 800-1200-1600 3. Left and right switch lifetime: 3 million times 4. Lighting mode:Rainbow 5. Material: ABS 6.Cable length: 1.5m		100pcs/ctn
M109		3D Wired LED mouse 1.IC solution: MA8733 2.DPI: 1200 3. Left and right switch lifetime: 3 million times 4. Lighting mode:Rainbow 5. Material: ABS		100pcs/ctn

 M110		4D Wired LED Mouse 1.IC:8504 2.DPI:800/1200/1600 3. Left and right switch lifetime: 3 million times 4. Lighting mode:Rainbow		100pcs/ctn
 M111		3D Wired mouse 1.IC solution: MA8733 2.DPI: 1200 3. Left and right switch lifetime: 3 million times 4. Lighting mode:Rainbow 5. Material: ABS		100pcs/ctn

SUNJOY LONGGUAN SUNJOY ELECTRONIC TECHNOLOGY CO.,LTD


Item No.	Image	Specification	Package	Packing details
Rechargeable wireless mouse				
MS02 (Transparent)		4D Wireless Rechargeable Dual mode Mouse 1.2.4G+bluetooth+charging 2.DPI: 800-1200-1600 3.Chipsetset: yizhaowei + KA8G2/8650 4.Switch life: left and right 5 million times, 300,000 times encoder 5.Shell PC transparent material, its ABS high-gloss rubber material		100pcs/ctn
MS03		6D Wireless Rechargeable Dual mode Mouse 1. Programme: Broadcom +3205 2.Switch life: Huano 5 million times 3.Size: 110 * 75 * 80mm 4.Weight: 100g 5.Battery: 700 mAh 6.Material: ABS injection moulding, electroplating, oil spraying		100pcs/ctn
MS04		6D Wireless Rechargeable Dual mode Mouse 1.2.4G+Bluetooth+Charging 2.DPI: 800-1200-2400 3.Chipset: KA8G2/8650 4.Switch life: left and right 5 million times, 300,000 times encoder 5.Battery: 500mA		100pcs/ctn
MS05 (with power display)		6D Wireless Rechargeable Dual mode Mouse 1.2.4G+Bluetooth+Charging 2.DPI: 800-1200-2400 3.Chipset: KA8G2/8650 4.Switch life: left and right 5 million times, 300,000 times encoder 5.Battery: 500mA 6.with power display		100pcs/ctn
MS06		4D Wireless Rechargeable Dual mode Mouse 1.DPI:800-1200-1600 2. Middle case Bottom case Black material Leather rim Wheel 3.Battery:500mAh 4.2.4G(Dual mode) wireless connection(Hantianxia Programme) 5.IC:8650 6. Switch life: mute 3 million times 7.Size:102*64*34mm		100pcs/ctn
MS07		6D Wireless Rechargeable Dual mode Mouse 1.DPI:800-1200-1600 2. Middle case Bottom case Black material Leather rim Wheel 3.Battery:500mAh 4.2.4G(Dual mode) wireless connection(Hantianxia Programme) 5.IC:8650 6. Switch life: mute 3 million times		100pcs/ctn
MS08		4D Wireless Rechargeable Dual mode Mouse 1.Programme: Tailingwei 2.Chipset: KA8 3.DPI:800-1200-1600 4. Micro switch: 1 million times 5. Battery: 500 mA 6. With charging cable		100pcs/ctn
MS09 (similar Logitech GPW)		4D Wireless Rechargeable Dual mode Mouse 1.Programme: Hantianxia 2.Chipset:MX8650/KA8 3.DPI:800-1200-1600 4. Micro switch: Huano 5 million times 5.Material: ABS material 6.Battery: 500ma		100pcs/ctn

Wireless mouse (with AA/AAA battery)

		<p>4D Wireless Mouse</p> <p>1.Programme: Telink Micro/Easy Sowell</p> <p>2.Chipset:MX8650/KA8</p> <p>3.DPI:1200</p> <p>4. Micro switch: Huanyu 5 million times</p> <p>5. Bottom with DPI switch button + leather scroll wheel + non-slip feet</p> <p>6.Material: ABS material</p> <p>7.Battery: 1*AA</p>		100pcs/ctn
		<p>4D Wireless Mouse</p> <p>1.Programme: Tailingwei/yizhaowei</p> <p>2.Chipset:MX8650/KA8</p> <p>3.DPI:800-1200-1600</p> <p>4. Switch: Huanyu 5 million times</p> <p>5. Bottom with DPI switch button + leather scroll wheel + non-slip feet</p> <p>6.Material: ABS material</p> <p>7.Battery: 1*AA</p>		100pcs/ctn
		<p>4D Wireless Mouse</p> <p>1.Programme: Tailingwei/yizhaowei</p> <p>2.Chipset:MX8650/KA8</p> <p>3.DPI:800-1200-1600</p> <p>4. Switch: Huanyu 5 million times</p> <p>5.leather scroll wheel + non-slip feet</p> <p>6.Material: ABS material</p> <p>7.Battery: 1*AA</p>		100pcs/ctn
		<p>4D Wireless Mouse</p> <p>1.Programme: Tailingwei/yizhaowei</p> <p>2.Chipset:MX8650/KA8</p> <p>3.DPI:800-1200-1600</p> <p>4.Switch:3 million times</p> <p>5.metal wheel</p> <p>6.Material: ABS material</p> <p>7.Battery: 1*AA</p>		100pcs/ctn
		<p>6D Wireless Mouse</p> <p>1.Programme: Han tianxia</p> <p>2.Chipset:MX8650/KA8</p> <p>3.DPI:800-1200-1600</p> <p>4.Switch:Huano 3 million times</p> <p>5.Rubber scroll wheel</p> <p>6.Material: ABS material</p> <p>7.Battery: 1*AA</p> <p>8.Process: oil spraying + matte UV</p>		100pcs/ctn
		<p>6D Wireless Mouse</p> <p>1.Programme: Han tianxia</p> <p>2.Chipset:MX8650/KA8</p> <p>3.DPI:800-1200-1600</p> <p>4.Switch:Huano 3 million times</p> <p>5.Rubber scroll wheel</p> <p>6.Material: ABS material</p> <p>7.Battery: 1*AA</p>		100pcs/ctn
		<p>4D Wireless Mouse</p> <p>1.Programme: Han tianxia</p> <p>2.Chipset:MX8650</p> <p>3.DPI:800-1200-1600</p> <p>4.Switch:3 million times</p> <p>5.Rubber scroll wheel</p> <p>6.Material: ABS material</p> <p>7.Battery: 2*AAA</p>		100pcs/ctn
		<p>3D Wireless Mouse</p> <p>1.Programme: Han tianxia</p> <p>2.Chipset:MX8650</p> <p>3.DPI:1200</p> <p>4.Switch:3 million times</p> <p>5.Rubber scroll wheel</p> <p>6.Material: ABS material</p> <p>7.Battery: 2*AAA</p>		100pcs/ctn
		<p>3D Wireless Mouse</p> <p>1.Programme: Yizhaowei</p> <p>2.Chipset:MX8650/KA8</p> <p>3.DPI:1200</p> <p>4.Switch:3 million times</p> <p>5.Rubber scroll wheel</p> <p>6.Material: ABS material</p> <p>7.Battery: 2*AAA</p>		100pcs/ctn

WM111		4D Wireless Mouse 1.Programme: Yizhaowei 2.Chipset:MX8650/KA8 3.DPI:800-1200-1600 4.Switch:3 million times 5.Transperant+Rubber scroll wheel 6.Material: ABS material 7.Battery: 1*AA		100pcs/ctn
WM112		4D Wireless Mouse 1.Programme: Yizhaowei 2.Chipset:MX8650/KA8 3.DPI:800-1200-1600 4.Switch:3 million times 5.Plastic scroll wheel 6.Material: ABS material 7.Battery: 1*AA		100pcs/ctn
WM113		4D Wireless Mouse 1.Programme: Yizhaowei 2.Chipset:MX8650/KA8 3.DPI:800-1200-1600 4.Switch:3 million times 5.Plastic scroll wheel 6.Material: ABS material 7.Battery: 1*AA		100pcs/ctn
WM114		3D Wireless Mouse 1.Programme: Han tianxia 2.Chipset:MX8650/KA8 3.DPI: 1200 4.Switch:3 million times 5.Plastic scroll wheel + non-slip footpad 6.Material:ABS 7.Battery:2*AAA		100pcs/ctn
WM115		3D Wireless Mouse 1.Programme: Yizhaowei 2.Chipset:MX8650/KA8 3.DPI:1200 4.Switch:3 million times 5.Plastic scroll wheel 6.Material:ABS 7.Battery:2*AAA 8. Rubber oil spraying		100pcs/ctn
WM116		4D Wireless Mouse 1.Programme: Yizhaowei 2.Chipset:MX8650/KA8 3.DPI:800-1200-1600 4.Switch:3 million times 5.Plastic scroll wheel 6.Material:ABS 7.Battery:2*AAA		100pcs/ctn
WM117		3D/4D Wireless Mouse 1.Programme: Han tianxia 2.Chipset:MX8650/KA8 3.DPI:800-1200-1600 4.Micro switch:3 million times 5.Electroplating + leather ring scroll wheel 6.Material:ABS 7.Battery:2*AAA		100pcs/ctn
WM118		3D/4D Wireless Mouse 1.Programme: Han tianxia 2.Chipset:MX8650/KA8 3.DPI:800-1200-1600 4.Micro switch:3 million times 5. Electroplating + leather ring scroll wheel 6.Material:ABS 7.Battery:2*AAA		100pcs/ctn
WM119		4D Wireless Mouse 1.Chipsetset :MX8650/KA8 2.DPI:800-1200-1600 3. Switch lifetime: 3 million times 4. Non-slip foot pads at the bottom 5. Product material :ABS environmental protection material 6. Material :ABS material 7. Battery :1*AA		100pcs/ctn

WM120		3D Wireless Mouse 1. Chipset :MX8650/KA8 2. DPI:1200 3. Micro switch: 3 million times 4. Spray rubber oil on keys 5. Material :ABS material 6. Battery :1*AA		100pcs/ctn
WM121		4D wireless mouse 1. Chipset :MX8650/KA8 2. DPI:800-1200-1600 3. Micro switch: 3 million times - 4. Non-slip foot pads at the bottom 5. Material :ABS material 6. Battery :1*AA		100pcs/ctn
 WM123 (cheapest)		4D Wireless Mouse 1. Chipset:MX8650/KA8 2. DPI:800-1200-1600 3. Switch:1 million times 5. Size: 114.5*63*37.5mm 6. Material: ABS material 7. Battery: 2*AAA		100pcs/ctn
Wireless Dual mode Mouse (Bluetooth+2.4G)				
 BW10		6D wireless dual-mode mouse 1. Connection mode: 2.4G+ Bluetooth 2. Chipset :MX8650/KA8 3. DPI:800-1200-1600 4. Switch lifetime: 3 million times 5. Toggle the bottom switching mode 6. Material :ABS material 7. Battery :1 * AA		100pcs/ctn



Item No.	Image	Discription	Package	Noted	Packing details
Mechanical keyboard					
GMK-100		104 Keys wired meachanical keyboard 1.Metal panel,all keys anti-ghost 2.Cable: 1.6m USB leather cable 3.Lighting: 20 + 8 light-emitting modes monochrome / mixed light 4. ABS two-colour injection keycaps		Price is basic on black color	10pcs/ctn
GMK-101 (Tri-Mode RGB)		81 Keys with Knob Tri-Mode(wired + BT + 2.4G) Mechanical Keyboard 1. Programme: EZ Micro RGB 2.PCB: Double-sided board 3. Keycaps: ABS two-colour injectionn keycaps 4. Cable length: 1.5m long, PVC material 5. Battery capacity: 2000 mAh 6.Connection: Wired, 2.4G, Bluetooth 7.YH welded shaft, all keys anti-ghost, 22 light-emitting mode		Price is basic on black color	10pcs/ctn
GMK-102 (Tri-Mode RGB,hot swap)		98 Keys Tri-mode (wired + BT + 2.4G) RGB lighting mechanical keyboard 1. Keycap: ABS two-colour injection moulding 2. Lighting: RGB 3. Cable specification: Type-C plug-in cable 1.6m 4. Material: ABS 5.PCBA material: RF-4 6.Product size: 398*136*39mm 7.Product unit weight: 1100±10g 8.Battery: Li-ion battery 3000mAh			10pcs/ctn
GMK-103 (Tri-Mode RNW)		100 Keys Tri-Mode (Wired + BT + 2.4G) Rainbow Illuminated Mechanical Keyboard 1. Keycap: ABS two-colour injection moulding 2. Light effect: rainbow luminous 3. Cable specification: Type-C plug-in cable 1.6 metres 4. Material: ABS 5.PCBA material: 22F single panel 6.Product size: 396.5*122.5*42mm 7.Product unit weight: 892±10g 8.Battery: Li-ion battery 2000mAh		Price is basic on black color	10pcs/ctn
GMK-104 (Tri-Mode RNW)		87 Keys Tri-Mode (Wired + BT + 2.4G) Rainbow Illuminated Mechanical Keyboard 1. Keycaps: ABS two-colour injection moulding 2. Light effect: rainbow light 3. Cable specifications: Type-C plug line 1.6 metres 4. Material: ABS 5.PCBA material: 22F single panel 6.Product size: 362*135*37mm 7.Product unit weight: 1013±10g 8.Battery: Li-ion battery 2500mAh			10pcs/ctn
GMK-110		104 keys Backlit Mechanical Keyboard 1.Plastic panel· 26 Anti-Ghost 2.ABS two-color injection keycaps. 3.With removable hand rest 4.Blue switches 5.Rainbow lighting 6.PVC cable 4.5mm*1.5m			10pcs/ctn
GMK-120		104-key floating wired mechanical keyboard 1.Metal panel,all keys anti-ghost 2.Cable: 1.6m USB leather cable 3. Luminous: 20 + 8 light-emitting modes 4. Keycaps: ABS two-colour keycaps 5.Size: 440*136*36mm		Price is basic on black color	10pcs/ctn



GMK-140		61 keys embedded keycaps, key cable separation mechanical keyboard 1.Cable: Type-C plug-in cable 1.6 metres 2.Lighting: 20 + 8 light-emitting modes 3.Keycaps: ABS two-colour keycaps 4.Size: 293*102*38mm 5.Weight: 490±10g, built-in steel plate			10pcs/ctn
GMK-145		21Key Wired Mechanical Keyboard 1. Keycaps: two-colour injection moulding, floating keycaps. Keycap. 2.LED light effects: 9 modes 3. Cable: PVC glossy line, length 1.5M 4. Material: face cover bottom shell injection moulding ABS raw materials, EVA non-slip foot pad. 5. Shaft can be customised			10pcs/ctn
GMK-200		104Key Wired Mechanical Keyboard 1. Keycaps: two-colour injection moulding, floating keycaps. 2.LED light effect: 9 modes. 3. Cable: PVC cable length 1.5M 4. Material: face cover and bottom shell injection moulding ABS raw materials, large support tripod, EVA anti-skid feet. 5. 26 kyes anti-ghost 6. Switch: blue, red, brown switch			10pcs/ctn
GMK-201 (GASKET)		98Keys GASKET Structure Mechanical Keyboard 1.GASKET structure surrounded by silicone spacers + PC positioning plate + sandwich cotton + knobs + PVC logo sheet + triple-colour injection-moulded keycaps. 2. HUANO Switch 3. Cable :Type-C plug and play cable 1.5M in length with magnetic ring. 4. Battery: 2000 mAh 5. All keys anti-ghost (wired and tri-mode monochrome light is xinyao programme) (wired and tri-mode RGB is the weisheng programme)			10pcs/ctn
GMK-202 (GASKET)		98Keys GASKET Structure Mechanical Keyboard 1.GASKET structure surrounded by silicone spacers + PC positioning plate + sandwich cotton + knobs + PVC logo sheet + triple-colour injection-moulded keycaps. 2. HUANO Switch 3. Cable :Type-C plug and play cable 1.5M in length with magnetic ring. 4. Battery: 2000 mAh 5. All keys anti-ghost (wired and tri-mode monochrome light is xinyao programme) (wired and tri-mode RGB is the weisheng programme)			10pcs/ctn
GMK-203 (GASKET)		67keysGASKET Structure Mechanical Keyboard 1.GASKET structure surrounded by silicone spacers + PC positioning plate +sandwich cotton + metal knobs +Upper and lower cover aluminum alloy die casting powder+PC slotted positioning plate 2. chipset: WEISHENG 3. Cable :Type-C Plug and pull and Pure copper wire cable 1.8M in length 4. Battery: 4000 mAh 5. All keys anti-ghost		Price is basic on black color	10pcs/ctn


 GMK-204		98Key Wired Mechanical Keyboard 1. Keycaps: two-colour injection moulding, floating keycaps. 2.LED light effect: 17 modes. 3. Cable: PVC cable length 1.5M 4. Material: face cover and bottom shell injection moulding ABS raw materials, large support tripod, EVA anti-skid feet. 5. 26 keys anti-ghost 6. Switch: blue, red, brown black switch 7.both side lighting			10pcs/ctn
Wired Office Keyboard					
 SW-K100		1.Product Chipset: 83093C 2.Product size:440*142*24mmMM 3.Product weight:368g 4.Carbon paddle conductive film 5.104 keys 6. Cable: total length 1.35M copper clad steel material			20pcs/ctn
 SW-K105		1.Product Chipset: 83093C 2.Product size:440*146*23mm 3.Carbon paddle conductive film 4.Cable length:1.35M 5.104 keys			20pcs/ctn
SW-K110		1.Product Chipset: 83093C 2.Product size:438*134*21.3MM 3.Product weight:368g 4.Carbon paddle conductive film 5.104 keys 6. Cable: total length 1.35M copper clad steel material			20pcs/ctn
 SW-K120		1.Product Chipset: 83093C 2.Product size:438*135*21.3MM 3.Product weight:368g 4.Carbon paddle conductive film 5.104 keys 6. Cable: total length 1.35M copper clad steel material			20pcs/ctn
SW-K130		1.Product Chipset: 83093C 2.Product size:440*138*24MM 3.Product weight:368g 4.Carbon paddle conductive film 5.104 keys 6. Cable: total length 1.35M copper clad steel material			20pcs/ctn
SW-K140		1.Product Chipset: 83093C 2.Product size:440*140*25 MM 3.Product weight:373g 4. Carbon paddle conductive film 5.104 keys 6. Cable: total length 1.35M copper clad steel material			20pcs/ctn

SW-K150		104/105/106/107 Office Keyboards 1.Chip: 83063 2.Weight:about 505g 3.Size:436*140*28MM 4. Cable length: OD3.0mm * 1.5m 6.Material:ABS 7.Conductive film: silver paste			20pcs/ctn
SW-K155		101/102/103 Wired Office Keyboard 1.Chipset: 83K35 2.Cable length: 3.5 * 1.5M leather wire 3. Size: 402.63*161.77*24.54mm 4.Weight:510g 5.Conductive film: silver paste		Price is basic on black color	20pcs/ctn
SW-K160		104/105/106/107 Office Keyboards 1.Chip: 83063 2.Weight:about 535g 3.Size:434*158*28MM 4. Cable length: OD3.0mm * 1.5m 6.Material:ABS 7.Conductive film: silver paste			20pcs/ctn
SW-K165		104/105/106/107 Office Keyboards 1.Chip: 83063 2.Weight:about 535g 3.Size:434*155*28MM 4. Cable length: OD3.0mm * 1.5m 6.Material:ABS 7.Conductive film: silver paste			20pcs/ctn
SW-K180		1.Product Chipset: zk83093 2.Product size:446*165*26MM 3.Product weight:455g 4.Carbon paddle conductive film 5.104 keys 6. Cable: total length 1.35M copper clad steel material			20pcs/ctn
SW-K185		1.Product Chipset: 83093C 2.Product size:440*142*24mmMM 3.Product weight:368g 4.Carbon paddle conductive film 5.104 keys 6. Cable: total length 1.35M copper clad steel material		Price is basic on black color	20pcs/ctn
SW-K190		1.Product Chipset: 83093C 2.Product size:450*195*30 MM 3.Product weight:450g 4. Carbon paddle conductive film 5.104 keys 6. Cable: total length 1.35M copper clad steel material			20pcs/ctn


SW-K195		<ol style="list-style-type: none"> 1.Product Chipset: 83093C 2.Product size:443*170*30MM 3.Product weight:580g 4.Silicone: 15 million times liquid sticky silicone 5.Conductive film: silver paste conductive film 6.Cable: 1.5M leather cable 7.Material: ABS 			20pcs/ctn
SW-K200		<ol style="list-style-type: none"> 1.switch times:10 million times 2.Product size:445*155*27MM 3.Product weight:465±10G 4.6keys anti-ghost 5.Cable:3.0*1.5m PVC 		Price is basic on black color	20pcs/ctn
SW-K225	 	<ol style="list-style-type: none"> 1.Material: ABS 2.Keycaps craft: laser engraved 3.Chipset: 83063 4.Silver paste conductive film 5.Size: 452.8*156.7*30.5 (mm) 6.Weight: 558±5 g 7.Cable material: copper-clad steel; with SR 8.Cable length: 3.2mm*1.55m±2cm 		Price is basic on black color	20pcs/ctn
SW-K230		<ol style="list-style-type: none"> 1.Material: ABS 2.Keycaps craft: laser engraved 3.Chipset: 83063 4.Silver paste conductive film 5.Size: 441.4*171*30.3 (mm) 6.Weight: 600±5 g 7.Cable material: copper-clad steel; with SR 8.Cable length: 3.2mm*1.55m±2cm 		Price is basic on black color	20pcs/ctn
SW-K230		<ol style="list-style-type: none"> 104 keys office keyboard 1.Chipset: 83093C IC 2.Size:442*140*27 MM 3.Weight:450g 4.Silver paddle conductive film 5.104 key 6.Han tianxia programme 		Price is basic on black color	20pcs/ctn
Wired Multimedia keyboard					
SW-KB001		<ol style="list-style-type: none"> 1.Product Chipset: 83093C 2.Product size:440*140*25 MM 3.Product weight:373g 4. Carbon paddle conductive film 5.104 +11 multimedia keys 6. Cable: total length 1.35M copper-clad steel 			20pcs/ctn
SW-KB002		<ol style="list-style-type: none"> 1.Product Chipset: 83093C 2.Product size:438*142*27 MM 3.Product weight:385g 4. Carbon paddle conductive film 5.104 + 8 multimedia keys 6. Cable: total length 1.35M copper clad steel material 			20pcs/ctn

SW-KB003		1.Product Chipset: 83093C 2.Product size:438*142*27 MM 3.Product weight:385g 4. Carbon paddle conductive film 5.104 +10 multimedia keys 6. Cable: total length 1.35M copper clad steel material			20pcs/ctn
SW-KB004		1.Product Chipset: 83093C IC 2.Product size:450*195* 30 MM 3.Product weight:450g 4. Carbon paddle conductive film 5.104 +9 multimedia keys 6. Cable: total length 1.35M copper clad steel material			20pcs/ctn
Wired LED Lighting modekeyboard					
GS1000		1.Product chipset: 83063RGB 2.Product size:470*207*38.9MM 3.Product weight:675g 4. Silver paddle conductive film 5. Cable: total length of 1.5M two copper two steel material 6. Lighting mode: Medium plate luminous + 9 RGB light + both sides with lighting 7. 8 lights with reflective paper light board 8. with light plus or minus + light breathing 9. 19 keys anti-ghost			20pcs/ctn
GS1100		1.Product chipset: 83093RGB IC 2.Product size: 446*176*32MM 3.Product weight:597g 4. Silver paddle conductive film 5.Cable: total length1.5M Two copper and two steel material 6.Lighting mode:Medium plate luminous + 9 RGB light 7. 8 lights with reflective paper light board 8. with light plus or minus + light breathing 9. 19 keys anti-ghost			20pcs/ctn
GS1200		1.Product chipset: 83093RGB IC 2.Product size: 446*135*31.3MM 3.Product weight:488g 4. Silver paddle conductive film 5.104 keys 6.Cable: total length1.5M Two copper and two steel material 7.9 kinds of RGB lighting,support Customizable lighting 8.19 keys anti-ghost+FN multimedia function+with light plus or minus			20pcs/ctn
GS1600		1.Support All white, all black color 2. Line length: 1.5m*3.5mm PVC 3. According to the customer's need to do the font slit glowing Lighting. Seam luminous, colourful luminous, three-colour Breathing light. 4.Size 452*145*39.5MM 5.Net weight:824.3g 5.The surface is 0.8mm thickness metal hardware Surface is 0.8mm thickness metal hardware 6. High bottom shell ABS material. 7.Knob is ABS material.			20pcs/ctn
GS1620		1.Material: ABS 2.Keycaps craft: laser engraved 3.Chipset: 83010B 4.Silver paste conductive film 5.Size: 445*141*40 (mm) 6.Weight: 710±5 g Built-in 0.5MM iron plate 7.Cable material: copper-clad steel; with SR 8.Cable length: 4.0mm*1.55m±2cm		Price is basic on black color	20pcs/ctn

 GS1620 Plus		1.Material: ABS 2.Keycaps craft: laser engraved 3.Chipset: 83010B 4.Silver paste conductive film 5.Size: 445*178*40(mm) 6.Weight: 733±5 g Built-in 0.5MM iron plate 7.Cable material: copper-clad steel; with SR 8.Cable length: 4.0mm*1.55m±2cm		Price is basic on black color	20pcs/ctn
 GS1630		1.Material: ABS 2.Keycaps craft: laser engraved 3.Chipset: SX83080-116 4.Silver paste conductive film 5.Size: 311.9*121.9*35.35 (mm) 6.Weight: 385±5 g 7.Cable material: copper-clad steel; with SR 8.Cable length: 3.2mm*1.55m±2cm		Price is basic on black color	20pcs/ctn
 GS1640		1.Material: ABS 2.Keycaps craft: laser engraved 3.Chipset: SX83080-116 4.Silver paste conductive film 5.Size: 401.5*129.5*35.05 (mm) 6.Weight: 687±5 g 7.Cable material: copper-clad steel; with SR 8.Cable length: 3.2mm*1.55m±2cm		Price is basic on black color	20pcs/ctn
 GS1650		101/102/103 Wired Illuminated Keyboard 1.Chipset: HK9703 2.Lighting mode: Rainbow + breathing light (can light up or down) 3. Cable length: 3.5 * 1.5M leather wire 4. Size: 409.35 * 148.3 * 35.45mm 5.Weight:560g 6.Conductive film: silver paste		Price is basic on black color	20pcs/ctn
 		84/85 Wired Illuminated Keyboard 1.Chipset: HK9703 2.Lighting mode: Rainbow + breathing light (can light up or down) 3. Cable length: 3.5 * 1.5M leather wire 4. Size: 344.22*147.83*33.83mm 5.Weight:470g 6.Conductive film: silver paste		Price is basic on black color	20pcs/ctn
 GS1670		101/102/103 Wired Illuminated Keyboard 1.Chipset: HK9718 2.Lighting mode: Rainbow + breathing light (can light up or down) 3. Cable length: 3.5 * 1.5M leather wire 4. Size: 408.47*145.82*34.15mm 5.Weight:550g 6.Conductive film: silver paste		Price is basic on black color	20pcs/ctn
 GS1700		1. Can do single colour and seven colours according to customer's demand. Switch between single-colour and seven-colour light-emitting modes. 2.Keycaps can be made according to customer's font and slit luminous. 3. Cable length:1.5m*3.5mm pvc 4. According to customer's requirement, it can meet the safety regulation requirement. 5. ABS material. 6. lifetime: 5 million times. 7.Size: 587*221*42MM 8.Net weight 827g			20pcs/ctn
 GS1800		104 Keys Iron plate Lighting modekeyboard 1.Product chipset: 83095D 2.Product size: 465mm*172mm*40mm 3.Cable:3.2mm*1.4m±2cm ,Copper clad steel material 4.Product weight: 604g±5g 5.Carbon paddle conductive film 6.Lighting mode:3 color lighting(Medium plate luminous) 7.Suspended keycaps			20pcs/ctn


GS2250		<p>87 Keys Wired Illuminated Hovering Keycap Gaming Keyboard</p> <ol style="list-style-type: none"> 1.ABS material 2.Silver paste conductive film 3. Wire: 1.6m * 3.2mm 4. Light-emitting plate: 5 lights two-colour mixed colour with breathing light. 5.Can do keycap font luminous, font and slit luminous 6.Size: 363*135*36mm 7.Weight:600±20G 			20pcs/ctn
GS2300		<ol style="list-style-type: none"> 1.Number of keys: 78 keys 2.Keyboard size: 460*178*30mm 3.Keyboard character craft: spray oil laser engraving light 4.Conductive film: Silver award conductive film 5.Button silicone material: white liquid silicone 6.Keyboard material: ABS 7.Button life: 10 million times 8.Cable: Copper Clad Steel 2.8mm*1.28M 9.System support: WINDOWS95/98/XP/2000/ME/VISTA/7/8/10 system 			20pcs/ctn
GS2350		<p>wired background lighting keyboard</p> <ol style="list-style-type: none"> 1. Material: ABS 2. Process: silkscreen 3. lighting:Rainbow lighting 4.19 keys anti-ghost 5. Conductive film: silver paste conductive film. 6.6keys anti-ghost 7. Cable length:3*1.5m PVC 8.Size: 457*161*37MM 9. Weight: 721±20g 			
GS2360		<p>104keys wired background lighting keyboard</p> <ol style="list-style-type: none"> 1. Material: ABS 2. Process: silkscreen 3. lighting:Rainbow lighting 4.19 keys anti-ghost 5. Conductive film: silver paste conductive film. 6.6keys anti-ghost 7. Cable length:3*1.5m PVC 8.Size: 465*180*25 MM 9. Weight: 530G 			
GS2370		<ol style="list-style-type: none"> 1. logo:logo sticker 2. Process:two-colour injection moulding, 3. lighting:5colors lighting 4.Size: 442*133*36MM 5. Conductive film: silver paste conductive film. 6. Weight: wired: 703g wireless: 692g 7. Cable length:3*1.5m PVC 8.large support tripod, EVA anti-skid feet. 			
GS2380		<p>101/102/103 wired lighting keyboard</p> <ol style="list-style-type: none"> 1. Material: ABS 2. Process:silkscreen 3. lighting:RGBlighting 4. Conductive film: silver paste conductive film. 5. Silicone: liquid sticky silicone. 6. Cable length:1.5m 7.Size: 409.35*148.3*35.45mm 8. Weight: 560g 9.large support tripod, EVA anti-skid feet. 			
GS7500		<ol style="list-style-type: none"> 1.Product chipset: 83093C 2.Product size:438.35*134.54*21.3MM 3.Product weight:368g 4.Carbon paddle conductive film 5.104 keys 6. Cable: total length 1.35M copper clad steel material 			20pcs/ctn

GS7520		1. Material: ABS 2. Process: oil spraying laser engraving process 3. lighting: Rainbow lighting 4. 19 keys anti-ghost 5. Conductive film: silver paste conductive film. 6. Silicone: liquid sticky silicone. 7. Cable length: 1.5m 8. Size: 226*168*38MM 9. Weight: 315g			20pcs/ctn
GS7530		1. 19 keys conflict-free, 104 high and low keys, with FN combination multi-coal body function, 2.3.0MM*1.5M brushed wire, braided wire add another 1 RMB. 3. Support multi-language versions, liquid conjoined silicone. 4. Key life: 5 million times 5. Net weight: 560G. 6. Size: 455MM*165MM*33MM. 7. Lighting mode: rainbow backlight/tricolour conversion backlight two lighting modes. 8. Available for Windows 95/98/NT/ME/2000XP.			20pcs/ctn
GS7540		wired lighting keyboard 1. Key number 101/102/103 2. Interface: USB 3. Size 394.63*127.98*33.79mm 4. Weight :510g 5. Color :black 6. Keyboard Material :ABS 7. Key cap: Screen Printing			20pcs/ctn
Item No.	Image	Discription	Package	Noted	Packing details
Chocolate Keyboard					
CK-10 (multimedia)		104/105/106/107 + 6 multimedia keys Office Keyboards 1. Chipset: 83063 2. Weight: about 550g 3. Size: 430*152*27mm 4. Cable length: OD3.0mm*1.5m 5. Material: ABS 6. Conductive film: silver paste			20pcs/ctn
CK-11		104/105/106/107 Office Keyboards 1. Chipset: 83063 2. Weight: about 535g 3. Size: 435*148*25mm 4. Cable length: OD3.0mm*1.5m 5. Material: ABS 6. Conductive film: silver paste		Price is basic on black color	20pcs/ctn
CK-12		104/105/106/107 Office Keyboards 1. Chipset: 83063 2. Weight: about 535g 3. Size: 428*156*25mm 4. Cable length: OD3.0mm*1.5m 5. Material: ABS 6. Conductive film: silver paste		Price is basic on black color	20pcs/ctn

CK-13		1.Product Chipset: 83093C 2.Product size:438*126*27 MM 3.Product weight:412g 4. Carbon paddle conductive film 5.104 keys 6. Cable: total length 1.35M copper clad steel material			20pcs/ctn
CK-14		1.Product Chipset: 83093C 2.Product size:438*132*25MM 3.Product weight:g 4.Carbon paddle conductive film 5.104 key 6. Cable: total length 1.35M copper clad steel material			20pcs/ctn
CK-15		1.Material: ABS 2.Chip: SX83080-116 3.Silver paste conductive film 4.Size: 381.9*145.3*25.5(mm) 5.Weight: 470±5 g 6 Cable length: 3.2mm*1.55m±2cm with SR		Price is basic on black color	20pcs/ctn
6		84 keys Chocolate Keyboard 1.Material: ABS 2.Chip: SX83080-116 3.Silver paste conductive film 4.Size: 315.75*119.85*29.4 (mm) 5.Weight: 343±5 g 6.Cable length:3.2mm*1.55m±2cm with SR		Price is basic on black color	20pcs/ctn
CK-17		78 keys Chocolate Keyboard 1.Material: ABS 2.Chip: SX83080-116 3.Silver paste conductive film 4.Size: 323.2*140.2*24.7 (mm) 5.Weight: 370±5 g 6.Cable length:3.2mm*1.55m±2cm with SR		Price is basic on black color	20pcs/ctn
CK-18		101/102/103 Wired Chocolate Keyboard 1.Chipset: HK9703A 2.Cable length: 3.5 * 1.5M leather wire 3. Size: 402.63*161.77*24.54mm 4.Weight:650g 5.Conductive film: silver paste		Price is basic on black color	20pcs/ctn
CK-19		104+8 multimedia keys wired Chocolate Keyboard 1.Chipset: HK9703A 2.Cable length: 3.2* 1.5M leather wire 3. Size: 440*145*24mm 4.Weight:515g 5.Conductive film: silver paste		Price is basic on black color	20pcs/ctn
WK-10		84 keys Dual Mode Bluetooth + 2.4G Chocolate Keyboard 1.Material: ABS 2.Programme: hantianxia 3. Built-in 2.0mm iron plate, weight: 692±5 g 4. Size: 326.5*162.6*17.15mm 5.Battery: 1*AAA		white color	20pcs/ctn
WK-10R		84 keys Dual Mode Bluetooth + 2.4G Chocolate Keyboard 1.Material: ABS 2.Programme: hantianxia 3. Built-in 2.0mm iron plate, weight: 692±5 g 4. Size: 326.5*162.6*17.15mm 5.Built-in lithium battery: 330ma 6.Charge port: type-C(length 15cm)		white color	20pcs/ctn

WK-11		105 Keys Wireless Chocolate Keyboard 1.Material: ABS 2.content: 2.4G/BT/Dual-mode 3. weight: 405.5g 4. Size: 385.5*142.7*27.3MM 5.Battery: 2*AAA		Price is basic on black color	20pcs/ctn
WK-12		90 Keys WirelessChocolate Keyboard 1.Material: ABS 2.content: Dual-mode+Recharge 3. weight: 619g 4. Size: 335*151.2*24.38MM 5.Battery: 300ma 6.Process:silkscreen		Price is basic on black color	20pcs/ctn
WK-13		90 Keys WirelessChocolate Keyboard 1.Material: ABS 2.content: Dual-mode/BT/2.4g 3. weight: 473.5g 4. Size: 436.4*149.45*25.21MM 5.Battery: 300ma 6.Process:silkscreen		Price is basic on black color	20pcs/ctn
Item No.	Image	Discription	Package	Packing	
Wireless Keyboard & Mouse combo					
MK-03		3D Wireless mouse 1.Color: black/pink/white/white 2.Mouse size: 107*59*26MM 3.Mouse weight: 44g 4.Switch lifetime: 1million times 5.Battery: 1*AA 6.Working distance:10m Wireless keyboard 1.Color: black/pink/white/white 2.Keyboard size: 285*122*21MM 3.Keyboard weight:230G 4.keys: 78 keys 5.keycaps : Chocolate 6.Keys lifetime: 5 million times 7.Battery: 2*AAA 8.Working distance: 10m		30pcs/ctn	
MK-04		3D wireless mouse Number of buttons: 3 Dimensions:115*63*30 mm Item Weight: 56.8g Connection: 2.4GHz Wireless Battery Type: AA Battery Resolution: 1200 DPI Material: ABS material Wireless keyboard Number of keys: 105 Item Dimensions: 439* 144*23mm Item Weight: 405g Connection: 2.4GHz Wireless Silk printing English characters and chocolate keycaps		20pcs/ctn	
MK-05		104 keys office keyboard 1.Chipset: 83093C IC 2.Size:442*140*27 MM 3.Weight:450g 4.Silver paddle conductive film 5.104 key 6.Han tianxia programme 6D wireless mouse 1. Programme: Han tianxia 2.Chip: MX8650/KA83. 3.DP1:800-1200-1600 4. Micro switch: Huano 3 million times 5. Leather ring roller 6.Material:ABS raw material 7.Battery:1*AA		20pcs/ctn	
MK-06		3D wireless mouse Solution: Han tianxia DPI : 1000dpi Mouse size: 110*62*26MM. Switch: 1 million times. Process: injection moulding black Material: ABS Wireless keyboard Chipset: Han tianxia Solid silicone 10 million times Silver paste conductive film Keyboard specifications: 440 * 146 * 23mm Battery:1*AA		20pcs/ctn	

MK-07		6D wireless mouse Number of keys:6 Chipset:Shanghai Botong Solution DPI:1200/2400/3200 Working distance:about 10m Mouse Size:105*65*40mm Wireless keyboard Chipset:Shanghai Botong Solution Weight:512G Size:445*138*35mm Main Material:ABS Silicone conductive film: silver paste conductive film / liquid body adhesive silicone 9 * 6mm		20pcs/ctn
MK-08		104/105 Membrane Wireless Keyboard 1. Keycaps: black silkscreen characters 2. Silicone: 15 million liquid sticky silicone 3. Conductive film: silver paste conductive film 4.Material: ABS 6D Wireless Mouse 1.Chip: 8650 2.DPI: 800-1200-1600DPI 3. Switch: left and right switch 5 million times 4.Battery: 1*AA battery		20pcs/ctn
MK-09		104/105/106/107 Office Keyboards 1.Chip: Hantianxia 2.Weight:about 505g 3.Size:436*140*28MM 4.Working distance : 10M 6.Material:ABS 7.Conductive film: silver paste 4D Wireless Mouse 1.Programme: Hantianxia 2.Chipset:MX8650/KA8 3.DPI:800-1200-1600 4. Micro switch: Huano 5 million times 5.Material: ABS material 6.Battery: 2*AAA		20pcs/ctn
MK-10		104/105/107Office Keyboards 1.Product Chipset: 83093C 2.Product size:438*142* 27 MM 3.Product weight:385g 4. Conductive film: silver paste 5. Working distance : 10M 3D Wireless Mouse 1.Programme: Han tianxia 2.Chipset:MX8650/KA8 3.DPI:1200DPI 4.Switch:3 million times 5.Material:ABS 6.Battery:2*AAA		20pcs/ctn
MK-11		104/105/107 keys office keyboard 1.Product Chipset: 83093C 2.Product size:439*137*25MM 3.Product weight:368g 4. Conductive film: silver paste conductive film 5. .Working distance : 10M 3D Wireless Mouse 1.Programme: Han tianxia 2.Chipset:MX8650/KA8 3.DPI:1200DPI 4.Switch:3 million times 5.Material:ABS 6.Battery:2*AAA		20pcs/ctn
MK-12		104/105/107 keys office keyboard 1.Product Chipset: 83093C 2.Product size:438*142* 27 MM 3.Product weight:385g 4. Conductive film: silver paste conductive film 5. .Working distance : 10M 3D Wireless Mouse 1.Programme: Han tianxia 2.Chipset:MX8650/KA8 3.DPI:1200DPI 4.Switch:3 million times 5.Material:ABS 6.Battery:2*AAA		20pcs/ctn

 MK-13		<p>Wireless 2.4GHz 3D mouse</p> <ol style="list-style-type: none"> 1.IC:MX8650A 2.DPI: 100 3.Working distance:10m 4.Battery:1*AA 5.Size:104*61*31mm 6.Keys lifetime :3 million time 7.Material:ABS 8.Product weight:44.1g (without battery) <p>Wireless 2.4GHz 104 keys keyboard</p> <ol style="list-style-type: none"> 1.Programme:Yi zhao wei 2.Battery :1*AA 3.Size:436*130*21mm 4.Product weight:362.8g (without battery) 5.Working distance : 10M 6.Material:ABS 7. With FN+F1-F12 multimedia function 		20pcs/ctn
Wired keyboard and mouse combo				
 CM-10		<p>3D Wired mouse</p> <ol style="list-style-type: none"> 1.IC solution: MA8733 2.DPI: 1200 3. Left and right switch lifetime: 3 million times 4. Lighting mode:Rainbow 5. Material: ABS <p>Wired keyboard</p> <ol style="list-style-type: none"> 1.Product Chipset: 83093C 2.Product size:438*134*21.3MM 3.Product weight:368g 4.Carbon paddle conductive film 5.104 keys 6. Cable: total length 1.35M copper clad steel material 		20pcs/ctn
 CM-11		<p>3D Wired mouse</p> <ol style="list-style-type: none"> 1.IC solution: MA8733 2.DPI: 1000 3. Left and right switch lifetime: 1 million times 4. Mouse size: 110*46*45mm 5. Weight: 100g±10g 6. Cable: 2.6'1.35M PU Cable 7. Material: ABS <p>Wired keyboard</p> <ol style="list-style-type: none"> 1.Product Chipset: 83093C 2.Product size:440*142*24mmMM 3.Product weight:368g 4.Carbon paddle conductive film 5.104 keys 6. Cable: total length 1.35M copper clad steel material 		20pcs/ctn
 CM-01		<p>3D wired mouse</p> <p>Number of buttons: 3</p> <p>Dimensions:115*60*30 mm</p> <p>Item Weight: 75.4g</p> <p>Wired</p> <p>Resolution: 1000 DPI</p> <p>Material: High-definition ABS material</p> <p>IC: 8733</p> <p>Wired Keyboard</p> <p>Number of keys: 105 multimedia function</p> <p>Item Dimensions: 439*144*23mm</p> <p>Item Weight: 425.8g</p> <p>Connection: Wired</p> <p>Silk printing English characters and chocolate keycaps</p> <p>Connection:</p>		20pcs/ctn
 CM-03		<p>3D Wired Mouse</p> <p>DPI: 1000DPI</p> <p>Mouse size: 117*60*38mm</p> <p>Cable length: pvc2.6*1.35M</p> <p>Switch: 1 million times</p> <p>Material: full high-gloss raw material ABS</p> <p>Wired keyboard</p> <p>Chipset: 83063</p> <p>Carbon paste conductive film ;</p> <p>Size: 440*139*24mm</p> <p>Weight: 407±5 g</p> <p>Cable length: 3.2mm*1.55m±2cm</p>		20pcs/ctn
 CM-02		<p>4D game light-emitting mouse</p> <ol style="list-style-type: none"> 1. Switch: left and right switch 3million times 2.Light-emitting:seven-color breathing light 3.Cable length: 1.5M 4. Process: mouse button oiling and laser engraving 5.DPI:1200-1800-2400-36006.Mouse size:145*40*65MM <p>RGB Wired keyboard</p> <ol style="list-style-type: none"> 1.Product IC:83093RGB IC 2.Product size:446*135*31.3MM3.Product weight:488g 3. Silver paddle conductive film5.104 keys 4. cable length:1.5M7.9 kinds of RGB light mode, customizable lights8.19 keys without anti-ghost + FN multimedia keys+ lighting plus or minus 		20pcs/ctn

CM-04		<p>4D game light-emitting mouse</p> <ol style="list-style-type: none"> 1. Switch: left and right switch 3million times 2.Light-emitting:seven-color breathing light 3.Cable length: 1.5M 4. Process: mouse button oiling and laser engraving 5.DPI:1200-1800-2400-3600 6.Mouse size:145*40*65MM <p>Wired lighting keyboard</p> <ol style="list-style-type: none"> 1.Chipset:83093RGB IC 2.Product size:446*135*31.3MM 3.Product weight:488g 4. Silver paddle conductive film 5.104 keys 6.Cable length:1.5M 7.9 kinds of RGB light mode, customizable lights 8.19 keys without anti-ghost + FN multimedia keys+ lighting plus or 		20pcs/ctn
CM-05		<p>7D Wired Gaming Mouse</p> <ol style="list-style-type: none"> 1.DPI:1200-1800-2400-3600 2.Chipset: 603EP 3. Size: 130*82*33mm 4.Return rate: 125HZ 5.Lighting effect: 7 colours glow 6.Wire: braided wire exposed 1.5m 7. Switch life: left and right key Huano 3 million time <p>104 Keys Iron plate Lighting modekeyboard</p> <ol style="list-style-type: none"> 1.Product chipset: 83095D 2.Product size: 465mm*172mm*40mm 3.Cable:3.2mm*1.4m±2cm ,Copper clad steel material 4.Product weight: 604g±5g 5.Carbon paddle conductive film 6.Lighting mode:3 color lighting(Medium plate luminous) 7.Suspended keycaps 		20pcs/ctn
CM-06 (Mechanical keyboard)		<p>104Key Wired Mechanical Keyboard</p> <ol style="list-style-type: none"> 1. Keycaps: two-colour injection moulding, floating keycaps. 2.LED light effect: 9 modes. 3. Cable: PVC cable length 1.5M 4. Material: face cover and bottom shell injection moulding ABS raw materials, large support tripod, EVA anti-skid feet. 5. 26 kyes anti-ghost 6. Switch: blue, red, brown switch <p>6D Wired Rainbow litging gaming mosue</p> <ol style="list-style-type: none"> 1.IC:603EP 2.DPI:1200-1800-2400-3600 3.Mouse size:120*74*40mm 4.Mouse weight:73.6g 5.Cable: 1.5m PU cable 6.Lighting:Breathing lighiting 		20pcs/ctn