

PIX-LINK[®]

Business WiFi | Router | Repeater | Network Adapter | Powerline | Wireless Display | Bluetooth Adapter

2021

Easy Network, Trustable

Contents

Mesh Wi-Fi System

- 01 AX1800 Whole Home Mesh Wi-Fi System
- 02 AC1200 Whole Home Mesh Wi-Fi System

Wireless Router/Repeater/AP

- 03 Router
- 09 AX MiNi Router/Repeater/AP
- 10 AC MiNi Router/Repeater/AP
- 15 N300 MiNi Router/Repeater/AP
- 23 USB Repeater/AP

Powerline Edition

- 24 AV600 Powerline Edition

Business WiFi

- 25 Gateway Router
- 26 Access Points
- 29 Wireless CPE

Desktop Switch

- 30 10/100Mbps POE Desktop Switch
- 31 10/100Mbps Desktop Switch

USB Wi-Fi Adapter

- 32 AC1200 Dual Band USB3.0 Wi-Fi Adapter
- 33 Wi-Fi+Bluetooth USB Adapter
- 34 Auto-Install Wi-Fi Adapter

HDMI Dongle WiFi Display Adapter

- 36 2.4G HDMI Dongle WiFi Display Adapter
- 37 2.4G+5G HDMI Dongle WiFi Display Adapter

Bluetooth

- 39 USB Hands-free Car Charger FM Transmitter
- 40 Bluetooth Audio Receiver

Wi-Fi 6 Mesh



Broader coverage



More Connections



Faster Wi-Fi 6 Speed

LV-WMS07

AX1800 Mesh Wi-Fi System

- Advanced Mesh Technology.
- Dual band WiFi up to 1800Mbps.
- Connect More Devices.

Specifications

1x1000Mbps WAN/LAN port

1x1000Mbps LAN port

Buttons: WPS buttons, Reset button

LED: Internet and Signal show LED

Features



One WiFi Network.

Enjoy the convenience of a single WiFi name for your whole home.




Your Home & Yard. Covered.

This kit of two covers up to a 300 square home with highperformance AX1800 WiFi.



Simple & Secure.

Use a web browser to create secure whole home WiFi in minutes. With no accounts to setup.



Whole Home Mesh Wi-Fi System

LV-WMS01+WMS02(MTK) AC1200 Whole Home Mesh Wi-Fi System

- Advanced Mesh Technology.
- Dual band WiFi up to 1200Mbps.

Specifications

1x10/100Mbps WAN/LAN port
1x10/100Mbps LAN port
Buttons:WPS buttons,Reset button
LED:Internet and Signal show LED





LV-WMS05+WMS06(RTL) AC1200 Whole Home Mesh Wi-Fi System

- Advanced Mesh Technology.
- Dual band WiFi up to 1200Mbps.

Specifications

1x10/100Mbps WAN/LAN port
1x10/100Mbps LAN port
Buttons:WPS buttons,Reset button
LED:Internet and Signal show LED





LV-AX02

AX1800 Wi-Fi 6 Router

- Dual-Band Wi-Fi 6.
- Next-Gen 1.8 Gbps Speeds.
- Connect More Devices.



Dual-Band Wi-Fi 6 Up to 1.8 Gbps

Every application feels more fluid with drastically improved Wi-Fi speeds. Both 2.4 GHz band and 5 GHz band get upgraded to the latest generation—perfect for 4K streaming, online gaming, and fast downloading.

Wi-Fi 4, 2.4GHz
40 MHz, 2x2



300 Mbps

Wi-Fi 5, 5GHz
80 MHz, 2x2



867 Mbps

Wi-Fi 6, 2.4GHz
40 MHz, 2x2



574 Mbps


Wi-Fi 6, 5GHz
80 MHz, 2x2



1201 Mbps

90% Faster

40% Faster



LV-AX03 AX1800 Wi-Fi 6 Router

- Dual-Band Wi-Fi 6.
- Next-Gen 1.8 Gbps Speeds.
- Connect More Devices.



Wi-Fi 6



Gigabit Port



MU-MIMO



OFDMA



Beam-forming



TWT



BSS Coloring



WPA3 Encryption



LV-AC26

AC2100 WiFi Gigabit Router

- Dual band WiFi up to 2100Mbps.
- Supports MU-MIMO.

Specifications

1x10/100/1000Mbps WAN port

4x10/100/1000Mbps LAN ports

Buttons: Reset button

LV-AC22

AC1200 WiFi Gigabit Router

- Dual band WiFi up to 1200Mbps.
- 4 external antennas.

Specifications

1x10/100/1000Mbps WAN port

4x10/100/1000Mbps LAN ports

Buttons: WPS/Reset button





LV-WR37 N300 Router

- OpenWRT System.
- Supports Router, Repeater, AP mode.
- 4 external antennas.

Specifications

1x10/100Mbps WAN port
3x10/100Mbps LAN ports
Buttons: WPS/Reset button



LV-AC06 AC1200 Wireless-AC Router

- Dual band WiFi up to 1200Mbps.
- Supports Router, Repeater, AP and WISP mode.
- 4 external antennas.

Specifications

1x10/100Mbps WAN port
4x10/100Mbps LAN ports
Buttons: WPS buttons, Reset button



LV-MR02

N300 WiFi 4G LTE Router

- Cutting-edge 4G network.
- Plug a SIM card and play.
- Wi-Fi router mode.

Specifications

1x10/100Mbps WAN port
4x10/100Mbps LAN ports
Buttons:WPS/Reset button

LV-WR21Q

N300 4 Antennas Router

- Qualcomm Chip.
- Supports Router,Repeater,AP mode.
- 4 external antennas.

Specifications

1x10/100Mbps WAN port
3x10/100Mbps LAN ports
Buttons:WPS/Reset button





LV-WR07

N300 Wireless-N Router

- Speed up to 300Mbps.
- Supports Router, Repeater, AP and WISP mode.
- 2 external antennas.

Specifications

1x10/100Mbps WAN port

4x10/100Mbps LAN ports

Buttons: WPS buttons, Reset button



LV-WR08

N300 Wireless-N Router

- Speed up to 300Mbps.
- Supports Router, Repeater, AP and WISP mode.
- 4 external antennas.

Specifications

1x10/100Mbps WAN port

4x10/100Mbps LAN ports

Buttons: WPS buttons, Reset button



LV-WR07B

N300 Wireless-N Router

- Speed up to 300Mbps.
- Supports Router, Repeater, AP and WISP mode.
- 2 external antennas.

Specifications

1x10/100Mbps WAN port

4x10/100Mbps LAN ports

Buttons: WPS buttons, Reset button

LV-AX06

AX1800 Wi-Fi Range Extender

- Dual band WiFi up to 1800Mbps.
- Supports Repeater and AP mode.
- Intelligent Signal Light.
- Gigabit Ethernet Port.
- Wi-Fi 6, for faster speeds, greater capacity, and reduced network congestion.



LV-AC24

AC1200 Wireless-AC Dual Band Repeater/AP

- Dual band WiFi up to 1200Mbps.
- Supports Repeater/AP mode.
- Wall-mounted design.

Specifications

1x10/100Mbps WAN/LAN port

Buttons:WPS/Reset button

LED:Power LED,WAN/LAN LED,WLAN LED, Repeater/WPS LED



LV-AC28

AC1200 Wireless-AC Dual Band Repeater/AP

- Dual band WiFi up to 1200Mbps.
- Supports Repeater/AP mode.
- Wall-mounted design.

Specifications

1x10/100Mbps WAN/LAN port

Buttons:WPS/Reset button

LED:Power/Repeater/WPS LED



LV-AC27

AC1200 Wireless-AC Dual Band Router/Repeater/AP

- Dual band WiFi up to 1200Mbps.
- Supports Router, Repeater, AP and WISP mode.
- Wall-mounted design.

Specifications

1x10/100Mbps WAN/LAN port

1x10/100Mbps LAN port

Buttons: WPS/Reset button

LED: Power LED, WPS LED, WAN LED, LAN LED, WLAN LED, Signal LED



LV-AC32

AC1200 Wireless-AC Dual Band Router/Repeater/AP

- Dual band WiFi up to 1200Mbps.
- Supports Router, Repeater, AP and WISP mode.
- Wall-mounted design.

Specifications


1x10/100Mbps WAN/LAN port

1x10/100Mbps LAN port

Buttons: WPS/Reset button

LED: Power LED, WPS LED, WAN LED, LAN LED





Wireless-AC Wi-Fi Range Extender



LV-AC10

AC2600 Wireless-AC Dual Band Repeater/AP

- Simultaneous 800Mbps on 2.4GHz + 1733Mbps on 5GHz.
- Supports Repeater and AP mode.
- Wall-mounted design.

Specifications

1x10/100/1000Mbps LAN port

Buttons:WPS buttons,Reset button

LED:WPS LED, Signal LED,LAN LED



LV-AC09

AC1200 Wireless-AC Dual Band Repeater/AP

- Dual band WiFi up to 1200Mbps.
- Supports Router,Repeater,AP and WISP mode.
- Wall-mounted design.

Specifications

1x10/100Mbps WAN/LAN port

1x10/100Mbps LAN port

Buttons:WPS buttons,Reset button

LED:WPS LED, Signal LED

LV-AC12

AC1200 Wireless-AC Dual Band Repeater/AP

- Dual band WiFi up to 1200Mbps.
- Supports Router, Repeater, AP and WISP mode.
- Wall-mounted design.

Specifications

1x10/100Mbps WAN/LAN port

1x10/100Mbps LAN port

Buttons: WPS buttons, Reset button

LED: Power LED, WPS LED, WAN LED, LAN LED, WLAN LED, Signal LED



LV-AC11

AC1200 Wireless-AC Dual Band Repeater/AP

- Dual band WiFi up to 1200Mbps.
- Supports Router, Repeater, AP and WISP mode.
- Wall-mounted design.


Specifications

1x10/100Mbps WAN/LAN port

1x10/100Mbps LAN port

Buttons: WPS buttons, Reset button

LED: Power LED, WPS LED, WAN LED, LAN LED, WLAN LED, Signal LED





AC 1200 Wireless-AC Dual Band Repeater/AP



LV-AC29

AC1200 Wireless-AC Dual Band Repeater/AP

- Dual band WiFi up to 1200Mbps.
- Supports Router, Repeater, AP and WISP mode.
- Wall-mounted design.

Specifications

1x10/100Mbps WAN/LAN port
1x10/100Mbps LAN port
Buttons: WPS buttons, Reset button
LED: Power/WPS/Repeater LED




LV-AC05

AC1200 Wireless-AC Dual Band Repeater/AP

- Dual band WiFi up to 1200Mbps.
- Supports Router, Repeater, AP and WISP mode.
- Wall-mounted design.

Specifications

1x10/100Mbps WAN/LAN port
1x10/100Mbps LAN port
Buttons: WPS buttons, Reset button
LED: Power, WPS LED, WAN LED, LAN LED, WLAN LED, Signal LED



**N300 Wi-Fi
Repeater/AP/Router**

N300Mbps Router

Nordic style design

*size:68*68*103mm*



LV-WR11

N300 Wireless-N Repeater/AP/Router

- Speed up to 300Mbps.
- Complies with IEEE 802.11B/G/N standards.
- Built in 2 Antennas.
- Supports Router, Repeater, WISP, Client and AP mode.
- Supports WPA/WPA2, WPA-PSK/WPA2-PSK encryptions.

Specifications

1x10/100Mbps WAN/LAN port

1x10/100Mbps LAN port

Buttons: WPS buttons, Reset button

LED: WLAN LED

Operating Modes


1 Wireless Router Mode (Default)



2 Client Mode




3 Repeater Mode




4 Access Point Mode



5 WISP Client Router Mode



Connection





N300 Wi-Fi Repeater/AP/Router



LV-WR23

N300 Wireless-N Repeater/AP

- Speed up to 300Mbps.
- Internal Antennas.
- Supports Repeater, Client and AP mode.

Specifications

1x10/100Mbps LAN port
Buttons:WPS/Reset button
LED:Power,WPS,WLAN,LAN,Repeater



LV-WR22/WR25

N300 Wireless-N Repeater/AP

- Speed up to 300Mbps.
- 2 External Antennas.
- Supports Repeater, Client and AP mode.

Specifications

1x10/100Mbps LAN port
Buttons:WPS/Reset button
LED:Power,WPS,WLAN,LAN,Repeater



LV-WR24Q

N300 Wireless-N Repeater/AP

- Speed up to 300Mbps.
- 4 External Antennas.
- Supports Repeater, Client and AP mode.

Specifications

1x10/100Mbps LAN port
Buttons:WPS/Reset button
LED:Power,WPS,WLAN,LAN,Repeater



LV-WR33

N300 Wireless-N Repeater/AP

- Speed up to 300Mbps.
- Miniature Design.
- Supports Repeater, Client and AP mode.

Specifications

1x10/100Mbps LAN port

Buttons:WPS/Reset button

LED:LAN LED,Repeater/WPS LED

LV-WR34Q

N300 Wireless-N Repeater/AP

- Speed up to 300Mbps.
- Qualcomm Chip.
- 4 External Antennas.
- Supports Repeater, Client and AP mode.

Specifications

1x10/100Mbps LAN port

Buttons:WPS/Reset button

LED:LAN LED,Repeater/WPS LED



LV-WR35

N300 Wireless-N Repeater/AP

- Speed up to 300Mbps.
- 2 External Antennas.
- Supports Repeater, Client and AP mode.


Specifications

1x10/100Mbps LAN port

Buttons:WPS/Reset button

LED:LAN LED,Repeater/WPS LED





N300 Wi-Fi Repeater/AP/Router



LV-WR02ES

N300 Wireless-N Repeater/AP/Router

- Speed up to 300Mbps.
- Supports Router, Repeater, WISP, Client and AP mode.

Specifications

1x10/100Mbps WAN/LAN port

1x10/100Mbps LAN port

Buttons: WPS buttons, Reset button

LED: Power LED, WPS LED, WAN LED, LAN LED, WLAN LED



LV-WR09/WR09Q

N300 Wireless-N Repeater/AP/Router

- Speed up to 300Mbps.
- Four External Antennas.
- Supports Router, Repeater, WISP, Client and AP mode.

Specifications

1x10/100Mbps WAN/LAN port

1x10/100Mbps LAN port

Buttons: WPS buttons, Reset button

LED: Power LED, WPS LED, WAN LED, LAN LED, WLAN LED



LV-WR02EQ

N300 Wireless-N Repeater/AP/Router

- Speed up to 300Mbps.
- Supports Router, Repeater, WISP, Client and AP mode.


Specifications

1x10/100Mbps WAN/LAN port

1x10/100Mbps LAN port

Buttons: WPS buttons, Reset button

LED: Power LED, WPS LED, WAN LED, LAN LED, WLAN LED



**N300 Wi-Fi
Repeater/AP/Router**

LV-WR32Q

N300 Wireless-N Repeater/AP/Router

- Speed up to 300Mbps.
- Four External Antennas.
- Supports Router, Repeater, WISP, Client and AP mode.

Specifications

1x10/100Mbps WAN/LAN port

1x10/100Mbps LAN port

Buttons: WPS/Reset button

LED: Repeater/WPS LED, LAN LED, WLAN LED



LV-WR17

N300 Wireless-N Repeater/AP/Router

- Speed up to 300Mbps.
- Complies with IEEE 802.11B/G/N standards.
- Supports Router, Repeater, WISP, Client and AP mode.
- Supports WPA/WPA2, WPA-PSK/WPA2-PSK encryptions.

Specifications

1x10/100Mbps WAN/LAN port

1x10/100Mbps LAN port

Buttons: WPS buttons, Reset button

LED: Power LED, WPS LED, WAN LED, LAN LED, WLAN LED



LV-WR16/WR16Q

N300 Wireless-N Repeater/AP/Router

- Speed up to 300Mbps.
- Complies with IEEE 802.11B/G/N standards.
- Four External Antennas.
- Supports Router, Repeater, WISP, Client and AP mode.
- Supports WPA/WPA2, WPA-PSK/WPA2-PSK encryptions.

Specifications

1x10/100Mbps WAN/LAN port

1x10/100Mbps LAN port

Buttons: WPS buttons, Reset button

LED: Power LED, WPS LED, WAN LED, LAN LED, WLAN LED



LV-WR12

N300 Wireless-N Repeater/AP

- Speed up to 300Mbps.
- Miniature Design.
- Supports Repeater, Client and AP mode.

Specifications

1x10/100Mbps LAN port

Buttons:WPS buttons,Reset button

LED:WLAN LED

LV-WR03

N300 Wireless-N Repeater/AP

- Speed up to 300Mbps.
- Supports Repeater, Client and AP mode.

Specifications

1x10/100Mbps LAN port

Buttons:WPS buttons,Reset button

LED:Power LED,WPS LED,WLAN LED,LAN LED



LV-WR03B

N300 Wireless-N Repeater/AP

- Speed up to 300Mbps.
- Supports Repeater, Client and AP mode.

Specifications

1x10/100Mbps LAN port

Buttons:WPS buttons,Reset button

LED:Power LED,WPS LED,WLAN LED,LAN LED



LV-WR29

N300 Wireless-N Repeater/AP

- Speed up to 300Mbps.
- Two External Antennas.
- Supports Repeater, Client and AP mode.

Specifications

1x10/100Mbps LAN port

Buttons:WPS buttons,Reset button

LED:Power LED,WPS LED,WLAN LED,LAN LED

LV-WR29 300M Wireless-N Repeater



LV-WR30

N300 Wireless-N Repeater/AP

- Speed up to 300Mbps.
- Two External Antennas.
- Supports Repeater, Client and AP mode.

Specifications

1x10/100Mbps LAN port

Buttons:WPS buttons,Reset button

LED:Power LED,WPS LED,WLAN LED,LAN LED

LV-WR31

N300 Wireless-N Repeater/AP


- Speed up to 300Mbps.
- Supports Repeater, Client and AP mode.

Specifications

1x10/100Mbps LAN port

Buttons:WPS buttons,Reset button

LED:Power LED,WPS LED,WLAN LED,LAN LED



LV-WR13

N300 Wireless-N Repeater/AP

- Speed up to 300Mbps.
- Two External Antennas.
- Supports Repeater, Client and AP mode.

Specifications

1x10/100Mbps LAN port

Buttons:WPS buttons,Reset button

LED:Power LED,WPS LED,WLAN LED,LAN LED



LV-WR13B

N300 Wireless-N Repeater/AP

- Speed up to 300Mbps.
- Two External Antennas.
- Supports Repeater, Client and AP mode.

Specifications

1x10/100Mbps LAN port

Buttons:WPS buttons,Reset button

LED:Power LED,WPS LED,WLAN LED,LAN LED

LV-WR05U

N300 Wireless-N Repeater/AP

- Speed up to 300Mbps.
- Two External Antennas.
- Supports Repeater, Client and AP mode.

Specifications


1x10/100Mbps LAN port

1XUSB 2A Power supply port

Buttons:WPS buttons,Reset button

LED:Power LED,WPS LED,WLAN LED,LAN LED





N300 USB Eextender

LV-UE03

N300 Wireless-N Repeater/AP

- Speed up to 300Mbps.
- Powered By USB.
- USB 180° Rotate design.
- Supports Repeater, Client and AP mode.

Specifications

1x10/100Mbps LAN port

Buttons:Reset button

LED:WLAN LED



LV-UE02

N300 Wireless-N Repeater/AP

- Speed up to 300Mbps.
- Powered By USB.
- USB 180° Rotate design.
- Supports Repeater mode.

Specifications

1x10/100Mbps LAN port

Buttons:Reset button

LED:WLAN LED

LV-UE01

N300 Wireless-N Repeater/AP

- Speed up to 300Mbps.
- Powered By USB.
- Supports Repeater, Client and AP mode.

Specifications



1x10/100Mbps LAN port

Buttons:WPS buttons,Reset button

LED:WLAN LED,LAN LED



Powerline Edition



LV-PL01A

AV600 Powerline Edition

- Energy-saving features.
- Best-in-class performance and reliability.
- Compact and elegant design to fit with your surroundings.

Specifications

1x10/100Mbps LAN ports

Buttons: Reset/PAIA button

LED: Power LED, SYS LED, LAN LED, PLC LED



LV-PL01B

AV600 Powerline Edition

- Energy-saving features.
- Best-in-class performance and reliability.
- Compact and elegant design to fit with your surroundings.
- Extend WiFi coverage across walls and floors for Internet access.
- Create a high-speed WiFi access point via the 600Mbps Powerline technology.

Specifications

1x10/100Mbps LAN ports

Buttons: Reset/PAIA button


LED: WLAN LED, SYS LED, LAN LED, PLC LED

PL01A+PL01B

AP Mode




Repeater Mode




Gigabit Ethernet Enterprise Gateway Router



VAC2000 (GR-D5U)



- Multiple Group Mangement
- Supporting centralized management of AP
- Support IOS Andriod USB-Net
- Support Portal Authentication
- Support WEB management



Access Point



LV-CAP06

AX1800 Wireless Dual Band Gigabit Wall-Plate Access Point

- Simultaneous 574 Mbps on 2.4 GHz and 1201 Mbps on 5 GHz totals 1775 Mbps Wi-Fi speeds.
- Gigabit Ports: 2 Gigabit Ethernet ports (1× uplink + 1× downlink).
- Compact, low-profile design fits discreetly with any existing interior style.
- Free Auranet Controller Software enables administrators to easily manage hundreds of APs.
- Supports Power over Ethernet (802.3at) for convenient deployment and installation.
- Enterprise class Wi-Fi security helps to decrease network security threats.
- Supports management vlan for an enhanced network management.



LV-CAP07

AX1800 Wireless Dual Band Gigabit Ceiling Mount Access Point

- Simultaneous 574 Mbps on 2.4 GHz and 1201 Mbps on 5 GHz totals 1775 Mbps Wi-Fi speeds.
- Gigabit Ports: 1 Gigabit Ethernet ports.
- Free Auranet Controller Software enables administrators to easily manage hundreds of APs.
- Supports Power over Ethernet (802.3at) for convenient deployment and installation.
- Enterprise class Wi-Fi security helps to decrease network security threats.
- Supports management vlan for an enhanced network management.





LV-CAP02

AC1200 Wireless MU-MIMO Gigabit Ceiling Mount Access Point

- 1200Mbps Wi-Fi speeds with MU-MIMO.
- Gigabit Ports: 1 Gigabit Ethernet ports.
- Free Auranet Controller Software enables administrators to easily manage hundreds of APs.
- Support Power over Ethernet (802.3af) for convenient and affordable installation.
- Enterprise class Wi-Fi security helps to decrease network security threats.
- Captive portal provides one convenient method of authentication for Wi-Fi guests.
- Supports management vlan for an enhanced network management.



LV-CAP05

AC1200 Wireless Wall-Plate Access Point

- 1200Mbps Wi-Fi speeds with MU-MIMO.
- Free Auranet Controller Software enables administrators to easily manage hundreds of APs.
- Support Power over Ethernet (802.3af) for convenient and affordable installation.
- Enterprise class Wi-Fi security helps to decrease network security threats.
- Captive portal provides one convenient method of authentication for Wi-Fi guests.
- Supports management vlan for an enhanced network management.



LV-CAP3

N300 Wireless Ceiling Mount Access Point

- 300Mbps Wi-Fi speeds.
- Free Auranet Controller Software enables administrators to easily manage hundreds of APs.
- Support Power over Ethernet (802.3af) for convenient and affordable installation.
- Enterprise class Wi-Fi security helps to decrease network security threats.
- Captive portal provides one convenient method of authentication for Wi-Fi guests.
- Supports management vlan for an enhanced network management.



LV-OAP01

AC1200 Wireless Outdoor Access Point

- Built-in 9dBi 2x2 dual-polarized directional MIMO antenna.
- Adjustable transmission power from 0 to 25dBm.
- System-level optimizations for more than 1.5km long range wireless transmission.
- Centralized Management System – Pharos Control.
- AP / Client / Bridge / Repeater / AP Router / AP Client Router (WISP) operation modes.
- Passive PoE Adapter supports up to 60 meter (200 feet) Power over Ethernet deployment.





LV-CPE01


2.4GHz 300Mbps 8dBi Elevator CPE

- Built-in 9dBi 2x2 dual-polarized directional MIMO antenna.
- Adjustable transmission power from 0 to 25dBm.
- System-level optimizations for more than 1.5km long range wireless transmission.
- Centralized Management System – Pharos Control.
- AP / Client / Bridge / Repeater / AP Router / AP Client Router (WISP) operation modes.
- Passive PoE Adapter supports up to 60 meter (200 feet) Power over Ethernet deployment.

LV-CPE02

2.4GHz 300Mbps 9dBi Outdoor CPE

- Built-in 9dBi 2x2 dual-polarized directional MIMO antenna.
- Adjustable transmission power from 0 to 25dBm.
- System-level optimizations for more than 3km long range wireless transmission.
- Centralized Management System – Pharos Control.
- AP / Client / Bridge / Repeater / AP Router / AP Client Router (WISP) operation modes.
- Passive PoE Adapter supports up to 60 meter (200 feet) Power over Ethernet deployment and allows the device to be reset remotely.






LV-SW-D5P

5-Port 10/100Mbps Desktop Switch with 4-Port PoE

- 5 × 10/100 Mbps RJ45 ports
- 4 × PoE ports transfer data and power on individual cables
- Works with IEEE 802.3af compliant PDs
- Up to 250 m data and power transmitting range under Extend Mode**
- Priority Mode ensures high priority of ports 1–2 to guarantee the quality of sensitive application
- Supports PoE Power up to 41 W for all PoE ports*
- Plug and play with no configuration required

Dedicated 4-Port PoE Switch (41 W Budget) for Numerous Applications

Compliance with the 802.3af PoE standard supports up to 15.4 W on each PoE port. The total 41 W PoE power budget* for the 4 × PoE ports opens up a wide range of applications, such as surveillance for offices, dormitories, and small businesses. It is fully compatible with IP cameras, access points, IP phones, computers, printers, and more.





Desktop Switch



LV-SW05

5-Port 10/100Mbps Desktop Switch

- 5 10/100Mbps Auto-Negotiation RJ45 ports, Supports Auto MDI / MDIX.
- IEEE 802.3x flow control provides reliable data transfer.
- Plastic case, desktop design.
- Plug and play, no configuration required.

Specifications

5x10/100Mbps LAN ports

LED:Link LED



LV-SW08

8-Port 10/100Mbps Desktop Switch

- 8 10/100Mbps Auto-Negotiation RJ45 ports, Supports Auto MDI / MDIX.
- IEEE 802.3x flow control provides reliable data transfer.
- Plastic case, desktop design.
- Plug and play, no configuration required.

Specifications

8x10/100Mbps LAN ports

LED:Link LED

LV-UAC05

AC1200 Dual Band USB3.0 Wi-Fi Adapter

- 1200 (900+300) M wireless speed with 802.11ac.
- Two External Antennas.
- Supports Windows 10/8.1/8/7/XP, Mac OS X 10.7~10.10 and Linux.



LV-UAC20

AC1200 Dual Band USB3.0 Wi-Fi Adapter

- 1200 (900+300) M wireless speed with 802.11ac.
- Two External Antennas.
- Supports Windows 10/8.1/8/7/XP, Mac OS X 10.7~10.10 and Linux.

LV-UAC04

AC1300 Dual Band USB3.0 Wi-Fi Adapter

- 1300 (900+400) Mbps wireless speed with 802.11ac.
- Supports Windows 10/8.1/8/7/XP, Mac OS X 10.7~10.10 and Linux.



LV-UAC16


AC1200 Dual Band Wi-Fi + Bluetooth USB3.0

Adapter

- 1200 (300+900) Mbps wireless speed with 802.11ac.
- Supports Windows 10/8.1/8/7/XP, Mac OS X 10.7~10.10 and Linux.
- Supports Bluetooth 4.2



USB 3.0 for Superior Transfer Speeds



Wireless-n 150M Wi-Fi + Bluetooth USB2.0 Adapter



LV-UW01BT



LV-UW03BT



LV-UW06BT



LV-UW13BT



LV-UW07BT



LV-UW10BT



LV-UW11BT

Wireless-AC 600M Wi-Fi + Bluetooth Free Driver USB2.0 Adapter



High-Speed Dual Band Adapter
for Better Connections

No Need CD



LV-UAC10D



LV-UAC17D



LV-UAC03

AC600 Dual Band Wi-Fi USB2.0 Adapter

- 1200 (300+900) Mbps wireless speed with 802.11ac.
- Supports Windows 10/8.1/8/7/XP, Mac OS X 10.7~10.10 and Linux.



Wireless-AC 600M Dual Band USB2.0 Wi-Fi Adapter



LV-UAC01



LV-UAC09



LV-UAC09B



LV-UAC15



LV-UAC07



LV-UAC08



LV-UAC02

AC600 Wireless Dual Band Auto-Install USB Adapter

No Need CD



LV-UAC03D



LV-UAC09D



LV-UAC09BD



LV-UAC07D



LV-UAC08D




LV-UW16SD

300M USB2.0 Auto-Install Wi-Fi Adapter

- Wireless N technology, 2.4GHz, Wireless speeds of up to 300Mbps.
- Support Soft AP function.
- Supports Windows 10/8.1/8/7.



Wireless-N 150M USB WiFi Adapter



LV-UW01



LV-UW03



LV-UW06



LV-UW10S



LV-UW02



LV-UW07



LV-UW10



LV-UW11

Wireless-N 150M Auto-Install USB WiFi Adapter

No Need CD



LV-UW01D



LV-UW03D



LV-UW06D



LV-UW12D



LV-UW10SD



LV-UW02D



LV-UW07D



LV-UW10D



LV-UW11D



HDMI Dongle WiFi Display Adapter



LV-CM1
HDMI Dongle WiFi Display Adapter

- Cast photo/video/music from Android smartphone/iPhone/tablet PC to large screen TV/Projector.
- Wi-Fi: 802.11b / g / n 2.4GHz Wireless WiFi 150Mbps.
- Support multi-screen interactive features like **AirMirror/DLNA/Miracast/Airpaly.**
- Support synchronization playing of audio and video.



CM1-M2

- AirMirror
- DLNA
- Miracast
- Airpaly

CM1-M4

- AirMirror
- DLNA
- Miracast
- Airpaly
- 2 Core
- No need of modes switch

CM1-M9

- AirMirror
- DLNA
- Miracast
- Airpaly
- Chromecast
- 2 Core
- No need of modes switch

LV-CM3

300M WiFi Repeater/Router/ AP + HDMI Dongle Display Adapter

- 802.11b/g/n 2.4GHz Wireless WiFi 300Mbps.
- Supports Router, Repeater, WISP, Client and AP mode.
- Cast photo/video/music from Android smartphone/ iPhone/tablet PC to large screen TV/Projector.
- Support multi-screen interactive features like AirMirror/ DLNA/Miracast/Airpaly.
- Support synchronization playing of audio and video.



Plug and Play

Plug the Decice into a wall soket

Eliminate Wi-Fi Dead Zones



LV-CM2

HDMI Dongle Display Adapter
2.4G 150M WiFi



LV-CM4

HDMI Dongle Display Adapter
5G+2.4G (450M+150M) WiFi



LV-CM5

HDMI Dongle Display Adapter
5G+2.4G (450M+150M) WiFi





LV-CM6

HDMI Dongle Display Adapter
5G+2.4G (450M+150M) WiFi



LV-CM7

HDMI Dongle Display Adapter
5G+2.4G (450M+150M) WiFi

LV-CM9


HDMI Dongle Display Adapter
USB3.1Type-C to HDMI CABLE

Type-C Port:

MacBook,MateBook,minotebook
Air13Pro,ChromeBook pixel etc

HDMI Port:

Projector,monitor,TV



LV-CB01

USB Hands-free 5V 2.4A Car Charger FM Transmitter


- Channels: Full frequency support 87.5-108.0 MHz.
- Built-in Microphone, Answer/Reject/Hang up/Redial phone calls.
- Intelligent Output, automatic perfect match your device.
- Support HFP/HSP, A2DP/AVRCP and other BT protocols.



LV-CB02

USB Hands-free 5V 2.4A Car Charger FM Transmitter

- Channels: Full frequency support 87.5-108.0 MHz.
- Built-in Microphone, Answer/Reject/Hang up/Redial phone calls.
- Intelligent Output, automatic perfect match your device.
- Support HFP/HSP, A2DP/AVRCP and other BT protocols.



LV-B01

Bluetooth Audio Receiver



LV-B02

Bluetooth Audio Receiver



LV-B03

Bluetooth Audio Receiver



LV-B05

Bluetooth Audio Receiver



LV-B06

Bluetooth Audio Receiver



LV-B08

Bluetooth Audio Receiver




LV-B09

Bluetooth Audio Receiver



LV-B10

Bluetooth Audio Receiver (2 in 1)



Bluetooth Transmitter/Receiver



LV-B14A

Bluetooth USB Dongle



LV-B14B

Bluetooth USB Dongle



LV-B14C

Bluetooth USB Dongle



LV-B11

Bluetooth Transmitter/Receiver



LV-B12

Bluetooth Transmitter/Receiver



LV-B13

Bluetooth Audio Receiver (TF Card)



LV-B04

Bluetooth Transmitter



ShenZhen Lavid Technology Company

Tel:(86)755-85251795

Fax:(86)27385967

www.pix-link.com

Add:5F No.A3 building, Silicon Valley Power Intelligent
terminal Park, GuanLan Street, LongHua District, ShenZhen,PRC