



Headset

CE001

Function:
① High Sensitivity For Clear Sound Quality
② Stable Performance
③ Convenient Cord Length For Versatile Use
Speaker: 40 mm
Sensitivity: 102 dB ± 3 dB
Impedance: 32 Ω ± 15%
Frequency Response: 20 Hz ~ 20 kHz
Cord Length: Approx. 1.2 m ± 0.15 m
Plug Type: 3.5 mm
Dimension: 8 * 19 * 18 cm

Other Colors



Headset

CE002

Function:
① High Sensitivity For Clear Sound Quality
② Stable Performance
③ Convenient Cord Length For Versatile Use
Speaker: 40 mm
Sensitivity: 108 dB ± 3 dB
Impedance: 32 Ω
Cord Length: 1.25 m
Plug Type: 3.5 mm



Headset

CE003

Function:
① High Sensitivity For Clear Sound Quality
② Wide Frequency Response For Rich Audio
③ Convenient Cord Length For Versatile Use
Speaker Size: 40 mm
Frequency Response: 20 Hz – 20,000 Hz
Impedance: 32 Ω
Sensitivity: 108 dB ± 3 dB
Cord Length: 1.5 m
Plug Type: 3.5 mm

“ AMAZING
IS OUR
PURPOSE? ”

“ CALL **CAANKEI™** TO
ANSWER IT FOR YOU.”





Bluetooth Headset

CB011

Function:
① Long Life Battery
② AUX
③ Button Control
④ Light & Comfortable
Chip: JL6955
Bluetooth Version: V5.3
Headphone Battery: 300 mAh
Play Time: 11 H (60% Vol.)
Talk Time: 10 H (60% Vol.)
Charging Time: 2 H
USB Port: Type-C

Other Colors



Bluetooth Headset

CB012

Function:
① AUX
② Button Control
Chip: JL7006F4
Version: V5.3
Battery: 300 mAh
Play Time: 40 H (Vol 70%)
Talk Time: 35 H
Charging Time: 1.5 H
USB Port: Type-C

Other Colors



Bluetooth Headset

CB013

Function:
① AUX
② Button Control
③ Long Life Battery
Chip: JL7006F4
Bluetooth Version: V5.4
Headphone Battery: 400 mAh
Play Time: 50 H (Vol 60%)
Talk Time: 25 H
Charging Time: 2 H
USB Port: Type-C

Other Colors



Bluetooth Headset

CB014

Function:
① AUX
② Button Control
Chip: JL6955F
Bluetooth Version: V5.3
Battery: 400 mAh
Playing Time: 14 H (Vol 100%)
Talk Time: 14 H
Charging Time: 3 H
USB Port: Type-C

Other Colors





Bluetooth Headset

CB015

Function:
① **AUX**
② **Button Control**
③ **RGB Lighting**
Chip: JL6955F
Bluetooth Version: V5.3
Battery: 200 mAh
Playing Time: 6 H (Vol 60%)
Talk Time: 8 H
Charging Time: 2 H
USB Port: Type-C

Other Colors



Bluetooth Headset

CB016

Function:
① **TF Card**
② **FM Mode**
③ **AUX**
④ **Button Control**
Chip: AC6955F
Bluetooth Version: V5.3
Headphone Battery: 200 mAh
Play Time: 10H (Vol 60%)
Charging Time: About 1.5 H
USB Port: Type-C

Other Colors



Bluetooth Headset

CB017

Function:
① **Multiple Modes(Bluetooth/AUX)**
② **Folding Portable Design**
③ **Super Long Battery-Life**
④ **Light&Comfortable**
Chip: JL7006F4
Bluetooth Version: V5.4
Headphone Battery: 300 mAh
Play Time: 20 H (Vol 60%)
Talk Time: 15 H
Charging Time: 1 H

Other Colors



Bluetooth Headset

CB018

Function:
① **AUX**
② **Button Control**
Chip: JL6955F
Version: V5.3
Battery: 200 mAh
Play Time: 8 H (Vol 60%)
Talk Time: 8 H
Charging Time: 2 H
USB Port: Type-C



Bluetooth Headset

CB019

Function:
① **AUX**
② **Button Control**
③ **RGB Lighting**
Chip: JL6955F
Bluetooth Version: V5.3
Battery: 200 mAh
Playing Time: 6 H (Vol 60%)
Talk Time: 6 H
Charging Time: 2 H
USB Port: Type-C



Bluetooth Headset

CB020

Function:
① **AUX**
② **Button Control**
③ **EQ Mode Switch**
④ **Long Life Battery**
Chip: JL7006F4
Bluetooth Version: V5.4
Headphone Battery: 300 mAh
Play Time: 42 H (Vol 60%)
Talk Time: 31 H
Charging Time: 1.5 H
USB Port: Type-C



Noise Canceling Headset

CB022

Function:
① **Lightweight To Wear For Comfort**
② **Three EQ Modes For Customized Sound**
③ **Wake Up SIRI For Hands-Free Control**
Chip: JL7006F
Wearing Style: Over-Ear
Speaker Diameter: Φ 40mm
Speaker Material: PET Speaker
Built-In Battery: 200 MAh
Play Time: Approx. 10 H (Vol 80%)
Talk Time: Approx. 8 H (Vol 80%)
Supported Audio Formats: SBC/AAC
Operation Method: Button Control
USB Port: Type-C
Color: Multiple Col

Other Colors



“ WHAT IS
A BETTER
IDEA? ”

“ CALL **CAANKEI™** TO
ANSWER IT FOR YOU.”





Kids Headphones

CKS6

Function:
① **AUX**
② **Button Control**
Chip: JL7006F4
Version: V5.3
Battery: 300 mAh
Play time: 40 H (Vol 70%)
Talk time: 35 H
Charging time: 1.5 H
USB Port: Type-C

Other Colors



Kids Headphones

CKS7

Function:
① **AUX**
② **Button Control**
Chip: JL6955
Bluetooth Version: V5.3
Headphone Battery: 300 mAh
Play Time: 9 H (Vol 100%)
Talk Time: 7 H
Charging Time: About 2 H
USB Port: Type-C

Other Colors



Kids Headphones

CKS8

Function:
① **Button Control**
② **AUX**
③ **Hearing Protection**
Chip: JL6925F
Bluetooth Version: V5.0
Headphone Battery: 400 MAh
Play Time: 18 H (Vol 60%)
Talk Time: 18 H (Vol 60%)
Charging Time: 2.5 H
USB Port: Type-C

Other Colors





Noise Canceling Headset

CN60

Function:
① Active Noise Cancellation
② Multiple Modes(Bluetooth/AUX)
③ Folding Portable Design
④ Super Long Battery-Life
Chip: JL7006F4
Bluetooth Version: V5.3
Headphone Battery: 300 mAh
Play Time: 30 H (BT), 19 H (ANC+BT) (Vol 100%)
Talk Time: 27 H
Charging Time: 1.5 H
USB Port: Type-C
Active Noise Reduction Depth: -20 ± 3 dB

Other Colors



Noise Canceling Headset

CN61

Function:
① Active Noise Cancellation
② Multiple Modes(Bluetooth/AUX)
③ Folding Portable Design
Chip: JL7006F
Bluetooth Version: V5.3
Built-in Battery: 400 mAh
Play Time: 36 H (BT), 25 H (ANC+BT) (Vol 100%)
Talk Time: 25 H
Charging Time: 2 H
USB Port: Type-C
Noise Cancellation: -23 ± 2 dB

Other Colors



Noise Canceling Headset

CN62

Function:
① Active Noise Cancellation
② Multiple Modes(Bluetooth/AUX)
③ Folding Portable Design
Chip: JL7006F
Bluetooth Version: V5.3
Built-in Battery: 400 mAh
Play Time: 30 H (BT), 20 H (ANC+BT) (Vol 100%)
Talk Time: 25 H
Charging Time: 2 H
USB Port: Type-C
Noise Cancellation: -23 ± 2 dB



Noise Canceling Headset

CN63

Function:
① ANC Mode For Noise Cancellation
② Multi-Device Connection For Versatility
③ Button Control For Easy Operation
Chip: A85632C
Bluetooth Version: V5.2
Headphone Battery: 350 MAh
Play Time: 35 H (Vol 70%) / 17 H (Vol 60% With ANC)
Talk Time: 30 H (Vol 70%)
Charging Time: <2 H

Other Colors





FF+FB Noise Canceling Headset



FF+FB Noise Canceling Headset



FF+FB Noise Canceling Headset



Noise Canceling Headset

CNF61

Function:
① Active Noise Cancellation
② Multiple Modes(Bluetooth/AUX)
③ Folding Portable Design
④ Super Long Battery-Life
Chip: JL7018F8
Bluetooth Version: V5.3
Headphone Battery: 500 mAh
Play Time: 31 H (BT), 22 H (ANC+BT) (Vol 100%)
Charging Time: 2.5 H
USB Port: Type-C
ANC Feedback Reduction: -30 ± 3 dB

Other Colors



CNF62

Function:
① Hybrid ANC, FF+FB +Transparent Mode
② Touch Control
③ Rotate Design
④ Light&Comfortable
Chip: JL7018F8
Bluetooth Version: V5.3
Headphone Battery: 500 mAh
ANC Feedback Reduction: -35 ± 3 dB
ANC Frequency: 20 ~ 1000 Hz
Bluetooth Frequency: 2402 ~ 2480 Hz
Play Time: 27.5 H (ANC+BT) (Vol 100%), 38.5 H (BT) (Vol 100%)
Talk Time: 30 H
Charging Time: 2.5 H
USB Port: Type-C

Other Colors



CNF63

Function:
① Active Noise Cancellation
② Multiple Modes(Bluetooth/AUX)
③ Folding Portable Design
④ Super Long Battery-Life
Chip: JL7018F8
Bluetooth Version: V5.3
Headphone Battery: 500 mAh
Play Time: 37 H (BT), 32 H (ANC+BT) (Vol 100%)
Charging Time: 2.5 H
USB Port: Type-C
ANC Feedback Reduction: -20 ± 3 dB

Other Colors



CNF64

Function:
① Active Noise Cancellation
② Multiple Modes(Bluetooth/AUX)
③ Folding Portable Design
Chip: JL7006F
Bluetooth Version: V5.3
Built-in Battery: 400 mAh
Play Time: 30 H (BT), 20 H (ANC+BT) (Vol 100%)
Talk Time: 25 H
Charging Time: 2 H
USB Port: Type-C
Noise Cancellation: -23 ± 2 dB



Tws Wireless Earbuds



Tws Wireless Earbuds



Tws Wireless Earbuds



Tws Wireless Earbuds

CT011

Function:
① **High Quality Chip, Stable Connection**
② **Long Battery Life For Extended Use**
③ **Compact And Portable Design**
Bluetooth Chip: Blucturm ABS656
Bluetooth Version: Bluctaath V5.3
Frequency: 2402 ~ 2480 MHz
Transmission Range: 10 M
Battery: 30 mAh + 250 mAh
Speaker: 10 mm 5 mW 32 Ω
Speaker Sensitivity: 110 dB ± 3 dB 1 kHz/2.83 V
Speaker Frequency: 20 Hz ~ 20 kHz
Input Voltage/Current: DC 5 V/200 mA
Play Time: 3 ~ 4 H (medium volume)
Talk Time: 3 H (medium volume)
Charging Time: about 1.5 H

Other Colors



CT012

Features:
① **TYPE C USB**
② **10m Wireless Working Range**
③ **2C Fast Charger**
Bluetooth Version: Bluctoath V5.3
Frequency: 2402 ~ 2480 MHz
Battery: 30 mAh + 190 mAh
Speaker: 10 mm 5 mW 32 Ω
Speaker Frequency: 20 Hz ~ 20 kHz
Input Voltage/Current: DC 5 V/200 mA
Play Time: 3 ~ 4 H (medium volume)
Talk Time: 3 H (medium volume)
Charging Time: about 1.5 H

Other Colors



CT013

Function:
① **Bluetooth Version V5.3 For Stable Connectivity**
② **High Sensitivity Speaker For Clear Sound**
③ **Long Battery Life For Extended Use**
Bluetooth Chip: JL6973 D4
Bluetooth Version: Bluetooth V5.3
Frequency: 2.402 ~ 2.480 GHz
Wireless Working Range: 10 M
Battery: 40 mAh + 300 mAh
Speaker: 10 mm 5 mW 32 Ω
Speaker Sensitivity: 94 dB ± 3 dB
Speaker Frequency: 20 Hz ~ 20 kHz
Input Voltage/Current: DC 5 V/300 mA
Play Time: 3 ~ 4 H (medium volume)
Talk Time: 3 H (medium volume)
Charging Time: about 1.5 H

CT014

Function:
① **Bluetooth Version V5.3 For Stable Connectivity**
② **Active Noise Cancellation For Clear Sound**
③ **Long Battery Life For Extended Use**
Bluetooth Chip: JL7003 D4
Bluetooth Version: Bluetooth V5.3
Frequency: 2.402 ~ 2.480 GHz
ANC Depth: 25 dB
Wireless Working Range: 10 M
Battery: 40 mAh + 300 mAh
Speaker: 10 mm 5 mW 32 Ω
Speaker Sensitivity: 94 dB ± 3 dB
Speaker Frequency: 20 Hz ~ 20 kHz
Input Voltage/Current: DC 5 V/300 mA
Play Time: 3 ~ 4 H (medium volume)
Talk Time: 3 H (medium volume)
Charging Time: about 1.5 H



Tws Wireless Earbuds



Tws Wireless Earbuds



Tws Wireless Earbuds

“ WHAT IS BETTER QUALITY? ”

“ CALL CAANKEI™ TO ANSWER IT FOR YOU.”

CT015

Function:
① Bluetooth Version V5.3 For Stable Connectivity
② ANC Depth Of 25dB For Noise Cancellation
③ Long Battery Life For Extended Use
Bluetooth Chip/Version: JL7003 D4 / V5.3
Frequency: 2.402 GHz ~ 2.480 GHz
ANC Depth: 25 dB
Wireless Working Range: 10 M
Battery: 40 mAh + 300 mAh
Speaker: Φ10 mm 5 mW 32 Ω
Speaker Sensitivity: 94 dB ± 3 dB
Speaker Frequency: 20 Hz ~ 20 KHz
Input Voltage/Current: DC 5 V / 300 mA
Play Time: 4 ~ 5 H (medium volume)
Talk Time: 4.5 H (medium volume)
Charging Time: about 1.5 H
Other Colors



CT016

Function:
① Bluetooth Version V5.3 For Stable Connectivity
② ANC Depth Of 25dB For Noise Cancellation
③ Long Battery Life For Extended Use
Bluetooth Chip/Version: JL7003 D4 / V5.3
Frequency: 2.402 GHz ~ 2.480 GHz
ANC Depth: 25 dB
Wireless Working Range: 10 M
Battery: 40 mAh + 300 mAh
Speaker: Φ10 mm 5 mW 32 Ω
Speaker Sensitivity: 94 dB ± 3 dB
Speaker Frequency: 20 Hz ~ 20 KHz
Input Voltage/Current: DC 5 V / 300 mA
Play Time: 4 ~ 5 H (Vol 70%)
Talk Time: 4.5 H (Vol 70%)
Charging Time: about 1.5 H
Other Colors



CT017

Features:
① FF ANC+Dual Mic ENC
② Holi Magnetic Switch
③ 2C Fast Charger
Chip: JL7006F8 with Battery Protected IC and OVP
Bluetooth Version: V5.4
Earbud Battery: 50 mAh * 22C Fast Charge
Charging Case Battery: 450 mAh
Play Time: about 8.5 H (Vol 60%)
Talk Time: about 5 H
Standby Time: about 180 days
Charging Time: about 1.5 H
USB Port: Type-C

Other Colors





Earplugs

CM61

Function:
① High Sensitivity Speaker
② Wide Frequency Response Range
③ Convenient Type-C Interface
Chip: AB229D
Speaker: 14.2 mm
Sensitivity: 105 dB ± 5
Speaker Impedance: 16 Ω ± 15%
Frequency Response: 20 Hz ~ 20 kHz
Plug Type: Type-C
Cord Length: 1.2 ± 0.03 M

Other Colors



Earplugs

CM62

Function:
① High Sensitivity Speaker
② Wide Frequency Response Range
③ Convenient Type-C Interface
Chip: AB136D
Speaker: 14 mm
Sensitivity: 103 dB ± 5
Speaker Impedance: 16 Ω ± 15%
Frequency Response: 20 Hz ~ 20 kHz
Plug Type: Type-C
Cord Length: 1.2 ± 0.03 M

Other Colors



Earplugs

CM63

Function:
① High Sensitivity Speaker
② Wide Frequency Response Range
③ Convenient Type-C Interface
Chip: AB136D
Speaker: 10 mm
Sensitivity: 103 dB ± 5
Speaker Impedance: 16 Ω ± 15%
Frequency Response: 20 Hz ~ 20 kHz
Plug Type: Type-C
Cord Length: 1.2 ± 0.03 M

Other Colors



Earplugs

CM64

Function:
① High Sensitivity Speaker
② Wide Frequency Response Range
③ Convenient Type-C Interface
Chip: AB136
Speaker: 8 mm
Sensitivity: 97 dB ± 5
Impedance: 32 Ω ± 15%
Frequency Response: 20 Hz ~ 20 kHz
Plug Type: Type-C
Cord Length: 1.2 ± 0.03 M

Other Colors





Earplugs

CM65

Function:
① High Sensitivity Speaker
② Wide Frequency Response Range
③ Convenient 3.5mm Interface
Speaker: 10 mm
Sensitivity: 98 dB ± 3 dB
Impedance: 32 Ω ± 15%
Frequency Response: 20 Hz ~ 20 kHz
Plug Type: 3.5 mm
Cord Length: 1.2 ± 0.03 M

Other Colors



Earplugs

CM66

Function:
① High Sensitivity Speaker
② Wide Frequency Response Range
③ Standard 3.5 Mm Interface
Speaker: 10 mm
Sensitivity: 105 ± 3 dB
Impedance: 32 Ω ± 15%
Frequency Response: 20 Hz ~ 20 kHz
Plug Type: 3.5 mm
Cord Length: 1.2 ± 0.03 M

Other Colors



Earplugs

CM67

Function:
① High Sensitivity Speaker
② Wide Frequency Response Range
③ Convenient 3.5 Mm Interface
Speaker: 14.2 mm
Sensitivity: 105 dB ± 3 dB
Impedance: 16 Ω ± 15%
Frequency Response: 20 Hz ~ 20 kHz
Plug Type: 3.5 mm
Cord Length: 1.2 ± 0.03 M



Earplugs

CM68

Function:
① High Sensitivity Speaker
② Wide Frequency Response Range
③ Convenient 3.5 Mm Interface
Speaker: 10 mm
Sensitivity: 105 ± 3 dB 1 kHz/1 mW
Impedance: 32 Ω ± 15%
Frequency Response: 20 Hz ~ 20 kHz
Plug Type: 3.5 mm
Cord Length: 1.2 ± 0.03 M



Bone Conduction Headsets

C-BC6

Function:
① Bone Conduction
② Stable & Lightweight Design
③ IPX5 Waterproof
Chip: AD6983D4
Bluetooth Version: V5.3
Headphone Battery: 160 mAh
Play Time: 6 H (Vol 60%)
Talk Time: 4 H (Vol 60%)
Charging Time: 2 H
USB Port: Type-C USB

Other Colors



Bone Conduction Headsets

C-BC7

Function:
① Bone Conduction
② Stable & Lightweight Design
③ IPX8 Waterproof
④ TF Card 32G
Chip: AB8922B
Bluetooth Version: V5.4
Headphone Battery: 200 mAh
Play Time: 5 H (Vol 60%)
Talk Time: 5 H (Vol 60%)
Charging Time: 2 H
USB Port: Special Design

Other Colors



Bone Conduction Headsets

C-BC8

Function:
① Bone Conduction
② Stable & Lightweight Design
③ IPX8 Waterproof
④ Soft Silicone
⑤ TF Card 32G
Chip: BT8922B2
Bluetooth Version: V5.4
Headphone Battery: 170 mAh
Play Time: 5 H (Vol 60%)
Talk Time: 5 H
Charging Time: 2 H
USB Port: Special

Other Colors



“ WHAT IS BETTER SERVICE? ”

“ CALL **CAANKEI™** TO ANSWER IT FOR YOU.”





Wireless Bluetooth Speaker

CS01

Function:
① **Bluetooth Version V5.3 For Stable Connectivity**
② **5W Output Power For Enhanced Sound**
③ **Multiple Support Options**
Chip: AB5606B
Bluetooth Version: V5.3
Output Power: 5 W
Battery: 3.7 V / 1200 mAh
Playing Time: 6 H (Medium Volume)
Charging Time: 2.5 H
Support: BT, TWS, TF

Other Colors



Wireless Bluetooth Speaker

CS02

Function:
① **IP67 Waterproof**
② **RGB Lighting**
③ **Multiple Support Options**
Chip: ATS2817
Bluetooth Version: V5.3
Rated Power: 15 W + 8 W
Peak Power: 30 W + 15 W
Speaker Size: 57 mm * 57 mm * 40 mm * 31 mm * 11.5 mm
Speaker Frequency: 80 Hz ~ 20 kHz
Battery: 18650 7.4 V 1800 mAh
Playing Time: Max Volume 3.5 H (Medium Volume)
Charging Time: 2 H
Support: BT, TF, AUX, RGB Lighting, Call, TWS



Wireless Bluetooth Speaker

CS03

Function:
① **IPX5 Waterproof**
② **Bluetooth Version V5.3 For Stable Connectivity**
③ **Multiple Support Options**
Chip: AB5606B
Bluetooth Version: V5.3
Rated Power: 8 W
Peak Power: 10 W
Speaker Size: 52 mm
Speaker Frequency: 120 Hz ~ 18 kHz
Battery: 3.7 V / 1200 mAh
Playing Time: 5 ~ 6 H (Medium Volume)
Charging Time: 2 H
Support: BT, FM, TF, USB

Other Colors



Wireless Bluetooth Speaker

CS04

Function:
① **Bluetooth Version V5.3 For Stable Connectivity**
② **5W Output Power For Clear Sound**
③ **Multiple Support Options**
Chip: AB5368E
Bluetooth Version: V5.3
Output Power: 5 W
Battery: 3.7 V / 1200 mAh
Playing Time: 6 H (Vol 70%)
Charging Time: 2.5 H
Support: BT, TWS, TF, FM

Other Colors





Wireless Bluetooth Speaker

CS05

Function:
① **Bluetooth Version V5.3 For Stable Connectivity**
② **5W Output Power For Clear Sound**
③ **Multiple Support Options**
Chip: AB5362B
Bluetooth Version: V5.3
Rated Power: 5 W
Speaker Size: 52 mm
Speaker Frequency: 120 Hz ~ 18 KHz
Battery: 3.7 V / 1200 mAh
Playing Time: 3 ~ 4 H (Vol 70%)
Charging Time: 2.5 H
Support: BT, FM, TF, USB, AUX, TWS

Other Colors



Wireless Bluetooth Speaker

CS06

Function:
① **Bluetooth Version V5.3 For Stable Connectivity**
② **5W Speaker Power For Clear Sound**
③ **Multiple Support Options**
Chip: 6965E
Bluetooth Version: V5.3
Product Material: ABS + iron mesh
Product Size: 119 * 82.8 mm
Speaker Size: 52 mm
Speaker Power: 5 W
Battery Type: 18650
Battery Capacity: 1200 mAh
Input Power: DC 5 V / 500 mA
Function: Bluetooth, TF Card, USB, FM
Features: 7 Colorful Lights
Charging Time: 3 H
Song Play Time: 5 ~ 6 H



Wireless Bluetooth Speaker

CS07

Function:
① **Bluetooth Version V5.1 For Stable Connectivity**
② **Multiple Support Options**
Chip: 6966
Distance: 10 M
Speaker Size: 104 Mm
Bluetooth Protocol: A2DP1.0
SNR: ≥83 DB
Frequency: 120 Hz-20 KHz
Input: DC 5 V / 1.5 A
Max Power: 15 W*1
Battery Capacity: 3.7 V / 1800 MA
Working Time/Charging Time: 3 ~ 4 H / 3 H
Support: Bluetooth, TF, AUX, USB
Material/Charging Port: ABS Plastic / Type-C

Other Colors



Wireless Bluetooth Speaker

CS08

Function:
① **Bluetooth Version V5.1 For Stable Connectivity**
② **20W Peak Power For Enhanced Sound**
③ **Multiple Support Options**
Chip: JL7016
Bluetooth Version: V5.1
Product Size: 306 * 134 * 176 mm
Bluetooth Distance: 10 meters (no obstacles)
Speaker Unit: 4 inches + 52 mm * 2 + 66 mm * 1
Bluetooth Protocol: A2DP 1.0
SNR: ≥ 90 dB
Frequency Range: 40 Hz ~ 20 KHz
Input Voltage/Current: DC 5 V / 1.5 A
Peak Power: 20 W + 5 W * 2
Battery Capacity: 3.7 V / 3600 mAh
Play Time: 3 ~ 4 H
Charging Time: 4 H



“ THE BEST
IS ON THE
NEXT PAGE! ”

“ CALL **CAANKEI™** TO
ANSWER IT FOR YOU.”

Wireless Bluetooth Speaker

CS09

Function:
① **Bluetooth Version V5.3 For Stable Connectivity**
② **8W Rated Power For Enhanced Sound**
③ **Multiple Support Options**
Chip: AB5606B
Bluetooth Version: V5.3
Rated Power: 8 W
Peak Power: 10 W
Speaker Size: 52 mm
Speaker Frequency: 120 Hz ~ 18 KHz
Battery: 3.7 V / 1200 mAh
Playing Time: 3 ~ 4 H (Vol 70%)
Charging Time: 2.5 H
Support: BT, FM, TF, USB, AUX, TWS

Other Colors



Wireless Bluetooth Speaker

CS10

Function:
① **Super Cool Karaoke**
② **Bluetooth Version V5.3 For Stable Connectivity**
③ **5W Output Power For Clear Sound**
④ **Compact Size For Portability**
Bluetooth Version: V5.3
Output Power: 5 W
Battery: 3.7 V / 1200 mAh
Play Time: 5 H
Charging Time: 2.5 H
Product Size: 102 * 90 * 86 mm



Wireless Bluetooth Speaker

CS11

Function:
① **Bluetooth Version V5.3 For Stable Connectivity**
② **With 2 Microphones**
③ **Multiple Support Options**
Solution: AB
Bluetooth Version: V5.3
Distance/Speaker Size: 10 M / 104 Mm
Bluetooth Protocol: A2DP1.0
SNR: ≥83 DB
Frequency: 120 Hz-20 KHz
Input: DC 5 V / 500 MA
Max Power: 15 W*1
Battery Capacity: 3.7 V / 2400 MA
Working Time/Charging Time: 3 ~ 4 H / 3 H
Features: Bluetooth, TF, AUX, USB
Charging Port/Material: Type-C / ABS Plastic
Other Colors





Wireless Bluetooth Speaker

CS12

Function:
① **Bluetooth Version V5.3** For Stable Connectivity
② **Peak 5W Output Power** For Clear Sound
③ **Alarm Clock**
Chip: AC6951C8
Bluetooth Version: V5.3
Rated Power: 3 W
Peak Power: 5 W
Speaker Size: 50 mm
Speaker Frequency: 80 Hz ~ 20 KHz
Battery: 18650 3.7 V 1500 mAh
Playing Time: 3 H (Vol 70%)
Charging Time: 3 H
Support: TF

Other Colors



Wireless Bluetooth Speaker

CS13

Function:
① **15W Wireless Charge**
② **Automatic Time Synchronization**
③ **2 Alarm Clocks**
④ **Simple Anti-Theft Buckle**
⑤ **LED Eyes Protection**
Bluetooth Version: V5.3
Support: FM, TF Card

Other Colors



Wireless Bluetooth Speaker

CS14

Function:
① **15W Wireless Charge**
② **Automatic Time Synchronization**
③ **2 Alarm Clocks**
④ **Simple Anti-Theft Buckle**
⑤ **10W Wireless Charge**
Bluetooth Version: V5.3
Support: FM, TF Card, LED Display, Phone Holder, Time Display, Week Display
Note: Second line shows the alarm clock time.

Other Colors



Wireless Bluetooth Speaker

CS15

Function:
① **15W Wireless Charge**
② **Automatic Time Synchronization**
③ **2 Alarm Clocks**
④ **Simple Anti-Theft Buckle**
⑤ **FM**
Bluetooth Version: V5.3
Support: FM

Other Colors



WONDERFUL
INDESCRIBABLE!



Twos Wireless Earbuds

CT016

Function:

- ① **Touch Control**
- ② **15m Wireless Working Range**
- ③ **Compact Charging Case**

Bluetooth Version: 5.4
Charging Box: 200 mAh
Earphones: 30 mAh
Playable Time: 5 H
Transmission Range: 15 M
USB Port: Type-C

CAANKI™ CREATE NOVELTY