

**Together,
For A Better Future!**



Wechat




ldnio.com



ldnioofficial

LDNIO[®]
FAST CHARGING EXPERT



SINCE 2002



Since 2002

Introduce

LDNIO, China's electronic accessory exporting enterprise leader, ISO9001 International quality system authorized enterprise. "CHINA HIGH-TECH ENTERPRISE" title awarded by China government.

We focus on the development, production and sales of electronic accessories and providing high-quality products and service as well as professional services.

At present, LDNIO has formed a complete charging products range which includes home chargers, car chargers, power strips, power bank, wireless charger, data cable. These products have completely covered the various application scenarios of mobile phone charging. What's more, all our products have met the CE/ RoHS/ FCC/ ETL/ BIS/ SASO and other certification requirements.



Since 2002

Introduce



21

Years History

200+

Countries

60,000

m² Factory

300+

Patent Certificate

700+

Employees

50,000,000

Pcs Production Per Year

ISO9001 QUALIFIED FACTORY





Since 2002

Product

Since 2002



TRAVEL CHARGER



CAR CHARGER



POWER STRIP



POWER BANK



DATA CABLE



SMART HOME



PHONE HOLDER



STEREO




TRAVEL CHARGER

A2318M

MFi Certification PD+QC3.0 Fast Charger

Product Parameter:

Input: AC100-240 50-60Hz 0.5A
PD Output: 5V/3A 9V/2.22A 12V/1.67A (20W)
QC3.0 Output: 5V/3A 9V/2A 12V/1.5A (18W)
PD+QC3.0=3.6A
Total Power: 20W Max
Color: White



A2528M

MFi Certification Dual PD Prot Fast Charger

Product Parameter:

Input: AC100-240 50-60Hz 0.8A
PD Output 1: 5V/3A 9V/3A 12V/2.9A
15V/2.33A 20V/1.75A (35W)
PD Output 2: 5V/3A 9V/3A 12V/2.9A
15V/2.33A 20V/1.75A (35W)
OUT 1+OUT 2 : 17.5W+17.5W
Total Power: 35W Max
Color: White



A2318C

PD+QC3.0 Fast Charger

Product Parameter:

Input: AC100-240 50-60Hz 0.5A
PD Output: 5V/3A 9V/2.22A 12V/1.67A (20W)
QC3.0 Output: 5V/3A 9V/2A 12V/1.5A (18W)
PD+QC3.0: 5V/1.8A
Total Power: 20W Max
Color: White



A2528C

Dual PD Prot Fast Charger

Product Parameter:

Input: AC100-240 50-60Hz 0.8A
PD Output 1: 5V/3A 9V/3A 12V/2.9A
15V/2.33A 20V/1.75A (35W)
PD Output 2: 5V/3A 9V/3A 12V/2.9A
15V/2.33A 20V/1.75A (35W)
OUT 1+OUT 2 : 17.5W+17.5W
Total Power: 35W Max
Color: White





A3511Q

GaN 65W Super Charger

Product Parameter:

Input: AC100-240 50-60Hz 1.5A
 USB-C1 Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W(Max)
 USB-A1 Output: 5V/3A 9V/2A 12V/1.5A 18W(Max)
 USB-A2 Output: 5V/3A 9V/2A 12V/1.5A 18W(Max)
 C1+A1+A2=60W
 Total Power: 65W Max
 Color: White



A1508C

30W USB-C Fast Charger

Product Parameter:

Input: AC100-240 50-60Hz 0.7A
 PD Output: 5V/3A 9V/3A 12V/2.5A 15V/2A 20V/1.5A
 PPS: 3.3V-11V/3A
 Total Power: 30W Max
 Color: White



30W Total Power | **PD** | **PPS**



GaNX65w | **PD** | **QC** | **PPS**



Q366

GaN 65W Super Charger

Product Parameter:

Input: 100-240V- 50/60Hz 1.5A Max
 C1 PD Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W Max
 C2 PD Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W Max
 USB-A Output: 4.5V/5A 5V/4.5A 5V/3A 9V/3A 12V/2.5A 30W Max
 C1+C2=45W+20W 65W Max C1+A1=45W+18W Max
 C2+A1=5V/3.6A 18W Max
 Total Power: 65W Max
 Color: Black



Q367

65W Super Fast Charger

Product Parameter:

Input: 100-240V- 50/60Hz 1.5A Max
 C1 PD Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W(Max)
 C2 PD Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W(Max)
 C3 PD Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W(Max)
 C1+C2=45W+20W 65W(Max)
 C1+C3=45W+20W 65W(Max)
 C2+C3=5V/3.6A 18W(Max)
 Total Power: 65W Max
 Color: Black



GaNX65w PD ⚡ C PPS

GaNX65w PD ⚡ C PPS



Q2617

65W GaN

Super Fast Charger



Product Parameter:

Input: 100-240V~ 50-60Hz 1.5A Max
USB-C Output : 5V/3A 9V/3A 12V/3A 15V/3A 20V/2.25A
PPS: 3.3-11V/4.5A 3.3-21V/2.25A 45W Max
USB-A Output: 5V/3A 9V/2.22A 12V/1.67A 20W Max
USB-C+USB-A: 45W+20W=65W Max
Total Output Power: 65W Max

GaNX65w | PD | ⚡

A2522C

30W Super Fast Charger



Product Parameter:

Input: AC100-240 50-60Hz 0.7A
PD Output: 5V/3A 9V/3A 12V/2.5A 15V/2A 20V/1.5A (30W)
PPS: 3.3-12V/2.5A 3.3-20V/1.5A
QC Output: 5V/4.5A 9V/3A 12V/2.5A (30W)
Total Power: 30W Max
Color: White

30W Total Power | PD | QC | PPS | LED Voltage Display



A2317C

30W PD+QC 3.0 Fast Charger

Product Parameter:

Input: AC100-240 50-60Hz 0.7A
 PD Output: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W)
 PPS: 3.3V-11V/3A
 QC Output: 5V/3A, 9V/2A, 12V/1.5A (18W)
 PD+QC=5V/3.6A
 Total Power: 30W Max
 Color: White



A2421C

22.5W Super Fast Charger

Product Parameter:

Input: AC100-240 50-60Hz 0.7A
 USB-C Output: 5V/3A 9V/2.22A 12V/1.67A (20W)
 USB-A Output: 4.5V/5A 5V/4.5A 9V/2A 12V/1.5A (22.5W)
 Total Power: 22.5W Max
 Color: White



A2620C

65W Quick Charger

Product Parameter:

Input: AC100-240 50-60Hz 1.5A
USB-C Output: 5V/3A 9V/3A 12V/3A 15V/3A
20V/3.25A 65W(Max)
USB-A Output: 5V/2.4A 12W(Max)
Total Power: 65W Max
Color: White



A1206C

27W USB-C PD Fast Wall charger

Product Parameter:

Input: AC100-240V 50/60Hz 0.5A
PD Output: 5V/3A 9V/3A
Total Power: 27W Max
Color: White



Q111

USB-C PD Fast Wall Charger

Product Parameter:

Input: 100-240V~ 50/60Hz 0.5A Max
PD Output : 5V/2.4A 9V/2.22A 12V/1.67A 20W Max
Output Power: 20W Max



Q122

27W USB-C PD EU Fast wall charger

Product Parameter:

Input: 100-240V~ 50/60Hz 0.5A Max
PD Output : 5V/3A 9V/3A
PPS: 3.3V-11V/2.25A
Output Power: 27W Max
Color: White



A2405Q

30W Fast Charger

Product Parameter:

Input: AC100-240 50-60Hz 0.5A
QC3.0 Output: 5V/3A 9V/2A 12V/1.5A (18W)
Auto-ID Output: 5V/2.4A (12W)
Total Power: 30W Max
Color: Red and White



30^w Total Power



A2201

2.4A Fast Charger

Product Parameter:

Input: AC100-240 50-60Hz
Output: 5V/2.4A
Total Power: 12W Max
Color: White



12^w Total Power



A2512Q

18W Fast Charger

Product Parameter:

Input: AC100-240 50-60Hz 0.5A
QC3.0 Output: 5V/3A 9V/2A 12V/1.5A (18W)
Total Power: 18W Max
Color: White



18^w Total Power



Q229

20W Fast Charger

Product Parameter:

Input: 100-240V 0.7A 50-60HZ
PD Output: 5V/3A 9V/2.22A 12V/1.67A (20W)
QC Output: 5V/3A 9V/2A 12V/1.5A (18W)
PD+QC=5V3.6A
Total Power: 20W Max
Color: White



20^w Total Power



A1204Q

QC3.0 Fast Charger

Product Parameter:

Input: AC100-240 50-60Hz 0.5A
Output: 5V/3A 9V/2A 12V/1.5A
Total Power: 18W Max
Color: White



18^w Total Power



A2219

2.4A Dual USB Fast Charger

Product Parameter:

Input: AC100-240 50-60Hz
Output: 5V/2.4A
Output Power: 12W
Color: White



12^w Total Power



A322

3.1A Fast Charger

Product Parameter:

Input: AC100-240 50-60Hz 0.6A
Output: 5V/3.1A
Total Power: 15.5W Max
Color: White

15.5^w Total Power



A303Q

18W FAST WALL CHARGER

Product Parameter:

Input: AC100-240 50-60Hz
Output: 3.6V/3A 6V-9V/2A 9V-12V/1.5A
Total Power: 18W Max
Color: White

18^w Total Power



A4405

LED Touch Lamp With USB Port Charger

Product Parameter:

Input: AC100-240 50-60Hz
Output: 5V/3.4A
Total Power: 22W Max
Color: White and Gold

22^w Total Power





A4610C

65W Fast Charger Desktop Charger



Product Parameter:

Input: 100-240V- 50/60HZ 1.5A Max
C1 PD Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W(Max)
C2 PD Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W(Max)
USB-A1 Output: 4.5V/5A 5V/4.5A 5V/3A 9V/3A 12V/3A 20V/3A 60W(Max)
USB-A2 Output: 4.5V/5A 5V/4.5A 5V/3A 9V/3A 12V/3A 20V/3A 60W(Max)
C1+C2=45W+20W 65W Max
C2+A1+A2=5V/5A Max
C1+A1+A2=PD 45W+5V/3A Max
Total Power: 65W Max
Color: White

65W Total Power | **PD** | **QC** | **AUTO-ID**



A6140C

140W GaN Super Fast charger



Product Parameter:

Input: 100-240V- 50/60Hz 2.5A MAX
USB-C1 Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/5A 100W (MAX) PPS: 3.3-21V/5A
USB-C2 Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/5A 100W (MAX) PPS: 3.3-21V/5A
USB-C3 Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/5A 100W (MAX) PPS: 3.3-21V/5A
USB-A1 Output: 4.5V/5A 5V/4.5A 5V/3A 9V/3A 12V/2.5A 20V/1.5A 30W (MAX)
USB-A2 Output: 4.5V/5A 5V/4.5A 5V/3A 9V/3A 12V/2.5A 20V/1.5A 30W (MAX)
USB-A3 Output: 4.5V/5A 5V/4.5A 5V/3A 9V/3A 12V/2.5A 20V/1.5A 30W (MAX)
USB-C1+USB-C2+USB-C3=65W+45W+30W (140W MAX)
Total Power: 140W Max
Color: Black

140W GaN | **PD** | **QC** | **PPS** | **LED** Voltage Display

A4809C

GAN 100W PD

Fast Charger Desktop Charger



Product Parameter:

Input: 100-240V 50-60Hz 2.5A Max
USB-C1 Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/5A 100W(Max)
USB-C2 Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/5A 100W(Max)
USB-A1 Output: 4.5V/5A 5V/4.5A 5V/3A 9V/3A 12V/2.5A 20V/1.5A 30W(Max)
USB-A2 Output: 4.5V/5A 5V/4.5A 9V/3A 9V/3A 12V/2.5A 20V/1.5A 30W(Max)
C1+C2=65W+30W=95W
C2+A1=65W+30W 95W
C1+C2+A1+A2=PD 45W+12W+15W+12W Max
Total Power: 100W Max
Color: Black



100W Total Power | PD | QC+ | LED Voltage Display

AW005

Strong Magnetic iWatch Wireless Charger



Product Parameter:

Capacity: 1200mAh/4.44Wh
Input: 5V/1A Max
Wireless Output Power: 2.5W Max



Q4010

133W GaN **6 in 1 Desktop Charger**

Product Parameter:

Input: 100-240V- 50/60Hz 2.5A Max
 USB-C1 PD Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W Max
 PPS: 3.3V-11V=5A 3.3V-21V=3A
 USB-C2 PD Output: 5V/3A 9V/3A 12V/2.92A 15V/2.33A 20V/1.75A 35W Max
 PPS: 3.3V-11V=3A
 Lightning PD Output: 5V/3A 9V/3A 12V/2.92A 15V/2.33A 20V/1.75A 35W Max
 PPS: 3.3V-11V=3A
 USB-A1 Output: 4.5V/5A 5V/4.5A 5V/3A 9V/3A 12V/2.5A 20V/1.5A 30W Max
 USB-A2 Output: 5V/3A 9V/3A 12V/1.5A 18W Max
 USB-C1+USB-C2+USB-A2+Wireless=65W+35W+18W+15W=133W
 Wireless Output: 15W Max
 Total Power: 133W Max



GaNX133w | PD | ⚡C

Q3611

67W Super Fast Charger **Standard EU plug**

Product Parameter:

Input: 100-240V- 50/60Hz 1.5A Max
 USB-C1/C2 Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.35A
 PPS: 3.3-21V=3A 67W Max
 USB-A1 Output: 4.5V/5A(SCP) 5V/4.5A(SCP) 5V/3A 9V/3A
 12V/2.5A 20V/1.5A 30W Max
 USB-C1+USB-A1=45W+18W 63W Max
 USB-C1+USB-C2=45W+20W 65W Max
 Output Power: 67W Max



GaNX67w | PD | ⚡C

WL02

5 in 1 Wireless charger

Product Parameter:

USB-C Input: 5V/3A 9V/3A 12V/2.5A 30W
 Phone Wireless Output: 5W 7.5W 10W 15W Max
 Earphone Wireless Output: 5W Max
 IWatch Wireless Output: 2.5W Max
 LED Lamp Output: 3W Max
 Total Output Power: 15W+5W+2.5W+3W=25.5W Max



+ Strong Magnetic | **💡** LED LAMP

A4808Q

65W Super Fast Charging Desktop Charger

Product Parameter:

Input: 100-240V 50-60Hz 1.5A Max
USB-C1 Output: 5V/3A 9V/3A 15V/3A 20V/3.25A 65W(Max)
USB-C2 Output: 5V/3A 9V/3A 15V/3A 20V/3.25A 65W(Max)
USB-A1 Output: 4.5V/5A 5V/4.5A 9V/3A 12V/2.5A 30W(Max)
USB-A2 Output: 4.5V/5A 5V/4.5A 9V/3A 12V/2.5A 30W(Max)
USB-A1+USB-A2+USB-C1+USB-C2=40W (Max)
Total Power: 65W Max
Color: Black



65 Total Power | PD | QC+ | LED Voltage Display

Q605

120W Super Fast Charging Desktop Charger

Product Parameter:

Input: 100-240V~ 50/60Hz 2.5A Max
C1 PD Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W(Max)
PPS: 3.3V-11V/5A 3.3V-21V/3.25A
C2 PD Output: 5V/3A 9V/2.22A 12V/1.67A 20W(Max)
C3 PD Output: 5V/3A 9V/3A 12V/2.92A 15V/2.33A 20V/1.75A 35W(Max)
PPS: 3.3V-11V/3A 3.3V-16V/2A
USB-A1 Output: 4.5V/5A 5V/4.5A 5V/3A 9V/3A 12V/2.5A 20V/1.5A 30W(Max)
USB-A2 Output: 4.5V/5A 5V/4.5A 5V/3A 9V/3A 12V/2.5A 20V/1.5A 30W(Max)
USB-A3 Output: 5V/2.4A 12W(Max)
Total Power: 120W Max
Color: White



120 Total Power | PD | QC+ | AUTO-ID

AW003

32W Desktop Wireless Charger

Product Parameter:

Input: 100-240V 50-60Hz 0.8A Max
PD Output: 5V/3A 9V/2.22A 12V/1.67A (20W)
QC3.0 Output: 5V/3A 9V/2A 12V/1.5A (18W)
Auto-ID Output: 5V/2.4A 12W (12W) Max
Wireless Output: 15W (5W/7.5W/10W/15W) Max
Total Power: 32W Max
Color: White



32 Total Power | PD | QC+ | AUTO-ID | Wireless

AW004

32W Desktop Wireless Charger

Product Parameter:

Input: 100-240V 50-60Hz 0.8A Max
PD Output: 5V/3A 9V/3A 12V/2.5A (30W)
QC3.0 Output: 5V/3A 9V/2A 12V/1.5A (18W)
Auto-ID Output: 5V/2.4A (12W) Max
Wireless Output: 15W (5W/7.5W/10W/15W) Max
Total Power: 32W Max
Color: White



32 Total Power | PD | QC+ | AUTO-ID | Wireless



CAR CHARGER

C704Q

Bluetooth FM Transmitter Fast Car Charger

Product Parameter:

Input: DC12-24V
QC4+ Output: 3.3-11V/3A
PD Output: 5V/3A 9V/3A 12V/2.5A 15V/2A 20V/1.5A
Auto-ID Output: 5V/1.5A
Total Power:36W
Transmitting Frequency: 87.5-108.0MHz
FM Transmitting Distance: <5M
Bluetooth distance: <10M
Disk/TF Card Capacity: <32G
Audio From: MP3/WAV/FLAC/APE /WMA
Color: Black



36 Total Power

Bluetooth 5.0

PD

QC

AUTO-ID

Quick Charge Car Charger



C1

Product Parameter:

Input: DC12-24V
USB-A Output: 5V/3A 9V/2A 12V/1.5A
USB-C Output: 5V/3A 9V/2.22A 12V/1.67A
Total Power: 38W
Color: Black

38 Total Power



Car Battery Voltage

C2

Product Parameter:

Input: DC12-24V
USB-A1 Output: 5V/3A 9V/2A 12V/1.5A
USB-A2 Output: 5V/3A 9V/2A 12V/1.5A
Total Power: 36W Max
Color: Black

36 Total Power



C101

100W PD+QC Fast Car Charger

Product Parameter:

Input: DC12-24V 10A Max
 USB-C Output(PD): 5V/3A 9V/3A 12V/3A 15V/3A 20V/5A (100W Max)
 USB-A Output(QC): 4.5V/5A 5V/4.5A 5V/3A 9V/3A 12V/2.5A (30W Max)
 PD+QC: 65W+30W
 Total Output Power: 100W Max
 Color: Black



100W Total Power | PD | QC | LED Voltage Display

C102

160W Dual PD+QC Fast Car Charger

Product Parameter:

Input: DC12-24V 16A Max
 USB-C1 Output(PD): 5V/3A 9V/3A 12V/3A 15V/3A 20V/5A (100W Max)
 USB-C2 Output(PD): 5V/3A 9V/3A 12V/2.5A 15V/2A (30W Max)
 USB-A Output(QC): 4.5V/5A 5V/4.5A 5V/3A 9V/3A 12V/2.5A (30W Max)
 USB-C1+USB-C2+USB-A: 100W+30W+30W
 Total Output Power: 160W Max
 Color: Black



160W Total Power | PD | QC

C103

USB-C+USB-A

60W Fast Car Charger

Product Parameter:

Input: DC12-24V 6A Max
USB-C Output: 5V/3A 9V/3A 12V/2.5A 15V/2A 20V/1.5A (30W Max)
PPS: 3.3V-5.9V/3A 3.3V-11V/2.45A (30W Max)
USB-A Output: 5V/3A 9V/3A 12V/2.5A (30W Max)
Total Power: 60W Max



C104

Dual USB-C

60W Fast Car Charger

Product Parameter:

Input: DC12-24V 6A Max
USB-C1/C2 PD Output: 5V/3A 9V/3A 12V/2.5A
15V/2A 20V/1.5A (30W Max)
PPS: 3.3V-5.9V/3A, 3.3V-11V/3A (30W Max)
Total Power: 60W Max



C105

30W Fast Car Charger

Product Parameter:

Input: DC12-24V 3A Max
USB-A Output: 5V/3A 9V/3A 12V/2.5A (30W)
Total Power: 30W Max



C106

USB-C PD

30W Fast Car Charger

Product Parameter:

Input: DC12-24V 3A Max
PD Output: 5V/3A 9V/3A 12V/2.5A
15V/2A 20V/1.5A (30W Max)
PPS: 3.3V-5.9V/3A 3.3V-11V/3A
Total Power: 30W Max





C107

Retractable Car Charger

30W Lightning | 30W Type-C

Product Parameter:

Input: DC12-24V 4A Max
Lightning Output: 5V/3A 9V/3A 12V/2.5A 30W Max
Type-c Cable Output: 5V/3A 9V/3A 12V/2.5A 30W Max
Lightning+Type-C Output Power: 5V3.6A 20W Max





C108

Motorcycle Fast Charger

Product Parameter:

Input: DC12-24V 6A Max
USB-C Output: 5V/3A 9V/3A 12V/2.5A
15V/2A 20V/1.5A 30W Max
PPS: 3.3V-11V/3A
USB-A Output: 5V/3A 9V/3A 12V/2.5A 30W
Total Power: 60W Max



30W Total Power  

60W Total Power  

C506Q

USB-C PDIQC 4+ Fast Car Charger

Product Parameter:

Input: DC12-24V
USB-A Output: 4.5V/5A 5V/4.5A 9V/3A 12V/2.5A
USB-C Output: 5V/3A 9V/3A 12V/2.5A 15V/2A 20V/1.5A
Total Power: 30W Max
Color: Gold



C510Q

PD+QC3.0 Fast Car Charger

Product Parameter:

Input: DC12-24V
USB-A Output: 3.6V-12V/1.5A
USB-C Output: 5V/3A 9V/2.22A 12V/1.67A
Total Power: 38W Max
Color: Black



C509Q

USB-C PDIQC 4+ Fast Car Charger

Product Parameter:

Input: DC12-24V
USB-A Output: 4.5V/5A 5V/4.5A 9V/3A 12V/2.5A
USB-C Output: 5V/3A 9V/3A 12V/2.5A 15V/2A 20V/1.5A
Total Power: 30W Max
Color: Gold



C706Q

Bluetooth FM Transmitter Fast Car Charger

Product Parameter:

Input: DC12-24V
USB-A1 Output: 4.5V/3.6A 5.5V/3.6A 9V/2A 12V/1.5A
USB-A2 Output: 5V/1A
Total Power: 25W Max
Color: Black



C503Q

Dual QC3.0 Ports Fast Car Charger

Product Parameter:

Input: DC12-24V
USB-A1 Output: 5V/3A 9V/2A 12V/1.5A
USB-A2 Output: 5V/3A 9V/2A 12V/1.5A
Total Power: 36W Max



36 Total Power |

C314

3.1A Fast Car Charger

Product Parameter:

Input: DC12-24V
Output: 5V/3.1A
Total Power: 15.5W Max



15.5 Total Power |

C511Q

Dual QC3.0 Ports Fast Car Charger

Product Parameter:

Input: DC12-24V
USB-A1 Output: 5V/3A 9V/2A 12V/1.5A
USB-A2 Output: 5V/3A 9V/2A 12V/1.5A
Total Power: 36W Max
Color: White



36 Total Power |

DL-C17

2.4A Fast Car Charger

Product Parameter:

Input: DC12-24V
Output: 5V/2.4A
Total Power: 12W Max



12 Total Power |

DL-C29

18W Fast Car Charger

Product Parameter:

Input: DC12-24V
Output: 5V/3.4A
Total Power: 17W Max



17 Total Power |



POWER STRIP

SC1017/ SK1094

Outlet Extension Cord

Product Parameter:

Input: 100-250V 10A 50/60HZ

Rated Parameter: 2500W-10A(Max) 250V-

Color: Grey



2500W
Maximum Power

10 Total Power

2 500cm

PVC



2500W Management Power Strip Box



SN5309

Product Parameter:

Rated Power: 2500W-10A 110V-250V
 USB Output: 5V/3.1A
 USB Power: 15.5W
 Color: White with Grey

2500W Wireless Management Power Strip Box



SN5309W

Product Parameter:

Rated parameter: 2500W-10A (MAX) 250V-
 Input: AC100-250V 50/60HZ 10A(MAX)
 PD Output: 5V/3A 9V/2.22A 12V/1.67A 20W(MAX)
 QC Output: 5V/3A 9V/2A 12V/1.5A 18W(MAX)
 USB-A Output: 5V/2.4A (Auto-ID) 12W(MAX)
 Wireless Output: 15W (5W/7.5W/10W/15W) Max
 Total Power: 30W Max
 Color: White with Grey

SN5310

2500W Management Power Strip Box



Product Parameter:

Rated Power: 2500W-10A 110V-250V
 USB Output: 5V/3.1A
 USB Power: 15.5W
 Color: White with Grey

15.5W Total Power | USB Port X 3 | 200cm



SN5310W

2500W Wireless Management Power Strip Box



Product Parameter:

Rated parameter: 2500W-10A (MAX) 250V-
 Input: AC100-250V 50/60HZ 10A(MAX)
 PD Output: 5V/3A 9V/2.22A 12V/1.67A 20W(MAX)
 QC Output: 5V/3A 9V/2A 12V/1.5A 18W(MAX)
 USB-A Output: 5V/2.4A (Auto-ID) 12W(MAX)
 Wireless Output: 15W (5W/7.5W/10W/15W) Max
 Total Power: 30W Max
 Color: White with Grey

30W Total Power | USB Port X 3 | 200cm



2500W
Defender Series

USB Port X 3 | 200cm





SKW6457

2500W Tower Extension Power Socket

Product Parameter:

Rated Parameter: 2500W-10A(Max) 250V-
 Input: AC100-250V 50/60Hz 10A
 PD Output: 5V/3A 9V/3A 12V/2.5A (30W)
 QC Output: 5V/3A 9V/2A 12V/1.5A (18W)
 USB-A Output: 5V/2.4A (Auto-ID) 12W Max
 Wireless Output: 15W [5w/7.5w/10w/15w] Max
 Total Power: 32W Max
 Color: Black



SEW4485

2500W Tower Extension Power Socket

Product Parameter:

Rated Parameter: 100-250V-10A 2500W MAX
 Input: 100-240V-50/60Hz 0.7AMax
 USB-C1 PD OUTPUT: 5V/3A 9V/3A 12V/2.5A 30W MAX
 PPS: 3.3V-11V/3A
 USB-A1 OUTPUT: 5V/3A 9V/3A 12V/2.5A 30W MAX
 USB-A2/A3 OUTPUT: 5V/2.4A 12W MAX
 WIRELESS CHARGER OUTPUT: 15W [5w/7.5w/10w/15w] Max
 USB-C1+USB-A1=5V/3.6A 18W MAX
 USB-C1+USB-A2=20W+12W 32W MAX
 TOTAL OUTPUT POWER: 32W MAX
 Color: Black





SCW3451/ SEW3452/ SKW3453

WI-FI Smart Power Strip



Product Parameter:

Rated Parameter: 2500W 10A 250V~
 Input: 100-250V 50/60Hz 10A(Max)
 PD Output: 5V/3A 9V/3A 12V/2.5A 15V/2A 20V/1.5A 30W (Max)
 QC Output: 5V/3A 9V/2A 12V/1.5A 18W(Max)
 Auto-ID Output: 5V/2.4A
 Total Power: 30W Max
 WiFi Frequency: 2.4GHz
 Color: White with Grey



SC5319

5 POWER SOCKET


PD 20W | QC3.0 | AUTO-ID

Product Parameter:

Rated power: 100-250V~ 50/60HZ 2500W Max
Input: 100-240V~ 50/60HZ 10A Max
PD Output: 5V/3A, 9V/2.22A, 12V/1.67A 20W Max
QC Output: 5V/3A, 9V/2A, 12V/1.5A 18W Max
Auto-ID Output: 5V/2.4A 12W Max
Total power: 38W Max
Color: White



38W Total Power
USB Port X 3
200cm



SC3416

3 Outlets & 2 PD & 2 QC3.0

Power Socket

Product Parameter:

Rated Power: 100-250V~ 50/60Hz 13A 3250W Max
USB Board Input: 100-240V~ 50/60Hz 1.5A Max
USB-C1/C2 Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A 65W Max
USB-A1/A2 Output: 4.5V/5A, 5V/4.5A, 5V/9V/12V/20V=3A 60W Max
USB-C1+C2=45W+20W 65W Max
USB-C2+A1+A2=5V/5A Max
USB-C1+A1+A2=PD 45W+5V/3A Max
Total Power: 65W Max
Color: White and grey



65W Total Power
USB Port X 4
200cm



SE3436

3 Outlets & 2 PD & 2 QC3.0

Power Socket

Product Parameter:

Rated Power: 100-250V~ 50/60Hz 13A 3250W Max
USB Board Input: 100-240V~ 50/60Hz 1.5A Max
USB-C1/C2 Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A 65W Max
USB-A1/A2 Output: 4.5V/5A, 5V/4.5A, 5V/9V/12V/20V=3A 60W Max
USB-C1+C2=45W+20W 65W Max
USB-C2+A1+A2=5V/5A Max
USB-C1+A1+A2=PD 45W+5V/3A Max
Total Power: 65W Max
Color: White and grey



65W Total Power
USB Port X 4
200cm

SC2311

2 Outlets & 1 USB-C & 2 USB-A

Power Socket

Product Parameter:

Rated Power: 2500W Max
 Input:100-250V-50-60Hz 10A(Max)
 PD Output: 5V/3A 9V/2.22A 12V/1.67A 20W(Max)
 QC 3.0 Output: 5V/3A 9V/2A 12V/1.5A 18W(Max)
 USB-A Output: 5V/2.4A 12W(Max)
 USB-C +USB-A: Total 20W Max
 Light Source: 15x0.2W/LED
 Color: White



SC2413

2 Outlets & 1 USB-C & 3 USB-A

Power Socket

Product Parameter:

Rated parameter: 2500W-10A(Max) 250V-
 Input: AC100-250V 10A 50/60HZ
 PD Output: 5V/3A 9V/2.22A 12V/1.67A 20W (MAX)
 QC Output: 5V/3A 9V/2A 12V/1.5A 18W (MAX)
 Auto-ID Output: 5V/2.4A 12W (MAX)
 Total Power: 20W MAX
 Color: White



SK2394

3 UK Outlets & 1 USB-C & 2 USB-A

Power Socket

Product Parameter:

Rated Power: 2500W Max
 Input:100-250V-50-60Hz 10A(Max)
 PD Output: 5V/3A 9V/2.22A 12V/1.67A 20W(Max)
 QC 3.0 Output: 5V/3A 9V/2A 12V/1.5A 18W(Max)
 USB-A Output: 5V/2.4A 12W(Max)
 USB-C +USB-A: Total 20W Max
 Light Source: 15x0.2W/LED
 Color: White



SK2492

2 UK Outlets & 1 USB-C & 3 USB-A

Power Socket

Product Parameter:

Rated parameter: 2500W-10A(Max) 250V-
 Input: AC100-250V 10A 50/60HZ
 PD Output: 5V/3A 9V/2.22A 12V/1.67A 20W (MAX)
 QC Output: 5V/3A 9V/2A 12V/1.5A 18W (MAX)
 Auto-ID Output: 5V/2.4A 12W (MAX)
 Total Power: 20W MAX
 Color: White



SE2337

3 EU Outlets & 1 USB-C & 3 USB-A

Power Socket

Product Parameter:

Rated Power: 2500W Max
 Input:100-250V-50-60Hz 10A(Max)
 PD Output: 5V/3A 9V/2.22A 12V/1.67A 20W(Max)
 QC 3.0 Output: 5V/3A 9V/2A 12V/1.5A 18W(Max)
 USB-A Output: 5V/2.4A 12W(Max)
 USB-C +USB-A: Total 20W Max
 Light Source: 15x0.2W/LED
 Color: White



SE2435

2 EU Outlets & 1 USB-C & 3 USB-A

Power Socket

Product Parameter:

Rated parameter: 2500W-10A(Max) 250V-
 Input: AC100-250V 10A 50/60HZ
 PD Output: 5V/3A 9V/2.22A 12V/1.67A 20W (MAX)
 QC Output: 5V/3A 9V/2A 12V/1.5A 18W (MAX)
 Auto-ID Output: 5V/2.4A 12W (MAX)
 Total Power: 20W MAX
 Color: White





SC3412

3 Outlets & 1 PD & 3 QC3.0 Power Socket

Product Parameter:

Rated Parameter: Max 2500W 10A 250V-
USB Input: 100-250V- 50-60HZ 1A(Max)
USB-C Output: 5V/3A 9V/2.22A 12V/1.67A 20W Max(PD3.0)
USB-A1 Output: 5V/3A 9V/2A 12V/1.5A 18W Max(QC3.0)
C+A1=Total 20W Max
USB-A2 Output: 5V/3A 9V/2A 12V/1.5A 18W Max(QC3.0)
USB-A3 Output: 5V/3A 9V/2A 12V/1.5A 18W Max(QC3.0)
A2+A3=18W Max
C+A1+A2+A3=Total 38W Max
Color: Black with Grey



38^w Total Power | USB Port X 4 | 200cm



SC3604

3 Outlets & 6 USB Power Socket

Product Parameter:

Input: AC100-250V 10A 50/60Hz
Rated Parameter: 2500W-10A(Max) 250V-
USB-A Output: 5V/3.4A (Auto-ID)
Total Power: 17W Max
Color: Black with Grey



17^w Total Power | USB Port X 6 | 200cm



SE3631

3 EU Outlets & 6 USB Power Socket

Product Parameter:

Input: AC100-250V 10A 50/60Hz
Rated Parameter: 2500W-10A(Max) 250V-
USB-A Output: 5V/3.4A (Auto-ID)
Total Power: 17W Max
Color: Black with Grey



17^w Total Power | USB Port X 6 | 200cm

SK3662

3 UK Outlets & 6 USB Power Socket

Product Parameter:

Input: AC100-250V 10A 50/60Hz
Rated Parameter: 2500W-10A(Max) 250V-
USB-A Output: 5V/3.4A (Auto-ID)
Total Power: 17W Max
Color: Black with Grey



17^w Total Power | USB Port X 6 | 200cm

SC4407

4 Outlets & 4 USB Power Socket

Product Parameter:

Rated Parameter: 2500W-10A(Max)250V-
USB Input: 100-250- 50-60Hz 0.7A(Max)
USB Output(QC 3.0): 3.6-12V 18W
USB Output(Auto-ID): 5V/3.1A
Color: White



18^w Total Power | USB Port X 4 | 200cm



SK4463

4 UK Outlets & 4 USB Power Socket

Product Parameter:

Rated Parameter: 2500W-10A(Max)250V-
USB Input: 100-250- 50-60Hz 0.7A(Max)
USB Output(QC 3.0): 3.6-12V 18W
USB Output(Auto-ID): 5V/3.1A
Color: White



18^w Total Power | USB Port X 4 | 200cm

SC1418/SK1495/SU1441

65W Desktop Power Strip Extension Cord



Product Parameter:

Input: 100-250V 50/60Hz 10A Max
Rated Parameter: 2500W-10A(Max) 250V-
USB-C1 PD Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W MAX
PPS: 3.3V-16V/3.25A 3.3V-21V/3A
USB-C2 PD Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W MAX
PPS: 3.3V-16V/3.25A 3.3V-21V/3A
USB-A1 Output: 4.5V/5A 5V/4.5A 5V/3A 9V/3A 12V/3A 20V/3A 60W MAX
USB-A2 Output: 4.5V/5A 5V/4.5A 5V/3A 9V/3A 12V/3A 20V/3A 60W MAX
C1+C2=45W+20W 65W Max C2+A1+A2=5V/5A Max
C1+A1+A2=PD 45W+5V/3A Max Total Power: 65W Max
Color: White

65W Total Power

USB Port X 4

200cm



SC4383

Tower Extension Power Socket

Product Parameter:

Rated Power: 100-250V~ 50/60Hz 10A 2500W Max
USB-C1 Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.5A 70W Max
PPS: 3.3V-12.6V=3A 3.3V-21V=3A
USB-C2 Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.5A 70W Max
PPS: 3.3V-12.6V=3A 3.3V-21V=3A
USB-A1 Output: 5V/3A 9V/3A 10V/2.25A(SCP) 12V/2.5A 20V/1.5A 30W Max
USB-C1+USB-C2=50W+20W 70W Max
USB-C1+USB-A1=50W+18W 68W Max
Total Power: 70W Max

70W Total Power



SK4396

Tower Extension Power Socket

Product Parameter:

Rated Power: 100-250V~ 50/60Hz 10A 2500W Max
USB-C1 Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.5A 70W Max
PPS: 3.3V-12.6V=3A 3.3V-21V=3A
USB-C2 Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.5A 70W Max
PPS: 3.3V-12.6V=3A 3.3V-21V=3A
USB-A1 Output: 5V/3A 9V/3A 10V/2.25A(SCP) 12V/2.5A 20V/1.5A 30W Max
USB-C1+USB-C2=50W+20W 70W Max
USB-C1+USB-A1=50W+18W 68W Max
Total Power: 70W Max

70W Total Power





Z6

65W Universal Adapter

Product Parameter:

Rated Power: 100-250V~ 50/60Hz 8A 2000W Max
 Input: 100-240V~ 50/60Hz 1.5A Max
 USB-C1 Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W Max
 PPS: 3.3V-11V/5A 3.3V-21V/3A
 USB-C2 Output: 5V/3A 9V/3A 12V/3A 15V/3A 20V/3.25A 65W Max
 PPS: 3.3V-11V/5A 3.3V-21V/3A
 USB-A1 Output: 4.5V/5A 5V/4.5A 5V/3A 9V/3A 12V/2.5A 20V/1.5A 30W Max
 Total Power: 65W Max



Z9

Travel Converter Adapter

Product Parameter:

Rated Power: 100-250V~ 50/60Hz 8A 2000W Max
 Input: 100-240V~ 50/60Hz 0.5A Max
 USB-C1 PD Output: 5V/3A 9V/2.22A 12V/1.67A 20W Max
 USB-C2 PD Output: 5V/2.4A
 USB-A1 Output: 5V/3A 9V/2A 12V/1.5A 18W Max
 C1+C2=15W+5W 20W Max
 C1+A1=5V/3.6A 18W Max
 Total Power: 20W Max



SC2018

2500W Universal Outlet Extension Cord

Product Parameter:

Rated Power: 100-250V~ 50-60Hz 10A 2500W Max
Length:5M/10M
Color: Black with Grey



2500W Defender Series | **10A** Total Power

SK2097

2500W UK Outlet Extension Cord

Product Parameter:

Rated Power: 100-250V~ 50-60Hz 10A 2500W Max
Length:5M/10M
Color: Black with Grey



2500W Defender Series | **10A** Total Power

SCW1050

WiFi Smart Power Plug

Product Parameter:

Rated Parameter:2500W-10A(Max) 250V~
WiFi Frequency:2.4GHz
Color: White



SEW1080

WiFi Smart Power Plug EU standard plug

Product Parameter:

Input: 100-250V 50/60HZ 16A MAX
Rated Parameter: 4000W-16A(Max) 250V~
WiFi Frequency: 2.4GHz



SEW1058

WiFi Smart Power Plug

Product Parameter:

Input: 100-250V 50/60HZ 16A MAX
Rated Parameter: 4000W-16A(Max) 250V~
WiFi Frequency: 2.4GHz



SC4408

4 Outlets & 4 USB Power Socket

Product Parameter:

Rated Parameter: 2500W-10A(Max)250V-
USB Input: 100-250~ 50-60Hz 0.5A(Max)
USB Output: 5V/3.4A
Total Power: 17W
Color: White



17^w Total Power | USB Port X 4 | 200cm

SK4466

4 UK Outlets & 4 USB Power Socket

Product Parameter:

Rated Parameter: 2500W-10A(Max)250V-
USB Input: 100-250~ 50-60Hz 0.5A(Max)
USB Output: 5V/3.4A
Total Power: 17W
Color: White




17^w Total Power | USB Port X 4 | 200cm

SC5614

5 Outlets & 6 USB Power Socket

Product Parameter:

Rated Parameter: 2500W-10A(Max) 250V-
USB Input: AC100-250V 10A 50/60Hz
USB-A Output: 5V/3.4A (Auto-ID) 12W Max
Total Power: 17W Max
Color: White



17^w Total Power | USB Port X 6 | 200cm

SK5691

5 UK Outlets & 6 USB Power Socket

Product Parameter:

Rated Parameter: 2500W-10A(Max) 250V-
USB Input: AC100-250V 10A 50/60Hz
USB-A Output: 5V/3.4A (Auto-ID) 12W Max
Total Power: 17W Max
Color: White




17^w Total Power | USB Port X 6 | 200cm

SC5415

5 Outlets & 1 USB-C & 3 USB-A Power Socket

Product Parameter:

Rated Parameter: 2500W-10A(Max) 250V-
Input: 100-250V- 10A 50/60Hz
PD Output: 5V/3A, 9V/2.22A, 12V/1.67A 20W
QC Output: 5V/3A, 9V/2A, 12V/1.5A 18W
USB-A Output: 5V/2.4A (Auto-ID) 12W Max
Total Power: 20W Max
Color: White



20w Total Power | USB Port X 4 | 200cm

SK5493

5 UK Outlets & 1 USB-C & 3 USB-A Power Socket

Product Parameter:

Rated Parameter: 2500W-10A(Max) 250V-
Input: 100-250V- 10A 50/60Hz
PD Output: 5V/3A, 9V/2.22A, 12V/1.67A 20W
QC Output: 5V/3A, 9V/2A, 12V/1.5A 18W
USB-A Output: 5V/2.4A (Auto-ID) 12W Max
Total Power: 20W Max
Color: White



20w Total Power | USB Port X 6 | 200cm

SC10610

10 Outlets & 6 USB Power Socket

Product Parameter:

Rated parameter: 2500W-10A(Max) 250V-
USB Input:100-250V- 50-60Hz 0.5A(Max)
PD Output:5V/3A 9V/2A 12V/1.5A 18W(Max)
QC Output:5V/3A 9V/2A 12V/1.5A 18W(Max)
PD+QC Total Power:18W
USB Output:5V/2.4A Power:12W
Total power:30W
Color: White



30w Total Power | USB Port X 6 | 200cm

SC3301

3 Outlets & 3 USB Power Socket

Product Parameter:

Rated Power: 2500W-10A 110V-250V
USB Output: 5V/ 3.1A
USB Power: 15.5W
Color: Black with Grey



15.5w Total Power | USB Port X 3 | 200cm

SE4432

4 EU Outlets & 4 USB Power Socket

Product Parameter:

Rated Parameter: 2500W-10A(Max) 250V-
Input: AC100-250V 10A 50/60Hz
USB-A Output: 5V/3.4A (Auto-ID)
Total Power: 17W Max
Color: Black with Grey



17^w Total Power | USB Port X 4 | 200cm

SE6403

6 EU Outlets & 4 USB Power Socket

Product Parameter:

Rated Parameter: 2500W-10A(Max) 250V-
Input: AC100-250V 10A 50/60Hz
USB-A Output: 5V/3.4A (Auto-ID)
Total Power: 17W Max
Color: Black with Grey



17^w Total Power | USB Port X 4 | 200cm

SU8440

8 US Outlets & 1 USB-A & 3 USB-C Power Socket

Product Parameter:

Rated Power: 15A 1875W
USB Input: 100-240V ~50-60Hz 1A(Max)
USB-C Output: 5V/3A 9V/2A 12/1.5A 18W(IPD)
USB-A Output: 4.5V/5A 5V/4.5A 9V/2A 12V/1.5A 22.5W(QC3.0)
PC+QC Output: 22.5W(Max)
USB-A1+USB-A2: 5V/2.4A 12W(Max)
Total Power: 34.5W(Max)
Color: Black



34.5^w Total Power | USB Port X 4 | 200cm

SBR5411

5 Outlets & 4 USB Power Socket

Product Parameter:

Rated Parameter: 2500W-10A(Max) 250V-
Input: 100-250V- 10A 50/60Hz
USB-A Output: 5V/3.4A (Auto-ID)
Total Power: 17W Max
Color: Black



17^w Total Power | USB Port X 4 | 200cm

SBR8412

8 Outlets & 4 USB Power Socket

Product Parameter:

Rated Parameter: 2500W-10A(Max) 250V-
Input: 100-250V- 10A 50/60Hz
USB-A Output: 5V/3.4A (Auto-ID)
Total Power: 17W Max
Color: Black




17^w Total Power | USB Port X 4 | 200cm



DATA CABLE

LC101/LC102

USB-C to USB-C Fast Charging Data Cable



Product Parameter:

Power Max: 65W
Length: 1M/2M
Cable Type: USB-C to USB-C
Color: Green/ Grey
Function: Charge & Sync

LC921c-240W/LC922c-240W

240W PD

USB-C to USB-C Data Cable



Product Parameter:

Output: 48V/5A 240W
Length: 1000mm
Cable Type: USB-C to USB-C
Color: Grey

LC631c-100W/LC632c-100W

PD 100W

Super Fast Charging

Product Parameter:

Output: 100W
Length: 1000mm/2000mm
Cable Type: Type-c to type-c
Color: Grey/Black




LC651c-100W/LC652c-100W

C to C

Super Fast Charging Data Cable

Product Parameter:

Output: 100W
Length: 1000mm/2000mm
Cable Type: Type-c to type-c
Color: Gold/Grey




LC441c-100W/LC442c-100W

C to C

Super Fast Charging Data Cable

Product Parameter:

Output: 100W
Length: 1000mm / 2000mm
Cable Type: Type-c to type-c
Color: Grey



LC691C /LC692C



C to C

Fast Charging Data Cable

Product Parameter:

Output: 65W
Length: 1000mm/2000mm
Specification: USB-C to USB-C
Color: Grey/Blue



LC691i/LC692i



USB-C to Lightning

Fast Charging Data Cable

Product Parameter:

Output: 100W
Length: 1000mm/2000mm
Cable Type: Type-c to type-c
Color: Gold/Grey



LC94e

3 in 1

Fast Charging Data Cable

Product Parameter:

Output: 100W
Length: 1200MM
Color: Grey
Cable Type: UBS-C/Lightning/Micro 3in 1



LC97u

3 in 1

Fast Charging Data Cable

Product Parameter:

Output: 100W
Output: U to C: 100W, U to Micro: 2.1A, U to L: 2.4A
Length: 1200MM
Color: Grey



LC96u

3 in 1 Fast charging Data Cable

Type-C/Lightning/Micro

Product Parameter:

Output: 5.8A
Length: 1200MM
Color: Grey/Blue
Cable Type: Type-C/Lightning/Micro



LC97uc

Two For Three

Fast Charging Cable

Product Parameter:

Output: 100W
Input: USB/Type-C
Output: 2 Type-C + Lightning
Simultaneous Output: 5V/3A
Length: 1200MM
Color: Black



LS871/LS872


Fast charging data cable

Charge & Sync



Product Parameter:

Output: 30W
Length: 1M/2M
Specification: Type-C/Lightning/Micro
Color: Silver/Gol



LC871C/LC872C




C to C

Fast Charging Data Cable

Product Parameter:

Output: 65W
Length: 1M/2M
Specification: Type-c to Type-c
Color: Silver/Gold



LC871i LC872i



USB-C to Lightning

Fast Charging Data Cable

Product Parameter:

Output: 30W
Length: 1M/2M
Specification: USB-C to Lightning
Color: Silver/Gold



iP-901C iP-902C

USB-C to USB-C Data Cable

Product Parameter:

Output: 65W
Length: 1M/2M
Specification: USB-C to USB-C
Color: White

iP-441C iP-442C



C to C Fast Charging Data Cable

Product Parameter:

Output: 65W
Length: 1M/2M
Specification: Type-c to Type-c
Color: White/Grey




iP-631C iP-632C



USB-C to Lightning Fast Charging Data Cable

Product Parameter:

Output: 65W
Length: 1M/2M
Specification: USB-C to Lightning
Color: Blue/Grey



LC881C/LC882C

C to C Fast Charging Data Cable

Product Parameter:

Output: 65W
Length: 1M/2M
Specification: Type-c to Type-c
Color: Gold




LC881i LC882i

USB-C to Lightning Fast Charging Data Cable

Product Parameter:

Output: 30W
Length: 1M/2M
Specification: USB-C to Lightning
Color: Gold



LS881 LS882

30W Fast Charging Data Cable

Product Parameter:

Output: 30W
Length: 1M/2M
Specification: Micro/Lightning/Type-c
Color: Gold




LC121C/LC122C

USB-C to USB-C

Fast Charging Data Cable

Product Parameter:

Power Max: 65W
Length: 1M/2M
Cable Type: USB-C to USB-C
Color: White
Function: Charge& Sync




LC131C/LC132C

USB-C to USB-C

Fast Charging Data Cable

Product Parameter:

Power Max: 65W
Length: 1M/2M
Cable Type: USB-C to USB-C
Color: White
Function: Charge& Sync




LC121V/LC122V

USB-C to Lightning

Fast Charging Data Cable

Product Parameter:

Power Max: 30W
Length: 1M/2M
Cable Type: USB-C to Lightning
Color: White
Function: Charge& Sync




LC131V/LC132V

USB-C to Lightning

Fast Charging Data Cable

Product Parameter:

Power Max: 30W
Length: 1M/2M
Cable Type: USB-C to Lightning
Color: White
Function: Charge& Sync



LC641C/LC642C




C to C

Fast Charging Data Cable

Product Parameter:

Output: 65W
Length: 1M/2M
Specification: Type-c to Type-c
Color: Blue/Grey



LC801C/LC802C



C to C

Fast Charging Data Cable

Product Parameter:

Output: 65W
Length: 1M/2M
Specification: Type-c to Type-c
Color: Blue/White



LC641i/LC642i



USB-C to Lightning

Fast Charging Data Cable

Product Parameter:

Output: 30W
Length: 1M/2M
Specification: USB-C to Lightning
Color: Blue/Grey



LC801i/LC802i




USB-C to Lightning

Fast Charging Data Cable

Product Parameter:

Output: 30W
Length: 1M/2M
Specification: USB-C to Lightning
Color: Blue/White






LS63-5A

5A Fast Charging Data Cable

Product Parameter:

Current: 5A
Length: 1M
Cable Type: USB-A to USB-C
Color: Red
Function: Charge & Sync



LS63/LS64

2.4A Fast Charging Data Cable

Product Parameter:

Current: 2.4A
Length: 1M/2M
Cable Type: Type-C/ Lightning/ Micro
Color: Red/ Grey/Blue
Function: Charge & Sync





LC93

3 in 1 Fast Charging Data Cable



Product Parameter:

Current: 3.4A
Length: 1.2M
Cable Type: USB-A to Type-C/ Lightning/ Micro
Color: Red/Grey
Function: Charge & Sync




LC111/LC112

USB-C to Lightning Fast charging data cable



Product Parameter:

Power Max: 30W
Length: 1M/2M
Cable Type: USB-C to Lightning
Color: Green/ Grey
Function: Charge & Sync





LC130

3 in 1 Cable Storage Box

Product Parameter:

Current: 3.8A
 Cable Type: USB-A to Type-C/ Lightning/ Micro
 Color: White
 Function: Charge& Sync



LC95

3 in 1 Fast Charging Data Cable

Product Parameter:

Current: 5.8A
 Cable Type: USB-A to Type-C/ Lightning/ Micro
 Color: White
 Function: Charge& Sync



LC98

2.4A Cable With Keychain

Product Parameter:

Current: 2.4A
 Cable Type: Type-C/ Lightning/ Micro
 Color: Grey/ Red
 Function: Charge& Sync



LC99

3 in 1 Stick Management Cable

Product Parameter:

Current: 3.4A
 Cable Type: Type-C/ Lightning/ Micro
 Color: Grey
 Function: Charge& Sync





LC441C/LC442C

C to C Fast charging data cable

Product Parameter:

Output: 65W
Length: 1M/2M
Specification: USB-C to USB-C
Color: Grey



LC611C/LC612C

C to C Fast charging data cable

Product Parameter:

Output: 65W
Length: 1M/2M
Specification: USB-C to USB-C
Color: White/Green




LC441H/LC442H

**USB-C to Lightning
Fast charging data cable**

Product Parameter:

Output: 30W
Length: 1M/2M
Specification: USB-C to Lightning
Color: Grey



LC611H/LC612H

C to Lightning Data cable

Product Parameter:

Output: 30W
Length: 1M/2M
Specification: USB-C to Lightning
Color: White/Green



LC601C/LC602C

C to C Super fast charging data cable

Product Parameter:

Output: 100W
Length: 1M/2M
Specification: USB-C to USB-C
Color: Grey /Orange



LC631C/LC632C

C to C Fast charging data cable

Product Parameter:

Output: 65W
Length: 1M/2M
Specification: Type-c to type-c
Color: Green/Grey



LC601H/LC602H

C to Lightning Data cable

Product Parameter:

Output: 30W
Length: 1M/2M
Specification: USB-C to Lightning
Color: Grey /Orange



LC631H/LC632H

C to Lightning Data cable

Product Parameter:

Output: 30W
Length: 1M/2M
Specification: USB-C to Lightning
Color: Grey/Green






LC651C/LC652C ● ●

C to C Fast charging data cable

Product Parameter:

Output: 65W
Length: 1M/2M
Specification: USB-C to USB-C
Color: Gold/Grey



LC651H/LC652H ● ●

USB-C to Lightning Fast charging data cable

Product Parameter:

Output: 30W
Length: 1M/2M
Specification: USB-C to Lightning
Color: Gold/Grey




LC671C/LC672C ● ●

C to C Super fast charging data cable

Product Parameter:

Output: 65W
Length: 1M/2M
Specification: USB-C to USB-C
Color: Grey/Blue



LC671H/LC672H ● ●

C to Lightning Data cable

Product Parameter:

Output: 30W
Length: 1M/2M
Specification: USB-C to Lightning
Color: Grey/Blue




LC811C/LC812C ● ○

C to C Fast charging data cable

Product Parameter:

Output: 65W
Length: 1M/2M
Specification: USB-C to USB-C
Color: Grey/White



LC811H/LC812H ● ○

C to Lightning Data cable

Product Parameter:

Output: 30W
Length: 1M/2M
Specification: USB-C to Lightning
Color: Grey/White



LC861C/LC862C ○ ●

C to C Fast charging data cable

Product Parameter:

Output: 65W
Length: 1M/2M
Specification: Type-c to type-c
Color: White/Grey



LC861H/LC862H ○ ●

C to Lightning Data cable

Product Parameter:

Output: 30W
Length: 1M/2M
Specification: USB-C to Lightning
Color: White/Grey





LS50

2.4A Bracelet Data Cable

Product Parameter:

Current: 2.4A
Cable Type: Type-C/ Lightning/ Micro
Color: White
Function: Charge& Sync



LS431/ LS432

2.4A Fast Charging Data Cable

Product Parameter:

Current: 2.4A
Length: 1M/2M
Color: Red/ Grey
Function: Charge& Sync



LS361/ LS362

2.4A Fast Charging Data Cable

Product Parameter:

Current: 2.4A
Length: 1M/2M
Color: White
Function: Charge& Sync



LS441/ LS442

2.4A Fast Charging Data Cable

Product Parameter:

Current: 2.4A
Length: 1M/2M
Color: Grey/Red
Function: Charge& Sync



LS371/ LS372

2.1A Fast Charging Data Cable

Product Parameter:

Current: 2.1A
Length: 1M/2M
Color: White
Function: Charge& Sync



LS461/ LS462

7 Color LED Indicator Data Cable

Product Parameter:

Current: 2.4A
Length: 1M/2M
Color: Blue/Grey
Function: Charge& Sync



LS421/ LS422

90 Degrees Angle Data Cable

Product Parameter:

Current: 2.4A
Length: 1M/2M
Color: Grey/ Red
Function: Charge& Sync



LS481/ LS482

7 Color LED Indicator Data Cable

Product Parameter:

Current: 2.4A
Length: 1M/2M
Color: Red/Grey
Function: Charge& Sync





LS521/LS522 ● ●

2.4A Fast Charging Data Cable

Product Parameter:

Current: 2.4A
Length: 1M/2M
Color: Grey/Blue
Function: Charge& Sync



LS581/LS582 ● ●

90 Degrees Angle Data Cable

Product Parameter:

Current: 2.4A
Length: 1M/2M
Color: Blue/ Grey
Function: Charge& Sync



LS540/LS541/LS542/LS543

2.4A Fast Charging Data Cable

Product Parameter:

Current: 2.4A
Length: 20CM/1M/2M/3M
Color: White
Function: Charge& Sync



LS591/LS592 ● ●

2.4A Fast Charging Data Cable

Product Parameter:

Current: 2.4A
Length: 1M/2M
Color: Orange/ Grey
Function: Charge& Sync



LS550/LS551/LS552/LS553

2.4A Fast Charging Data Cable

Product Parameter:

Current: 2.4A
Length: 20CM/1M/2M/3M
Color: White
Function: Charge& Sync



LC140

USB-C to USB-Adapter

Product Parameter:

Color: Grey
Function: charging/ Data transmission/ OTG exchange
Device: Type-C Mobile(OTG)/ Tablet/ Notebook



LS561/LS562 ● ●

90 Degrees Angle Data Cable

Product Parameter:

Current: 2.4A
Length: 1M/2M
Color: Orange/ Purple
Function: Charge& Sync



LC150

USB-C Female to USB Male Adapter

Product Parameter:

Color: Grey
Function: Charge& Sync



LS571/LS572 ● ●

2.1A Fast Charging Data Cable

Product Parameter:

Current: 2.1A
Length: 1M/2M
Color: Green/Orange
Function: Charge& Sync



LS-Y01/LS-Y02 ● ● ○

3.5MM Audio Cable

Product Parameter:


Length: 1M
Color: Gold/Red/White

LS601/LS602/LS603/LS604

30W Fast Charging Data Cable

Product Parameter:

Output: 30W
Length: 1M/2M/3M/4M
Cable Type: Micro/Lightning/Type-c
Color: Grey
Function: Charge & Sync



LS621/LS622

25W Fast Charging Data Cable

Product Parameter:

Output: 25W
Length: 1M/2M
Cable Type: Micro/Lightning/Type-c
Color: White/Blue/Green
Function: Charge & Sync



LS611/LS612

25W Fast Charging Data Cable

Product Parameter:

Output: 25W
Length: 1M/2M
Cable Type: Micro/Lightning/Type-c
Color: White/Blue/Green
Function: Charge & Sync




LS631/LS632

30W Fast Charging Data Cable

Product Parameter:

Output: 30W
Length: 1M/2M
Cable Type: Micro/Lightning/Type-c
Color: Blue/Green/Grey
Function: Charge & Sync





LS641/LS642

30W Fast Charging Data Cable

Product Parameter:

Current: 30W
Length: 1M/2M
Color: Green/ Blue/ Grey
Function: Charge & Sync



LS691/LS692

30W Fast Charging Data Cable

Product Parameter:

Current: 30W
Length: 1M/2M
Color: Green/ Blue/ Grey
Function: Charge & Sync



LS651/LS652

30W Fast Charging Data Cable

Product Parameter:

Current: 30W
Length: 1M/2M
Color: Golden/ Grey
Function: Charge & Sync



LS801/LS802

30W Fast Charging Data Cable

Product Parameter:

Current: 30W
Length: 1M/2M
Color: White/ Blue
Function: Charge & Sync



LS661/LS662

30W Fast Charging Data Cable

Product Parameter:

Current: 30W
Length: 1M/2M
Color: Red/ Grey
Function: Charge & Sync



LS821/LS822

30W Fast Charging Data Cable

Product Parameter:

Current: 30W
Length: 1M/2M
Color: White/ Green
Function: Charge & Sync



LS671/LS672

30W Fast Charging Data Cable

Product Parameter:

Current: 30W
Length: 1M/2M
Color: Green/ Blue/ Grey
Function: Charge & Sync



LS831/LS832

30W Fast Charging Data Cable

Product Parameter:

Current: 30W
Length: 1M/2M
Color: Green/ White/ Grey
Function: Charge & Sync




LS681/LS682

30W Fast Charging Data Cable

Product Parameter:

Current: 30W
Length: 1M/2M
Color: Gold
Function: Charge & Sync



LS841/LS842

25W Fast Charging Data Cable

Product Parameter:

Current: 25W
Length: 1M/2M
Color: White
Function: Charge & Sync




LS-Y91C / LS-Y92C



Type-C to 3.5mm Audio Cable

Product Parameter:

Shell material: Aluminum alloy
Wire diameter: 3.0mm
Cable length: 1000mm / 2000mm
Color: Grey/Silver



LS-Y91i / LS-Y92i



Lightning to 3.5mm Audio Cable

Product Parameter:

Shell material: Aluminum alloy
Wire diameter: 3.0mm
Cable length: 1000mm / 2000mm
Color: Grey/Silver



LS-Y91A / LS-Y92A



3.5mm Aux Audio Cable

Product Parameter:

Shell material: Aluminum alloy
Wire diameter: 3.0mm
Cable length: 1000mm / 2000mm
Color: Grey/Silver



LS-Y90C



USB-C to 3.5mm Female Adapter

Product Parameter:

Shell material: Aluminum alloy
Wire diameter: 3.0mm
Cable length: 130mm
Color: Grey/Silver



LS-Y90i



Lightning to 3.5mm Female Adapter

Product Parameter:

Shell material: Aluminum alloy
Wire diameter: 3.0mm
Cable length: 130mm
Color: Grey/Silver



LS-Y81C / LS-Y82C ○ ●

Type-C to 3.5mm Audio Cable

Product Parameter:

Shell material: Aluminum alloy
Wire diameter: 3.0mm
Cable length: 1000mm / 2000mm
Color: Grey/Silver



LS-Y81A / LS-Y82A ○ ●

3.5mm Aux Audio Cable

Product Parameter:

Shell material: Aluminum alloy
Wire diameter: 3.0mm
Cable length: 1000mm / 2000mm
Color: Grey/Silver



LS-Y80C ○ ●

USB-C to 3.5mm Female Adapter

Product Parameter:

Shell material: Aluminum alloy
Wire diameter: 3.0mm
Cable length: 130mm
Color: Grey/Silver



LS-Y81i / LS-Y82i ○ ●

Lightning to 3.5mm Audio Cable

Product Parameter:

Shell material: Aluminum alloy
Wire diameter: 3.0mm
Cable length: 1000mm / 2000mm
Color: Grey/Silver



LS-Y80i ○ ●

Lightning to 3.5mm Female Adapter

Product Parameter:

Shell material: Aluminum alloy
Wire diameter: 3.0mm
Cable length: 130mm
Color: Grey/Silver





STEREO



T01

Bluetooth Earbuds

350mAh Charging Case

Product Parameter:

Bluetooth Version: 5.3
Bluetooth working frequency: 2.402GHz-2483.5MHz
Receive sensitivity: 2.402GHz-2483.5MHz
Transmission distance: $\geq 10M$
Horn power: 3mW
Frequency response: 20Hz~20KHz
Speaker type: $\Phi 10mm@16ohm$
Earbuds battery capacity: 35mAh

Charging time: about 1H
Music playing time: about 4H
Talk time: about 3.5H
Charging case battery capacity: 350mAh
Charging case charging time: 1H
Standby time: It stands on standby for 4 months
when fully charged
Support Bluetooth profile: a2dp/avctp/avdtp/avrcp/
hfp/spp/smp/att/gap/gatt/rfcomm/sdp/l2cap



HD HD
Microphone



T02

In-ear Earphone With Controller

Product Parameter:

Bluetooth Version: 5.3
 Transmission distance: $\geq 10M$
 Speaker type: $\Phi 13mm@32ohm$
 Input: 5V/300mA
 Earbuds Capacity: 3.7V/30mAh
 Charging time: about 1H
 Music playing time: about 4H
 Talk time: about 3.5H
 Case Capacity: 300mA/1.11Wh
 Charging case charging time: 1H
 Support Bluetooth profile: a2dp\avctp\avdtp\avrcp\hfp\spp\smpl
 att\gap\gatt\rfcomm\sdp\l2cap



T03

In-ear Earphone With Controller

Product Parameter:

Bluetooth Version: 5.3
 Transmission distance: $\geq 10M$
 Speaker type: $\Phi 13mm@32ohm$
 Input: 5V/300mA
 Earbuds Capacity: 3.7V/30mAh
 Charging time: about 1H
 Music playing time: about 4H
 Talk time: about 3.5H
 Case Capacity: 300mA/1.11Wh
 Charging case charging time: 1H
 Support Bluetooth profile: a2dp\avctp\avdtp\avrcp\hfp\spp\smpl
 att\gap\gatt\rfcomm\sdp\l2cap





T06

ANC+ENC Wireless Earbuds

Product Parameter:

Bluetooth Version: 5.3
 Transmission distance: $\geq 10M$
 Speaker type: $\Phi 13mm@32ohmPET$
 Receiver sensitivity(TYP): $\leq -86dBm$
 Audio frequency(S/N): $\geq 196dB$
 Frequency response: 50Hz~10KHz
 Earbuds battery capacity: 40mAh
 Earbuds Charging time: about 1.5H
 Charging case battery capacity: 500mAh



Charging case charging time: 2H
 Music playing time: about 7H
 Talk time: about 5H
 Support Bluetooth profile: HFP/HSP/A2DP/AVRCP
 Standby time: It stands on standby for 4 months when fully charged

N01

Neckband Headphones

Product Parameter:

Bluetooth Version: Bluetooth V5.3+BR +EDR
 Bluetooth working frequency: 2.4GHz-2.48GHz
 Receiving sensitivity (TYP): -94dBm
 Bluetooth range: $\leq 10M$
 Talking distance (TBR): $< 10cm$
 Audio signal-to-noise ratio: $\geq 95db@1Hz$
 Frequency Response: 60Hz~20KHz
 Speaker type: 13mm, 32 Ω
 Battery Capacity: 3.7V, 500mAh
 Play Time/Talk time: about 50H(80% volume)
 UBS-C Input: DC5V/500mA
 Charging Time: 1.5H



HD HD Microphone

ENC ENC Technology

ANC ANC Technology

Bluetooth Gateway

True Wireless

LED Voltage Display

T05

Wireless Earbuds

500mAh Charging Case

Product Parameter:

Transmission distance: $\geq 10M$
 Speaker type: $\Phi 13mm @ 32ohm PET$
 Receiver sensitivity[TYP]: $\leq -86dBm$
 Audio frequency[S/N]: $\geq 96dB$
 Frequency response: $50Hz \sim 10KHz$
 Earbuds battery capacity: $40mAh$
 Earbuds Charging time: about 1.5H
 Charging case battery capacity: $500mAh$
 Charging case charging time: 2.5H
 Music playing time: about 7H
 Talk time: about 5H



HD HD Microphone

Noise Reduction Upgrade

IPX4 Waterproof

T07

OWS Bone Conduction Earphones

Product Parameter:

Transmission distance: $\geq 10M$
 Speaker type: $\Phi 15mm @ 32ohm PET$
 Receiver sensitivity[TYP]: $\leq -86dBm$
 Audio frequency[S/N]: $\geq 96dB$
 Frequency response: $20Hz \sim 20KHz$
 Charging Input: $DC5V/300mA$
 Earbuds battery capacity: $60mAh$
 Earbuds Charging time: about 2.5H
 Charging case battery capacity: $500mAh$
 Charging case charging time: 2.5H
 Music playing time: about 7H
 Talk time: about 5H
 Support Bluetooth profile: HFP/HSP/A2DP/AVRCP
 Standby time: It stands on standby for 4 months when fully charged



HD HD Microphone

Noise Reduction Upgrade

IPX4 Waterproof

BTS12

True Wireless Bluetooth Speaker

Product Parameter:

Bluetooth Version: V5.0
 Frequency Transmission distance: $>10M$
 Frequency Response: $F0-20KHz$
 Frequency output power[RMS]: $5W$
 Battery capacity: $1500mAh$
 Charging current: $5V/1A$
 Charging time: 3h
 Music playback time: 4h



Bluetooth Gateway

True Wireless

HD HD Microphone

BTS13

True Wireless Bluetooth Speaker

Product Parameter:

Bluetooth Version: V5.0
 Frequency Transmission distance: $>10M$
 Frequency Response: $F0-20KHz$
 Frequency output power[RMS]: $5W$
 Battery capacity: $1500mAh$
 Charging current: $5V/1A$
 Charging time: 3h
 Music playback time: 4h



Bluetooth Gateway

True Wireless


HD HD Microphone

HP08

In-ear Earphone With Controller

Product Parameter:

Input Power: Rated: 3mW / Max: 5mW
Dimensions: ϕ 13mm
Impedance: 32 Ω
Resonance Frequency: 95 \pm 3db(Hz)
Frequency: F0--20KHz
Mic standard working voltage: 1.1-10V
Material: Plastic
Cable length: 0.6m TPE
Color: Black

HD HD Microphone  Noise Reduction Upgrade



HP09

In-ear Earphone With Controller

Product Parameter:

Input Power: Rated: 3mW / Max: 5mW
Dimensions: ϕ 13mm
Impedance: 32 Ω
Resonance Frequency: 95 \pm 3db(Hz)
Frequency: F0--20KHz
Mic standard working voltage: 1.1-10V
Material: Plastic
Cable length: 0.6m TPE
Color: Black

HD HD Microphone  Noise Reduction Upgrade




HP08C

In-ear Earphone With Controller

Product Parameter:

Input Power: Rated: 3mW / Max: 5mW
Dimensions: ϕ 14.2mm
Impedance: 32 Ω
Resonance Frequency: 95 \pm 3db(Hz)
Frequency: F0--20KHz
Mic standard working voltage: 1.1-10V
Weight: 0.3g
Material: Plastic
Cable length: 1.1m TPE
Color: Black

HD HD Microphone  Noise Reduction Upgrade




HP09C

In-ear Earphone With Controller

Product Parameter:

Input Power: Rated: 3mW / Max: 5mW
Dimensions: ϕ 14.2mm
Impedance: 32 Ω
Resonance Frequency: 95 \pm 3db(Hz)
Frequency: F0--20KHz
Mic standard working voltage: 1.1-10V
Weight: 0.3g
Material: Plastic
Cable length: 1.1m TPE
Color: Rose gold

HD HD Microphone  Noise Reduction Upgrade





PHONE HOLDER



MA02

Auto-Clamping Car Phone Mount

Product Parameter:

Input: 5V/3A 9V/2.22A 12V/1.67A
Output: 5V/1A 9V/1.1A 12V/1.25A 15W(Max)
Suitable for: Mobile phone
Color: Black



15W Wireless Charging

Adjustable Angle

LED Indicator



MA23

15W Magnetic Wireless Charging Car Holder



Product Parameter:

Input: 5V/3A, 9V/2.22A, 12V/1.67A 20W Max

Output: 5W 7.5W 10W 15W Max

Suitable for: Mobile phone

Total Power: 15W

15W Wireless Charging

 Magnetic



MA30/MA30-1

15W Wireless Charging Car Holder




Product Parameter:

USB-C Input: 5V3A 9V2A 12V1.5A
Wireless Output: 5W 7.5W 10W 15W Max
Suitable for: Mobile phone
Color: Black with orange

15W Wireless
Charging

Adjustable
Angle



MA20

15W Magnetic Wireless Charging Car Holder

Product Parameter:

Input: 5V/2A 9V/2A(Max)
Output: 5W 7.5W 10W 15W (Max)
Suitable for: Mobile phone
Color: Black



15W Wireless Charging

Adjustable Angle



MA22

Magnetic Suction Car Holder

Product Parameter:

Installation way: Buckle type
Fixed position: Air outlet
Suitable for: Mobile phone
Color: Silvery gray/Red/Green



 Alloy

 Anti-Slid



MW21/ MW21-1

15W Wireless Charging Car Mount



Product Parameter:

Input: 5V/3A 9V/2A 12V/1.5A 18W
Output: 5W 7.5W 10W 15W Max
Suitable for: Mobile phone
Color: Black

15W Wireless
Charging

Adjustable
Angle




MG01

Gravity Car Mount

Product Parameter:

Material: Aluminum alloy+ ABS
Technology: Oxidation vacuum plating
Install way: Buckle type
Fixed position: Air outlet
Suitable for: Mobile phone
Color: Black/Red



MG04

Elastic-Clip Car Phone Holder

Product Parameter:

Material: PU+ABS
Install way: Buckle type
Fixed position: Air outlet
Suitable for: Mobile phone
Color: Black



MG03

Strip-Shape Invisible Design Car Mount

Product Parameter:

Material: ABS
Install way: Buckle type
Fixed position: Air outlet
Suitable for: Mobile phone
Color: Black



MG06

Desktop Phone Holder

Product Parameter:

Material: ABS+PC
Compatible device: 4.7"-7.2" mobile phone
Color: White



MG07

Desktop Phone Holder

Product Parameter:

Material: ABS+PC
Compatible device: 4.7"-7.2" mobile phone
Color: White




MG08

Magnetic In-car Phone Holder

Product Parameter:

Material: ABS+Aluminum+silicone
Installation: Stick
Suitable for: Mobile phone
Color: Black




MG09

Desktop Phone Holder

Product Parameter:

Material: ABS+PC
Compatible device: 4.7"-7.2" mobile phone
Color: White



MG10

Gravity Car Mount

Product Parameter:

Material: Aluminum alloy+ ABS
Technology: Oxidation vacuum plating
Install way: Buckle type
Fixed position: Air outlet
Suitable for: Mobile phone
Colour: Black





POWER BANK

P10

10000mAh High End Business Power Bank

Product Parameter:

Capacity: 10000mAh/37Wh
Input (Type-C) : 5V/2A
Output (USB-A): 5V/2.1A
Total Power: 10.5W
Color: Grey



10000mAh



PQ10

10000mAh High End Business Power Bank

Product Parameter:

Capacity: 10000mAh/37Wh
USB-C Input: 5V/3A 9V/2A 12V/1.5A
USB-C Output: 5V/3A 9V/2.22A 12V/1.67A (20W)
USB-A Output: 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)
Total Power: 22.5W Max
Color: Grey



10000mAh





PQ11/ PQ12

10000mAh Power Monster Power Bank

10000mAh



PQ11

Product Parameter:

Capacity: 10000mAh/37Wh
 USB-C Input: 5V/3A 9V/2A 12V/1.5A
 USB-C Output(PD): 5V/3A 9V/2.22A 12V/1.67A (20W)
 USB-A1 Output(QC): 5V/3A 9V/2A 12V/1.5A (18W)
 USB-A2 Output(QC): 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)
 Wireless Output: 15W Max
 Total Power: 22.5W Max
 Color: White



PQ12

Capacity: 10000mAh/37Wh
 USB-C Input: 5V/3A 9V/2A 12V/1.5A
 USB-C Output(PD): 5V/3A 9V/2.22A 12V/1.67A (20W)
 USB-A1 Output(QC): 5V/3A 9V/2A 12V/1.5A (18W)
 USB-A2 Output(QC): 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A (22.5W)
 Wireless Output: 15W Max
 Total Power: 22.5W Max
 Color: White/Champagne gold

PQ16

Magnetic Wireless Charging Power Bank

10000mAh



Product Parameter:

Capacity: 10000mAh/38.5Wh
 Input (USB-C): 5V/3A, 9V/2A, 12V/1.5A
 USB-C Output (PD): 5V/3A, 9V/2.22A, 12V/1.67A (20W)
 USB-A Output (QC): 4.5V/5A (SCP), 5V/4.5A (SCP), 9V/2A, 12V/1.5A (22.5W)
 Wireless Output: 15W Max
 Total Power: 22.5W Max
 Color: Grey with white.



15W Wireless Charging PD QC Magnetic

PQ11

10000mAh Power Monster Power Bank

Product Parameter:

Capacity: 10000mAh/37Wh
 USB-C Input: 5V/3A, 9V/2A, 12V/1.5A
 USB-C Output (PD): 5V/3A, 9V/2.22A, 12V/1.67A (20W)
 USB-A1 Output (QC): 5V/3A, 9V/2A, 12V/1.5A (18W)
 USB-A2 Output (QC): 5V/4.5A, 4.5V/5A, 9V/2A, 12V/1.5A (22.5W)
 Wireless Output: 15W Max
 Total Power: 22.5W Max
 Color: White



15W Wireless Charging PD LED Voltage Display

10000mAh

PQ12

15W Magnetic Wireless Charging Power Bank

Product Parameter:

Capacity: 10000mAh/37Wh
 USB-C Input: 5V/3A, 9V/2A, 12V/1.5A
 USB-C Output (PD): 5V/3A, 9V/2.22A, 12V/1.67A (20W)
 USB-A1 Output (QC): 5V/3A, 9V/2A, 12V/1.5A (18W)
 USB-A2 Output (QC): 5V/4.5A, 4.5V/5A, 9V/2A, 12V/1.5A (22.5W)
 Wireless Output: 15W Max
 Total Power: 22.5W Max
 Color: White/Champagne gold



15W Wireless Charging PD LED Voltage Display Magnetic

10000mAh

PQ18

15W Magnetic Wireless Charging Car Holder

20000mAh



Product Parameter:

Capacity: 20000mAh/37Wh
USB-C1/C2 Input: 5V/3A 9V/2A 12V/1.5A
USB-C2 Output: 5V/3A 9V/2.22A 12V/1.67A(20W)
USB-A1 Output: 5V/3A 9V/2A 12V/1.5A (18W)
USB-A2 Output: 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A(22.5W)
Wireless Output: 15W Max
Total Power: 22.5W Max
Color: Black with White

15W Wireless
Charging

PD

QC

LED Voltage
Display

M Magnetic

PQ17

Magnetic Wireless Charging Power Bank

Product Parameter:

Capacity: 10000mAh/38.5Wh
Input [Type-C PD+QC]: 5V/3A 9V/2A 12V/1.5A
Output [Type-C PD+QC]: 5V/2.4A 9V/2.22A 12V/1.67A(20W)
Output [USB-A]: 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A(22.5W)
Wireless Output:15W Max
Total Power: 22.5W Max
Color: Black with White



15W Wireless Charging | PD | QC | Magnetic

10000mAh

PQ25

10000mAh 22.5W Power bank

Product Parameter:

Capacity: 10000mAh/38.5Wh
USB-C Input: 5V/3A, 9V/2A, 12V/1.5A
USB-C Output: 5V/3A, 9V/2.22A, 12V/1.67A(20W)
QC Output: 5V/3A, 10/2.25A, 12V/1.5A(22.5W)
Total Power: 22.5W Max



22.5W Total Power | PD | QC

10000mAh

PQ22

20000mAh High End Business Power Bank

Product Parameter:

Capacity: 20000mAh/77Wh
USB-C1/C2 Input: 5V/3A 9V/2A 12V/1.5A
USB-C2 Output: 5V/3A 9V/2.22A 12V/1.67A(20W)
USB-A1 Output: 5V/3A 9V/2A 12V/1.5A (18W)
USB-A2 Output: 5V/4.5A 4.5V/5A 9V/2A 12V/1.5A(22.5W)
Total Power: 22.5W Max
Color: Black with White



PD | QC | LED Voltage Display

20000mAh

PQ27

65W | 20000mAh Power Bank

Product Parameter:

Capacity: 20000mAh/77Wh
Lightning Input: 5V/2.4A, 9V/2.22A, 12V/2A(24W)
USB-C Input: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A(65W)
USB-C Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A(65W)
PPS: 3.3V-11V/3A, 3.3-21V/3A
USB-A1 Output: 5V/4.5A, 4.5V/5A, 9V/2A, 12V/1.5A(22.5W)
USB-A2 Output: 5V/4.5A, 4.5V/5A, 9V/2A, 12V/1.5A(22.5W)
Total Power: 65W Max



65W Total Power | PD | QC

20000mAh

PQ19

Built-in Fast Charging Cable Power Bank

Product Parameter:

Capacity: 10000mAh/37Wh
USB-C Input: 5V/3A 9V/2A 12V/1.5A
USB-C Cable Output: 4.5V/5A(SCP) 5V/4.5A(SCP) 9V/2A 12V/1.5A [22.5W]
Lightning Cable Output: 5V/3A 9V/2.22A 12V/1.67A [20W]
USB-A Output: 4.5V/5A(SCP) 5V/4.5A(SCP) 9V/2A 12V/1.5A [22.5W]
Total Power: 22.5W Max
Color: White with Grey




10000mAh

PQ30

Built-in Fast Charging Cable Power Bank

Product Parameter:

Capacity: 30000mAh/111Wh
USB-C/Lightning Input: 5V/3A 9V/2A 12V/1.5A
USB-C Cable Output: 4.5V/5A(SCP) 5V/4.5A(SCP) 9V/2A 12V/1.5A [22.5W]
Lightning Cable Output: 5V/3A 9V/2.22A 12V/1.67A [20W]
USB-A1 Output: 4.5V/5A(SCP) 5V/4.5A(SCP) 9V/2A 12V/1.5A [22.5W]
USB-A2 Output: 5V/2.4A [12W]
Total Power: 22.5W Max
Color: White with Grey




30000mAh

PQ20

Built-in Fast Charging Cable Power Bank

Product Parameter:

Capacity: 20000mAh/74Wh
USB-C Input: 5V/3A 9V/2A 12V/1.5A
USB-C Cable Output: 4.5V/5A(SCP) 5V/4.5A(SCP) 9V/2A 12V/1.5A [22.5W]
Lightning Cable Output: 5V/3A 9V/2.22A 12V/1.67A [20W]
USB-A Output: 4.5V/5A(SCP) 5V/4.5A(SCP) 9V/2A 12V/1.5A [22.5W]
Total Power: 22.5W Max
Color: White with Grey




20000mAh

PQ50

Built-in Fast Charging Cable Power Bank

Product Parameter:

Capacity: 50000mAh/185Wh
USB-C/Lightning Input: 5V/3A 9V/2A 12V/1.5A
USB-C Cable Output: 4.5V/5A(SCP) 5V/4.5A(SCP) 9V/2A 12V/1.5A [22.5W]
Lightning Cable Output: 5V/3A 9V/2.22A 12V/1.67A [20W]
USB-A1 Output: 4.5V/5A(SCP) 5V/4.5A(SCP) 9V/2A 12V/1.5A [22.5W]
USB-A2 Output: 5V/2.4A [12W]
Total Power: 22.5W Max
Color: White with Grey



50000mAh



HUB

DS-25H/DS-26H

USB-C Multi-Function Dock Station

Product Parameter:

Model: DS-25H
Size: 42×112.5×16.5mm
Cable length: 17cm
Input: 5V/3A 15V/3A 20V/5A
Output: 5V/0.9A
Color: White/Black



Product Parameter:

Model: DS-26H
Size: 42×112.5×16.5mm
Cable length: 17cm
Input: 5V/3A, 15V/3A, 20V/5A
Output: 5V/0.9A
Color: White/Black

DS-15H

USB-C Multi-Function Dock Station

Product Parameter:

Size: 42×112.5×16.5mm
Cable length: 17cm
Input: 5V/3A 15V/3A 20V/5A
Output: 5V/0.9A
Color: Gray



DS-26U

USB-C Multi-Function Dock Station

Product Parameter:

Size: 42×113.9×16.5mm
Cable length: 17cm
Input: 5V/3A 15V/3A 20V/5A
Output: 5V/0.9A
Color: White/Black



DS-16H

USB-C Multi-Function Dock Station

Product Parameter:

Size: 42×112.5×16.5mm
Cable length: 17cm
Input: 5V/3A 15V/3A 20V/5A
Output: 5V/0.9A
Color: Gray



DS-15U

USB-C Multi-Function Dock Station

Product Parameter:

Size: 42×113.9×16.5mm
Cable length: 17cm
Input: 5V/3A 15V/3A 20V/5A
Output: 5V/0.9A
Color: Gray



DS-25U

USB-C Multi-Function Dock Station

Product Parameter:

Size: 42×113.9×16.5mm
Cable length: 17cm
Input: 5V/3A 15V/3A 20V/5A
Output: 5V/0.9A
Color: White/Black



DS-16U

USB-C Multi-Function Dock Station

Product Parameter:

Size: 42×112.5×16.5mm
Cable length: 17cm
Input: 5V/3A 15V/3A 20V/5A
Output: 5V/0.9A
Color: Gray



DS-34U

USB HUB Adapter

USB to USB 3.0 × 1+USB 2.0 × 3

Product Parameter:

Size: 90×15×8mm
Cable length: 12cm
Function: USB to USB 3.0×1+USB 2.0×3
Color: Gray



DS-44U

USB HUB Adapter

Enjoy USB3.0 fast transfer

Product Parameter:

Size: 90×15×8mm
Cable length: 12cm
Function: USB to USB3.0×1+USB2.0×3
Color: Gray



DS-34C

USB-C HUB Adapter

Enjoy USB-A fast transfer

Product Parameter:

Size: 90×15×8mm
Cable length: 12cm
Function: USB-C to USB3.0×1+USB2.0×2+USB-C 2.0×1
Color: Gray



DS-44C

USB HUB Adapter

Enjoy USB3.0 fast transfer

Product Parameter:

Size: 90×15×8mm
Cable length: 12cm
Function: USB to USB3.0×1+USB2.0×2+USB-C 2.0×1
Color: Gray





SMART HOME

Y3

Fast Wireless Charging Desk Lamp

Product Parameter:

Input: 5V/3A 9V/2.22A 12V/1.67A
Wireless Output: 15W Max
Rated Power: 0.6W(10x0.2W)
Material: ABS+PC +Silicone
Color: White



15^w Wireless Charging



LED LAMP



RGB COLORFUL LIGHTS



STEPLESS DIMMING

Y1

Intelligent Sensor Night Light

Product Parameter:

Input: 100-240V~ 50/60HZ 0.1A Max
Rated Power: 0.5W (8x0.2W LED)
Color temperature: 3500K
Color: White



Y2

Intelligent Sensor Night Light

Product Parameter:

Input: 100-240V~ 50/60HZ 0.1A Max
Rated Power: 0.5W (8x0.2W LED)
Color temperature: 3500K
Color: White



UVS10

Wireless Charging UV Sanitizing Box

Product Parameter:

Input: 5V/2A
USB Output: 5V/2A
Ultraviolet power: 2x1.5W
Output power: 10W
Operation temperature: 0°C to 40°C
Operation humidity: 10%-95% RH
Storage temperature: -20°C to +70°C
Storage humidity: 5%-95%RH
Dimensions of Unit: L: 237.5*W:126.8*H:35.3mm
Dimensions of Inner Cavity: L:185*W:102.5*H:18mm
Housing: UL 94V-0 rated plastic
Weigh: 310g±10g
Color: White



UVS11

Wireless Charging UV Sanitizing Box

Product Parameter:

Input: 5V/2A
USB Output: 5V/2A
Ultraviolet power: 2x1.5W
Wireless Power: 5W
Output power: 10W
Operation temperature: 0°C to 40°C
Operation humidity: 10%-95% RH
Storage temperature: -20°C to +70°C
Storage humidity: 5%-95%RH
Dimensions of Unit: L:237.5*W:126.8*H:35.3mm
Dimensions of Inner Cavity: L:185*W:102.5*H:18mm
Housing: UL 94V-0 rated plastic
Weigh: 310g±10g
Color: White





CHINA
TOP
CHARGING
BRAND