

MyBestSound is ISO9001 & BSCI Verified factory for Home Theater Audio Products, including Soundbar & Bookshelf Speaker & Active Subwoofer & Karaoke Speaker.

We specialized in OEM and ODM service. All products are 100% private models, developed and produced in our own factory.

Helping customers win more market and sales is always our business purpose. Developing and producing high quality product is what we always insist on for long term development.

☎ 0086-0755-28961411

📞 +86-13530105106

💬 +86-13530105106

🌐 www.mybestsound.cn

✉ diana@mybestsound.cn

📍 4 floor, No. 10 Wu tai Road, Shutian Community, Humen Town, Dongguan, China



Professional Audio Manufacturer



Soundbar



Gaming Speaker



Portable Speaker



Bookshelf Speaker

ABOUT US

Company Profile



MYBESTSOUND is engaged in the research, development, marketing creative of audio Products. Produce Soundbar, Bookshelf Speaker, Gaming Speaker and Karaoke Speaker, etc.

Specialized in OEM ODM service, well sold in Eu and USA market. All of the products are private patent designs. The most advantage of mybestsound is rich experience in acoustic performance.

The quality is very stable, which has strick quality control, 8 times IQC QC and QA, 4 hours aging testing before Shipping. Obtain BCSI ISO9001 CE ROHS FCC UL CCC Design Patent Certificate.

Factory View



ABOUT US



Certificate



Our Partners



SE01 SERIES

Fabric Wrapped



S9920 SERIES



2.0CH 40W

Model: **SE01**
Output Power: RMS: 40W
Full-range Speaker: 3"/6Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: vvv/ARC/OPT/AUX IN/AUX OUT/USB
Frequency Range: 50HZ-18KHZ
Soundbar Dimension (mm): L505*W100*H100



2.0CH 80W

Model: **SE01P**
Output Power: RMS: 80W
Full-range Speaker: 3"/6Ω x4
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX IN/AUX OUT/USB
Frequency Range: 50HZ-18KHZ
Soundbar Dimension (mm): L815*W100*H100




2.0CH 30W

Model: **S6520M**
Output Power: RMS: 30W
Full-range Speaker: 58x90mm/6Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/SUB OUT/AUX/USB
Frequency Range: 60HZ-18KHZ
Soundbar Dimension (mm): L710*W91*H89



2.0CH 40W

Model: **S9920M**
Output Power: RMS: 40W
Full-range Speaker: 2.25"/4Ω x4
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/COAX/AUX/USB
Frequency Range: 60HZ-18KHZ
Soundbar Dimension (mm): L840*W91*H89



SE04 SERIES

2.0ch
2.1ch Wired Sub
2.1ch Wireless Sub



Wood Grain

Fabric




2.0CH 30W

Model: **SE04**
Output Power: RMS: 30W
Full-range Speaker: 2.25"/6Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/ARC/OPT/AUX/USB/COAX
Frequency Range: 50HZ-18KHZ
Soundbar Dimension (mm): L410*W95*H71




2.1Ch Wired / Wireless Subwoofer

Model: **SE04D/SE04W**
Output Power (Soundbar): RMS: 20W
(Subwoofer): RMS: 40W
Mid-woofer Speaker: 5.25"/4Ω x1
Tweeter Drivers: 2.25"/8Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/ARC/OPT/AUX/USB/COAX
Frequency Range: 55HZ-18KHZ
Soundbar Dimension (mm): L410*W95*H73
Subwoofer Dimension (mm): L150*W200*H370



2.0CH 40W

Model: **SE04P**
Output Power: RMS: 40W
Full-range Speaker: 2.25"/4Ω x4
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/ARC/OPT/AUX/USB/COAX
Frequency Range: 55HZ-18KHZ
Soundbar Dimension (mm): L850*W93*H73



2.1Ch Wired / Wireless Subwoofer

Model: **SE04PD/SE04PW**
Output Power (Soundbar): RMS: 30W
(Subwoofer): RMS: 50W
Mid-woofer Speaker: 6.5"/4Ω x1
Tweeter Drivers: 2"/4Ω x4
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/ARC/OPT/AUX/USB
Frequency Range: 45HZ-18KHZ
Soundbar Dimension (mm): L850*W95*H73
Subwoofer Dimension (mm): L120*W250*H470



SOUNDBAR

BOOKSHELF SPEAKER

TABLE SPEAKER

GAMING SPEAKER

ACTIVE SUBWOOFER


SE05 SERIES

2.0ch
2.1ch Wired Sub
2.1ch Wireless Sub




2.0CH 30W

Model: **SE05**
Output Power: RMS: 30W
Full-range Speaker: 2.25"/6Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/ARC/OPT/AUX/USB/COAX
Frequency Range: 55HZ-18KHZ
Soundbar Dimension (mm): L408*W90*H71



2.1Ch Wired / Wireless Subwoofer

Model: **SE05D/SE05W**
Output Power (Soundbar): RMS: 20W
(Subwoofer): RMS: 40W
Mid-woofer Speaker: 5.25"/4Ω x1
Tweeter Drivers: 2.25"/8Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/ARC/OPT/AUX/USB
Frequency Range: 45HZ-18KHZ
Soundbar Dimension (mm): L408*W90*H71
Subwoofer Dimention(mm): L150*W200*H370



2.0CH 40W

Model: **SE05P**
Output Power: RMS: 40W
Full-range Speaker: 2.25"/4Ω x4
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/ARC/OPT/AUX/USB/COAX
Frequency Range: 50HZ-18KHZ
Soundbar Dimension (mm): L718*W90*H71



2.1Ch Wired / Wireless Subwoofer

Model: **SE05PD/SE05PW**
Output Power (Soundbar): RMS: 30W
(Subwoofer): RMS: 50W
Mid-woofer Speaker: 6.5"/4Ω x1
Tweeter Drivers: 2.25"/4Ω x4
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/ARC/OPT/AUX/USB
Frequency Range: 40HZ-18KHZ
Soundbar Dimension (mm): L718*W90*H71
Subwoofer Dimention(mm): L120*W250*H470



SE06 SERIES

2.0
Wired 2.1
Wireless 2.1




Wood Grain



2.0CH 40W

Model: **SE06**
Output Power: RMS: 40W
Full-range Speaker: 3"/6Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC OPT/AUX/USB
Frequency Range: 55HZ-20KHZ
Soundbar Dimension (mm): L528*W87*H112.5




2.0CH 60W

Model: **SE06P**
Output Power: RMS: 60W
Full-range Speaker: 3"/4Ω x4
Tweeter Drivers: 1.2"/8Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC OPT/AUX/USB
Frequency Range: 45HZ-20KHZ
Soundbar Dimension (mm): L860*W110*H90



2.1Ch Wired / Wireless Subwoofer

Model: **SE06PW**
Output Power: (Soundbar): RMS: 40W
(Subwoofer): RMS: 60W
Mid-woofer Speaker: 8"/4Ω x1
Mid-range speaker: 3"/4Ω x4
Tweeter Drivers: 1"/8Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX/USB
Frequency Range: 35HZ-20KHZ
Soundbar Dimension (mm): L858*W87*H112.5
Subwoofer Dimention(mm): L235*W235*H330



SOUNDBAR

BOOKSHELF SPEAKER

TABIE SPEAKER

GAMING SPEAKER

ACTIVE SUBWOOFER

SE07 SERIES

2.0

Wired 2.1

Wireless 2.1



Wood Grain

2.0CH 30W

Model: **SE07**

Output Power: RMS: 30W

Full-range Speaker: 2.25"/6Ω x2

DSP (EQ): Music > Dialogue >Movie

Inputs: BT/ARC/OPT/AUX/AUX OUT/USB

Frequency Range: 60HZ-18KHZ

Soundbar Dimension (mm): L420*W109*H72



2.0CH 40W

Model: **SE07P**

Output Power: RMS: 40W

Full-range Speaker: 2.25"/4Ω x4

DSP (EQ): Music > Dialogue >Movie

Inputs: BT/ARC/OPT/AUX /AUX OUT/USB

Frequency Range: 60HZ-18KHZ

Soundbar Dimension (mm): L720*W109*H72



2.1Ch Wired / Wireless Subwoofer

Model: **SE07D/SE07W**

Output Power (Soundbar): RMS: 20W
(Subwoofer): RMS: 40W

Mid-woofer Speaker: 5.25"/4Ω x1

Tweeter Drivers: 2.25"/8Ω x2


DSP (EQ): Music > Dialogue >Movie

Inputs: BT/ARC/OPT/AUX/USB

Frequency Range: 50HZ-18KHZ

Soundbar Dimension (mm): L408*W109*H71

Subwoofer Dimention(mm): L150*W200*H370



2.1Ch Wired / Wireless Subwoofer

Model: **SE07PD/SE07PW**

Output Power (Soundbar): RMS: 30W
(Subwoofer): RMS: 50W

Mid-woofer Speaker: 6.5"/4Ω x1

Tweeter Drivers: 2.25"/4Ω x4



DSP (EQ): Music > Dialogue >Movie

Inputs: BT/ARC/OPT/AUX/USB

Frequency Range: 50HZ-18KHZ

Soundbar Dimension (mm): L720*W109*H72

Subwoofer Dimention(mm): L120*W250*H470



SOUNDBAR

BOOKSHELF SPEAKER

TABLE SPEAKER

GAMING SPEAKER

ACTIVE SUBWOOFER

SE09 SERIES

2.0
Wired 2.1
Wireless 2.1



SOUNDBAR
BOOKSHELF SPEAKER
TABLE SPEAKER
GAMING SPEAKER
ACTIVE SUBWOOFER



2.0CH 30W

Model: **SE09**
Output Power: RMS: 30W
Full-range Speaker: 2.25"/6Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX/USB
Frequency Range: 60HZ-18KHZ
Soundbar Dimension (mm): L404*W103*H72



2.0CH 50W

Model: **SE09P**
Output Power: RMS: 50W
Full-range Speaker: 2.25"/4Ω x4
Silk Dome Tweeter: 1"/8Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX/USB
Frequency Range: 60HZ-20KHZ
Soundbar Dimension (mm): L704*W103*H72




2.1Ch Wired / Wireless Subwoofer

Model: **SE09D/SE09W**
Output Power: (Soundbar): RMS: 20W
(Subwoofer): RMS: 40W
Mid-woofer Speaker: 5.25"/4Ω x1
Mid-range speaker: 2.25"/8Ω x2
Silk Dome Tweeter: 1"/8Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX/USB
Frequency Range: 45HZ-20KHZ
Soundbar Dimension (mm): L404*W103*H72
Subwoofer Dimenton(mm): L150*W200*H370



2.1Ch Wired / Wireless Subwoofer

Model: **SE09PD/SE09PW**
Output Power: (Soundbar): RMS: 30W
(Subwoofer): RMS: 50W
Mid-woofer Speaker: 6.5"/4Ω x1
Mid-range speaker: 2.25"/4Ω x4
Silk Dome Tweeter: 1"/8Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX/USB
Frequency Range: 40HZ-20KHZ
Soundbar Dimension (mm): L704*W103*H72
Subwoofer Dimenton(mm): L160*W320*H320




S7020 SERIES

2.0
Wired 2.1
Wireless 2.1



Wood Grain




2.0CH 40W

Model: **S7020**
Output Power: RMS: 40W
Full-range Speaker: 3"/6Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/ARC/OPT/AUX/USB/COAX
Frequency Range: 50HZ-18KHZ
Soundbar Dimension (mm): L615*W83*H96




2.0CH 60W

Model: **S7020P**
Output Power: RMS: 60W
Full-range Speaker: 3"/4Ω x4
Silk Dome Tweeter: 1.25"/8Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/ARC/OPT/COAX/AUX/USB
Frequency Range: 50HZ-20KHZ
Soundbar Dimension (mm): L865*W83*H96



2.1Ch Wired / Wireless Subwoofer

Model: **S7021PW**
Output Power: (Soundbar): RMS: 40W
(Subwoofer): RMS: 60W
Mid-woofer Speaker: 6.5"/4Ω x1
Mid-range speaker: 3"/4Ω x4
Silk Dome Tweeter: 1.25"/8Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/ARC/OPT/AUX/COAX/USB
Frequency Range: 40HZ-20KHZ
Soundbar Dimension (mm): L865*W83*H96
Subwoofer Dimenton(mm): L160*W320*H320



SG02 SERIES

2.0
Wired 2.1
Wireless 2.1



2.0CH 30W

Model: **SG02**
Output Power: RMS: 30W
Full-range Speaker: 2.25"/4Ω x2
Silk Dome Tweeter: 1"/8Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX/USB/AUX OUT
Frequency Range: 60HZ-20KHZ
Soundbar Dimension (mm): L650*W84*H68




2.0CH 40W

Model: **SG02P**
Output Power: RMS: 40W
Full-range Speaker: 2.25"/4Ω x4
Silk Dome Tweeter: 1"/8Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX/USB/AUX OUT
Frequency Range: 60HZ-20KHZ
Soundbar Dimension (mm): L825*W84*H68



2.1Ch Wired / Wireless Subwoofer

Model: **SG02D/SG02W**
Output Power (Soundbar): RMS: 20W
(Subwoofer): RMS: 40W
Mid-woofer Speaker: 5.25"/4Ω x1
Mid-range speaker: 2.25"/8Ω x2
Silk Dome Tweeter: 1"/8Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX/USB
Frequency Range: 45HZ-20KHZ
Soundbar Dimension (mm): L650*W84*H68
Subwoofer Dimenton(mm): L150*W200*H370




2.1Ch Wired / Wireless Subwoofer

Model: **SG02PD/SG02PW**
Output Power (Soundbar): RMS: 30W
(Subwoofer): RMS: 50W
Mid-woofer Speaker: 6.5"/4Ω x1
Mid-range speaker: 2.25"/4Ω x4
Silk Dome Tweeter: 1"/8Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX/USB
Frequency Range: 45HZ-20KHZ
Soundbar Dimension (mm): L825*W84*H68
Subwoofer Dimenton(mm): L160*W320*H320



SG08 SERIES

2.0
Wired 2.1
Wireless 2.1



2.0CH 50W

Model: **SG08**
Output Power: RMS:50W
Full-range Speaker: 3"/6Ω x2
Silk Dome Tweeter: 1.25"/8Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/RCA/AUX/USB
Frequency Range: 50HZ-28KHZ
Soundbar Dimension (mm): L700*W90*H90




2.1Ch Wired / Wireless Subwoofer

Model: **SG08D**
Output Power: (Soundbar): RMS: 20W
(Subwoofer): RMS: 40W
Mid-woofer Speaker: 6.5"/4Ω x1
Tweeter Drivers: 3"/8Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX/COAX/USB
Frequency Range: 45HZ-18KHZ
Soundbar Dimension (mm): L700*W90*H90
Subwoofer Dimenton(mm): L120*W250*H470



2.1Ch Wired / Wireless Subwoofer

Model: **SG08W**
Output Power: (Soundbar): RMS: 20W
(Subwoofer): RMS: 40W
Mid-woofer Speaker: 5.25"/4Ω x1
Tweeter Drivers: 3"/8Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/RCA/AUX/USB
Frequency Range: 50HZ-18KHZ
Soundbar Dimension (mm): L700*W90*H90
Subwoofer Dimenton(mm): L190*W190*H300




SG04 SERIES

2.0
Wired 2.1
Wireless 2.1




2.0CH 40W

Model: **SG04**
Output Power: RMS: 40W
Full-range Speaker: 2.25"/4Ω x2
Silk Dome Tweeter: 1"/8Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/ARC/OPT/AUX/USB/AUX OUT
Frequency Range: 60HZ-20KHZ
Soundbar Dimension (mm): L708*W85*H78




2.0CH 60W

Model: **SG04P**
Output Power: RMS: 60W
Full-range Speaker: 2.25"/6Ω x4
Silk Dome Tweeter: 1"/8Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/ARC/OPT/AUX/USB/AUX OUT
Frequency Range: 55HZ-20KHZ
Soundbar Dimension (mm): L958*W85*H75




2.1Ch Wired / Wireless Subwoofer

Model: **SG04D(S7021)/SD04W**
Output Power (Soundbar): RMS: 30W
(Subwoofer): RMS: 50W
Mid-woofer Speaker: 6.5"/4Ω x1
Woofer Speaker: 2"/4Ω x4
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/ARC/OPT/AUX/USB
Frequency Range: 45HZ-18KHZ
Soundbar Dimension (mm): L708*W85*H75
Subwoofer Dimenton(mm): L120*W250*H370



2.1Ch Wired / Wireless Subwoofer

Model: **SG04PD(S9621)/SG04PW**
Output Power (Soundbar): RMS: 30W
(Subwoofer): RMS: 50W
Mid-woofer Speaker: 6.5"/4Ω x1
Woofer Speaker: 2"/4Ω x4
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/ARC/OPT/AUX/USB
Frequency Range: 45HZ-18KHZ
Soundbar Dimension (mm): L958*W85*H75
Subwoofer Dimenton(mm): L235*W235*H330




SG03 SERIES

2.0
Wireless 2.1





2.0CH 30W

Model: **SG03**
Output Power: RMS: 30W
Full-range Speaker: 2.25"/6Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX/AUX OUT/USB
Frequency Range: 60HZ-18KHZ
Soundbar Dimension (mm): L420*W109*H72




2.1Ch Wireless Subwoofer

Model: **SG03W**
Output Power (Soundbar): RMS: 20W
(Subwoofer): RMS: 40W
Mid-woofer Speaker: 5.25"/4Ω x1
Tweeter Drivers: 2.25"/8Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX/USB
Frequency Range: 50HZ-18KHZ
Soundbar Dimension (mm): L408*W109*H71
Subwoofer Dimention(mm): L150*W200*H370




2.0CH 40W

Model: **SG03P**
Output Power: RMS: 40W
Full-range Speaker: 2.25"/4Ω x4
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX /AUX OUT/USB
Frequency Range: 60HZ-18KHZ
Soundbar Dimension (mm): L720*W109*H72



2.1Ch Wireless Subwoofer

Model: **SG03PW**
Output Power (Soundbar): RMS: 30W
(Subwoofer): RMS: 50W
Mid-woofer Speaker: 6.5"/4Ω x1
Tweeter Drivers: 2.25"/4Ω x4
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX/USB
Frequency Range: 50HZ-18KHZ
Soundbar Dimension (mm): L720*W109*H72
Subwoofer Dimention(mm): L120*W250*H470



Integrate Subwoofer



2.1CH 100W

Model: **SE10**
Output Power: RMS: 100W
Mid-woofer Speaker: 3.5"/8Ω x2
Tweeter Drivers: 2.25"/4Ω x4
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX/SUB OUT/USB
Frequency Range: 50HZ-20KHZ
Soundbar Dimension (mm): L982*W162*H75



2.1CH 40W

Model: **SE11M**
Output Power: RMS: 40W
Woofer: 3"/4Ω x1
Mid-woofer Speaker: 4480"/6Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/AUX/ARC/OPT/USB/SUB OUT
Frequency Range: 60HZ-20KHZ
Soundbar Dimension (mm): L420*W110*H70.7



2.1CH 100W

Model: **SE10K**
Output Power: RMS: 100W
woofer: 3.5"/8Ω x2
Mid-tweeter: 2.25"/4Ω x4
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX/SUB OUT/USB/Microphone
Frequency Range: 50HZ-20KHZ
Soundbar Dimension (mm): L982*W162*H75



2.1CH 80W

Model: **SE11K**
Output Power: RMS: 80W
woofer : 3"/8Ω x2
Mid-tweeter: 5291"/8Ω x4
Tweeter: 1"/8Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX/SUB OUT/USB/Microphone
Frequency Range: 60HZ-20KHZ
Soundbar Dimension (mm): L910*W109*H74



2.1CH 80W

Model: **SE11**
Output Power: RMS: 80W
Woofer:3"/8Ω x2
Mid-range: 52*90mm/8Ωx2
Tweeter: 1.25"/8Ωx2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX/AUX OUT/USB
Frequency Range: 60HZ-20KHZ
Soundbar Dimension (mm): L910*W109*H74



SE12 SERIES

2.0

Wired 2.1

Wireless 2.1



2.0CH 30W

Model: **SE12**

Output Power: RMS: 30W


Full-range speakers: 45X80MM"/6Ω x2

DSP (EQ): Music > Dialogue > Movie

Inputs: BT/ARC/OPT/AUX IN/SUB OUT/USB

Frequency Range: 60HZ-20KHZ

Soundbar Dimension (mm): L554*W98*H56



2.0CH 40W

Model: **SE12P**

Output Power: RMS: 40W

Mid-woofer: 4480"/3Ω x4


Tweeter: 1"/6Ω x2

DSP (EQ): Music > Dialogue > Movie

Inputs: BT/ARC/OPT/AUX/SUB OUT/USB

Frequency Range: 60HZ-20KHZ

Soundbar Dimension (mm): L905*W98*H54



2.1Ch Wired / Wireless Subwoofer

Model: **SE12D/SE12W**

Output Power (Soundbar): RMS: 20W
(Subwoofer): RMS: 40W

Mid-woofer Speaker: 5.25"/4Ω x1

Tweeter Drivers: 4480/8Ω x2

DSP (EQ): Music > Dialogue > Movie

Inputs: BT/ARC/OPT/AUX/USB

Frequency Range: 50HZ-18KHZ

Soundbar Dimension (mm): L558*W98*H54

Subwoofer Dimenton(mm): L160*W320*H320



2.1Ch Wired / Wireless Subwoofer

Model: **SE12PD/SE12PW**

Output Power (Soundbar): RMS: 30W
(Subwoofer): RMS: 50W

Mid-woofer Speaker: 6.5"/4Ω x1

Tweeter Drivers: 4480/3Ω x4


DSP (EQ): Music > Dialogue > Movie

Inputs: BT/ARC/OPT/AUX/USB

Frequency Range: 40HZ-20KHZ

Soundbar Dimension (mm): L905*W98*H54


Subwoofer Dimenton(mm): L160*W320*H320






2.1Ch Wireless Subwoofer

Model: **SE13W**
Output Power (Soundbar): RMS: 20W
(Subwoofer): RMS: 40W
Woofer: 5.25"/4Ω x1
Mid-tweeter: 2"/4Ω x2
DSP (EQ): Music > Game >Movie
Inputs: BT/AUX/Type_c(Sound card)
OPT/ARC
Frequency Range: 45HZ-20KHZ
Soundbar Dimension (mm): L427*W177*H78
Subwoofer Dimenton(mm): L253.6*W250.5*H262.8




2.1Ch Wireless Subwoofer

Model: **SE13PW**
Output Power (Soundbar): RMS: 40W
(Subwoofer): RMS: 60W
Woofer: 6.5"/4Ω x1
Mid-tweeter: 2"/4Ω x4
DSP (EQ): Music > Game >Movie
Inputs: BT/AUX/Type_c(Sound card)
OPT/ARC
Frequency Range: 40HZ-20KHZ
Soundbar Dimension (mm): L750*W177*H78
Subwoofer Dimenton(mm): L253.6*W278.5*H304.5




2.1Ch Wired Subwoofer


Model: **SE13D**
Output Power (Soundbar): RMS: 20W
(Subwoofer): RMS: 40W
Woofer: 5.25"/4Ω x1
Mid-tweeter: 2"/4Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX/USB
Frequency Range: 45HZ-20KHZ
Soundbar Dimension (mm): L400*W87*H37
Subwoofer Dimenton(mm): L252*W252*H249.5



2.1Ch Wired Subwoofer

Model: **SE13PD**
Output Power (Soundbar): RMS: 40W
(Subwoofer): RMS: 60W
Woofer: 6.5"/4Ω x1
Mid-tweeter: 2"/4Ω x4
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/AUX/USB
Frequency Range: 40HZ-20KHZ
Soundbar Dimension (mm): L960*W87*H37
Subwoofer Dimenton(mm): L253*L253*H328





4.1Ch Wired / Wireless Subwoofer

Model: **SE09P-4.1**

Output Power (Soundbar): RMS: 60W
(Satellite box): RMS: 30W*2
(Subwoofer): RMS: 60W

Woofer: 6.5"/4Ω x1

Full-range speaker: 52*91mm/8Ω x2

Mid-tweeter: 2.25"/4Ω x4

DSP (EQ): Music > Dialogue > Movie

Inputs: BT/ARC/OPT/AUX/USB

Frequency Range: 40HZ-20KHZ

Soundbar Dimension (mm): L740*W103*H72

Subwoofer Dimention(mm): L168*W320*H320

Satellite box Dimention(mm): L69*W98*H180



3.1Ch Wired / Wireless Subwoofer

Model: **SE09P-3.1**

Output Power (Soundbar): RMS: 60W
(Subwoofer): RMS: 100W

Woofer: 8"/3Ω x1

Midrange speaker: 52*91/8Ω x3

Tweeter: 1/8Ω x2

DSP (EQ): Music > Dialogue > Movie

Inputs: BT/ARC/OPT/AUX/USB

Frequency Range: 30HZ-20KHZ

Soundbar Dimension (mm): L920*W103*H73

Subwoofer Dimention(mm): L303.5*W250*H328



2.1Ch Wired / Wireless Subwoofer

Model: **SE14D**

Output Power (Soundbar): RMS: 30W
(Subwoofer): RMS: 50W

Woofer Speaker: 5.25"/4Ω x1

Mid-tweeter: 9731/8Ω x2


DSP (EQ): Music > Dialogue > Movie

Inputs: BT/ARC/OPT/AUX/USB

Frequency Range: 50HZ-18KHZ

Soundbar Dimension (mm): L640*W87*H41

Subwoofer Dimention(mm): L160*W320*H320





2.1Ch Wired / Wireless Subwoofer

Model: **SE15D/SE15W**
 Output Power: (Soundbar): RMS: 20W
 (Subwoofer): RMS: 40W
 Woofer: 5.25"/4Ω x1
 full-range speaker: 4480mm/8Ω x2
 DSP (EQ): Music > Dialogue >Movie
 Inputs: BT/ARC/OPT/AUX/USB
 Frequency Range: 40HZ-20KHZ
 Soundbar Dimension (mm): L475*W1101.5*H71.5
 Subwoofer Dimenton(mm): L120*W250*H470



2.1Ch Wired / Wireless Subwoofer

Model: **SE15PD/SE15PW**
 Output Power: (Soundbar): RMS: 30W
 (Subwoofer): RMS: 50W
 Woofer: 6.5"/4Ω x1
 full-range speaker: 4480/3Ω x4
 DSP (EQ): Music > Dialogue >Movie
 Inputs: BT/ARC/OPT/AUX/USB
 Frequency Range: 40HZ-20KHZ
 Soundbar Dimension (mm): L550*W1101.5*H71.5
 Subwoofer Dimenton(mm): L120*W250*H470



2.0CH 30W

Model: **SE15**
 Output Power: RMS: 30W
 Full-range speakers: 4480"/6Ω x2
 DSP (EQ): Music > Dialogue >Movie
 Inputs: BT/ARC/OPT/AUX/SUB OUT/USB
 Frequency Range: 60HZ-20KHZ
 Soundbar Dimension (mm): L475*W4101.5*H71.5



2.0CH 30W

Model: **SE16**
 Output Power: RMS: 40W
 Full-range speakers: 4480/3Ω x4
 DSP (EQ): Music > Dialogue >Movie
 Inputs: BT/AUX/ARC/OPT/USB/SUB OUT
 Frequency Range: 45HZ-20KHZ
 Soundbar Dimension (mm): L850*W100*H61.5



2.0CH 40W

Model: **SE15P**
 Output Power: RMS: 40W
 Mid-woofer: 4480"/3Ω x4
 Tweeter: 1"/6Ω x2
 DSP (EQ): Music > Dialogue >Movie
 Inputs: BT/ARC/OPT/AUX/SUB OUT/USB
 Frequency Range: 60HZ-20KHZ
 Soundbar Dimension (mm): L550*W101.5*H71.5



2.1CH 50W

Model: **SE18**
 Output Power: RMS: 50W
 Woofer: 3"/8Ω *2
 Mid-Tweeter: 4480/6Ω *2
 DSP (EQ): Music > Dialogue >Movie
 Inputs: BT/ARC/OPT/AUX/SUB OUT/USB
 Frequency Range: 45HZ-20KHZ
 Soundbar Dimension (mm): L684*W110*H60




Dolby Atmos Soundbar



2.1 Ch Dolby Soundbar

Model: **DB-8210**
Output Power: 120W
Subwoofer: 6.5"/4Ω *1
Soundbar: 4890"/6Ω *2
Support: Dobby/DDP/DD
Inputs: BT/ARC/OPT/AUX/USB
Frequency Range: 45HZ-20KHZ
Soundbar Dimension (mm): L880*W100*H58
Subwoofer Dimention(mm): L80*W335*H350



3.1.2 Ch Dolby Atmos Soundbar

Model: **DB-8312**
Output Power: 240W
SUB Channel: 8"/4Ω 100W*1
FRL Channel: 4890/8Ω *2
TRL Channel: 2"/8Ω *2
Center Channel: 2"/8Ω *2
Support: Dolby Atmos/Dolby Digital Plus/
Dolby Digital/AAC/AAC+
Inputs: BT/eARC/ARC/OPT/AUX/USB
Frequency Range: 20HZ-20KHZ
Soundbar Dimension (mm): L880*W100*H58
Subwoofer Dimention(mm): L80*W335*H350



5.1.2 Ch Dolby Atmos Soundbar

Model: **DB-8512AT**
Output Power: 280W
SUB Channel : 8"/4Ω 100W*1
FRL Channel: 4890/8Ω 25W*2
TRL Channel: 2"/8Ω 20W*2
Center Channel: 4890/8Ω 25W*2
SRL channel: 4480/8Ω 20W*2
Support: Dolby Atmos/Dolby Digital Plus/
Dolby Digital/AAC/AAC+
Inputs: BT/EARC/ARC/OPT/AUX/USB
Frequency Range: 20HZ-20KHZ
Soundbar Dimension (mm): L880*W100*H58
SR/SL Dimension(mm): L150*W58*H100
Subwoofer Dimention(mm): L80*W335*H350



5.1 Ch Dolby Soundbar

Model: **DB-8510**
Output Power: 195W
SUB Channel: 6.5"/4Ω 80W*1
FRL Channel: 4890/8Ω 25W*2
Center Channel: 4890/8Ω 25W*1
SRL Channel: 4480/8Ω 20W*2
Support: Dolby Digital Plus/Dolby Digital/AAC/AAC+
Inputs: BT/ARC/OPT/AUX/USB
Frequency Range: 20HZ-20KHZ
Soundbar Dimension (mm): L880*W100*H58
SR/SL Dimension(mm): L150*W58*H100
Subwoofer Dimention(mm): L80*W335*H350



5.1.2 Ch Dolby Atmos Soundbar

Model: **DB-8712**
Output Power: 280W
SUB Channel: 8"/4Ω 100W*1
FRL Channel: 4890/8Ω 25W*2
TRL Channel: 2"/8Ω 20W*2
Center Channel: 4890/8Ω 25W*2
SRL channel: 4480/8Ω 20W*2
Support: Dolby Atmos/Dolby Digital Plus/
Dolby Digital/AAC/AAC+
Inputs: BT/EARC/ARC/OPT/AUX/USB
Frequency Range: 20HZ-20KHZ
Soundbar Dimension (mm): L400*W100*H58
SR/SL Dimensions(mm): L150*W100*H58
Subwoofer Dimention(mm): L135*W300*H360



Bookshelf Spesker



SOUNDBAR

BOOKSHELF SPEAKER

TABLE SPEAKER

GAMING SPEAKER

ACTIVE SUBWOOFER



2.0CH 60W
Model: **SR01**
Output Power: RMS: 60W
Mid-woofer Speaker: 4"/4Ω x2
Silk Dome Tweeter: 1.25"/4Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/OPT/LINE1/LINE2/USB
Frequency Range: 50HZ-20KHZ
Dimension (mm): L175*W155*H248

BT 5.3

FD

LINE 1

Optical

USB

LINE 2

DSP

Same Specs, Different Looks.



2.0CH 80W
Model: **SR25**
Output Power: RMS: 80W
Mid-woofer Speaker: 4"/4Ω x2
Silk Dome Tweeter: 1.25"/8Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/LINE/USB/SUB OUT
Frequency Range: 50HZ-20KHZ
Dimension (mm): L202*W157*H252

BT 5.3

SUB OUT

Optical

LINE

ARC


USB

DSP




2.0CH 100W

Model: **SR04 PRO**
Output Power: RMS: 100W
Woofer: 4"/4Ω x2
Tweeter: 1.25"/8Ω x2
DSP (EQ): Music > Dialogue > Movie > APTX sound quality
Inputs: BT/RCA(PHONO)/OPT/COAX/ARC /TYPE_c/SUB OUT
Frequency Range: 45HZ-20KHZ
Dimension (mm): L154*W202*H249.5




2.0CH 130W

Model: **SR05 PRO**
Output Power: RMS: 130W
Woofer: 5.25"/6Ω x2
Tweeter: 1.25"/6Ω x2
DSP (EQ): Music > Dialogue > Movie > APTX sound quality
Inputs: BT/RCA(PHONO)/OPT/COAX/ARC /TYPE_c/SUB OUT
Frequency Range: 40HZ-20KHZ
Dimension (mm): L180*W225*H300




2.0CH 160W

Model: **SR07 PRO**
Output Power: RMS: 160W
Woofer: 6.5"/4Ω x2
Tweeter: 1.25"/6Ω x2
DSP (EQ): Music > Dialogue > Movie > APTX sound quality
Inputs: BT/RCA(PHONO)/OPT/COAX/ARC /TYPE_c/SUB OUT
Frequency Range: 35HZ-20KHZ
Dimension (mm): L263*W200*H352




2.0CH 50W

Model: **SR02**
Output Power: RMS: 50W
Mid-woofer Speaker: 4"/4Ω x2
Silk Dome Tweeter: 1.25"/4Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/LINE/SUB OUT
Frequency Range: 55HZ-20KHZ
Dimension (mm): L175*W155*H248



2.0CH 20W

Model: **SR16**
Output Power: RMS: 20W
Mid-woofer Speaker: 3.5"/4Ω x2
Silk Dome Tweeter: /
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/LINE/USB
Frequency Range: 55HZ-20KHZ
Dimension (mm): L175*W155*H243



2.0CH 50W

Model: **SR02B**
Output Power: RMS: 50W
Mid-woofer Speaker: 4"/4Ω x2
Silk Dome Tweeter: 1.25"/4Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/LINE/SUB OUT
Frequency Range: 55HZ-20KHZ
Dimension (mm): L175*W155*H248



2.0CH 20W

Model: **SR16B**
Output Power: RMS: 20W
Mid-woofer Speaker: 4"/4Ω x2
Silk Dome Tweeter: 1.25"/8Ω x2
Inputs: AUX IN/Microphone/Earphone
Frequency Range: 80HZ-20KHZ
Dimension (mm): L123*W170*H212





2.0CH 60W

Model: **SR10**

Output Power: RMS: 60W

Mid-woofer Speaker: 4"/4Ω x2


Silk Dome Tweeter: 1.25"/4Ω x2

DSP (EQ): Music > Dialogue >Movie

Inputs: BT/OPT/ARC/LINE/USB/SUB OUT

Frequency Range: 50HZ-20KHZ

Dimension (mm): L171*W150*H223



2.0CH 60W

Model: **SR19**

Output Power: RMS: 60W

Mid-woofer Speaker: 4"/4Ω x2


Silk Dome Tweeter: 1.25"/8Ω x2

DSP (EQ): Music > Dialogue >Movie

Inputs: BT/OPT/ARC/LINE/USB/SUB OUT

Frequency Range: 50HZ-20KHZ

Dimension (mm): L175*W155*H248



2.0CH 50W

Model: **SR17**

Output Power: RMS: 50W

Mid-woofer Speaker: 4"/4Ω x2

Silk Dome Tweeter: 1.25"/4Ω x2

DSP (EQ): Music > Dialogue >Movie

Inputs: BT/LINE/USB/SUB OUT

Frequency Range: 50HZ-20KHZ

Dimension (mm): L150*W141*H240



2.0CH 60W

Model: **SR21**

Output Power: RMS: 60W

Mid-woofer Speaker: 4"/4Ω x2


Silk Dome Tweeter: 1.25"/8Ω x2

DSP (EQ): Music > Dialogue >Movie

Inputs: BT/OPT/LINE/USB/SUB OUT

Frequency Range: 50HZ-20KHZ

Dimension (mm): L140*W190*H243



2.0CH 60W

Model: **SR11**

Output Power: RMS: 60W

Mid-woofer Speaker: 4"/4Ω x2

Silk Dome Tweeter: 1.25"/8Ω x2


DSP (EQ): Music > Dialogue >Movie

Inputs: BT/OPT/ARC/LINE/USB/SUB OUT

Frequency Range: 50HZ-20KHZ

Dimension (mm): L150*W170*H243

Magnet Cover Optional



2.0CH 60W

Model: **SR13**

Output Power: RMS: 60W

Mid-woofer Speaker: 4"/4Ω x2

Silk Dome Tweeter: 1.25"/8Ω x2


DSP (EQ): Music > Dialogue >Movie

Inputs: BT/OPT/ARC/LINE/USB/SUB OUT

Frequency Range: 50HZ-20KHZ

Dimension (mm): L153*W170*H251

Magnet Cover Optional



2.0CH 60W

Model: **SR12**

Output Power: RMS: 60W

Mid-woofer Speaker: 4"/4Ω x2

Silk Dome Tweeter: 1.25"/8Ω x2


DSP (EQ): Music > Dialogue >Movie

Inputs: BT/OPT/ARC/LINE/USB/SUB OUT

Frequency Range: 50HZ-20KHZ

Dimension (mm): L150*W170*H243

Magnet Cover Optional



2.0CH 80W

Model: **SR24**

Output Power: RMS: 80W

Mid-woofer Speaker: 4"/4Ω x2

Mid-range speakers: 2.25"/6Ω x2

Silk Dome Tweeter: 1.25"/8Ω x2


DSP (EQ): Music > Dialogue >Movie

Inputs: BT/OPT/ARC/LINE/USB/SUB OUT

Frequency Range: 45HZ-20KHZ

Dimension (mm): L153*W180*H250

Magnet Cover Optional





SR04D




SR04C



SR04M


2.0CH 40W

Output Power: RMS: 40W
Mid-woofer Speaker: 4"/6Ω x2
Tweeter Drivers: 1.25"/8Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/LINE/USB/SUB OUT
Frequency Range: 55HZ-20KHZ
Dimension (mm): L170*W150*H223




2.0CH 60W

Output Power: RMS: 60W
Mid-woofer Speaker: 4"/4Ω x2
Tweeter Drivers: 1.25"/4Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/RCA/USB/SUB OUT
Frequency Range: 50HZ-20KHZ
Dimension (mm):L170*W150*H223



2.0CH 80W

Output Power: RMS: 80W
Mid-woofer Speaker:4"/4Ω x2
Silk Dome Tweeter: 1.25"/8Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/RCA/USB/SUB OUT
Frequency Range: 50HZ-20KHZ
Dimension (mm): L170*W150*H223





SR05B



SR05C



SR05M

2.0CH 60W

Output Power: RMS: 60W
Mid-woofer Speaker: 5.25"/4Ω x2
Silk Dome Tweeter: 1.25"/6Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/LINE/USB/SUB OUT
Frequency Range: 50HZ-20KHZ
Dimension (mm): L168*W250*H285

2.0CH 80W

Output Power: RMS: 80W
Mid-woofer Speaker: 5.25"/4Ω x2
Tweeter Drivers: 1.25"/6Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/RCA/USB/SUB OUT
Frequency Range: 40HZ-20KHZ
Dimension (mm): L168*W250*H285

2.0CH 100W

Output Power: RMS: 100W
Mid-woofer Speaker: 5.25"/4Ω x2
Tweeter Drivers: 1.25"/6Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/RCA/USB/SUB OUT
Frequency Range: 40HZ-20KHZ
Dimension (mm): L168*W250*H285





SR07C

2.0CH 80W


Output Power: RMS: 80W
Mid-woofer Speaker: 6.5"/4Ω x2
Silk Dome Tweeter: 1.25"/4Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/LINE/USB/SUB OUT
Frequency Range: 50HZ-20KHZ
Dimension (mm): L263*W200*H352



SR07D



SR07M




2.0CH 100W

Output Power: RMS: 100W
Mid-woofer Speaker: 6.5"/4Ω x2
Tweeter Drivers: 1.25"/6Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/LINE/USB/SUB OUT
Frequency Range: 45HZ-20KHZ
Dimension (mm):L263*W200*H352



2.0CH 120W


Output Power: RMS: 120W
Mid-woofer Speaker: 6.5"/4Ω x2
Tweeter Drivers: 1.25"/6Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/ARC/OPT/LINE/USB/SUB OUT
Frequency Range: 45HZ-20KHZ
Dimension (mm): L263*W200*H352






2.0CH 50W

Model: **SR06**
Output Power: RMS: 50W
Mid-woofer Speaker: 3"/6Ω x2
Silk Dome Tweeter: 1.25"/8Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/OPT/LINE
Frequency Range: 60HZ-20KHZ
Dimension (mm): L128*W115*H190




2.0CH 60W

Model: **SR08**
Output Power: RMS: 60W
Mid-woofer Speaker: 4"/4Ω x2
Silk Dome Tweeter: 1.25"/8Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/OPT/LINE/COAX
Frequency Range: 50HZ-20KHZ
Dimension (mm): L156*W137*H226




2.0CH 50W

Model: **SR06B**
Output Power: RMS: 50W
Mid-woofer Speaker: 3"/6Ω x2
Silk Dome Tweeter: 1.25"/8Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/OPT/LINE/USB
Frequency Range: 45HZ-20KHZ
Dimension (mm): L128*W115*H190



2.0CH 60W

Model: **SR08B**
Output Power: RMS: 60W
Mid-woofer Speaker: 4"/4Ω x2
Silk Dome Tweeter: 1.25"/8Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/ARC/OPT/LINE/USB
Frequency Range: 50HZ-20KHZ
Dimension (mm): L156*W137*H226




Studio Monitor Speaker




2.0CH 100W

Model: **SR09 PRO**
Output Power: RMS: 100W
Woofer: 5.25"/4Ω x2
Tweeter: 1.25"/6Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/RCA/OPT/TRS/
USB-C(sound card)/SUB OUT/Phonograph
Frequency Range: 40HZ-20KHZ
Dimension (mm): L168*W265.2*H278




2.0CH 60W

Model: **SR09**
Output Power: RMS: 60W
Mid-woofer Speaker: 4"/4Ω x2
Silk Dome Tweeter: 1.25"/8Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/ARC/OPT/RCA/TRS
Frequency Range: 50HZ-20KHZ
Dimension (mm): L140*W177*H230




2.0CH 50W

Model: **SR09B**
Output Power: RMS: 50W
Mid-woofer Speaker: 4"/4Ω x2
Silk Dome Tweeter: 1.25"/8Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/LINE/USB/SUB OUT
Frequency Range: 50HZ-20KHZ
Dimension (mm): L140*W177*H230



2.0CH 50W


Model: **MBS076**
Output Power: RMS: 50W
Mid-woofer Speaker: 4"/4Ω x2
Silk Dome Tweeter: 1.25"/8Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/LINE/USB/SUB OUT
Frequency Range: 50HZ-20KHZ
Dimension (mm): L140*W177*H230






2.0CH 60W

Model: **SR32**
Output Power: RMS: 60W
Mid-woofer Speaker: 3"/4Ω x2
Tweeter: 1.25"/8Ω x2
DSP (EQ): Music
Inputs: BT/TTYPE_C(sound card)/AUX+SUB OUT
Frequency Range: 45HZ-20KHZ
Dimension (mm): L100*W143*H165




2.0CH 50W

Model: **SR32B**
Output Power: RMS: 50W
Mid-woofer Speaker: 3"/4Ω x2
Tweeter: 1.25"/8Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/TTYPE_C(sound card)/AUX/ARC/SUB OUT
Frequency Range: 45HZ-20KHZ
Dimension (mm): L100*W150*H165




2.0CH 50W

Model: **SR03B**
Output Power: RMS: 50W
Mid-woofer Speaker: 3"/6Ω x2
Silk Dome Tweeter: 1.25"/8Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/OPT/LINE/USB
Frequency Range: 60HZ-20KHZ
Dimension (mm): L128*W115*H184




2.0CH 50W

Model: **SR03**
Output Power: RMS: 50W
Mid-woofer Speaker: 3"/6Ω x2
Silk Dome Tweeter: 1.25"/8Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/OPT/LINE/USB
Frequency Range: 60HZ-20KHZ
Dimension (mm): L128*W115*H184



2.0CH 60W


Model: **SR32C**
Output Power: RMS: 60W
Mid-woofer Speaker: 3"/4Ω x2
Tweeter: 1.25"/8Ω x2
DSP (EQ): MUSIC/MOVIE/DIALOG
Inputs: BT/TTYPE_C(sound card)/AUX+SUB OUT
Frequency Range: 45HZ-20KHZ
Dimension (mm): L100*W156.8*H174






2.0CH 50W

Model: **SR15**
Output Power: RMS: 50W
Mid-woofer Speaker: 3"/4Ω x2
Silk Dome Tweeter: 1.25"/8Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/OPT/ARC/LINE/USB/SUB OUT
Frequency Range: 60HZ-20KHZ
Dimension (mm): L150*W140*H244




2.0CH 40W

Model: **SR18**
Output Power: RMS: 40W
Mid-woofer Speaker: 3"/4Ω x2
Silk Dome Tweeter: 1"/8Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/OPT/AUX/USB
Frequency Range: 60HZ-20KHZ
Dimension (mm): L100*W136*H248




2.0CH 60W

Model: **SR13B**
Output Power: RMS: 60W
Mid-woofer Speaker: 4"/4Ω x2
Silk Dome Tweeter: 1.25"/8Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/OPT/ARC/LINE/USB/SUB OUT
Frequency Range: 50HZ-20KHZ
Dimension (mm): L152*W170*H260



2.0CH 60W

Model: **SR20**
Output Power: RMS: 60W
Mid-woofer Speaker: 4"/4Ω x2
Silk Dome Tweeter: 1.25"/4Ω x2
DSP (EQ): Music > Dialogue >Movie
Inputs: BT/OPT/ARC/LINE/USB/SUB OUT
Frequency Range: 50HZ-20KHZ
Dimension (mm): L137*W164*H243






Speaker stand

Model: **ZJ01**

Material: Painted metal

Applicable products: For 3" / 4" bookshelf speakers

Dimension (mm): L158*W115*H30



Speaker stand

Model: **ZJ03**

Material: Sponge

Applicable products: For 3" bookshelf speakers

Dimension (mm): L180*W100*H45




Speaker stand

Model: **ZJ02**

Material: Painted metal

Applicable products: For 3" / 4" bookshelf speakers

Dimension (mm): L184*W130*H140



Speaker stand

Model: **ZJ04**

Material: Sponge

Applicable products: For 3" bookshelf speakers

Dimension (mm): L180*W140*H45

Multimedia Speaker



2.1CH 100W

Model: **SR27**

Output Power: RMS: 100W

Mid-woofer Speaker: 6.5"/4Ωx1

Midband Speaker: 3"/6Ω x2

Silk Dome Tweeter: 1.25"/8Ω x2


DSP (EQ): Music > Dialogue >Movie

Inputs: BT/AUX/OPT/ARC/USB

Frequency Range: 35HZ-20KHZ

Woofer Dimension (mm): L160*W320*H320

Dimension (mm): L128*W115*H184



2.1CH 120W

Model: **SR28**

Output Power: RMS: 120W

Mid-woofer Speaker: 6.5"/4Ωx1

Midband Speaker: 3"/6Ω x2

Silk Dome Tweeter: 1.25"/6Ω x2


DSP (EQ): Music > Dialogue >Movie

Inputs: BT/LINE/OPT/ARC/USB

Frequency Range: 35HZ-20KHZ

Woofer Dimension (mm): L160*W320*H320

Dimension (mm): L128*W115*H190



2.1CH 150W

Model: **SR31**

Output Power: RMS: 150W

Subwoofer Speaker: 8"/3Ω 80Wx1

Midband Speaker: 4"/4Ω 15Wx2

Silk Dome Tweeter: 1.25"/6Ω 10Wx2


DSP (EQ): Music > Dialogue >Movie

Inputs: BT/Line/USB

Frequency Range: 30HZ-20KHZ

Subwoofer Dimension (mm): L280*W310*H290

Satellite speakers Dimension (mm): L171*W150*H238



2.1CH 220W

Model: **SR30**

Output Power: RMS: 220W

Mid-woofer Speaker: 10"/2Ωx1

Midband Speaker: 5"/4Ω x2

Silk Dome Tweeter: 1.25"/6Ω x2

DSP (EQ): Music > Dialogue >Movie

Inputs: BT/LINE/USB

Frequency Range: 30HZ-20KHZ

Woofer Dimension (mm): L310*W400*H350

Satellite speakers Dimension (mm): L150*W169*H237.5



Tower Speaker



2.0CH 140W

Model: **SR33**

Output Power: RMS: 140W

Woofer: 6.5"/4Ωx2

Midrange speaker: 4"/4Ωx2

Tweeter: 1.25"/8Ω x2

DSP (EQ): Music > Dialogue >Movie

Inputs: BT/RCA/OPT/COAX/
ARC/TYPE_c/SUB OUT

Frequency Range: 40HZ-20KHZ

Dimension (mm): L256*W280*H500



2.0CH 200W

Model: **SR34**

Output Power: RMS: 200W

Woofer: 6.5"/6Ωx4

Midrange speaker: 5.25"/6Ωx2

Tweeter: 1.25"/8Ω x2

DSP (EQ): Music > Dialogue >Movie

Inputs: BT/RCA/OPT/COAX/
ARC/TYPE_c/SUB OUT

Frequency Range: 40HZ-20KHZ

Dimension (mm): L210*W322*H970




Desk-Top Speaker




2.0CH 50W

Model: **ST03**
Output Power: RMS: 50W
Mid-woofer Speaker: 4"/4Ω x2
Silk Dome Tweeter: 1.25"/4Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/OPT/ARC/LINE/USB/AUX OUT/SUB OUT
Frequency Range: 50HZ-20KHZ
Dimension (mm): L431*W170*H158




2.0CH 50W

Model: **ST08**
Output Power: RMS: 50W
Mid-woofer Speaker: 4"/4Ω x2
Silk Dome Tweeter: 1.25"/4Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/OPT/ARC/LINE/USB/AUX OUT/SUB OUT
Frequency Range: 50HZ-20KHZ
Dimension (mm): L431*W150*H170




2.0CH 40W

Model: **ST04**
Output Power: RMS: 40W
Mid-woofer Speaker: 4"/4Ω +4Ω
Silk Dome Tweeter: 1.25"/8Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/OPT/ARC/LINE/USB/SUB OUT
Frequency Range: 50HZ-20KHZ
Dimension (mm): L290*W169*H153



2.0CH 40W


Model: **ST08B**
Output Power: RMS: 40W
Mid-woofer Speaker: 4"/4Ω +4Ω
Silk Dome Tweeter: 1.25"/4Ω x2
DSP (EQ): Music > Dialogue > Movie
Inputs: BT/OPT/ARC/LINE/USB/SUB OUT
Frequency Range: 50HZ-20KHZ
Dimension (mm): L305*W175*H154






2.1CH 50W

Model: **ST06**
 Output Power: RMS: 50W
 Mid-woofer Speaker: 4"/4Ω x1
 Silk Dome Tweeter: 1.25"/8Ω x2
 DSP (EQ): Music
 Inputs: BT/OPT/LINE 1/LINE 2
 Frequency Range: 50HZ-20KHZ
 Dimension (mm): L320*W150*H147




2.1CH 40W

Model: **ST11**
 Output Power: RMS: 40W
 Mid-woofer Speaker: 4"/4Ω x1
 Silk Dome Tweeter: 1.25"/6Ω x2
 DSP (EQ): Music
 Inputs: BT/OPT/ARC/AUX/USB
 Frequency Range: 50HZ-20KHZ
 Dimension (mm): L320W150*H155




2.0CH 60W

Model: **ST07**
 Output Power: RMS: 60W
 Mid-woofer Speaker: 4"/4Ω x2
 Silk Dome Tweeter: 1.25"/6Ω x2
 DSP (EQ): Music > Dialogue >Movie
 Inputs: BT/LINE/ARC/OPT/USB/SUB OUT
 Frequency Range: 50HZ-20KHZ
 Dimension (mm): L430*W178*H160



2.0CH 60W

Model: **ST12**
 Output Power: RMS: 60W
 Mid-woofer Speaker: 4"/4Ω x2
 Silk Dome Tweeter: 1.25"/4Ω x2
 DSP (EQ): Music > Dialogue >Movie
 Inputs: BT/ARC/OPT/RCA/USB/AUX OUT/SUB OUT
 Frequency Range: 50HZ-20KHZ
 Dimension (mm): L430*W150*H160




Portable Speaker




2.1CH 40W

Model: **SP06**
Output Power: RMS: 40W
Full Range: 53*93mm/3Ω x1
Silk Dome Tweeter: 1.75"/6Ω x2
DSP (EQ): Music
Inputs: BT/AUX/TWS
Frequency Range: 60HZ-20KHZ
Battery for Speaker: Li-ion 18650*4/2000mA
Soundbar Dimension (mm): L160*W80*H211




2.1CH 50W

Model: **SP07**
Output Power: RMS: 50W
Woofer: 4"/4Ω x1
Tweeter: 2"/8Ω x2
DSP (EQ): Music
Inputs: BT/AUX/USB+TWS
Frequency Range: 50HZ-20KHZ
Battery for Speaker: Li-ion 18650*6/2000mA
Soundbar Dimension (mm): L220*W185.5*H110




2.1CH 60W

Model: **SP11**
Output Power: RMS: 60W
Woofer: 4"/4Ω x1
Mid-Tweeter: 2.5"/4Ω x2
DSP (EQ): Indoor/Outdoor
Inputs: BT/AUX/USB/TFcard/Microphone
Frequency Range: 45HZ-20KHZ
Battery:2000MA/11.1V
Soundbar Dimension (mm): L260*W130*H185



1.0CH 25W

Model: **SP01**
Output Power: RMS: 25W
Mid-woofer Speaker: 4"/4Ω x1
Silk Dome Tweeter: 1.25"/8Ω x1
DSP (EQ): Music
Inputs: BT/AUX IN/AUX OUT/USB
Frequency Range: 50HZ-20KHZ
Battery for Speaker: Li-ion 18650*3/2000mA
Soundbar Dimension (mm): L176*W135*H176



2.1CH 40W

Model: **SP12**
Output Power: RMS: 40W
Full Range Speaker: 3"/4Ω *2
DSP (EQ): Indoor/Outdoor
Inputs: BT/AUX/USB/TFcard
Frequency Range: 50HZ-20KHZ
Battery:2000MA/7.4V
Soundbar Dimension (mm): L270*W135*H190





2.0CH 40W

Model: **GM06**

Output Power: RMS: 40W

Mid-woofer Speaker: 2.75"/6Ω x2

Silk Dome Tweeter: 1"/8Ω x2

Control Mode: Button


DSP (EQ): Music > Game > Movie

Inputs: BT/AUX IN/AU OUT/Sound card

RGB Light: Magic lights

Frequency Range: 60HZ-20KHZ

Dimension (mm): L157*W118*H141



2.0CH 6W

Model: **GM01**

Output Power: RMS: 6W

Full-range Speaker: 2"/4Ω x2

Control Mode: Rotary Knob + Button

RGB (EQ): Music > Game > Movie

Inputs: BT/AUX /Sound card

LED Light: Red/Green/Blue/Yellow/
Purple/Five color gradient lamp

Frequency Range: 120HZ-18KHZ

Dimension (mm): L417.5*W72*H75



2.0CH 6W

Model: **GM02**

Output Power: RMS: 6W

Full-range Speaker: 2"/4Ω x2

Control Mode: Button

RGB (EQ): Music > Game > Movie

Inputs: BT/AUX /Sound card

RGB Light: Red/Green/Blue/Yellow/
Purple/Five color gradient lamp

Frequency Range: 120HZ-18KHZ

Dimension (mm): L400*W80.5*H72



2.0CH 5W

Model: **GM04**

Output Power: RMS: 5W

Full-range Speaker: 2"/4Ω x2


Control Mode: Button

Inputs: BT/AUX

RGB Light: Red/Green/Blue/Yellow/
Purple/Five color gradient lamp

Frequency Range: 120HZ-18KHZ


Dimension (mm): L450*W80*H70






2.0CH 30W

Model: **GM03**
Output Power: RMS: 30W
Full-range Speaker: 2.75"/6Ω x2
Control Mode: Rotary Knob + Button
DSP (EQ): Music > Game > Movie
Inputs: BT/AUX IN/AU OUT/Sound card
RGB Light: Red/Green/Blue/Yellow/
Purple/Five color gradient lamp
Frequency Range: 60HZ-20KHZ
Dimension (mm): L95.5*W117.5*H195



2.0CH 30W

Model: **GM05**
Output Power: RMS: 30W
Full-range Speaker: 2.75"/6Ω x2
Control Mode: Button
DSP (EQ): Music > Game > Movie
Inputs: BT/AUX IN/AU OUT/Sound card
RGB Light: Red/Green/Blue/Yellow/
Purple/Five color gradient lamp
Frequency Range: 60HZ-20KHZ
Dimension (mm): L95*W105*H194



2.1CH 50W

Model: **GM03D**
Output Power: RMS: 50W
Woofer: 4"/4Ωx1
Mid-tweeter: 2.75"/6Ω x2
Control Mode: Rotary Knob + Button
DSP (EQ): Music > Game > Movie
Inputs: BT/AUX/Sound card
RGB Light: Magic lights
Frequency Range: 40HZ-20KHZ
Woofer Dimension (mm): L115*W230*H221
Satellite speakers Dimension (mm): L96.5*W117.5*H195



2.1CH 50W

Model: **GM05D**
Output Power: RMS: 50W
Woofer: 4"/4Ωx1
Mid-tweeter: 2.75"/6Ω x2
Control Mode: Rotary Knob + Button
DSP (EQ): Music > Game > Movie
Inputs: BT/AUX/Sound card
RGB Light: Magic lights
Frequency Range: 40HZ-20KHZ
Woofer Dimension (mm): L115*W230*H221
Satellite speakers Dimension (mm): L96.5*W117.5*H195




2.0CH 24W

Model: **GM07**
Output Power: RMS: 24W
Full-range speakers: 2.75"/4Ω x2
Control Mode: Button
DSP (EQ): Music > Game > Movie
Inputs: BT/AUX / Type_c(Sound card)
RGB Light: Magic lights
Frequency Range: 70HZ-20KHZ
Dimension (mm): L115*W120.5*H172



2.0CH 5W

Model: **GM09**
Output Power: RMS: 5W
Full-range speakers: 2"/3Ω x2
Control Mode: Rotary Knob + Button
DSP (EQ): Music
Inputs: BT/Type_c(Sound card)
Frequency Range: 120HZ-20KHZ
Dimension (mm): L115*W120.5*H172




2.1CH 80W

Model: **GM06D**
Output Power: RMS: 80W
Woofer: 6.5"/4Ωx1
Mid-tweeter: 2.75"/4Ω x2
Control Mode: Button
DSP (EQ): Music > Game > Movie
Inputs: BT/AUX/Type_c(Sound card)
RGB Light: Magic lights
Frequency Range: 40HZ-20KHZ
Woofer Dimension (mm): L253*W305*H283.5
Satellite speakers Dimension (mm): L157.6*W118.2*H43.6



2.1CH 50W

Model: **GM07D**
Output Power: RMS: 50W
Woofer: 4"/4Ωx1
Mid-tweeter: 2.75"/4Ω x2
Control Mode: Button
DSP (EQ): Music > Game > Movie
Inputs: BT/AUX/Type_c(Sound card)
RGB Light: Magic lights
Frequency Range: 50HZ-20KHZ
Woofer Dimension (mm): L115*W120.5*H172
Satellite speakers Dimension (mm): L96.5*W117.5*H195





Active Subwoofer 200W

Model: **SW200**
Output Power: RMS: 200W
Woofer: 12"/2Ω x1
Inputs: RCA/LFE
Control Mode: Rotary+Button
Frequency Range: 30HZ-200HZ
Dimension (mm): L355*W470*H406



Active Subwoofer 60W

Model: **SW65J**
Output Power: RMS: 60W
Woofer: 6.5"/4Ω x1
Inputs: RCA/LFE
Control Mode: Rotary+Button
Frequency Range: 40HZ-250HZ
Dimension (mm): L253*W278*H304



Active Subwoofer 60W

Model: **SW65D**
Output Power: RMS: 60W
Woofer: 6.5"/4Ω x1
Control Mode: Rotary+Button
Frequency Range: 40HZ-200HZ
Dimension (mm): L160*W320*H320



Active Subwoofer 60W

Model: **SW65H**
Output Power: RMS: 60W
Woofer: 6.5"/4Ω x1
Control Mode: Rotary+Button
Frequency Range: 40HZ-200HZ
Dimension (mm): L253*L253*H328



Active Subwoofer 80W

Model: **SW80**
Output Power: RMS: 80W
Woofer: 8"/4Ω x1
Control Mode: Rotary+Button
Frequency Range: 35HZ-200HZ
Dimension (mm): L280*W315*H285



Active Subwoofer 150W

Model: **SW150**
Output Power: RMS: 150W
Woofer: 10"/2Ω x1
Control Mode: Rotary+Button
Frequency Range: 30HZ-200HZ
Dimension (mm): L310*W415*H358



BS801



RMS: 8W

Output power: 8W

High audio: $\Phi 52\text{mm}/3\Omega/8\text{W}$

Bluetooth: 5.3

Function: BT/AUX/FM

Battery: 1200mAh

Material: ABS+ silicone + fabric

Product dimensions: 116*108*118MM



LED



FM



AUX IN



Bluetooth

BS2003



RMS: 20W

Output power: 20W

High audio: $\Phi 66\text{mm}/3\Omega/15\text{W}$

Bluetooth: 5.3

Function: BT/AUX/TF

Battery: 2*1200mAh

Material: ABS+ silicone + fabric

Product dimensions: 170*110*118MM



LED



AUX IN



Bluetooth



BS3001

RMS: 30W

Output power: 30W

High audio: $\Phi 66\text{mm}/3\Omega/15\text{W} \times 2$

Bluetooth: 5.3

Function: BT/AUX/TF

Battery: 2*2000mAh

Material: ABS+ silicone + fabric

Product dimensions: 232*118*112MM



LED



AUX IN



Bluetooth

BS501



RMS: 5W

Output power: 5W

Weight low frequency: $\Phi 52\text{mm}/3\Omega 5\text{W}$

Bluetooth: 5.1

Function: BT/USB/TF/FM

Battery: 500MA

Material: ABS + Silicone + mesh

Product dimensions: 110*110*93MM



IPX6



TF



TWS



FM



LED



USB



BS502



RMS: 5W

Output power: 5W

Weight low frequency: $\Phi 66\text{mm}/3\Omega 8\text{W}$

Bluetooth: 5.3

Function: BT/USB/TF/FM

Battery: 1200MA

Material: ABS + Silicone + mesh

Product dimensions: 114*114*132MM



IPX6



TF



TWS



FM



LED



USB



BS1201



RMS: 12W

Output power: 12W

Weight low frequency: $\Phi 66\text{mm}/3\Omega 12\text{W}$

Bluetooth: 5.1

Function: BT/USB/TF/FM

Battery: 1800MA

Material: ABS + Silicone + mesh

Product dimensions: 114*114*131MM



IPX6



TF



TWS



FM



LED



USB



BS1202



RMS: 12W

Output power: 12W

Weight low frequency: $\Phi 66\text{mm}/3\Omega 12\text{W}$

Bluetooth: 5.3

Function: BT/USB/TF/FM

Battery: 1800MA

Material: Silicone + mesh

Product dimensions: 114*114*132MM



IPX6



TF



TWS



FM



LED



USB



BS1203



RMS: 12W

Output power: 12W

Weight low frequency: $\Phi 66\text{mm}/3\Omega 12\text{W}$

Bluetooth: 5.3

Function: BT/TF/FM

Battery: 1800MA

Material: ABS + Silicone + mesh

Product dimensions: 125*125*110MM



IPX6



TF



TWS



FM



LED



Bluetooth

BS1204



RMS: 12W

Output power: 12W

Weight low frequency: $\Phi 66\text{mm}/3\Omega 12\text{W}$

Bluetooth: 5.3

Function: BT/TF/FM

Battery: 1800MA

Material: ABS + Silicone + mesh

Product dimensions: 125*125*110MM



IPX6



TF



TWS



FM



LED



Bluetooth



BS2001



RMS: 20W

Output power: 20W

Weight low frequency: $\Phi 66\text{mm}/4\Omega 15\text{W}$

Bluetooth: 5.3

Function: BT/USB/TF/FM

Battery: 2400MA

Material: ABS + Silicone + mesh

Product dimensions: 110*108*132MM



IPX6



TF



TWS



FM



LED



USB



BS2002



RMS: 20W

Output power: 20W

Weight low frequency: $\Phi 66\text{mm}/3\Omega 12\text{W} \times 2$

Bluetooth: 5.3

Function: BT/USB/AUX/TF/FM

Battery: 2400MA

Material: ABS + Silicone + mesh

Product dimensions: 110*108*205MM



IPX6



TF



TWS



FM



LED



USB



AUX IN



Bluetooth





BS4002

RMS: 40W

Output power: 40W

High audio: $\Phi 53\text{mm}/8\Omega 10\text{W} \times 2$

Weight low frequency: $\Phi 78\text{mm}/4\Omega 26\text{W}$

Bluetooth: 5.3

Function: BT/USB/AUX/TF/FM

Battery: 2000MA

Material: ABS + Silicone + mesh

Product dimensions: 138*137*170MM



IPX6



TF



TWS



FM



LED



USB



AUX IN



Bluetooth

