




Dongguan Lontion Industrial Co.,Ltd

 Add:
5F, Building2, No 773, Chang an Section, Tai an Road,
Shatou village, Chang an Town, Dongguan City, Guangdong

 [WWW.china_lontion .com](http://WWW.china_lontion.com)



CATALOGUE 2021-2022



COMPANY PROFILE

JND is an innovation electronics solution company professional in accessories and cable manufacturers with over 6 years experience. Our factory are located in Dongguan City, Guangdong province which cover area of 8000 Square Meters with many skillful workers. We continuously improve our core competency in the area of design, supply chain management and customer service in order to maximize customer value and build long-term partnerships.

JND has our own separated production line to make cable assembling, chargers and other electronic accessories with SMT. Can well understand what you want. Our specialized design and engineering teams are dedicated to providing value-added services in products and packaging.

With the support and trust from our long-term partners, we have constantly made efforts and upgrades to achieve new and modern products to the market. We will continually strive to bring the best and most advanced innovations to our customers. Welcome To visit our factory. Thanks.

• Dongguan Factory



• Hailink Factory



• R & D design team



1+

An ambitious vision with warmth and vitality.

10+

10+ years of pursuing exquisite craftsmanship in the connectivity industry.

100+

100+ of patents in invention and innovation

500+

500+ of staff in Management, R&D, Manufacturing and customer service;

JND Technology Co., Ltd is a National high-tech enterprises and global leading AV/IT provider specialized in connectivity solutions such as Av converters, laptop hubs and docking stations, cable converters etc. The company has consistently dedicated herself to R&D, mechanical design, precision manufacturing, and customer service. Our comprehensive portfolio of products is widely used to improve the connectivity and efficiency of smart mobile devices, home and office AV equipment, computer peripherals, and other electronic terminals without sacrificing the portability.

Over a decade, JND has established R&D centers and manufacturing facilities in Dongguan and Huizhou. Furthermore, we are vertically integrated in terms of tooling design and manufacturing, precision design and manufacturing, SMT, finished product assemblies to provide turn-key service to our customers. JND products are renowned for durability and ease-of-use. We have built up stable and trustworthy business long term relationship with global leading technology brands.

JND has a comprehensive production management and quality control systems. We are certified by ISO 9001 & 14001, BSCI and other international quality assurance.

JND always believes in "Innovation, Quality, Integrity and Mutual Development". We provide our customers with reliable products and fast service. JND thrives to create brighter and more prosperous future with all partners.

COMPANY TOUR



Made for
 iPhone | iPad | iPod



OUR PARTNERS



MARKET PENETRATION



MST Multifunctional HUB

Support multi-screen display

Splittable



12in1-4

- Input:USB-C
- Output:
 - 2xHDTV(3840x2160@30Hz)
 - 1xVGA(1920x1080@60Hz)
 - 3xUSB3.0 Gen-A(5Gbps)
 - 1xRJ45 (10/100/1000Mbps)
 - 1x SD2.0
 - 1x TF2.0
 - 1xUSB-C PD 100W
 - 1xUSB-C
 - 1x3.5mm Audio
- Support MST Function



12in1-5

USB-C Docking Station

Input:USB-C

Output:

2x HDMI(3840x2160@30Hz)

1xVGA(1920x1080@60Hz)

2xUSB3.0 Gen-A(5Gbps)

1xUSB2.0 A 480Mbps

1xRJ45 (10/100/1000Mbps)

1x SD2.0

1x TF2.0

1xUSB-C PD 100W

1xUSB-C

1x3.5mm Audio

Support MST Function



12in1-6

USB-C Docking Station

Input:USB-C

Output:

1xDisplayPort(3840x2160@30Hz)

1x HDTV(3840x2160@30Hz)

1xVGA(1920x1080@60Hz)

2xUSB3.0 Gen-A(5Gbps)

1xUSB2.0 A 480Mbps

1xRJ45 (10/100/1000Mbps)

1x SD2.0

1x TF2.0

1xUSB-C PD 100W

1xUSB-C

1x3.5mm Audio

Support MST Function



12in1-7

USB-C Docking Station

Input:USB-C

Output:

1xDisplayPort(3840x2160@30Hz)

1xHDTV(3840x2160@30Hz)

1xVGA(1920x1080@60Hz)

2xUSB3.0 Gen-A(5Gbps)

1xUSB2.0 A 480Mbps

1xRJ45 (10/100/1000Mbps)

1x SD2.0

1x TF2.0

1xUSB-C PD 100W

1xUSB-C

1x3.5mm Audio

Support MST Function





10in1-11

USB-C Docking Station
 Input:USB-C
 Output:
 2xHDTV(3840x2160@30Hz)
 3xUSB3.0 Gen-A(5Gbps)
 1x SD2.0
 1x TF2.0
 2xUSB-C PD 100W
 1xUSB-C
 1x SD2.0
 1x TF2.0
 Support MST Function



9in1-6

USB-C Docking Station
 Input:USB-C
 Output:
 2xHDTV(3840x2160@30Hz)
 3xUSB3.0 Gen-A(5Gbps)
 1xRJ45 (100Mbps)
 1x SD2.0
 1x TF2.0
 2xUSB-C PD 100W
 1xUSB-C
 Support MST Function



8in1-11

USB-C Docking Station
 Input:USB-C
 Output:
 1xHDTV(3840x2160@30Hz)
 1xVGA(1920x1080@60Hz)
 3xUSB3.0 Gen-A(5Gbps)
 1xRJ45 (100Mbps)
 Support MST Function



2in1-4

USB-C Docking Station

Input:USB-C

Output:

1x DP(3840x2160@30Hz)

1x MINI DP(3840x2160@30Hz)

Support MST Function



4in1-14

USB-C Docking Station

Input:USB-C

Output:

2x HDTV(3840x2160@30Hz)

1xUSB3.0 Gen-A(5Gbps)

1xUSB-C

Support MST Function



2in1-5

USB-C Docking Station

Input:USB-C

Output:

2x HDTV(3840x2160@30Hz)

Support MST Function



5in1-31

USB-C Docking Station

Input:USB-C

Output:

1x DP(3840x2160@30Hz)

1x DP(3840x2160@30Hz)

1x VGA 1080P

Support MST Function



2in1-6

USB-C Docking Station

Input:USB-C

Output:

1x HDTV(3840x2160@30Hz)

1x VGA 1080P

Support MST Function



5in1-32

USB-C Docking Station

Input:USB-C

Output:

2xHDTV(3840x2160@30Hz)

1xVGA 1080P

1xUSB3.0 Gen-A(5Gbps)

1xUSB-C

Support MST Function



USB C ► HDTV Multifunction Adapter

4K
UHD



Switch用

Work with



Samsung
DeX

HUAWEI
Desktop



SWITCH 底座

USB-C Docking Station
Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
1xUSB3.0 Gen-A(5Gbps)
1xUSB-C



3in1

USB-C Docking Station
Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
1xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD100W



3in1-1

USB-C Docking Station
Input:USB-C
Output:
1xHDTV(3840x2160@30Hz)
1xUSB3.0 Gen-A(5Gbps)
1xUSB-C



3in1-3

USB-C Docking Station
Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
1xUSB3.0 Gen-A(5Gbps)
1xUSB-C

USB-C Docking Station



4in1-15

USB-C Docking Station
Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
1xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1x3.5mm Audio

3in1-6



USB-C Docking Station
Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
1xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xUSB-C
1xSD
1xTF

5in1-4



USB-C Docking Station
Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
2xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xUSB-C

4in1-3



USB-C Docking Station
Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
1xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xUSB-C
1xSD
1xTF

7in1-3



USB-C Docking Station
Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
1xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xUSB-C PD
1xSD
1xTF

USB-C Docking Station



5in1-29

Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
3xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W



5in1-30

Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
3xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W



6in1-7

Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
3xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xRJ45 (10/100/1000Mbps)



6in1-3

Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
3xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xRJ45 (10/100/1000Mbps)



7in1-8

Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
3xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xRJ45 (10/100/1000Mbps)
1xSD
1xTF



7in1-9

Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
3xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xRJ45 (10/100/1000Mbps)
1xSD
1xTF



8in1-3


Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
3xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xRJ45 (10/100/1000Mbps)
1xSD
1xTF



8in1-10

Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
3xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xRJ45 (10/100/1000Mbps)
1xSD
1xTF

USB-C Docking Station



- 
USB-C
- 
SS
- 
HDMI
- 
SD/TF Card Reader
- 
VGA
- 
Ethernet
- 
3.5 Audio



TV-3

Input:USB-C
Output:1x HDTV(3840x2160@30Hz)



TH13

Input:USB-C
Output:1x HDTV(3840x2160@30Hz)



4in1-5

Input:USB-C
Output:
1xHDTV(3840x2160@30Hz)
1xVGA(3840x2160@30Hz)
1xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W



4in1-10

Input:USB-C
Output:
3xUSB3.0 Gen-A(5Gbps)
1xRJ45 (10/100/1000Mbps)



5in1-17

Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
3xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W



5in1-18

Input:USB-C
Output:
4xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W



5in1-19

Input:USB-C
Output:
3xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xUSB-C



7in1-6

Input:USB-C
Output:
1xHDTV(3840x2160@30Hz)
3xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xSD
1xTF



5in1-20

Input:USB-C
Output:
4xUSB3.0 Gen-A(5Gbps)
1xMicro



8in1-5

Input:USB-C
Output:
1xHDTV(3840x2160@30Hz)
3xUSB3.0 Gen-A(5Gbps)
1xUSB C PD 100W
1xRJ45 (10/100/1000Mbps)
1xSD
1xTF



5in1-21

Input:USB-C
Output:
3xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xRJ45 (10/100/1000Mbps)



9in1-3

Input:USB-C
Output:
1xHDTV(3840x2160@30Hz)
3xUSB3.0 Gen-A(5Gbps)
1xUSB C PD 100W
1xRJ45 (10/100/1000Mbps)
1x3.5mm Audio
1xSD
1xTF



6in1-4

Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
3xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xRJ45 (10/100/1000Mbps)



6in1-5

Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
2xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xRJ45 (10/100/1000Mbps)
1xSD



7in1-7

Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
2xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xRJ45 (10/100/1000Mbps)
1xSD
1xTF



3in1-5

Input:USB-C
Output:
1xHDTV(3840x2160@30Hz)
1xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W



8in1-9

Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
3xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xRJ45 (10/100/1000Mbps)
1xSD
1xTF



5in1-3

Input:USB-C
Output:
1xHDTV(3840x2160@30Hz)
2xUSB3.0 Gen-A(5Gbps)
1xUSB C PD 100W
1xUSB C



9in1-5

Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
1xVGA 1080P
2xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xRJ45 (10/100/1000Mbps)
1x3.5mm Audio
1xSD
1xTF



6in1

Input:USB-C
Output:
1xHDTV(3840x2160@30Hz)
2xUSB3.0 Gen-A(5Gbps)
1xUSB C PD 100W
1xUSB C PD
1xRJ45 (10/100/1000Mbps)



11in1-2

Input:USB-C
Output:
1xHDTV(3840x2160@30Hz)
1xVGA 1080P
4xUSB3.0 Gen-A(5Gbps)
1xUSB C PD 100W
1xRJ45 (10/100/1000Mbps)
1x3.5mm Audio
1xSD
1xTF



7in1-1

Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
2xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xUSB-C
1xSD
1xTF

USB-C Docking Station



- 
USB-C
- 
SS
- 
HDMI
- 
SD/TF Card Reader
- 
VGA
- 
Ethernet
- 
3.5 Audio



4in1-9

Input:USB-C
Output:
3xUSB3.0 Gen-A(5Gbps)
1xRJ45 (10/100/1000Mbps)



5in1-12

Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
3xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W



5in1-13

Input:USB-C
Output:
4xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W



5in1-14

Input:USB-C
Output:
3xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xUSB-C



5in1-15

Input:USB-C
Output:
4xUSB3.0 Gen-A(5Gbps)
1xMicro



9in1-2

Input:USB-C
Output:
1xHDTV(3840x2160@30Hz)
3xUSB3.0 Gen-A(5Gbps)
1xUSB C PD 100W
1xRJ45 (10/100/1000Mbps)
1x3.5mm Audio
1xSD
1xTF



5in1-16

Input:USB-C
Output:
3xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xRJ45 (10/100/1000Mbps)



10in1

Input:USB-C
Output:
1xHDTV(3840x2160@30Hz)
1xVGA 1080P
3xUSB3.0 Gen-A(5Gbps)
1xUSB C PD 100W
1xRJ45 (10/100/1000Mbps)
1x3.5mm Audio
1xSD
1xTF



6in1-6

Input:USB-C
Output:
1x HDTV(3840x2160@30Hz)
3xUSB3.0 Gen-A(5Gbps)
1xUSB-C PD 100W
1xRJ45 (10/100/1000Mbps)



8in1-4

Input:USB-C
Output:
1xHDTV(3840x2160@30Hz)
3xUSB3.0 Gen-A(5Gbps)
1xUSB C PD 100W
1xRJ45 (10/100/1000Mbps)
1xSD
1xTF



12in1-1

Input:USB-C
Output:
1xHDTV(3840x2160@30Hz)
1xVGA 1080P
3xUSB3.0 Gen-A(5Gbps)
1xUSB C PD 100W
2xUSB C
1xRJ45 (10/100/1000Mbps)
1x3.5mm Audio
1xSD
1xTF

9
Ports

USB C Docking Station

USB C TO HDTV+RJ45+SD+TF+USB+PD+Audio

Input:USB-C

Output:

2x HDTV(3840x2160@30Hz)

3xUSB3.0 Gen-A(5Gbps)

1xRJ45 (10/100/1000Mbps)

1x SD2.0

1x TF2.0

1xUSB-C PD 100W

1x3.5mm Audio



4in1

Input:USB-C


Output:

1xHDTV(3840x2160@30Hz)

1xUSB3.0 Gen-A(5Gbps)

1xUSB-C PD 100W

1xRJ45 (10/100/1000Mbps)



5in1-1

Input:USB-C

Output:

1xHDTV(3840x2160@30Hz)

1xVGA(1920x1080@60Hz)

1xUSB

1xUSB-C PD 100W

1xRJ45 (10/100/1000Mbps)



8in1-2

Input:USB-C

Output:

1xHDTV(3840x2160@30Hz)

1xVGA(1920x1080@60Hz)

1xUSB

1xUSB-C PD 100W

1xSD

1xTF

1xRJ45 (10/100/1000Mbps)

1x3.5mm Audio



Lightning Docking Station



P15

Input:Lightning
Output:
1xHDTV 1080P
1xVGA 1080P
2xUSB
1x Lightning Port
1xRJ45 (10/100/1000Mbps)
1x3.5mm Audio
1xSD
1xTF



P16

Input:Lightning
Output:
1xHDTV 1080P
1xVGA 1080P
2xUSB
1x Lightning Port
1xRJ45 (10/100/1000Mbps)
1x3.5mm Audio
1xSD
1xTF



P18

Input:Lightning
Output:
1xHDTV 1080P
1xUSB3.0 Gen-A(5Gbps)
1xLightning 5V1A



P19

Input:Lightning
Output:
1xHDTV 1080P
1xVGA 1080P
1xUSB3.0 Gen-A(5Gbps)
1xLightning 5V1A

HDTV & VGA CONVERTER

Wireless+wired dual-mode
switch-free same screen device

P21

Input:Type-c and wireless

Output:

4x HDM I1080P

1xVGA(1920x1080@60Hz)

1xUSB


1x3.5mm Audio



Android




iOS



HDTV



VGA



P12

Input:Lightning and wireless

Output:

1xHDTV 1080P

1xVGA 1080P

1xUSB

1xLightning port



P12-1

Input:Lightning and wireless

Output:

1xHDTV 1080P

1xVGA 1080P

1xUSB

1xLightning port



TH15

TYPE C TO HDTV

Type-C TO HDTV Aluminum shell
Long:2M
Support:4K@60Hz



TYPE-C TO HDMI




TYPE-C TO HDMI+USB



TYPE-C TO HDMI



HDMI TO TYPE-C+USB



HDMI TO DP+USB



HDMI TO MINIDP+USB



TYPE-C TO HDMI+USB C



TYPE-C TO HDMI



Type-c+Lightning+Micro

HDMI Video Capture



HU-4

Input:USB 2.0
Output:
2xHDMI 1080P
Support input max resolution 4K
Support output max resolution 1080P
Support IOS



HU

Input:HDMI
Output:
1xUSB
Support input max resolution 4K
Support output max resolution 1080P
Support Windows,Linux and MAC OS



HU-1

Input:HDMI
Output:
1xUSB
Support input max resolution 4K
Support output max resolution 1080P
Support Windows,Linux and MAC OS



HU-2

Input:HDMI
Output:
1xUSB
Support input max resolution 4K
Support output max resolution 1080P
Support Windows,Linux and MAC OS



HU-3

Input:HDMI1.4(3840x2160@30Hz)
Output:
1xHDMI1.4(3840x2160@30Hz)
1xUSB3.0
Support input max resolution 4K
Support output max resolution 4K
Support Windows,Linux and MAC OS

USB Video Adapter



UH

Input:USB
Output:
1xHDTV 1080P



UV

Input:USB
Output:
1xVGA 1080P



UHV

Input:USB
Output:
1xHDTV 1080P
1xVGA 1080P



HHV

Input:USB
Output:
1xHDTV 1080P
1xVGA 1080P
1xMicro
1x3.5mm Audio




TYPE-C TO HDTV/DP/VGA

TYPE-C TO HDMI



TYPE-C TO DP



TYPE-C TO VGA



Connect your laptop/mobile phone to a large-screen device and play with the high-definition large screen

No need to install any drivers plug and play

Digital audio converter

Support Charging

Support sound caed

Support Voice calls


Support Listening music



Earphone charging Recording

Recording volume adjustment

Headphone volume adjustment



P17-C

Input:USB-C

Output:

1xUSB-C PD 100W

1x3.5mm Audio

Material: aluminum alloy

Supports all mobile phones and tablet devices with type-c interface



P17-L

Input:USB-C

Output:

1xUSB-C PD 100W

1x3.5mm Audio

Material: aluminum alloy

Supports all mobile phones and tablet devices with Lightning interface



P17-L

Input:USB-C

Output:

1xUSB-C PD 100W

1x3.5mm Audio

Material: ABS

Supports all mobile phones and tablet devices with Lightning interface



9in1-6

Input:USB-C

Output:

2x HDMI(3840x2160@30Hz)

1xVGA(1920x1080@60Hz)

2xUSB3.0 Gen-A(5Gbps)

1xRJ45 (10/100/1000Mbps)

1x SD2.0

1x TF2.0

1xUSB-C PD 100W

1x3.5mm Audio

Support wireless charging



HDMI



USB



VGA



RJ45



3.5 Audio



PD



SD/TF

M.2 NVME SSD Case

Mobile Storage Whatever You Want

Compact/aluminum alloy shell Fast cooling/
strong performance high-speed transmission



Mobile storage



Fast transmission



Drive-free



Supports 2TB





Product name:PD20W quick charge
 Output Interface:USB-C
 Max output power:20W
 Applicable: iPhone/iPad/Huawei/Samsung and other fast charging models on the market
 Size: 32*32*32MM



Product name:65W quick charge
 Max output power:65W
 Applicable: Can provide fast charging for smart devices such as Notebook , iPhone, Android, SWITCH, etc.
 Size: 65W, 36*32*73.5 MM



Product name:65W quick charge
 Max output power:65W
 Applicable: Can provide fast charging for smart devices such as Notebook , iPhone, Android, SWITCH, etc.
 Size: 65W, 36*32*73.5 MM


















Product name:100W quick charge
 Max output power:100W
 Applicable: Can provide fast charging for smart devices such as Notebook , iPhone, Android, SWITCH, etc.
 Size: 60*30*83MM

Made for
iPhone | iPad | iPod

MFi Charging Cable

10000+ bending
unique trapezium design



<p>MFi USB to Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>Color</p> <p>LT-MFi-149</p>	<p>MFi USB to Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>Color</p> <p>LT-MFi-152</p>	<p>MFi USB to Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>Color</p> <p>LT-MFi-155</p>	<p>MFi USB to Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>Color</p> <p>LT-MFi-158</p>
<p>MFi USB to Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>Color</p> <p>LT-MFi-150</p>	<p>MFi USB to Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>Color</p> <p>LT-MFi-153</p>	<p>MFi USB to Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>Color</p> <p>LT-MFi-156</p>	<p>MFi Lightning to USB Charging&Data Cable ABS Molding L=1m</p>  <p>Color</p> <p>LT-MFi-159</p>
<p>MFi USB to Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>Color</p> <p>LT-MFi-151</p>	<p>MFi USB to Lightning Charging&Data Cable ABS Molding L=1m</p>  <p>Color</p> <p>LT-MFi-154</p>	<p>MFi USB to Lightning Charging&Data Cable ABS Molding L=1m</p>  <p>Color</p> <p>LT-MFi-157</p>	<p>MFi USB to Lightning Charging&Data Cable ABS Molding L=1m</p>  <p>Color</p> <p>LT-MFi-160</p>
<p>MFi USB to Lightning Charging&Data Cable ABS Molding L=1m</p>  <p>Color</p> <p>LT-MFi-145</p>	<p>MFi USB to Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>Color</p> <p>LT-MFi-147</p>	<p>MFi USB to Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>Color</p> <p>LT-MFi-146</p>	<p>MFi USB to Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>Color</p> <p>LT-MFi-148</p>



Made for
 iPhone | iPad | iPod

Support 10000+ bending times

<p>TYPE-C TO Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>TC-116</p> <p>Color</p>	<p>Type-c TO Lightning Charging&Data Cable zinc alloy Shell L=1m</p>  <p>TC-0119</p> <p>Color</p>	<p>TYPE-C TO Lightning Charging&Data Cable ABS shell L=1m</p>  <p>TC-122</p> <p>Color</p>	<p>TYPE-C TO Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>TC-134</p> <p>Color</p>
<p>TYPE-C TO Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>TC-117</p> <p>Color</p>	<p>TYPE-C TO Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>TC-120</p> <p>Color</p>	<p>TYPE-C TO Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>TC-132</p> <p>Color</p>	<p>TYPE-C TO Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>TC-135</p> <p>Color</p>
<p>TYPE-C TO Lightning Charging&Data Cable ABS shell L=1m</p>  <p>TC-118</p> <p>Color</p>	<p>TYPE-C TO Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>TC-121</p> <p>Color</p>	<p>TYPE-C TO Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>TC-133</p> <p>Color</p>	<p>TYPE-C TO Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>TC-136</p> <p>Color</p>
<p>TYPE-C TO Lightning Charging&Data Cable ABS shell L=1m</p>  <p>TC-152</p> <p>Color</p>	<p>TYPE-C TO Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>TC-155</p> <p>Color</p>	<p>TYPE-C TO Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>TC-153</p> <p>Color</p>	<p>TYPE-C TO Lightning Charging&Data Cable Aluminum Shell L=1m</p>  <p>TC-156</p> <p>Color</p>