

LEADING ONE-STOP

CONSTRUCTION

MACHINERY SUPPLIER





01 LIFTING
MACHINERY

01 EARTHMOVING
MACHINERY

01 ROAD CONSTRUCTION
MACHINERY

01 CONCRETE
MACHINERY

01 TRUCK & SPECIAL
VEHICLE

01 DRILLING
MACHINERY

01 LOGISTICS
MACHINERY

01 MINING
MACHINERY

W TEWREX
MACHINERY FOR TOMORROW

8 in the main product machinery category, available for
choice,
including all kinds of equipment



ABOUT **TEWREX**



TEWREX is an authorized exporter of China construction machinery, set up in 2020 and located in Suzhou.

Our products range includes lifting machinery, earthmoving machinery, road construction machinery, concrete machinery, drilling machinery, logistics machinery, heavy truck, mining machinery, agriculture machinery, spare parts and so on.

We have many years professional marketing experience for construction machinery overseas, also we have abundant experience for supplying the services of sales, after-sale, spare parts, survey and training.



OUR TEAM

All Well Educated with University Degree Multinational Language Speaking
Team: English, Russian, Spanish, Portuguese, French, Arabic.

50% of Team has 5+ Years International Machinery Exporting Experience
Positive Personality: Honest, Reliable, Hardworking, Friendly, Proactive.



Professional Team



Global Services



Steady Increase




Efficient Service



Excellent Expression

The main product categories, of which a number of well-known high-quality brand suppliers of goods can be selected to meet all the needs of construction machinery.

MAIN PRODUCT




SUCCESSFUL CASE



May 2023 - 1 Unit
LIUGONG
Wheel Loader to Peru



July 2023 - 1 Unit
SANY
STC250E to Kazakhstan



December 2022 - 2 Units
SANY
Excavator to Ecuador



November 2022 - 1 Unit
XCMG
Road Roller to Philippines



August 2022 - 3 Units
FCY30
Dump Loader to Cote d'Ivoire



June 2022 - 2 Units
XCMG
Road Roller to Ecuador

CLIENT VISIT



2023-8-2 - Gabon Client
@ Bulldozer Factory



2023-5-26 Yeman Client
@ Sany Factory



2022-11-24 Guinea Cients
@SUNWARD Factory



2023-4-14 Thailand Clients
@ XCMG Factory



GLOBAL **SUPPORT**

A global network
of communication and businesses




AFTER-SALE **SERVICE**



Spare Parts

TEWREX is dedicated to provide our clients with genuine spare parts with the highest quality, exact fitness and appropriate function. With our global distributor network, you are guaranteed with fast deliveries and services, wherever you are. Please submit your spare parts request to us, and list product name, model, equipment serial number, description of required parts. We guarantee that your request will be handled



Training

TEWREX offers perfect facilities and comfortable environment and can provide training services to different users. The training sessions include product training, operation training, maintenance know-how, technical know-how training, standards, laws and regulations training and other trainings, all of which are tailored to fulfill your individual needs. Training programs can be conducted in our factory field, or at the client's site.



Warranty

TEWREX grants our clients a twelve-month-period (1 Year) or 2000-hours warranty for any machine purchased from us. During the warranty period, in case the defect of material or workmanship has occurred with spare parts in normal operation, the defective part will be repaired or replaced free of charge as compensation, at our discretion.



Installation

TEWREX is able to provide you with the overall installation of complicated machinery and equipment, allowing you to start the proper operation of construction machine. After installation, we will make inspection of the whole machine, operate equipment, and provide you with testing data reports of installation and operation. We can also send engineers to client's site to do maintenance work.





LIFTING MACHINERY

YOUR PARTNER AT THE CONSTRUCTION SITE, A VARIETY OF MODELS FOR YOU TO CHOOSE FROM



XCMG Truck Crane



Model	Engine/Power	Max. Lifting Capacity	Full-extend Boom
STC250S	SHANGCHAI/206kW	25000kg	41m
QY25V552	WEICHAI/199kW	25000kg	40m
QY25K-II	WEICHAI/206kW	25000kg	34.19m
QY25K-II	WEICHAI/206kW	25000kg	34.19m
QY50KA	WEICHAI/276kW	50000kg	42.7m



SANY Truck Crane



Model	Rated Power	Max. Lifting Capacity	Max Boom Length
STC160	192kW	16T	32m
STC250T4	213kW	25T	35m
STC300T5	213kW	30T	42.5m
STC400T	250kW	40T	44.5m
STC500	250kW	50T	44.5m



SANY Truck Crane



Model	Rated Power	Max. Lifting Capacity	Max. Boom Length
STC600T5	250kW	60T	45.5m
STC700T	275kW	70T	46m
STC800T5	275kW	80T	49.5m
STC900T	275kW	90T	50m
STC1000S	275kW	100T	56m



ZOOMLION Truck Crane



Brand	Engine	Rated Power	Full-Extend Boom
QY16V431R	WEICHAI	176kW	30.8m
QY25V531.5	WP6.240	176kW	43m
QY55V532.2	weichai	247kW	43m
QY70V532	WD615.46	276kW	44m
ZTC1000V653	WP12.375E50	276kW	64m



XCMG All Terrain Crane



Model	Dead Weight	Engine Model	Max. Travel Speed
QAY260A	72000kg	TAD722VE	72km/h
XCA60	36000kg	MC11.36-50	85km/h
XCA100	48000kg	ISME420-30	80km/h
XCA220	54990kg	OM460LA.E3B/3	84km/h
XCA300	72000kg	OM906LA.E3A/1	80km/h



SANY All Terrain Crane



Model	Overall Dimensions	Max. Lifting Capacity	Main Boom Length
SAC600E	11.9*2.6*3.8m	60T	50m
SAC1100S	14.5*2.8*4m	110T	63m
SAC1600S	15.5*2.8*4m	160T	73m
SAC2200	15.5*2.9*4m	220T	68m
SAC4500S	18*3*4m	450T	70m

ZOOMLION

ZOOMLION All Terrain Crane



Model	Overall Dimensions	Engine Model	Power
ZAT1500	15.4*3*4mm	GB3847-2005	390kW
ZAT2000	15.7*3*4mm	GB3847-2005	390kW



XCMG Crawler Crane



Model	Max. Lifting Capacity	Max. Boom Length	Engine Output
XGC25T	25ton	33m	142kW
XGC55	55ton	52m	155/153kW
XGC75	75ton	13~58m	155/153kW
XGC85	85ton	58m	200/183kW
XGC100	100ton	19~73m	200/183kW



SANY Crawler Crane



Model	Max. Lifting Capacity	Max. Lifting Moment	Boom Length
SCC600A	60T	222T.M	52m
SCC750A	75T	288T.M	57m
SCC900A	90T	360T.M	61m
SCC1000A	100T	396T.M	64m
SCC1500A	150T	840T.M	76m

ZOOMLION

ZOOMLION Crawler Crane



Model	Max. Lifting Capacity	Boom Length	Engine
QUY180	180(kg)	56+51m	CumminsQSL9-C305
ZCC550H	55000kg	52m	WP6G190E26
ZCC800H	320t .m	67m	Weichai Power



XCMG Rough Terrain Crane



Model	Dead Weight	Engine Model	Engine Rated Output
RT25	26365kg	QSB6.7-C190	142kW
RT50	38350kg	QSB6.7	149kW
RT55E	38500kg	QSB6.7	149kW
RT200E	90500kg	QSL	224kW
XCR30	27334kg	B6.7	145kW



SANY Rough Terrain Crane



Model	Engine Power	Max. Lifting Capacity	Main Boom Length
SRC300C	198kW	30T	31.5m
SRC600C	210kW	60T	43.5m
SRC750C	210kW	75T	45m
SRC900C	210kW	90T	47m
SRC1200	242kW	120T	49m

ZOOMLION



ZOOMLION Rough Terrain Crane

Model	Max. Lifting Height	Overall Dimensions	Max. Travel Speed
RT25	44.8m	12*2.7*2.7m	40/25km/h
RT35	46m	12*3*3.6m	38/15km/h
RT55	52.4m	13.1*3.3*3.8m	40200kg
RT60	62.2m	13.7*3.3*3.8m	44260kg
RT75	56.8m	14.9*3.4*3.9m	52840kg

XCMG



XCMG Truck-Mounted Crane

Model	Max. Lifting Moment	Max. Lifting Capacity	Oil Tank Capacity
SQ5ZK2Q	10.5T.M	5000kg	90L
SQ6.3ZK2Q	13.23T.M	6300kg	90L
SQ8ZK3Q	16T.M	8000kg	160L
SQ10ZK3Q	20T.M	10000kg	160L
SQ16ZK4Q	40T.M	16000kg	250L

SANY



SANY Truck-Mounted Crane

Model	Max. Lifting Moment	Slewing Moment	Max. Lifting Capacity
SPK6500	5.8mt	0.9mt	3300kg
SPK15500	14.6mt	1.8mt	6200kg
SPK18500	18.3mt	2.3mt	8000kg
SPK 32080	30.4mt	3.8mt	8500kg
SPK 36080	34.8mt	3.8mt	8500kg



Tower Crane

Model	Max. Lifting Capacity	Max. Lifting Moment	Standing Height
SANY SFT100	8T	100T.M	45m
XCMG QTZ80	8T	200m	60/55m
ZOOMLION T6013A-8	8T	200m	60m



EARTHMOVING MACHINERY

YOUR PARTNER AT THE CONSTRUCTION SITE, A VARIETY OF MODELS FOR YOU TO CHOOSE FROM



XCMG Wheel Loader



Model	Operating Weight	Engine, Power	Rated Load
LW300FN	10600kg	Weichai,92kW	3000kg
LW400KN	14500kg	Weichai,125kW	4000kg
LW500FN	16900kg	Weichai,162kW	5000kg
ZL50GN	17500kg	Shangchai,162kW	5500kg
LW600KN	20000kg	Weichai,178kW	6000kg



SANY Wheel Loader



Model	Operating Weight	Engine, Power	Rated Load
SW955K	17400kg	Weichai,162kW	5000kg
SYL956H	17100kg	Cummins,164kW	5000kg
SYL953H	17300kg	Weichai,164kW	5000kg



LIUGONG Wheel Loader



Model	Operating Weight	Engine, Power	Rated Load
816C	4924kg	Yunnei, 65kW	1600kg
835H	10375kg	Cummins, 97kW	3000kg
855H	16504kg	Cummins, 162kW	5000kg
856H	17180kg	Cummins, 162kW	5000kg
890H	30600kg	Cummins, 287kW	9000kg



SHANTUI Wheel Loader



Model	Operating Weight	Engine, Power	Rated Load
SL30WN	10300kg	Weichai,92kW	3000kg
SL50WN	17100kg	Weichai,162kW	5000kg
SL60WN	21000kg	Weichai,175kW	6000kg



LOVOL Wheel Loader



Model	Operating Weight	Engine, Power	Load Capacity
FL936F	10280kg	Weichai,92kW	3000kg
FL942H	11700kg	Weichai,105kW	4000kg
FL956H	17010kg	Weichai,162kW	5000kg



SANY All Terrain Crane



Model	Operating Weight	Engine	Rated Load
CDM816D	5500kg	YTO,55kW	1600kg
CDM833	10300kg	Weichai,92kW	3000kg
CDM835	11620kg	Weichai,105kW	3500kg
LG855N	16800kg	Weichai,162kW	5000kg
CDM860	21150kg	Weichai,175kW	6000kg



SEM Wheel Loader



Model	Operating Weight	Engine, Power	Rated Load
SEM632D	9700kg	Weichai,92kW	3000kg
SEM655D	16800kg	Weichai,162kW	5000kg
SEM656D	17000kg	Weichai,162kW	5000kg



SDLG Wheel Loader



Model	Operating Weight	Engine, Power	Rated Load
L920	6500kg	66kW	2000kg
L933	10150kg	92kW	3000kg
L936	10550kg	92kW	3000kg
L946	12900kg	129kW	4000kg



SANY Excavator



Model	Operating Weight	Engine Power	Bucket Capacity
SY35U	3860kg	Yanmar,19.6kW	0.12m ³
SY135C	1350kg	Isuzu,73kW	0.6m ³
SY215C	21900kg	Mitsubishi,114kW	0.93m ³
SY265C	27000kg	Cummins,145kW	1.3m ³



ZOOMLION Excavator



Model	Operating Weight	Engine Power	Bucket Capacity
ZE60E-10	6050kg	Yanmar,36.2kW	0.23m ³
ZE75E-10	7500kg	Yanmar,44kW	0.3m ³
ZE135E-10	14000kg	Cummins,86kW	0.55m ³
ZE215E	21680kg	Cummins,112kW	1.0m ³



SHANTUI Excavator



Model	Operating Weight	Engine Power	Bucket Capacity
SE85	8350kg	Kubota,48.9kW	0.13~0.40m ³
SE135	13500kg	Cummins,86kW	0.45~0.63m ³
SE220	21900kg	Cummins,112kW	0.45~1.2m ³
SE245LC	24800kg	Cummins,150kW	0.45~1.45m ³



SDLG Excavator



Model	Operating Weight	Engine Power	Bucket Capacity
E635F	3880kg	Yanmar,26.3kW	0.11m ³
E660FL	6050kg	Yanmar,38.3kW	0.21m ³
E6150F	13800kg	SD40B,80kW	0.6m ³
E6250F	24400kg	SD70B,138kW	1.2m ³

LIUGONG

LIUGONG Excavator



Model	Operating Weight	Engine Power	Bucket Capacity
925LC	25000kg	Cummins,142kW	1.4 m ³
920F	21000kg	Cummins,117kW	1.0 m ³
922F	22000kg	Cummins,117kW	1.1 m ³
926F	26000 kg	Cummins,142kW	1.3m ³

LOVOL

LOVOL Excavator



Model	Operating Weight	Engine Power	Bucket Capacity
FR18E2-u	1810kg	Yanmar,11.5kW	0.04m ³
FR60E2-H	5730kg	Yanmar,36.8kW	0.23m ³
FR150D	13850kg	Isuzu,72.7kW	0.53m ³
FR220D	21800kg	Isuzu,113.2kW	0.92m ³

HYUNDAI

HYUNDAI Excavator



Model	Operating Weight	Engine Power	Bucket Capacity
HX210S	20830kg	Hyundai,148kW	0.92m ³
HX220S	21260kg	Hyundai,148kW	0.92m ³
HX225SL	22070kg	Hyundai,150kW	0.92m ³
HX300SL	30200kg	Hyundai,250kW	1.27m ³

SHANTUI

SHANTUI Bulldozer



Model	Operating Weight	Engine Power	Dozing Capacity
SD42	54ton	CUMMINS,310kW	16 m ³
SD32	37.2ton	CUMMINS,235kW	10 m ³
SD22	23400	CUMMINS,162kW	6.4 m ³
SD16	17000	SHANGCHAI,131kW	4.5 m ³

HBXG

HBXG Bulldozer



Model	Operating Weight	Engine Power	Dozing Capacity
TY165-3	17550kg	Weichai,131kW	4.6m ³
SD7N	24800kg	Cummins,185kW	8.1m ³
SD8N	36800kg	Cummins,235kW	11.24m ³
SD9	44580kg	Cummins,316kW	13.5m ³

HAITUI

HAITUI Bulldozer



Model	Operating Weight	Engine Power	Dozing Capacity
HD16	17000kg	Weichai,131kW	4.5m ³
HD22	23500kg	Cummins,175kW	6.4m ³
HD22S	25700kg	Cummins,175kW	6.8m ³
HD32	37200kg	Cummins,257kW	10m ³



XCMG Backhoe Loader



Model	Engine Power	Digger Capacity	Operating Weight
WZ30-25	Yuchai,65kW	0.3m ³	9500KG
XC870HK	Deutz,74.9kW	0.25m ³	8200KG
XC870K	Deutz,74.9kW	0.3m ³	7600KG



SHANTUI Backhoe Loader



Model	Rated Power	Digger Capacity	Operating Weight
SBH388	75kW	0.3m ³	8200kg
WZ30-25	75kW	0.4m ³	7600kg



LIUGONG Backhoe Loader



Model	Rated Power	Digger Capacity	Operating Weight
CLG765A	70kW	0.2m ³	8300kg
CLG766A	74.5kW	0.2m ³	8100kg
CLG775A	75kW	0.2m ³	8600kg
CLG777A	74.5kW	0.2m ³	8400kg



SINOMACH Backhoe Loader



Model	Rated Power	Digger Capacity	Operating Weight
630A	Weichai,70kW	0.3m ³	7600KG



LIUGONG Skid Steer Loader



Model	Rated Power	Rated Load	Operating Weight
CLG365A	Yanmar,47.8kW	795kg	2950kg
CLG375A	Yanmar,57.3kW	955kg	3420kg
CLG385A	Yanmar,61.3kW	1045kg	3500kg
CLG365B	Perkins,35.7kW	795kg	2950kg



XCMG Skid Steer Loader



Model	Rated Power	Rated Load	Operating Weight
XC740K	Xinchai,36.8kW	750kg	3140kg
XC760K	Yanmar,61.3kW	1080kg	3450kg



ROAD CONSTRUCTION MACHINERY

YOUR PARTNER AT THE CONSTRUCTION SITE, A VARIETY OF
MODELS FOR YOU TO CHOOSE FROM



XCMG Road Roller



Model	Operating Weight	Engine Model	Rated Power
XP163	16000kg	SDEC	86kW
XP303	30300kg	SHANGCHAI	132kW
XS123H	12000kg	SDEC	100kW
XS163J	16000kg	SDEC	103kW
XS143J	14000kg	SDEC	103kW



SANY Road Roller



Model	Operating Weight	Engine Model	Rated Power
SSR120AC-8	12000kg	CUMMINS	93kW
SSR200AC-8H	20000kg	WEICHAI	147kW
SSR120C-8	12000kg	CUMMINS	119kW
SSR180C-8	18000kg	CUMMINS	133kW
STR30C-8	3000kg	YANMAR	28kW



SHANTUI Road Roller



Model	Operating Weight	Engine Model	Rated Power
SR10	10000kg	WEICHAI	82kW
SR12-5	12000kg	WEICHAI	105kW
SR14	14000kg	WEICHAI	105kW
SR16	16000kg	WEICHAI	129kW



SDLG Road Roller



Model	Operating Weight	Engine Model	Rated Power
RD730	3070kg	KUBOTA	24kW
RS7120	12000kg	DACHAI/DEUTZ	98kW
RS8140	14000kg	WEICHAI	92kW
RS8160	16000kg	DEUTZ	118kW



LIUGONG Road Roller



Model	Operating Weight	Engine Model	Rated Power
6032E	3500kg	Quanchai	26kW
6114E	14000kg	Shangchai	103kW
6213E	13000kg	Cummins	119kW
6530E	30000kg	Shangchai	132kW
6620E	20000kg	Weichai	140kW



SEM Road Roller



Model	Operating Weight	Engine Model	Rated Power
SEM510	10000kg	Weichai	98kW
SEM512	12000kg	Weichai	98kW
SEM518	18000kg	Weichai	129kW
SEM520	20000kg	Weichai	129kW
SEM522	22000kg	Weichai	140kW



LUYANG Road Roller



Model	Operating Weight	Engine Model	Rated Power
LTC08H	770kg	CHANGCHAI CF186F	6kW
LTC203	3400kg	CHANGCHAI ZN390Q	23kW
LTC203P	3000kg	CHANGCHAI ZN390Q	23kW
LTS214H	14000kg	CUMMINS 6BT5.9	110kW



XCMG Motor Grader



Model	Operating Weight	Rated Power/Speed	Blade Length
GR100	7000kg	74/2200kW/rpm	3048mm
GR135	11200kg	100/2200kW/rpm	3710mm
GR165	15000kg	125/2200kW/rpm	3965mm
GR180	15400kg	140/2300kW/rpm	3965mm

SHANTUI

SHANTUI Motor Grader



Model	Operating Weight	Rated Power	Blade Length
STG170C-8S	14600kg	132.5/2200kW/rpm	3965mm
STG190C-8S	15800kg	147/2200kW/rpm	3965mm
STG210C-8S	16200kg	154/2200kW/rpm	3965mm
STG230C-8S	16600kg	180/2200kW/rpm	3965mm
SG14	11600kg	112/2200kW/rpm	3660mm



LIUGONG Motor Grader



Model	Operating Weight	Rated Power	Blade Length
CLG4215	16500kg	162/2200kW	4270mm
CLG4165D	15000kg	128/2200kW	3960mm
CLG4180D	15500kg	140/2200kW	3960mm
CLG4200D	16000kg	147/2200kW	4270mm
CLG4215D	16500kg	162/2200kW	4270mm



XGMA Motor Grader



Model	Operating Weight	Rated Power	Blade Length
XG3165C	14500kg	132/2200kW/rpm	3660mm
XG3180C	15500kg	132/2200kW/rpm	3965mm
XG3200C	16200kg	160/2200kW/rpm	3965mm
XG3220C	17000kg	179/2200kW/rpm	4270mm



SINOMACH Motor Grader



Model	Operating Weight	Rated Power	Blade Length
713H	12000kg	97/2200kW/rpm	3658mm
717H	14500kg	132/2200kW/rpm	3658mm
719H	15900kg	142/2200kW/rpm	4268mm
722H	16100kg	162/2200kW/rpm	4320mm
722-5	16600kg	162/2200kW/rpm	4320mm

Asphalt Mixing Plant



Model	Paving Width	Paving Thickness	Engine
RP453L	1.8-4.5m	260mm	SHANGCHAI
RP603	2.5-6m	300mm	SHANGCHAI
SAP60C-8	2-6m	250mm	CUMMINS
SAP90C-8	3-9.2m	350mm	SANY

Stabilized Soil Mixing Plant



Model	Rated Power	Operating Weight	Dimension
XL230Z	298kW	16500kg	9083*3240*3487mm
XL250K	310kW	16200kg	8748*3036*3522mm
XL2103	294kW	15600kg	8694*2765*3450mm
WB21	269kW	15000kg	8600*2950*3300mm
WB25	336kW	15400kg	8600*3350*3300mm



SANY Cold Milling Machine



Model	Engine	Engine Power	Max.Milling Depth
SCM500C-8H	Sany	100kW	0~180mm
SCM1000C-8	Sany	180kW	0~280mm
SCM1300C-8	Sany	180kW	0~280mm
SCM2000C-8S	Cummins	503kW	0~330mm

Cold Milling Machine



Model	Engine	Engine Power	Milling Depth
CLG5100-2	Cummins	154kW	1000mm
BG2000G	Caterpillar	433kW	2000mm
SMT50-C6N	Weichai	103kW	500mm
SMT100M-C6	Shanghai	160kW	1000mm



CONCRETE MACHINERY

YOUR PARTNER AT THE CONSTRUCTION SITE, A VARIETY OF MODELS FOR YOU TO CHOOSE FROM

Concrete Pump



Model	Reach Height	Operating Weight	Engine Power
HB37K	37m	24500kg	279kW
HB43V	43m	31000kg	287kW
HB50V	50m	35000kg	315kW
430C-10	42.5m	30000kg	244kW
470C-8	47m	34000kg	294kW

ZOOMLION

ZOOMLION Concrete Pump



Model	Reach Height	TheorOutput	Slewing Angle
38X-5RZ	38m	140m ³ /h	±270°
43X-5RZ	43m	140m ³ /h	±270°
49X-6RZ	49m	170m ³ /h	±270°
52X-6RZ	52m	180m ³ /h	±270°
56X-6RZ	56m	180m ³ /h	±350°

Concrete Mixer Truck



Brand	Driving Type	Rated Power	Drum Volume
XCMG	6X4	350HP	10m ³
SANY	6x4	280HP	6m ³
SHACMAN	6x4	340HP	10m ³

Concrete Mixer Truck



Driving Type	Rated Power	Drum Volume
HOWO 6x4	380HP	8m ³
HOWO 6x4	380HP	10m ³
HOWO 8x4	371HP	12m ³
BENBEI 6x4	340HP	10m ³
BENBEI 8x4	340HP	12m ³

Trailer Pump



Model	Concrete Output	Delivery Pressure
HBT5008K	53m ³ /h	8MPa
HBT6013V	65m ³ /h	13MPa
HBT6013C-5	65m ³ /h	13MPa
HBT8016C-5	85m ³ /h	16MPa
HBT60.13.90SU	67m ³ /h	13MPa
HBT80.18.132SU	82m ³ /h	18MPa



Concrete Mixing Plant



MODEL	Product Capacity	Powder Silo Capacity	Shipping Method
XCMG HZS60VG	60m ³ /h	2*60t	4*40HQ
SANY HZS60F	60m ³ /h	2*55t	4*40HQ
ZOOMLION HZS60P	60m ³ /h	2*50t	4*40HQ

Asphalt Batching Plant



Model	Product Capacity	Aggregate Silo	Shipping Method
XCMG XAP83	80ton/hour	4*9m ³	13*40HQ
XCMG XAP165	160ton/hour	5*9m ³	19*40HQ
SANY SLB2000C8	150ton/hour	4*10m ³	19*40HQ



LUZUN Self Loading Concrete Mixer



Model	Operating Weight	Rated Power	Tank Volume
JBC1800	4800kg	55kW	1.8m ³
JBC2600	5800kg	78kW	2.6m ³
JBC4000	6500kg	78kW	4m ³
JBC4500	7100kg	85kW	4.5m ³
JBC5500	7100kg	85kW	5.5m ³



TRUCK & SPECIAL VEHICLE

YOUR PARTNER AT THE CONSTRUCTION SITE, A VARIETY OF MODELS FOR YOU TO CHOOSE FROM



HOWO Dump Truck



SHACMAN Tractor Truck



Model	Reach Height	Operating Weight	Engine Power
HB37K	37m	24500kg	279kW
HB43V	43m	31000kg	287kW
HB50V	50m	35000kg	315kW
430C-10	42.5m	30000kg	244kW
470C-8	47m	34000kg	294kW

Model	Reach Height	TheorOutput	Slewing Angle
38X-5RZ	38m	140m ³ /h	±270°
43X-5RZ	43m	140m ³ /h	±270°
49X-6RZ	49m	170m ³ /h	±270°
52X-6RZ	52m	180m ³ /h	±270°
56X-6RZ	56m	180m ³ /h	±350°

Trailer Pump

Water Tank Truck



Brand	Driving Type	Rated Power	Drum Volume
XCMG	6X4	350HP	10m ³
SANY	6x4	280HP	6m ³
SHACMAN	6x4	340HP	10m ³

Driving Type	Rated Power	Drum Volume
HOWO 6x4	380HP	8m ³
HOWO 6x4	380HP	10m ³
HOWO 8x4	371HP	12m ³
BENBEI 6x4	340HP	10m ³
BENBEI 8x4	340HP	12m ³

Dump Truck



Model	Concrete Output	Delivery Pressure
HBT5008K	53m ³ /h	8MPa
HBT6013V	65m ³ /h	13MPa
HBT6013C-5	65m ³ /h	13MPa
HBT8016C-5	85m ³ /h	16MPa
HBT60.13.90SU	67m ³ /h	13MPa
HBT80.18.132SU	82m ³ /h	18MPa

Mining Dump Truck



MODEL	Product Capacity	Powder Silo Capacity	Shipping Method
XCMG HZS60VG	60m ³ /h	2*60t	4*40HQ
SANY HZS60F	60m ³ /h	2*55t	4*40HQ
ZOOMLION HZS60P	60m ³ /h	2*50t	4*40HQ

CIMC

CIMC Lowbed Semi Trailer



Model	Product Capacity	Aggregate Silo	Shipping Method
XCMG XAP83	80ton/hour	4*9m ³	13*40HQ
XCMG XAP165	160ton/hour	5*9m ³	19*40HQ
SANY SLB2000C8	150ton/hour	4*10m ³	19*40HQ

Fuel Tank Truck



Model	Operating Weight	Rated Power	Tank Volume
JBC1800	4800kg	55kW	1.8m ³
JBC2600	5800kg	78kW	2.6m ³
JBC4000	6500kg	78kW	4m ³
JBC4500	7100kg	85kW	4.5m ³
JBC5500	7100kg	85kW	5.5m ³



DRILLING MACHINERY

YOUR PARTNER AT THE CONSTRUCTION SITE, A VARIETY OF MODELS FOR YOU TO CHOOSE FROM

Horizontal Directional Drill



Model	Max. Line Pull	Engine Model	Engine Power
XCMG XG500E	2x250kN	CUMMINS QSM11	298kW
XCMG XG600E	2x330kN	CUMMINS QSM11	298kW
SANY SH400C	400kN	CAT C9HHP	261kW
ZOOLION ZDG650	660kN	Cummins QSM11	298kW
ZOOLION ZDG750	750kN	Cummins X12	330kW

Rotary Drilling Rig



Model	Engine Model	Rated Power	Transport Dimensions
XCMG XR150DIII	CUMMINS	150/2050kW/rpm	13150x2960x3140mm
XCMG XR220D	CUMMINS	242/2100kW/rpm	16355x3500x3510mm
SANY SR155C10	Mitsubishi	144/2000kW/rpm	13055x3140x3262mm
SANY SR265C10	ISUZU	257/2000kW/rpm	17010x3542x3686mm
YUCHAI YCR50	CUMMINS	86/2200kW/rpm	9950x2600x3480mm

Rotary Drilling Rig



Model	Engine Rated Power	Overall Height
ZOOLION ZR380L	358kW	27m
ZOOLION ZR400L	398kW	27.4m
ZOOLION ZR500L	447kW	31m
SINOMACH SWDM80	93kW	20m



XCMG Roadheader



Model	Power of Cutting Motor	Hardness of Coal Quality	Weight
EBZ135	135kW	≤60MPa	44T
EBZ160	160/80kW	≤65MPa	51T
EBZ230	230/150kW	≤80MPa	80T
EBZ260	260/200kW	≤90MPa	85T



LOGISTICS MACHINERY

YOUR PARTNER AT THE CONSTRUCTION SITE, A VARIETY OF MODELS FOR YOU TO CHOOSE FROM

Forklift



Model	Rated Capacity	Max. Lifting Height	Fork Length
HELI CPD15	1500kg	3000mm	920mm
HELI CPCD30	3000kg	3000mm	920mm
HELI CPCD50	5000kg	3000mm	920mm
HANGCHA CPD25	2500kg	3000mm	1070mm
HANGCHA CPCD45	4500kg	3000MM	1220mm

Forklift



Model	Rated Capacity	Max. Lifting Height	Fork Length
LONKING LG16B	1600kg	3000mm	920mm
LONKING LG30DT	3000kg	3000mm	1070mm
LONKING LG50DT	5000kg	3000mm	1220mm
ZOOLION FB20	2000kg	3000mm	920mm
ZOOLION FD30Z	3000kg	3000mm	1070mm



SANY Reach Stacker



Model	Load Capacity	Engine Power	Operating Weight
SRSC45H1	45ton	250kW	73000kg
SRSC4535H1	45ton	265kW	76500KG
SRSC4545H1	45ton	265kW	965000KG



XCMG Telescopic Handler



Model	Load Capacity	Max. Lifting Height	Fork Length
XC6-3006K	3ton	6200mm	1000mm
XC6-3007K	3ton	6950mm	1000mm
XC6-3514K	3.5ton	13700mm	1200mm
XC6-4517K	4.5ton	16700mm	1200mm



MINING MACHINERY

YOUR PARTNER AT THE CONSTRUCTION SITE, A VARIETY OF MODELS FOR YOU TO CHOOSE FROM



JOYAL Jaw Crusher



Model	Feeding Size	Capacity	Motor Power
PE500X750	425mm	40-100T/H	75/100kW
PE1000X1200	850mm	180-400T/H	110/150kW
PE1200X1500	1020mm	250-800T/H	15/20kW
PEX250X750	210mm	10-40T/H	30/40kW
PEX250X1000	210mm	15-50T/H	30/40kW

Jaw Crusher



Model	Capacity	Motor Power
LIMING C6X80	80-290T/H	75/100kW
LIMING C6X100	130-420T/H	110/150kW
LIMING PE250x1000	15-50T/H	30/40kW
LONG PE400x600	16-55T/H	30kW
LONG PE500x750	45-90T/H	55kW



LIMING Impact Crusher



Model	Feeding Size	Power
C15x1110	1020x820mm	160/220kW
C15x1213	1320x880mm	200/220kW
PF1010	510x1040mm	75/100kW
PF1210	465x1155mm	110/150kW
PFW1214III	570x1430mm	132/175kW

Impact Crusher



Model	Feeding Size	Power
JOYAL PFW 1210 III	570X990mm	90-110kW
JOYAL PFW 1214 III	570X1430mm	132-160kW
JOYAL PFW 1318 III	620X1830mm	200-250kW
LONG PF-1010	400X1080mm	50-80kW
LONG PF-1210	400X1080mm	80-120kW



Cone Crusher

Model	Chamber	Feeding Size	Power
JOYAL ZYC600	Coarse	95mm	37/45kW
JOYAL ZYC1000	Coarse	160mm	90/110kW
JOYAL ZYC1200	Coarse	180mm	110/132kW
LIMING HST100	S1	240mm	90/125kW
LIMING HST160	S1	360mm	132/175kW
LIMING HPT300	C1	480mm	220/300kW



LONG Cone Crusher

Model	Chamber	Feeding Size	Power
PYS-B900TC	Coarse	150mm	75kW
PYS-1000C	Coarse	160mm	90-110kW
PYS-B1300C	Coarse	205mm	160-1852kW
PYS-B1600C	Coarse	225mm	250kW
PYS-B2100C	Coarse	315mm	400kW
PYS-D2100C	Coarse	150mm	400kW

Vibrating Feeder



Model	Screen Size	Feeding Size
LIMING S5X1545-2	1500x4500mm	350mm
LIMING S5X1545-3	1500x4500mm	350mm
LIMING S5X1845-3	1800x4500mm	350mm
LONG 2YA1230	1220X3050mm	200mm
LONG 3YA1860	1800X6000mm	200mm
LONG 4YK1860	1800X6000mm	400mm



JOYAL Vibrating Feeder

Model	Screen Size (mm)	Screen Mesh	Feeding Size
3YZS1237	3700X1200mm	3-50mm	200mm
3YZS1548	4800X1500mm	3-100mm	400mm
3YZS1848	4800X1800mm	3-100mm	400mm
3YZS1860	6000X1800mm	3-100mm	400mm
4YZS2160	6000X2100mm	3-100mm	400mm
4YZS2460	6000X2400mm	3-150mm	400mm

Tewrex Industrial Machinery (Suzhou) Co., Ltd

📍 Suite 602, Building 2, Tiandu Plaza, No.211 Changjiang Road,
National Hi-Tech District

☎ 0512-69291158

✉ export@tewrex.com

🌐 <https://www.tewrex.com>



Our products range includes lifting machinery, earthmoving machinery, road construction machinery, concrete machinery, drilling machinery, logistics machinery, heavy truck, mining machinery, agriculture machinery, spare parts and so on. We have many years professional marketing experience for construction machinery overseas, also we have abundant experience for supplying the services of sales, after-sale, spare parts, survey and training.