

# SHARMEAL

## JUMP STARTER PORTABLE POWER STATION



car



Hybrid electric  
vehicle



Commercial  
vehicle



SUV



pickup truck



van





# SHARMEAL

## COMPANY PROFILE

**Foshan Sharmeal Technology Co., Ltd** was founded in 2018, which is a **leading national high-tech enterprise** specializing in Jump Starter and Portable Power Station products. Now we has passed ISO9001, ISO14001, CE, UL, CB, and UN38.3 certifications, ensuring the utmost reliability and safety.

**Meanwhile, Sharmeal with a workforce exceeding 400**, a vast 20,000-square-meter production workshop, and advanced production lines—2 fully automatic Battery cell lines, TWO SMT lines, and SIX assembly lines.

**Besides, we are making great efforts to develop new products to meet different requirements.** We welcome both OEM and ODM orders, striving to deliver tailored solutions to meet our customers' specific requirements.



# FACTORY DISPLAY



**AUTOMATED PRODUCTION WORKSHOP**



**PRODUCT LABORATORY & WAREHOUSE**



**SHOWROOM**



**R&D TEAM**



**ASSEMBLY WORKSHOP**

Model:TM39A



Product Model	TM39A	Product weight	≈2500g
Cycle times (life)	1000 times	Capacity	35000mAh
Battery pack	7S1P	Starting voltage	12V&24V
USB output	5V/2A*2	Peak Current	12V-2000A 24V-1000A
Charging time	4~5 hours	LED light	lighting/flash/SOS
Product size	287*94*206mm	Operating temperature	-20°C~60°C
Hand box size	333*333*132mm	Widely used for	Ipad,mobile phone , PSP,camera,headset

Model:TM55E



Product Model	TM55E	Product weight	≈2500g
Cycle times (life)	1000 times	Capacity	35000mAh
Battery pack	7S1P	Starting voltage	12V&24V
USB output	5V/2A*2	Peak Current	12V-1200A 24V-1600A
Charging time	4~5 hours	LED light	lighting
Product size	307*263*81.5mm	Operating temperature	-20°C~60°C
AC Output	NONE	Widely used for	Ipad,mobile phone , PSP,camera,headset

## PD100W Triple Voltage Car Jump Starter with Air compressor



Model:GL993



Product Model	GL993	Product weight	≈1850g
Cycle times (life)	≥1000 times	Capacity	20800mAh
Battery pack	4S1P	Starting voltage	12V
USB output	5V/2.4A max	PD Output	5V/9V/12V/15/3A 20V/5A(100W)
DC5521	12V~16.8V/9.5A/10A max	LED light	Flashlight:○W 10W:1.Yellowlight White 2.White light 3.Yellow white combined light
Product size	216*150*79mm	Operating temperature	-20°C~60°C
Inflatable object	Household cars(SUVs,MPVs, Pickup trucks, etc.),ball sports,household steamboats, motorcycles,bicycles,inflatable toys,etc.	Inflatable pump parameters	0.3~8.5BAR
Air Blower Run time	20 minutes	Widely used for	Ipad,mobile phone , PSP,camera

## PD45W Jump Starter with Air compressor All-in-One

Model:GL971



Product Model	GL971	Capacity	24000 mAh
Cycle times (life)	≥1000 times	Starting voltage	12V
Battery pack	4S1P	LED light	Lighting / Flash / SOS
USB output	5V-2A;5V/9V-2A 5V-A QC3.0	Operating temperature	-20°C~60°C
Type-C Input	5V/9V/12V/15V-3A 20V2.25A PD 45W	Air press flow	25L/min
Product size	256*88*104mm	Product funtion	Starting/Charging /Lighting/Pumping
AC Output	220V/110V 100W (Max 120W)	Widely used for	Ipad,mobile phone , PSP,camera



## 6W Camping lamp with Built-in Air Pump and Jump Starter

Model:GL992



Product Model	GL992	Operating temperature	-20°C~60°C
Cycle times (life)	≥1000 times	Inflatable pump parameters	3~150 PSI 6kgf/cm2 (Max)
Type-C Input	5V/2.0A	Starting voltage	12V
USB output	5V/2.0A	Product funtion	Starting/Charging /Lighting/Pumping
Product size	155.5*106*61.5mm	Widely used for	Ipad,mobile phone , PSP,camera
Capacity	8000mAh		
Product weight	≈700g		
LED light	Flashlight:(2W ,Stobe,Flash,SOS) Lighting lamp at 6W		

## 3W Camping Lamp with Jump Starter

Model:GL996



Product Model	GL996	LED light	Lighting / Flash / SOS
Cycle times (life)	≥1000 times	Operating temperature	-20°C~60°C
USB output	5V/9V-2A 12V-1.5A	Product funtion	Starting/Charging/Lighting
Type-C Input	5V-2A	Widely used for	Ipad,mobile phone , PSP,camera
Product size	158*109*66mm		
Capacity	7200 mAh		
Starting voltage	12V		

## 2 In 1 Jump Starter & Tire Inflator



Model:TM16K



Model:TM16G



Product Model	TM16K	Product weight	≈450g
Cycle times (life)	1000 times	Capacity	8000mAh/10000mAh
Battery pack	451P	Starting voltage	12V
USB output	5V/2.1A	Type-C input	5V/2A 9V/2A
Charging time	4-5 hours	LED light	lighting/flash/SOS
Product Size	205*112*55.7mm	Operating temperature	-20°C-60°C
Product function	Starting/Charging/ Lighting/Pumping	Widely used for	Ipad/mobile phone/ PSP/camera/headset
Inflatable pump parameters	0~150PSI 6kgf/cm <sup>2</sup> (Max)		

Product Model	TM16G	Product weight	≈400g
Cycle times (life)	1000 times	Capacity	8000mAh/10000mAh
Battery pack	451P	Starting voltage	12V
USB output	5V/2A	Type-C	5V/2A 9V/2A
Charging time	4-5 hours	LED light	lighting/flash/SOS
Product size	201*109*52mm	Operating temperature	-20°C-60°C
Product function	Starting/Charging/ Lighting/Pumping	Widely used for	Ipad/mobile phone/ PSP/camera
Inflatable pump parameters	0~150PSI 6kgf/cm <sup>2</sup> (Max)		



Model:GL901



Model:GL902



Product Model	GL901	Product Size	202*107*54mm
Cycle times (life)	1000 times	Operating temperature	-20°C-60°C
USB output	5V/2A	LED light	lighting/flash/SOS
Type-C input	5V/2A 9V/2A	Product function	Starting/Charging/ Lighting/Pumping
Product weight	≈760g	Widely used for	Ipad/mobile phone/ PSP/camera/headset
Capacity	8000mAh	Charging time	4-5 hours
Starting voltage	12V		
Inflatable pump parameters	0~150PSI 6kgf/cm <sup>2</sup> (Max)		

Product Model	GL902	Product Size	205*113*55mm
Cycle times (life)	1000 times	Operating temperature	-20°C-60°C
USB output	5V/2A	LED light	lighting/flash/SOS
Type-C input	5V/2A 9V/2A	Product function	Starting/Charging/ Lighting/Pumping
Product weight	≈740g	Widely used for	Ipad/mobile phone/ PSP/camera/headset
Capacity	8000mAh	Charging time	4-5 hours
Starting voltage	12V		
Inflatable pump parameters	0~150PSI 6kgf/cm <sup>2</sup> (Max)		

## 2 In 1 Jump Starter & Tire Inflator

Model:TM16F




Model:TM16E



Product Model	TM16F	Product weight	≈450g
Cycle times (life)	1000 times	Peak current	600A
Battery pack	4S1P	Starting voltage	12V
USB output	5V/2A	Type-C	5V/2A
Charging time	4~5 hours	LED light	lighting/flash/SOS
Product Size	220*140*55mm	Operating temperature	-20°C~60°C
Product function	Starting/Charging/ Lighting/Pumping	Widely used for	Ipad/mobile phone/ PSP/camera/headset
Inflatable pump parameters	0~150PSI 6kgf/cm <sup>2</sup> (Max)		

Product Model	TM16E	Product weight	≈450g
Cycle times (life)	1000 times	Capacity	6000mAh /8000mAh
Battery pack	4S1P	Starting voltage	12V
USB output	5V/2A	Type-C	5V/2A 9V/2A
Charging time	4~5 hours	LED light	lighting/flash/SOS
Product size	210*134*51.8mm	Operating temperature	-20°C~60°C
Product function	Starting/Charging/ Lighting/Pumping	Widely used for	Ipad/mobile phone/ PSP/camera
Inflatable pump parameters	0~150PSI 6kgf/cm <sup>2</sup> (Max)		

Model:TM16H



Model:GL961



Product Model	TM16H	Product Size	210*134*51.8mm
Cycle times (life)	1000 times	Operating temperature	-20°C~60°C
USB output	5V/2A	LED light	lighting/flash/SOS
Type-C Input	5V/2A	Product function	Starting/Charging/ Lighting/Pumping
Product weight	≈800g	Widely used for	Ipad/mobile phone/ PSP/camera/headset
Capacity	7200mAh	Charging time	4~5 hours
Starting voltage	12V		
Inflatable pump parameters	0~150PSI 6kgf/cm <sup>2</sup> (Max)		

Product Model	GL961	Product Size	220*110*56mm
Cycle times (life)	1000 times	Operating temperature	-20°C~60°C
USB output	5V/2A	LED light	lighting/flash/SOS
Type-C Input	5V/2A 9V/2A	Product function	Starting/Charging/ Lighting/Pumping
Product weight	≈685g	Widely used for	Ipad/mobile phone/ PSP/camera/headset
Capacity	7200mAh	Charging time	4~5 hours
Starting voltage	12V		
Inflatable pump parameters	0~150PSI 6kgf/cm <sup>2</sup> (Max)		

# Wireless jump Starter

Model:M50



Model:M51



Product Model	<b>M50</b>	Product weight	≈400g
Cycle times (life)	<b>1000 times</b>	Peak current	<b>800A</b>
Battery pack	<b>4S1P</b>	Starting voltage	<b>12V</b>
USB output	<b>5V/2A</b>	Type-C input	<b>5V/2A</b>
Charging time	<b>4~5 hours</b>	LED light	<b>lighting/flash/SOS</b>
Product function	<b>Starting/Charging/Lighting</b>	Operating temperature	<b>-20°C~60°C</b>
Product Size	<b>187*89*44mm</b>	Wireless charging power	<b>10W</b>

Product Model	<b>M51</b>	Product weight	≈320g
Cycle times (life)	<b>1000 times</b>	Capacity	<b>12000mAh/ 14000mAh</b>
Battery pack	<b>4S1P</b>	Starting voltage	<b>12V</b>
USB output	<b>5V/2A</b>	Type-C	<b>5V/2A 9V/2A</b>
Charging time	<b>4~5 hours</b>	LED light	<b>lighting/flash/SOS</b>
Product size	<b>187*87*44mm</b>	Operating temperature	<b>-20°C~60°C</b>
Product function	<b>Starting/Charging/Lighting</b>	Wireless charging power	<b>10W</b>

Model:M20



Model:M10



Product Model	<b>M20</b>	Product weight	≈450g
Cycle times (life)	<b>1000 times</b>	Peak current	<b>600A</b>
Battery pack	<b>4S1P</b>	Starting voltage	<b>12V</b>
USB output	<b>5V/9V-2.0A 12V-1.5A QC3.0</b>	Type-C input	<b>5V2.0A</b>
Charging time	<b>4~5 hours</b>	LED light	<b>lighting/flash/SOS</b>
Product Size	<b>182*83*36mm</b>	Operating temperature	<b>-20°C~60°C</b>
Product function	<b>Starting/Charging/Lighting</b>	Wireless charging power	<b>10W</b>

Product Model	<b>M10</b>	Product weight	≈320g
Cycle times (life)	<b>≥1000 times</b>	Capacity	<b>10000mAh / 12000mAh</b>
Battery pack	<b>4S1P</b>	Starting voltage	<b>12V</b>
USB output	<b>5V/2A</b>	Type-C	<b>5V/2A,9V/2A</b>
Charging time	<b>4~5 hours</b>	LED light	<b>lighting/flash/SOS</b>
Product size	<b>175*86*40mm</b>	Operating temperature	<b>-20°C~60°C</b>
Product function	<b>Starting/Charging/Lighting</b>	Wireless charging output	<b>10W</b>

# 12V Jump Starter

Model:M43



Model:M33



Product Model	M43	Product weight	350g
Cycle times (life)	1000 times	Capacity	6000mAh / 8000mAh
Battery pack	4S1P	Starting voltage	12V
USB output	5V/2A	Type-C Input	5V/2A
Charging time	4-5 hours	LED light	lighting/flash/SOS
Product Size	168*82*36mm	Operating temperature	-20°C~60°C
Product function	Starting/Charging/Lighting	USB output widely used for	Ipad/mobile phone / PSP/camera/headset

Product Model	M33	Product weight	≈320g
Cycle times (life)	≥1000 times	Capacity	6000mAh / 8000mAh
Battery pack	4S1P	Starting voltage	12V
USB output	5V/2A	Type-C Input	5V/2A 9V/2A
Charging time	4-5 hours	LED light	lighting/flash/SOS
Product Size	168*82*36mm	Operating temperature	-20°C~60°C
Product function	Starting/Charging/Lighting		

Model:M12A



Model:M35



Product Model	M12A	Product Size	175*86*40mm
Cycle times (life)	1000 times	Charging time	2-3 hours
USB output	5V/9V-2A 12V-1.5A	Operating temperature	-20°C~60°C
Type-C Input	5V/9V-2A	Widely used for	Ipad/mobile phone/ PSP/camera
Capacity	10000mAh	LED light	lighting/flash/SOS
Starting voltage	12V	Product function	Starting/Charging/ Lighting

Product Model	M35	Product Size	193*95*45mm
Cycle times (life)	1000 times	Charging time	2-3 hours
USB output	5V-2A	Operating temperature	-20°C~60°C
Type-C Input	5V-2A	Widely used for	Ipad/mobile phone/ PSP/camera
Capacity	8000mAh	LED light	lighting/flash/SOS
Starting voltage	12V	Product function	Starting/Charging/ Lighting

# PRODUCT INTRODUCTION

Model:T47



Model:T48



Product Model	T47	Product Size	161*81*35mm
Cycle times (life)	1000 times	Charging time	2~3 hours
USB output	5V-2.1A	Operating temperature	-20°C~60°C
Type-C Input	5V-2A	Widely used for	Ipad/mobile phone/ PSP/camera
Capacity	6000mAh	LED light	lighting/flash/SOS
Starting voltage	12V	Product function	Starting/Charging/ Lighting

Product Model	T48	Product Size	161*81*35mm
Cycle times (life)	1000 times	Charging time	2~3 hours
USB output	5V-2.1A	Operating temperature	-20°C~60°C
Type-C Input	5V-2A	Widely used for	Ipad/mobile phone/ PSP/camera
Capacity	6000mAh	LED light	lighting/flash/SOS
Starting voltage	12V	Product function	Starting/Charging/ Lighting

Model:T45



Model:T43



Product Model	T45	Product Size	175*90*40mm
Cycle times (life)	1000 times	Charging time	2~3 hours
USB output	5V-2A	Operating temperature	-20°C~60°C
Type-C Input	5V-2A	Widely used for	Ipad/mobile phone/ PSP/camera
Capacity	8000mAh	LED light	lighting/flash/SOS
Starting voltage	12V	Product function	Starting/Charging/ Lighting

Product Model	T43	Product Size	179*94*41.3mm
Cycle times (life)	1000 times	Charging time	2~3 hours
USB output	5V-2A	Operating temperature	-20°C~60°C
Type-C Input	5V-2A	Widely used for	Ipad/mobile phone/ PSP/camera
Capacity	6000mAh	LED light	lighting/flash/SOS
Starting voltage	12V	Product function	Starting/Charging/ Lighting

# 12V Jump Starter

Model:TM15A

Model:TM29B



Product Model	TM15A	Product weight	≈350g
Cycle times (life)	1000 times	Capacity	5400mAh / 6000mAh / 8000mAh
Battery pack	4S1P	Starting voltage	12V
USB output	5V/2A	Charge input	13.5V/2A
Charging time	4~5 hours	LED light	lighting/flash/SOS
External dimension	180*81*34mm	Operating temperature	-20°C~60°C
Product function	Starting/Charging/Lighting	Widely used for	Ipad/mobile phone / PSP/camera/headset

Product Model	TM29B	Product weight	≈320g
Cycle times (life)	≥1000 times	Capacity	5400mAh / 6000mAh / 8000mAh
Battery pack	4S1P	Starting voltage	12V
USB output	5V/2A	Input	13.5V/2A
Charging time	4~5 hours	LED light	lighting/flash/SOS
Product size	180*84*38mm	Operating temperature	-20°C~60°C
Product function	Starting/Charging/Lighting	Material	PC+ABS/V0&TPU



Model:TM19B

Model:TM19D



Product Model	TM19B	Product weight	≈350g
Cycle times (life)	≥1000 times	Capacity	6000mAh/8000mAh/10000mAh
Battery pack	4S1P	Starting voltage	12V
USB output	5V/2A	Input	12V/1A
Charging time	4~6 hours	LED light	lighting/flash/SOS
Product size	185*85*40mm	Operating temperature	-20°C~60°C
Product function	Starting/Charging/Lighting		

Product Model	TM19D-5V	Starting voltage	12V
Cycle times (life)	1000 times	Product size	185*85*40mm
USB output	5V/9V-2A	Charging time	2~3 hours
DC Output	16V/19V-3A	Operating temperature	-20°C~60°C
Type-C Input	13.5V-1A	Widely used for	Ipad/mobile phone/ PSP/camera
Product weight	≈800g	LED light	lighting/flash/SOS
Capacity	6000mAh	Product function	Starting/Charging/ Lighting

## Air Blower Car Jump Starter with Air Compressor



Model:T17A



Product Model	T17A	Product weight	≈450g
Cycle times (life)	1000 times	Capacity	8000mAh/10000mAh
Battery pack	4S1P	Starting voltage	12V
USB output	5V/2A	Type-C	5V/2A 9V/2A
Charging time	4~5 hours	LED light	lighting/flash/SOS
Product size	205*112*55.7mm	Operating temperature	-20°C~60°C
Air Blower Runtime	20 minutes	Widely used for	Ipad/mobile phone/ PSP/camera
Air press flow	22L/min		

## Air Blower Car Jump Starter with Air Compressor



Model:T17B



Product Model	T17B	Starting voltage	12V
Cycle times (life)	≥1000 times	LED light	Lighting / Flash / SOS
USB output	5V-2A	Operating temperature	-20°C~60°C
Type-C Input	5V/9V-2A Max 18W	Air Blower Runtime	20 minutes
Product weight	850g	Air press flow	23L/min
Product size	200*130*60mm	Product funtion	Starting/Charging /Lighting/Pumping
Capacity	8000 mAh	Widely used for	Ipad, mobile phone , PSP, camera

## 200W Portable Power Station

Model:XM02D



Product Model	<b>XM02D</b>	Product weight	≈1500g
Cycle times (life)	≥1000 times	Capacity	118.4Wh
DC5525 input	16.8V/3A	AC Output	220V/110V Rated power 200W
Battery pack	452P	DC output	12V/5A
USB output	5V/2A QC3.0 (5V/9V/12V-2A)	LED light	lighting/flash/SOS
Product size	200*145*150mm	Charging time	3-4 hours
Rated Power	<b>200W</b>		

## 300W Portable Power Station

Model:XM03D



Product Model	<b>XM03D</b>	Product weight	≈2000g
Cycle times (life)	≥1000 times	Capacity	236.8Wh
DC5525 input	16.8V/3A	AC output	220V/110V Rated power 300W
Battery pack	454P	DC Output	12V/5A
USB output	5V/2A QC3.0(5V/9V/12V-2A)	LED light	Staring/Charging/Lighting
Product size	200*145*150mm	Charging time	3-4hours
Rated Power	<b>300W</b>		

## 200W Portable Power Station

Model:XM02A



Product Model	XM02A	Capacity	118.4Wh
Cycle times (life)	≥1000 times	AC Output	220V / 110V
Type-C Input	5V/2A, 9V/2A,12V/1.5A	Rated Power	200W
DC5.5 Input	16.8V/1.5A	LED light	Lighting / Flash / SOS
USB output	5V/2A QC3.0 (5V/9V/12V-2A)	Battery Pack	452P
Product size	237*90*115mm	Charging time	3-4 hours
Product weight	≈1400g		



## 300W Portable Power Station

Model:XM03



Product Model	XM03	Capacity	236.8Wh
Cycle times (life)	≥1000 times	AC Output	220V / 110V
DC5.5 Input	16.8V/3A	Rated Power	300W
DC Output	12V/5A	LED light	Lighting / Flash / SOS
USB output	5V/2A QC3.0 (5V/9V/12V-2A)	Battery Pack	454P
Product size	253*150*90mm	Charging time	3-4 hours
Product weight	≈2500g		



## 1200W Portable Power Station

Model:XM08D



Product Model	XM08D	Product weight	≈20000g
Cycle times (life)	≥1000 times	Capacity	806.4Wh
DC input	Max 200W	Type-C	9V/12V/15V/20V,3A PD66W
Battery pack	4S4P	DC output	12V/5A
USB output	QC3.0 (5V/9V/12V-2A)	LED light	lighting/flash/SOS
Product size	354*201*230mm	MPPT Charging	18~45V Max 200W
Rated Power	1200W	Peak Power	1800W
Inflatable pump	NONE		

## 1000W Portable Power Station

Model:XM1000



Product Model	XM1000	Product weight	≈19300g
Cycle times (life)	≥1000 times	Capacity	1280Wh
DC input	29.2V/10A	AC output	220V / 110V
DC Output	12V/5A	Rated power	1500W
USB output	5V/2A QC3.0 (5V/9V/12V-2A)	LED light	lighting/flash/SOS
Type-C Output	9V/12V/15V/20V-3A PD66W	Battery Pack	8S1P
Product size	361*196*247mm	Charging time	3~4 hours
MPPT Charging	12V~36V Max 250W		

## 1500W LiFeP04 Portable Power Station

Model:XM08B



Product Model	XM08B	Product weight	≈17200g
Cycle times (life)	≥1000 times	Capacity	1280Wh
DC input	29.2V/10A	AC output	220V / 110V
DC Output	12V/5A	Rated power	1500W
USB output	5V/2A QC3.0 (5V/9V/12V-2A)	LED light	lighting/flash/SOS
Type-C Output	9V/12V/15V/20V-3A PD66W	Battery Pack	851P
Product size	400*201*221mm	Charging time	3~4 hours
MPPT Charging	12V~36V Max 250W		

## 1800W LiFeP04 Portable Power Station

Model:XM1500



Product Model	XM1500	Product weight	≈25200g
Cycle times (life)	≥1000 times	Capacity	1998Wh
DC input	25.2V/10A	AC output	220V / 110V
DC Output	12V/5A	Rated power	1800W
USB output	5V/2A QC3.0 (5V/9V/12V-2A)	LED light	lighting/flash/SOS
Type-C Output	9V/12V/15V/20V-3A PD66W	Battery Pack	651P
Product size	421*245*280mm	Charging time	3~4 hours
MPPT Charging	12V~36V Max 250W		

## 600W LiFeP04 Portable Power Station

Model:XM08SE



Product Model	XM08SE	Product weight	≈2000g
Cycle times (life)	≥1000 times	Capacity	403.2 Wh
DC5525 input	16.8V/3A	AC output	220V/110V Rated power 300W
Battery pack	4S4P	DC Output	12V/5A
USB output	5V/2A QC3.0(5V/9V/12V-2A)	LED light	Lighting/flash/SOS
Product size	200*145*150mm	Charging time	3~4hours
Rated power	600W	MPPT Charging	12~36V Max 120W

## 500W LiFeP04 Portable Power Station

Model:XM500pro







Product Model	XM500pro	Product weight	≈6800g
Cycle times (life)	≥1000 times	Capacity	666Wh
DC input	12.6V/10A	AC output	220V / 110V
DC Output	12V/5A	Rated power	500W
USB output	5V/2.4A QC3.0 (5V/9V/12V-2A)	LED light	lighting/flash/SOS
Type-C Output	9V/12V/15V/20V-3A	Battery Pack	3S1P
Product size	271*175*210mm	Charging time	3~4 hours
MPPT Charging	12V~36V Max 120W		



## CONTACT US

12 Years Professional Jump Starter Facotory

-  Foshan Sharmeal Technology Co.,Ltd
-  Website: <http://sharmeal.com>
-  Email: [info@sharmeal.com](mailto:info@sharmeal.com)
-  Factory add: Floor 4-7, Building 11, Area 2, New Materials Industrial Base, Lishui Town, Nanhai District, Foshan, Guangdong,China.