WENIN TWS EARPHONE

Wenin Electronic Technology Co.,Ltd
Contact:Maysa
Phone#:86-13652589742
Email:sale05@wenintech.com
Address:Rm807,Bldg 9, Haide HuPoTai ,No.1 Xinyuan Rd,Dongcheng Dist. Dongguan, Guangdong

WT5216 ANC+ENC



Materials：ABS+PC
Wireless solution：AB5396A
Wireless version：BT 5.1
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：40mAh / 400mAh（with protective IC board）
The case of charging times for earbuds： 4 times
Driver unit： ϕ6mm
Sensitivity：102dB±3
Impedance ：16Ω±15%
Playing time：3-4h
Standby time：150h
Charging time：1h
Noise cancellation: 20-25dB

WT5203E ENC



Materials：ABS
Wireless solution：RTL8753/JL6976D
Wireless version：BT 5.0
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：40mAh / 500mAh（with protective IC board）
The case of charging times for earbuds：5times
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：4h
Charging time：1h

WT7150 ANC+ENC+Low Latancy



Materials：ABS
Wireless solution：JL 7006A8(ANC+ENC)/AB8892E(ANC)
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：40mAh / 320mAh（with protective IC board）
The case of charging times for earbuds：5times
Driver unit:13mm
Frequency Response：20Hz-20kHz
Playing time：5-6h
Charging time：1h

WT816S ANC



Materials：ABS
Wireless solution：AB8892E
Wireless version：V5.0
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：60mAh / 500mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：8h
Charging time：1.2h

WT1003 ENC



Materials：ABS
Wireless solution：JL5396A
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：40mAh / 300mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1.2h

WT1002 ENC

Materials：ABS
Wireless solution：JL5396A
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：40mAh / 300mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1.2h



WT379 ENC



Materials：ABS
Wireless solution：JL 6976
Wireless version：V5.0
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：30mAh / 300mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：5-6h
Charging time：1h

WT371 ANC



Materials：ABS
Wireless solution：AB8892E
Wireless version：V5.0
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：40mAh / 300mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：4-5h
Charging time：1.2h

WT7648 ANC



Materials：ABS
Wireless solution：JL7006
Wireless version：V5.2
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：35mAh / 250mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：4-5h
Charging time：1.2h

WT7648 ANC/ENC



Materials：ABS
Wireless solution：AB8892E(ANC)/JL6973D(ENC)
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：35mAh / 250mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：4-5h
Charging time：1.2h

WT7668



Materials：ABS
Wireless solution：JL6976D(ENC)DUAL MIC
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：30mAh / 200mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：4-5h
Charging time：1.2h

Materials：ABS
Wireless solution：JL6973D
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：30mAh / 200mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：3h
Charging time：1h



WT7635

WT7821



Materials： ABS
Wireless solution： 6973D4
Wireless version： V5.1
Wireless support agreement： AVRCP,HSP,HFP,A2DP
Transmission distance： 10m-15m
Frequency Response： 2.402GHz-2.480GHz （RF）
Battery capacity： 30mAh /300mAh （with protective IC board）
Driver unit:13mm
Frequency Response： 20Hz-20kHz
Playing time： 4-5h
Charging time： 1h






Materials： ABS
Wireless solution： 6973D4
Wireless version： V5.1
Wireless support agreement： AVRCP,HSP,HFP,A2DP
Transmission distance： 10m-15m
Frequency Response： 2.402GHz-2.480GHz （RF）
Battery capacity： 30mAh /300mAh （with protective IC board）
Driver unit:13mm
Frequency Response： 20Hz-20kHz
Playing time： 4-5h
Charging time： 1h

WT7822



WT7801





Materials： ABS
Wireless solution： JL6983D4
Wireless version： V5.1
Wireless support agreement： AVRCP,HSP,HFP,A2DP
Transmission distance： 10m-15m
Frequency Response： 2.402GHz-2.480GHz （RF）
Battery capacity： 30mAh /300mAh （with protective IC board）
Driver unit:10mm
Frequency Response： 20Hz-20kHz
Playing time： 4-5h
Charging time： 1h







WT7815



Materials： ABS
Wireless solution： JL6983D4
Wireless version： V5.1
Wireless support agreement： AVRCP,HSP,HFP,A2DP
Transmission distance： 10m-15m
Frequency Response： 2.402GHz-2.480GHz （RF）
Battery capacity： 30mAh /180mAh （with protective IC board）
Driver unit:13mm
Frequency Response： 20Hz-20kHz
Playing time： 4-5h
Charging time： 1h

WT7803

Materials： ABS
Wireless solution： JL6983D4
Wireless version： V5.1
Wireless support agreement： AVRCP,HSP,HFP,A2DP
Transmission distance： 10m-15m
Frequency Response： 2.402GHz-2.480GHz （RF）
Battery capacity： 30mAh /300mAh （with protective IC board）
Driver unit:10mm
Frequency Response： 20Hz-20kHz
Playing time： 4-5h
Charging time： 1h



WT7836



Materials： ABS
Wireless solution： JL6973
Wireless version： V5.1
Wireless support agreement： AVRCP,HSP,HFP,A2DP
Transmission distance： 10m-15m
Frequency Response： 2.402GHz-2.480GHz （RF）
Battery capacity： 30mAh /300mAh （with protective IC board）
Driver unit:8mm
Frequency Response： 20Hz-20kHz
Playing time： 4-5h
Charging time： 1h

WT7816

Materials： ABS
Wireless solution： JL6973A4
Wireless version： V5.1
Wireless support agreement： AVRCP,HSP,HFP,A2DP
Transmission distance： 10m-15m
Frequency Response： 2.402GHz-2.480GHz （RF）
Battery capacity： 25mAh /300mAh （with protective IC board）
Driver unit:13mm
Frequency Response： 20Hz-20kHz
Playing time： 4-5h
Charging time： 1h



WT0222



Materials：ABS
Wireless solution：JL6973
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：30mAh /200mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h

WT0221



Materials：ABS
Wireless solution：JL6973
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：30mAh /200mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h

WT0613



Materials：ABS
Wireless solution：JL6983D
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：25mAh /230mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h

WT0616



Materials：ABS
Wireless solution：AB5616
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：25mAh /200mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h

WT0621



Materials：ABS
Wireless solution：JL6983D
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：25mAh /230mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h

WT0623

Materials：ABS
Wireless solution：JL6983D
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：25mAh /300mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h



WT0610



Materials：ABS
Wireless solution：JL5376A
Wireless version：V5.0
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：40mAh /400mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：4-5h
Charging time：1h

WT0623

Materials：ABS
Wireless solution：JL6963
Wireless version：V5.0
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：30mAh /200mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h



WT0608



Materials：ABS
Wireless solution：JL6963
Wireless version：V5.0
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：110mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：10-12h
Charging time：1.5h

WT0608S



Materials：ABS
Wireless solution：JL6963
Wireless version：V5.0
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：110mAh /1800mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：10-12h
Charging time：1.5h

WT1016



Materials：ABS
Wireless solution：AB5376
Wireless version：V5.0
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：30mAh/2000（with protective IC board）
Driver unit:8mm
Frequency Response：20Hz-20kHz
Playing time：3h
Charging time：1.5h

WT1010

Materials：ABS
Wireless solution：JL6963
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：45mAh /400mAh（with protective IC board）
Driver unit:6mm
Frequency Response：20Hz-20kHz
Playing time：4-5h
Charging time：1.5h





WT1008



Materials：ABS
Wireless solution：JL6976
Wireless version：V5.0
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：45mAh/350mAh（with protective IC board）
Driver unit:6mm
Frequency Response：20Hz-20kHz
Playing time：3h
Charging time：1.5h

WT1006



Materials：ABS
Wireless solution：JL6976
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：25mAh /300mAh（with protective IC board）
Driver unit:13mm
Frequency Response：20Hz-20kHz
Playing time：3h
Charging time：1.5h

WT1020



Materials：ABS
Wireless solution：AB5376
Wireless version：V5.0
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：40mAh/250mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：4-5h
Charging time：1.5h

WT1015

Materials：ABS
Wireless solution：AB5376
Wireless version：V5.0
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：40mAh /250mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：4-5h
Charging time：1.5h



WT1003 ENC



Materials：ABS
Wireless solution：JL5396A
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：40mAh / 300mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1.2h

WT1002 ENC

Materials：ABS
Wireless solution：JL5396A
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：40mAh / 300mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1.2h



WT1019



Materials：ABS
Wireless solution：AB5376
Wireless version：V5.0
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：50mAh/500mAh（with protective IC board）
Driver unit:6mm
Frequency Response：20Hz-20kHz
Playing time：4-5h
Charging time：1.5h

WT1029



Materials：ABS
Wireless solution：AB5376
Wireless version：V5.0
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：28mAh /250mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1.5h

WT6803



Materials：ABS
Wireless solution：JL6983
Wireless version：V5.0
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：30mAh/300mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：4-5h
Charging time：1.5h

WT6804

Materials：ABS
Wireless solution：JL6973
Wireless version：V5.0
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：30mAh /200mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1.5h



WT0768



Materials：ABS
Wireless solution：AB5376
Wireless version：V5.0
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：40mAh/250mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：4-5h
Charging time：1.5h

WT0769



Materials：ABS
Wireless solution：AB5376
Wireless version：V5.0
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：40mAh /250mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1.5h

WT0790



Materials：ABS
Wireless solution：JL6983D
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：80mAh/400mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：10h
Charging time：1.5h

WT3315

Materials：ABS
Wireless solution：JL6983
Wireless version：V5.0
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：30mAh /250mAh（with protective IC board）
Driver unit:13mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h



WT3312



Materials：ABS
Wireless solution：JL6963
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：30mAh/200mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1.5h

WT3315

Materials：ABS
Wireless solution：AB5616
Wireless version：V5.0
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：30mAh /200mAh（with protective IC board）
Driver unit:8mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h



WT3718



Materials：ABS
Wireless solution：AB5616
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：25mAh/200mAh（with protective IC board）
Driver unit:13mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h

WT3710

Materials：ABS
Wireless solution：AB5616
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：25mAh/200mAh（with protective IC board）
Driver unit:13mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h



WT4606



Materials：ABS
Wireless solution：JL6973
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：30mAh/300mAh（with protective IC board）
Driver unit:13mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h

WT4602

Materials：ABS
Wireless solution：JL6973
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：30mAh/300mAh（with protective IC board）
Driver unit:13mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h



WT4116



Materials：ABS
Wireless solution：JL6973
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：30mAh/300mAh（with protective IC board）
Driver unit:13mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h

WT4128

Materials：ABS
Wireless solution：AB5616
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：35mAh/220mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h



WT4036



Materials：ABS
Wireless solution：JL6983B
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：50mAh/500mAh（with protective IC board）
Driver unit:13mm
Frequency Response：20Hz-20kHz
Playing time：5-6h
Charging time：1h

WT4005

Materials：ABS
Wireless solution：JL6983D4
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：50mAh/2000mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：5-6h
Charging time：1h



WT4501



Materials：ABS
Wireless solution：AB5616
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：45mAh/800mAh（with protective IC board）
Driver unit:8mm
Frequency Response：20Hz-20kHz
Playing time：5-6h
Charging time：1h

WT4516

Materials：ABS
Wireless solution：JL6983D4
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：40mAh/400mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：5-6h
Charging time：1h



WT4530



Materials：ABS
Wireless solution：AB6956
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：40mAh/350mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：4-5h
Charging time：1h

WT7708

Materials：ABS
Wireless solution：AB5616
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：30mAh/250mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h



WT7716



Materials：ABS
Wireless solution：JL6963
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：45mAh/1200mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：4-5h
Charging time：1h

WT7708

Materials：ABS
Wireless solution：JL6983D4
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：45mAh/200mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h



WT7709



Materials：ABS
Wireless solution：JL6983D4
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：35mAh/1200mAh（with protective IC board）
Driver unit:10mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h

WTH3S

Materials：ABS
Wireless solution：JL6973D4
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：40mAh/1800mAh（with protective IC board）
Driver unit:6mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h



WT6313



Materials：ABS
Wireless solution：JL6976D
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：40mAh/300mAh（with protective IC board）
Driver unit:8mm
Frequency Response：20Hz-20kHz
Playing time：5-6h
Charging time：1h

WT6315

Materials：ABS
Wireless solution：AB5616
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：25mAh/250mAh（with protective IC board）
Driver unit:13mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h



WT6610



Materials：ABS
Wireless solution：JL6973
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：30mAh/300mAh（with protective IC board）
Driver unit:13mm
Frequency Response：20Hz-20kHz
Playing time：5-6h
Charging time：1h

Materials：ABS
Wireless solution：JL6973
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：30mAh/300mAh（with protective IC board）
Driver unit:13mm
Frequency Response：20Hz-20kHz
Playing time：5-6h
Charging time：1h

WT6670



WT5125



Materials：ABS
Wireless solution：AB5376A
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：35mAh/300mAh（with protective IC board）
Driver unit:8mm
Frequency Response：20Hz-20kHz
Playing time：3-4h
Charging time：1h

WT5135

Materials：ABS
Wireless solution：AB5376T
Wireless version：V5.1
Wireless support agreement：AVRCP,HSP,HFP,A2DP
Transmission distance：10m-15m
Frequency Response：2.402GHz-2.480GHz（RF）
Battery capacity：35mAh/300mAh（with protective IC board）
Driver unit:6mm
Frequency Response：20Hz-20kHz
Playing time：5-6h
Charging time：1h

