

**BOEE**<sup>®</sup>

博余

深圳市博余科技有限公司

SHENZHEN BOEE TECHNOLOGY CO.,LTD

Add1: 2/F Guangda Road, No.68 BaoAn Community, Longgang District , Shenzhen China

Wechat : +8615813200539

Whatsapp : +8615813200539

email :info@boeecorp. com

www.globalsources.com/boee.co

**BOEE**<sup>®</sup>



**COFFEE  
MACHINE  
咖啡机**

把家变成私人咖啡馆  
TURN YOUR HOME INTO A PRIVATE CAFE  
随时来杯你爱的味道  
HAVE A CUP OF YOUR LOVE ANYTIME

品味醇香生活  
TASTE MELLOW LIFE  
享受意式浪漫  
ENJOY ITALIAN ROMANCE



## M05C

- \*Capable of making coffee, hot water, and steam
- \*Steam and hot water knobs OPV valve
- \*Pressure gauge with steam and boiling head
- \*15bar vibration pump, domestic electromagnetic valve 4-hole steam nozzle.
- \*2L stainless steel mother and child boiler, PID precise temperature control, adjustable boiler temperature
- \*Adjustable pre soaking function
- \*With energy-saving mode
- \*Separable water tank; Automatic external drainage
- \*E61 Classic Cooking Head, Copper Tube, Automatic Heat Exchange System
- \*58mm stainless steel professional handle
- \*Overheat and overvoltage protection, safe and reliable
- \*Product size: W432 x H258 x D396 mm

20GP:1080 PCS    40GP:2156 PCS  
40HQ:2600 PCS    4 PCS/CTN



### STANDARD ACCESSORIES



HANDLE



POWDER HAMMER



POWDER BOWL



POWDER BOWL



CLEANING PAD



BRUSH



HEAT SHIELD



WATER PIPE



## M05B

- \*Capable of making coffee, hot water, and steam
- \*Steam and hot water knobs OPV valve
- \*Pressure gauge with steam and boiling head
- \*15bar vibration pump, domestic electromagnetic valve 4-hole steam nozzle.
- \*2L stainless steel mother and child boiler, PID precise temperature control, adjustable boiler temperature
- \*Adjustable pre soaking function
- \*With energy-saving mode
- \*Separable water tank; Can be externally connected to water; Automatic external drainage
- \*E61 Classic Cooking Head, Copper Tube, Automatic Heat Exchange System
- \*58mm stainless steel professional handle
- \*Overheat and overvoltage protection, safe and reliable
- \*Product size: W432 x H258 x D396 mm

20GP:1080 PCS    40GP:2156 PCS  
40HQ:2600 PCS    4 PCS/CTN



### STANDARD ACCESSORIES



HANDLE



POWDER HAMMER



POWDER BOWL



POWDER BOWL



CLEANING PAD



BRUSH



HEAT SHIELD



QUICK CONNECTOR



WATER PIPE



## AM7301

- \*1350W, Grinding: 180w
- \*Burr coffee grinder + 15bar or 20bar Italian water pump
- \*2 in 1 coffee machine available for coffee powder or coffee beans
- \*2.0L detachable transparent water tank, 200g capacity for coffee bean
- \*Volumetric control: preset 1 and 2 cup coffee
- \*Automatic control of coffee volume, adjustable and memorable
- \*With safety valve can release pressure automatically
- \*Thermoblock heating system
- \*with stainless steel housing
- \*Aluminum alloy filter holder attached with dual stainless filter to improve coffee quality
- \*Detachable frothing nozzle and drip tray for easy cleaning
- \*Safe and reliable, with overheating and overpressure protected device
- \*Durable stainless cup plate for coffee cups preheating
- \*With pressure meter on front body to show the display
- \*Can grind 1 cup or 2 cups of coffee powder automatically, and manually control for amount of ground coffee powder
- \*Can adjust the thickness of coffee powder

Gift box: 395×395×425mm Carton meas: 410×410×440mm

QTY: 1PCS/CTN 20'GP: 324 pcs

40'GP: 699pcs 40HQ: 829pcs

### STANDARD ACCESSORIES



HANDLE



BEAN MILL



SINGLE CUP POWDER BOWL



DOUBLE CUP POWDER BOWL



POWDER PRESSING SPOON



## BG658T

- \*220-240V 50-60Hz 1350W
  - \*IMD touch panel, one button control
  - \*ABS injection with chrome cosmetic sheet
  - \*20 Bar powerful China pump
  - \*Water tank capacity: 1.8L
  - \*Bean box capacity: 150g
  - \*51mm commercial brewing funnel, die cast aluminum
  - \*SUS304 filter for single cup & double cup.
  - \*Single heating system, thermal block
  - \*With 20 grind settings to meet different demands
  - \*Coffee grinder with innovative system
  - \*Direct drop grinding system, help a lot to avoid coffee power blocking complain. patent structure
  - \*Powerful frothing system to make cappuccino and latte
  - \*With overheating and overpressure protected device
  - \*Detachable frothing nozzle for easy cleaning
  - \*Detachable drip tray for easy cleaning
  - \*Multi function for one cup grind, two cup grind, one cup espresso, two cup espresso, hot water, milk frothing
- 2 PCS / CTN 20GP: 840 PCS  
40GP: 1700 PCS 40HQ: 1840 PCS

### STANDARD ACCESSORIES



HANDLE



WATER TANK



SINGLE CUP POWDER BOWL



DOUBLE CUP POWDER BOWL



POWDER PRESSING SPOON



## CM5520

- \*Bean to cup coffee
- \*220-240V 50-60Hz1350W
- \*ABS injection with ss cosmetic sheet
- \*20 Bar powerful China pump
- \*Water tank capacity: 1.8L
- \*Bean box capacity:100g
- \*51mm commercial brewing funnel, die cast aluminum
- \*SUS304 filter for single cup & double cup.
- \*Single heating system, thermal block
- \*with 20 grind settings to meet different demands
- \*Coffee grinder with innovative system
- \*Powerful forthing system to make cappuccino and latte
- \*With overheating and overpressure protected device
- \*Detachable frothing nozzle for easy cleaning
- \*Detachable drip tray for easy cleaning
- \*Touch sensing function for one cup grind, two cup grind, one cup espresso,two cup espresso, hot water, milk frothing

2 PCS /CTN      20GP:760 PCS  
 40GP:1574 PCS    40HQ:1780 PCS



## STANDARD ACCESSORIES



## CM5105

- \*220-240V 50/60Hz 1350W
- \*20 Bar high pressure pump
- \*Can make Espresso and Cappuccino
- \*1.0l detachable transparent water tank
- \*With safety valve can release pressure automatically
- \*Thermoblock heating system
- \*Aluminum alloy filter holder attached with dualstainless steel filter to improve coffee quality
- \*Can use for ground coffee
- \*Can make coffee or steam conveniently
- \*With overheating and overpressure protected device
- \*Detachable frothing nozzle and drip tray for easy cleaning
- \*Stainless steel cup mat for coffee cups preheating
- \*With PcB control and digital button
- \*Color touch sensing function for on/off switch, hot water, one cup, two cup, long and steam

4 PCS /CTN      20GP: 1080 PCS  
 40GP:2156 PCS    40HQ: 2600 PCS



## STANDARD ACCESSORIES





## CM5120

- \*220-240V50-60Hz1350W
  - \*1.0L water tank,700ML milk tank
  - \*20 Bar high pressure pump
  - \*Thermoblock heating system
  - \*With overheating and overpressure protected device
  - \*With safety valve can release pressure automatically
  - \*One button operation for brewing coffee with modes of small cup volume.big cup volume for espresso, cappuccino and Latte
  - \*Detachable milk tank, water tank and adjustable drip tray
  - \*Stainless steel cup mat for coffee cups preheating
  - \*Accurate NTC temperature control
  - \*Flow meter for controlling accurate coffee amount
- 2 PCS / CTN
- 20GP: 840 PCS    40GP:1710 PCS
- 40HQ:1940 PCS



### STANDARD ACCESSORIES



HANDLE



MILK BOX



SINGLE CUP  
POWDER BOWL



DOUBLE CUP  
POWDER BOWL



POWDER  
PRESSING SPOON



## CM6863

- \*850 watts
- \*15Bar or 20Bar high pressure pump
- \*Can make Espresso and Cappuccino
- \*1.6L detachable transparent water tank
- \*With safety valve can release pressure automatically
- \*Die-casting aluminum alloy boiler
- \*Aluminum alloy filter holder attached with dual-stainless filter to improve coffee quality
- \*Can use for ground coffee
- \*Safe and reliable, with overheating and overpressure protected device
- \*Detachable frothing nozzle and drip tray for easy cleaning
- \*Durable stainless cup mat for coffee cups preheating
- \*With PCB control
- \*4 buttons for one cup, two cups, hot water and steam function
- \*Function for touch sensing

2PCS/CTN

20': 1030 PCS    40':2140 PCS    40HQ :2448PCS



### STANDARD ACCESSORIES



HANDLE



SINGLE CUP  
POWDER BOWL



DOUBLE CUP  
POWDER BOWL



POWDER  
PRESSING SPOON



## CM6867

- \* 850 watts
- \* 15Bar or 20Bar high pressure pump
- \* Can make Espresso and Cappuccino
- \* 0.8L detachable transparent water tank
- \* With safety valve can release pressure automatically
- \* Die-casting aluminum alloy boiler
- \* Aluminum alloy filter holder attached with dual-stainless filter to improve coffee quality
- \* Can use for coffee pod or ground coffee
- \* Can make coffee or steam conveniently
- \* Safe and reliable, with overheating and overpressureprotected device
- \* Detachable frothing nozzle for steam and drip tray for easy cleaning

Loading QTY:20GP:768  
40GP:1632 40HQ:1872



### STANDARD ACCESSORIES



HANDLE



POWDER  
PRESSING SPOON



DOUBLE CUP  
POWDER BOWL



## CM3120

- \* 220-240V 50-60Hz 1050W
- \* 20 Bar high pressure pump
- \* Can make Espresso and Cappuccino
- \* 15L detachable water tank
- \* With safety valve can release pressure automatically
- \* Die-casting aluminum alloy boiler
- \* Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- \* Can use for ground coffee
- \* Can make coffee or steam conveniently
- \* With overheating and overpressure protected device
- \* Detachable frothing nozzle and drip tray for easy cleaning
- \* With digital button and temperature meter
- \* Function for on/off switch, espresso, steam

4 PCS / CTN  
20GP:1080 PCS 40GP:2156 PCS



HANDLE



POWDER  
PRESSING SPOON



DOUBLE CUP  
POWDER BOWL



## CM3020

- \*220-240V 50/60Hz,1050W or 120V60Hz,1050W
- \*20Bar high pressure pump
- \*Can make Espresso and Cappuccino
- \*With safety valve can release pressure automatically
- \*Die-casting aluminum alloy boiler
- \*Aluminum alloy filter holder attached with dualstainless steel filter to improve coffee quality
- \*Can use for ground coffee
- \*With overheating and overpressure protected device
- \*Detachable frothing nozzle and drip tray for easy cleaning
- \*Durable stainless steel cup mat for coffee cups preheating
- \*With temperature meter on front body to show the display

4 PCS/CTN  
 20GP:1080 PCS 40GP:2156 PCS  
 40HQ:2600 PCS



### STANDARD ACCESSORIES



HANDLE



SINGLE CUP  
POWDER BOWL



DOUBLE CUP  
POWDER BOWL



POWDER  
PRESSING SPOON



## CM3030

- \*220-240V50/60Hz,1050W or 120V,60Hz,1050W
- \*15 Bar high pressure pump
- \*Can make Espresso and cappuccino
- \*1.5L detachable water tank
- \*With safety valve can release pressure automatically
- \*Aluminum alloy filter holder attached with dualstainless steel filter to improve coffee quality
- \*Can use for ground coffee
- \*With overheating and overpressure protected device
- \*Detachable frothing nozzle and drip tray for easy cleaning
- \*Durable stainless steel cup mat for coffee cups preheating

4 PCS/CTN  
 20GP:1080 PCS 40GP:2156 PCS  
 40HQ:2600 PCS



### STANDARD ACCESSORIES



HANDLE



SINGLE CUP  
POWDER BOWL



DOUBLE CUP  
POWDER BOWL



POWDER  
PRESSING SPOON



## CM5100

- \*220~240V, 50/60Hz, 1350w or 120V, 60Hz, 1350w
- \*20 Bar high pressure pump
- \*Can make Espresso and Cappuccino.
- \*1.0L detachable transparent water tank
- \*With safety valve can release pressure automatically.
- \*Thermoblock heating system
- \*With stainless steel housing
- \*Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- \*Can use for ground coffee
- \*Can make espresso or steam conveniently
- \*With overheating and overpressure protected device
- \*Detachable frothing nozzle and drip tray for easy cleaning.
- \*Durable stainless steel cup mat for coffee cups preheating
- \*With PCB control
- \*Four buttons for one cup, two cups, on/off switch and steam function
- \*Function for touch sensing

2 PCS/CTN

20'GP:980 PCS 40'GP:1960PCS 40'HQ:2380 PCS



## STANDARD ACCESSORIES



HANDLE



SINGLE CUP  
POWDER BOWL



DOUBLE CUP  
POWDER BOWL



POWDER  
PRESSING SPOON



## BG-710T

- \*220-240V 50/60Hz 1350W
- \*20 Bar high pressure pump
- \*Can make Espresso and Cappuccino
- \*1.0L detachable transparent water tank
- \*With safety valve can release pressure automatically
- \*Thermoblock heating system
- \*Aluminum alloy filter holder attached with dual stainless steel filter to improve coffee quality
- \*Can use for ground coffee
- \*Can make coffee or steam conveniently
- \*With overheating and overpressure protected device
- \*Detachable frothing nozzle and drip tray for easy cleaning
- \*Stainless steel cup mat for coffee cups preheating
- \*With PCB control and digital button
- \*Color touch sensing function for on/off switch, hot water, one cup, two cup, long and steam

4 PCS /CTN

20GP: 1080 PCS

40GP:2156 PCS

40HQ: 2600 PCS



## STANDARD ACCESSORIES



CLEANING BRUSH



## CM6910

- \*800 watts
- \*4 cup espresso (240ml)
- \*3.5Bar working pressure for rich taste coffee
- \*With frothing function for making cappuccino
- \*Stainless steel decoration
- \*Removable & washable drip tray for easy cleaning
- \*Carafe with water level gauge
- \*Single knob for function transform and on/off, easy control with indicator light
- \*With 4 cups stainless steel filter, aluminium alloy filter holder

Gift box:260×215×370mm Carton meas:535×445×385mm

QTY:4PCS/CTN 20'GP: 1300 pcs

40'GP:2688pcs 40HQ: 2980pcs

### STANDARD ACCESSORIES



HANDLE



DRIP COFFEE POT



POWDER PRESSING SPOON



## CM6810

- \*800 watts
- \*4 cups espresso(240ml)
- \*3.5Bar working pressure for rich taste coffee
- \*With frothing function for making cappuccino
- \*S/S decoration
- \*Removable & washable drip tray for easy cleaning
- \*Carafe with water level gauge
- \*Single knob for function transform and on/off
- \*Easy control with indicator light
- \*With 4 cups S/s filter
- \*Aluminium alloy filter holder

4PCS/CTN

20'GP:1428 PCS

40'GP: 2924 PCS

40HQ :3356 PCS

### STANDARD ACCESSORIES



HANDLE



DRIP COFFEE POT



POWDER PRESSING SPOON





## BG315T

- \*1050 watts
- \*Capacity: 1.2L
- \*Automatic drip coffee
- \*Plastic body with S/S decoration
- \*Coffee bean container capacity: 60g 24
- \*hours full programmable timer
- \*Microcomputer control, LCD display
- \*With grinding coffee beans function
- \*With S/S filter
- \*Removable coffee bean container
- \*With keep warm function
- \*Automatically turns off

2PCS/CTN  
 20'GP: 1012 PCS 40'GP:2006 PCS  
 40HQ: 2238 PCS

### STANDARD ACCESSORIES



KETTLE



STRAINER



BEAN MILL



## 316T

- \*Double function drip coffee maker with ground beans and ground coffee
- \*Operation panel IMD process touch control, with icon display (low concentration/medium concentration/high concentration grinding bean mark/powder mark /12:00)/ power start stop button/bean powder adjustment/Clock setting
- \*Tank -MAX-capacity 780ml, coffee cup capacity is 5 cups of coffee
- \*Temperature control +Fuse protection, coffee temperature 75~85°C, suitable for water temperature 218°Cc
- \*The speed of series motor is about 23000rpm
- \*U-shaped aluminum heating control heat
- \*Open the cover to stop the motor or heater
- \*Grinding noise ≤105dB
- \*With insulation and automatic power off function
- \*With power cord storage function (mainly for the US standard line);

Overall size:293\*168\*303mm  
 Gift box size:366\*231\*347mm 40HQ: 2136pcs

### STANDARD ACCESSORIES



KETTLE



STRAINER



BEAN MILL



## ST-504

- \*Power rating: 1450W
- \*Water capacity: 0.6 L.
- \*Transparent removable water tank
- \*19 bar Pump
- \*Input and eject capsule manually.
- \*Indication when ready to brew.
- \*Compatible with different system.
- \*Energy saving model according to Erp2
- \*Dolce-Gusto system      \*Nespresso system
- \*ESE pod system      \*Lavazza A MOMOMIO system.
- \*Lavazza Blue system.      \*Caffitaly system.
- \*Coffee powder system.
- \*Can develop other brewing system according to client needs.

Gift box: 300x143x279mm      Carton meas: 595x315x295mm  
 20'GP: 2100 pcs      40'GP: 4344 pcs  
 40HQ: 4860 pcs      QTY: 4 pcs/CTN



## STANDARD ACCESSORIES



## ST-511

- \*Power rating: 1450W
- \*Water capacity: 0.6 L.
- \*Transparent removable water tank
- \*19 bar Pump
- \*Input and eject capsule manually.
- \*Indication when ready to brew.
- \*Compatible with different system.
- \*Energy saving model according to Erp2
- \*Dolce-Gusto system      \*Nespresso system
- \*ESE pod system      \*Lavazza A MOMOMIO system.
- \*Lavazza Blue system.      \*Caffitaly system.
- \*Coffee powder system.
- \*Can develop other brewing system according to client needs.

Gift box: 360x150x291mm      Carton meas: 625x380x310mm  
 20'GP: 1560 pcs      40'GP: 3200 pcs  
 40HQ: 3680 pcs      QTY: 4 pcs/CTN



## STANDARD ACCESSORIES





## AC-514K

- \*Power rating: 1450W
- \*Water capacity: 0.6 L.
- \*Transparent removable water tank
- \*19 bar Pump
- \*Input and eject capsule manually.
- \*Indication when ready to brew.
- \*Compatible with different system.
- \*Energy saving model according to Erp2
- \*Dolce-Gusto system      \*Nespresso system
- \*ESE pod system          \*Lavazza A MOMOMIO system.
- \*Lavazza Blue system.    \*Caffitaly system.
- \*Coffee powder system.
- \*Can develop other brewing system according to client needs.

Gift box:300×150×291mm    Carton meas:625×380×310mm  
 20'GP: 1560 pcs    40'GP: 3200 pcs  
 40HQ: 3680 pcs    QTY: 4 PCS/CTN



### STANDARD ACCESSORIES



## ST-513F

- \*Power rating: 1450W
- \*Water capacity: 0.8 L
- \*Transparent removable water tank
- \*19 bar Pump
- \*Input and eject capsule manually.
- \*Indication when ready to brew.
- \*Compatible with different system.
- \*Energy saving model according to Erp2
- Compatible with:
- \*Dolce-Gusto system
- \*Nespresso system
- \*ESE pod system
- \*Lavazza A MOMOMIO system
- \*Lavazza Blue system.Caffitaly system
- \*Coffee powder system
- \*Can develop other brewing system according to client needs.



### STANDARD ACCESSORIES





## SC-625

- \*stainless steel wrapped housing
- \*4L stainless steel bowl \*With head safety lock
- \*Chassis 4 stronger sucker
- \*6 speed with pulse, and LED power indicator
- \*Tilt-up head for easy change attachment
- \*Detachable transparent lid of bowl with hole for adding ingredient any time need
- With powerful 7025 motor
- \*220-240V,50Hz,700w

### PACKAGING

Gift box size: 32.5 × 22.5 × 32.5cm  
Carton size: 46.5 × 34 × 34.5cm  
20' GP: 1026PCS 40' GP: 2052PCS  
40' HQ: 2500PCS 2PCS/CARTON

### STANDARD ACCESSORIES



METAL BEATER



METAL DAUGH HOOK



EGG WHISK



SPATULA



SPLASH LID

# BOEE®

# 博余

SHENZHEN BOEE TECHNOLOGY CO.,LTD