



**COMPRO ELECTRONICS**

Shenzhen Factory Add.:  
3/F, Building 1, No. 99, Dayang Road, Xintian Community, Fuhai Street,  
Baoan, Shenzhen.

Changzhou Factory Add.:  
Liban Road, Lila Town, Wujin, Changzhou, Jiangsu.

Tel: 051986563338 Fax: 051986563338  
Email: comp188@188.com www.compele.com

Version: October-2025



# MAKE A DIFFERENCE



[www.compele.com](http://www.compele.com)     

# COMPRO



CHANGZHOU FACTORY



CABLE PRODUCTION



SHENZHEN FACTORY



CHARGER WORKSHOP



CABLE WORKSHOP



SMT WORKSHOP



AGING WORKSHOP



MULTIFUNCTIONAL TESTING



OFFICE



R&D OFFICE



AUTO ASSEMBLY SYSTEM



PACKING WORKSHOP



SAMPLE ROOM

## COMPANY HISTORY

**2003**

Started business to export through State-owned Company

**2005**

Established Changzhou Jundi Imp.& Exp.

**2006**

Established Changzhou Comp Electronics, and set up three production lines for audio video cables

**2010**

Obtained ISO9001. Got HDMI Adaptor certificate, and started to produce HDMI cable

**2011**

Operated ERP System

**2015**

Obtained BSCI certificate

**2016**

Started to produce USB data cable

**2017**

Got MFI license. Became the USB-IF member

**2018**

We started Shenzhen Compro Electronics, producing Chargers and Wireless chargers

**2020**

Obtained FSC certificate

**2021**

Shenzhen Compro Electronics was merged with other factory to form a new factory to produce chargers

**2023**

Obtained GRS certificate

## CERTIFICATE



# C

CHARGER



## HC-406

100W 4C2A GAN WALL CHARGER

OUTPUT(USB-C1/C2):5.0V/3.0A,9.0V/2.0A,12.0V/1.5A,18W MAX.

OUTPUT(USB-C3/C4):5.0V/3.0A,9.0V/3.0A,12.0V/3.0A,15.0V/3.0A,20.0V/5.0A,100W MAX.

OUTPUT(USB-A1/A2):5.0V/3.0A,9.0V/2.0A,12.0V/1.5A,18W MAX.

OUTPUT(USB-C3+C4):5.0V/3.0A,9.0V/3.0A,12.0V/3.0A,15.0V/3.0A,20.0V/2.25A,45W MAX.

OUTPUT(USB-C3/C4+A1/A2):65W+18W

OUTPUT(USB-C1/C2+C3+C4):18W+45W+30W

OUTPUT(USB-C3+C4+A1/A2):30W+45W+18W

OUTPUT(USB-C1/C2+C3+C4+A1/A2):18W+30W+30W+18W

OUTPUT(USB-(C1+C2)+C3+C4+(A1+A2)):18W+30W+30W+18W

MAX OUTPUT:100W



## Touch Control



## HC-443

OUTPUT C1: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A

OUTPUT C2: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A

OUTPUT A: 5V/3A,9V/2A,12V/1.5A

OUTPUT C1+C2+A: 45W+7.5W+7.5W

OUTPUT C1+C2: 45W+PD20W

OUTPUT C+A: 45W+18W

MAX OUTPUT: 65W



HC-442



OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
 OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
 OUTPUT A+C: 12W+45W  
 TOTAL OUTPUT: 65W

HC-441



OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
 OUTPUT-C1+C2: 45W(C1)+12W(C2)  
 TOTAL OUTPUT: 65W

HC-440



OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
 TOTAL OUTPUT: 65W



HC-439



OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
 OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A  
 OUTPUT A+C: 12W+PD30W  
 TOTAL OUTPUT: 45W

HC-438



OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A  
 OUTPUT-C1+C2: 30W(C1)+12W(C2)  
 TOTAL OUTPUT: 45W

HC-437



OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A  
 TOTAL OUTPUT: 45W



HC-423

30W

OUTPUT-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A  
 OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
 OUTPUT A+C: 5V/3A  
 TOTAL OUTPUT: 30W

HC-420

25W

OUTPUT-C: 5V/3A, 9V/2.77A  
 OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
 OUTPUT A+C: 5V/3A  
 TOTAL OUTPUT: 25W

HC-417

20W

OUTPUT-C: 5V/3A, 9V/2.22A, 12V/1.67A  
 OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
 OUTPUT A+C: 5V/3A  
 TOTAL OUTPUT: 20W



HC-422

30W

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A  
 OUTPUT C1+C2: 5V/3A  
 TOTAL OUTPUT: 30W

HC-419

25W

OUTPUT-C1: 5V/3A, 9V/2.77A  
 OUTPUT-C2: 5V/3A, 9V/2.77A  
 OUTPUT C1+C2: 5V/3A  
 TOTAL OUTPUT: 25W

HC-416

20W

OUTPUT-C1/C2: 5V/3A, 9V/2.22A, 12V/1.67A  
 OUTPUT C1+C2: 5V/3A  
 TOTAL OUTPUT: 20W



HC-421

30W

OUTPUT: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A  
 TOTAL OUTPUT: 30W

HC-418

25W

OUTPUT: 5V/3A, 9V/2.77A  
 TOTAL OUTPUT: 25W

HC-415

20W

OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A  
 TOTAL OUTPUT: 20W



HC-429

OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
OUTPUT A+C: 12W+45W  
TOTAL OUTPUT: 65W



HC-430

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
OUTPUT-C1+C2: 45W(C1)+12W(C2)  
PPS: 5V-11V/4.05A  
TOTAL OUTPUT: 65W



HC-428

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
TOTAL OUTPUT: 65W



HC-413

30W

OUTPUT-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A  
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
OUTPUT A+C: 5V/3A  
TOTAL OUTPUT: 30W



HC-414

30W

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A  
OUTPUT C1+C2: 5V/3A  
TOTAL OUTPUT: 30W



HC-412

30W

OUTPUT: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A  
TOTAL OUTPUT: 30W



HC-435

OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A  
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
OUTPUT A+C: 12W+PD30W  
TOTAL OUTPUT: 45W



HC-436

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A  
OUTPUT-C1+C2: 30W(C1)+12W(C2)  
PPS: 5V-11V/4.05A  
TOTAL OUTPUT: 45W



HC-434


OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A  
TOTAL OUTPUT: 45W



HC-410

25W

OUTPUT-C: 5V/3A, 9V/2.77A  
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
OUTPUT A+C: 5V/3A  
TOTAL OUTPUT: 25W



HC-411

25W

OUTPUT-C1: 5V/3A, 9V/2.77A  
OUTPUT-C2: 5V/3A, 9V/2.77A  
OUTPUT C1+C2: 5V/3A  
TOTAL OUTPUT: 25W



HC-409

25W


OUTPUT: 5V/3A, 9V/2.77A  
TOTAL OUTPUT: 25W



HC-402

20W

OUTPUT-C: 5V/3A, 9V/2.22A, 12V/1.67A  
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
OUTPUT A+C: 5V/3A  
TOTAL OUTPUT: 20W



HC-403

20W

OUTPUT-C1/C2: 5V/3A, 9V/2.22A, 12V/1.67A  
OUTPUT C1+C2: 5V/3A  
TOTAL OUTPUT: 20W



HC-401

20W

OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A  
TOTAL OUTPUT: 20W



**HC-260** **30W**  
 OUTPUT-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A  
 OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
 OUTPUT A+C: 5V/3A  
 TOTAL OUTPUT: 30W

**HC-263** **20W**  
 OUTPUT-C: 5V/3A, 9V/2.22A, 12V/1.67A  
 OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
 OUTPUT A+C: 5V/3A  
 TOTAL OUTPUT: 20W

**HC-265** **25W**  
 OUTPUT-C: 5V/3A, 9V/2.77A  
 OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
 OUTPUT A+C: 5V/3A  
 TOTAL OUTPUT: 25W



**HC-261** **30W**  
 OUTPUT: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A  
 TOTAL OUTPUT: 30W

**HC-264** **20W**  
 OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A  
 TOTAL OUTPUT: 20W

**HC-262** **25W**  
 OUTPUT: 5V/3A, 9V/2.77A  
 TOTAL OUTPUT: 25W



**HC-266** **30W**  
 OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A  
 OUTPUT C1+C2: 5V/3A  
 TOTAL OUTPUT: 30W

**HC-268** **20W**  
 OUTPUT-C1: 5V/3A, 9V/2.22A, 12V/1.67A  
 OUTPUT-C2: 5V/3A, 9V/2A, 12V/1.5A  
 OUTPUT C1+C2: 5V/3A  
 TOTAL OUTPUT: 20W



**HC-385** **20W**  
 OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A  
 TOTAL OUTPUT: 20W

**HC-387** **25W**  
 OUTPUT: 5V/3A, 9V/2.77A  
 TOTAL OUTPUT: 25W

**HC-386** **20W**  
 OUTPUT-C: 5V/3A, 9V/2.22A, 12V/1.67A  
 OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
 OUTPUT A+C: 5V/3A  
 TOTAL OUTPUT: 20W

**HC-388** **25W**  
 OUTPUT-C: 5V/3A, 9V/2.67A  
 OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
 OUTPUT A+C: 5V/3A  
 TOTAL OUTPUT: 25W



**HC-346** **65W**  
 OUTPUT-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
 OUTPUT-C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
 OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
 OUTPUT-C1+C2: 45W(C1)+20W(C2)  
 OUTPUT-C1+A: 45W+18W  
 OUTPUT-C2+A: 5V/2.4A  
 OUTPUT-C1+C2+A: 45W(C1)+12W(C2+A)  
 TOTAL OUTPUT: 65W



**HC-347** **65W**  
 OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
 OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
 OUTPUT A+C: 18W+45W  
 TOTAL OUTPUT: 65W



65W



HC-176

OUTPUT-C1: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
OUTPUT-C2: 5V/2.4A, 9V/2.22A, 12V/1.67A  
OUTPUT-A: 5V/2.4A, 9V/2A, 12V/1.5A  
OUTPUT-C1+C2: 45W(C1)+20W(C2)  
OUTPUT-C1+A: 45W+18W  
OUTPUT-C2+A: 5V/2.4A  
OUTPUT-C1+C2+A: 45W(C1)+12W  
TOTAL OUTPUT: 65W



65W

HC-174

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
OUTPUT-C1+C2: 45W(C1)+20W(C2)  
PPS: 5V-11V/4.05A  
TOTAL OUTPUT: 65W



65W

HC-209

OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
OUTPUT A+C: 12W+45W  
TOTAL OUTPUT: 65W



65W

HC-210

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
TOTAL OUTPUT: 65W



30W



HC-213

OUTPUT-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A  
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
OUTPUT A+C: 5V/3A  
TOTAL OUTPUT: 30W



30W

HC-214

OUTPUT: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A  
TOTAL OUTPUT: 30W



25W

HC-216

OUTPUT: 5V/3A, 9V/2.77A, 12V/1.5A  
TOTAL OUTPUT: 25W



20W

HC-217

OUTPUT-C: 5V/3A, 9V/2.22A, 12V/1.67A  
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
OUTPUT A+C: 5V/3A  
TOTAL OUTPUT: 20W



45W

HC-175

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A  
OUTPUT-C1+C2: 30W(C1)+12W(C2)  
PPS: 5V-11V/4.05A  
TOTAL OUTPUT: 45W



45W

HC-211

OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A  
OUTPUT A+C: 12W+PD30W  
TOTAL OUTPUT: 45W



45W

HC-212

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A  
TOTAL OUTPUT: 45W



20W

HC-218

OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A  
TOTAL OUTPUT: 20W



15W

HC-219

OUTPUT: 5V/3A  
TOTAL OUTPUT: 15W



12W

HC-220

OUTPUT: 5V/2.4A  
TOTAL OUTPUT: 12W



**HC-378 65W**

OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
 OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
 OUTPUT A+C: 12W+45W  
 TOTAL OUTPUT: 65W



**HC-380 65W**

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
 OUTPUT-C1+C2: 45W(C1)+12W(C2)  
 PPS: 5V-11V/4.05A  
 TOTAL OUTPUT: 65W



**HC-377 65W**

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
 TOTAL OUTPUT: 65W



**HC-376 45W**

OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
 OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A  
 OUTPUT A+C: 12W+PD30W  
 TOTAL OUTPUT: 45W



**HC-379 45W**

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A  
 OUTPUT-C1+C2: 30W(C1)+12W(C2)  
 PPS: 5V-11V/4.05A  
 TOTAL OUTPUT: 45W



**HC-375 45W**

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A  
 TOTAL OUTPUT: 45W



**HC-450 45W**

OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A  
 OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
 OUTPUT A+C: 12W+PD30W  
 TOTAL OUTPUT: 45W

**HC-451 45W**

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A  
 OUTPUT-C1+C2: 30W(C1)+12W(C2)  
 PPS: 5V-11V/4.05A  
 TOTAL OUTPUT: 45W

**HC-452 45W**

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A  
 TOTAL OUTPUT: 45W

**HC-453 65W**

OUTPUT-C: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
 OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
 OUTPUT A+C: 12W+45W  
 TOTAL OUTPUT: 65W

**HC-454 65W**

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
 OUTPUT-C1+C2: 45W(C1)+12W(C2)  
 PPS: 5V-11V/4.05A  
 TOTAL OUTPUT: 65W

**HC-455 65W**

OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A  
 TOTAL OUTPUT: 65W

**HC-444 20W**

OUTPUT-C: 5V/3A, 9V/2.22A, 12V/1.67A  
 OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
 OUTPUT A+C: 5V/3A  
 TOTAL OUTPUT: 20W

**HC-445 20W**

OUTPUT-C1/C2: 5V/3A, 9V/2.22A, 12V/1.67A  
 OUTPUT C1+C2: 5V/3A  
 TOTAL OUTPUT: 20W

**HC-446 20W**

OUTPUT: 5V/3A, 9V/2.22A, 12V/1.67A  
 TOTAL OUTPUT: 20W

**HC-447 30W**

OUTPUT-C: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A  
 OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
 OUTPUT A+C: 5V/3A  
 TOTAL OUTPUT: 30W

**HC-448 30W**

OUTPUT-C1/C2: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A  
 OUTPUT C1+C2: 5V/3A  
 TOTAL OUTPUT: 30W

**HC-449 30W**

OUTPUT: 5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A  
 TOTAL OUTPUT: 30W



**HC-373****140W**

OUTPUT-C1:  
5V/3A,9V/3A,12V/3A,15V/3A,20V/5A,28.0V/5A(PD140W)  
OUTPUT-C2: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A (PD 100W)  
OUTPUT-C3: 5V/3A,9V/3A,12V/2.5A,15V/2A(PD 30W)  
OUTPUT-A: 5V/3A,9V/3A,12V/2.5A,10V/2.25A(QC 30W)  
OUTPUT-C1+C2: 65W+65W  
OUTPUT-C1/C2+C3: 100W+30W  
OUTPUT-C1/C2+A: 100W+30W  
OUTPUT-C3+A: 5V/3A(15W)  
OUTPUT-C1+C2+C3: 65W+45W+20W  
OUTPUT-C1+C2+A: 65W+45W+22.5W  
OUTPUT-C1/C2+(C3+A): 100W+15W  
OUTPUT-C1+C2+(C3+A): 65W+45W+15W  
TOTAL OUTPUT: 140W MAX.

**HC-372****120W**

OUTPUT-C1/C2:  
5V/3A,9V/3A,12V/3A,15V/3A,20V/5A (PD 100W)  
OUTPUT-C3:  
5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A(PD 30W)  
OUTPUT-A: 5V/3A,9V/3A,12V/2.5A,10V/2.25A(QC 30W)  
OUTPUT-C1+C2: 70W+45W  
OUTPUT-C1/C2+C3: 70W+30W  
OUTPUT-C1/C2+A: 70W+30W  
OUTPUT-C3+A: 5V/3A(15W)  
OUTPUT-C1+C2+C3: 65W+30W+20W  
OUTPUT-C1+C2+A: 65W+30W+22.5W  
OUTPUT-C1/C2+(C3+A): 70W+15W  
OUTPUT-C1+C2+(C3+A): 65W+30W+15W  
TOTAL OUTPUT: 120W MAX.

**CC-187****130W**

2\*PD+1\*USB A CAR CHARGER  
OUTPUT-C1: 5V/3A,9V/3A,12V/3A,15V/3A,20V/5A  
OUTPUT-C2: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A  
OUTPUT-A: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A  
OUTPUT-C1+C2/A: 100W+30W  
OUTPUT-C2+A: 5V/3A  
OUTPUT-C1+C2+A: 100W+15W  
OUTPUT MAX.: 130W

**CC-189****95W**

2\*PD+1\*USB A CAR CHARGER  
OUTPUT-C1: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A  
OUTPUT-C2: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A  
OUTPUT-A: 5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A  
OUTPUT-C1+C2/A: 65W+30W  
OUTPUT-C2+A: 5V/3A  
OUTPUT-C1+C2+A: 65W+15W  
OUTPUT MAX.: 95W

**CC-190****85W**

2\*PD+1\*USB A CAR CHARGER  
OUTPUT-C1: 5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A  
OUTPUT-C2: 5V/3A,9V/2.22A,12V/1.67A  
OUTPUT-A: 5V/3A,9V/2A,1.5A  
OUTPUT-C1+C2: 65W+20W  
OUTPUT-C1+A: 65W+18W  
OUTPUT-C2+A: 5V/3A  
OUTPUT-C1+C2+A: 65W+15W  
OUTPUT MAX.: 85W

**CC-191****95W**

1\*PD+1\*USB A CAR CHARGER  
OUTPUT-C:  
5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A  
OUTPUT-A:  
5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A  
OUTPUT-A+C: 65W+30W  
OUTPUT MAX.: 95W

**HC-370****100W**

OUTPUT-USB-C1/USB-C2:  
5V3A,9V3A,12V3A,15V3A,20V5A(100W MAX.)  
OUTPUT-USB-A: 5V/3A,9V/3A,12V/2.25A,10V/2.25A(QC 27W)  
OUTPUT-C1+C2: 65W+27W  
OUTPUT-C2+A: 5V/4.8A(24W)  
OUTPUT-C1+A: 65W+27W  
OUTPUT-C1+(C2+A): 65W+24W  
TOTAL OUTPUT: 100W MAX.

**HC-167****100W**

OUTPUT-A:  
5V/3A,9V/3A,12V/3A,20V/3A(60WMAX.)  
OUTPUT-C(C1=C2=C3):  
5V/3A,9V/3A,12V/3A,15V/3A,20V/5A MAX. (PPS:  
3.3 - 20V/5A)(100W MAX.)  
C1+C2: 65W+30W  
C3+A: 12W+12W  
C1/C2+C3/A: 65W+30W  
C1/C2+C3+A: 80W+10W+10W  
C1+C2+C3/A: 60W+20W+20W  
C1+C2+C3+A: 60W+20W+10W+10W

**CC-213****95W**

1\*PD+1\*USB A CAR CHARGER  
OUTPUT-C:  
5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A  
OUTPUT-A:  
5V/3A,9V/3A,12V/2.5A,15V/2A,20V/1.5A  
OUTPUT-A+C: 65W+30W  
OUTPUT MAX.: 95W

**CC-188****85W**

2\*PD CAR CHARGER  
OUTPUT-C1:  
5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A  
OUTPUT-C2: 5V/3A,9V/2.22A,12V/1.67A  
OUTPUT-C1+C2: 65W+20W  
OUTPUT MAX.: 85W

**CC-193****65W**

2\*PD CAR CHARGER  
OUTPUT-C1:  
5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A  
OUTPUT-C2: 5V/3A,9V/2.22A,12V/1.67A  
OUTPUT-C1+C2: 65W+20W  
OUTPUT MAX.: 65W

**CC-194****65W**

1\*PD+1\*USB A CAR CHARGER  
OUTPUT-C:  
5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A  
OUTPUT-A: 5V/3A,9V/2A,12V/1.5A  
OUTPUT-C+A: 45W+20W  
OUTPUT MAX.: 65W



CC-203

38W

OUTPUT-C: 5V/3A, 9V/2.22A, 12V/1.67A  
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
TOTAL OUTPUT: 38W



CC-204

40W

OUTPUT-C1: 5V/3A, 9V/2.22A, 12V/1.67A  
OUTPUT-C2: 5V/3A, 9V/2.22A, 12V/1.67A  
TOTAL OUTPUT: 40W(20W+20W)



CC-205

20W

OUTPUT-C: 5V/3A, 9V/2.22A, 12V/1.67A  
TOTAL OUTPUT: 20W



CC-206

38W

OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
OUTPUT-CABLE: 5V/3A, 9V/2.22A,  
12V/1.67A(C / L)  
TOTAL OUTPUT: 38W

# D

DATA CABLE



CC-207

40W

OUTPUT C1: 5V/3A, 9V/2.22A, 12V/1.67A  
OUTPUT C2: 5V/3A, 9V/2.22A, 12V/1.67A  
TOTAL OUTPUT: 40W



CC-208

30W

OUTPUT-C: 5V/3A, 9V/3A, 12V/2.5A  
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
TOTAL OUTPUT: 30W



CC-209

20W

OUTPUT-C: 5V/3A, 9V/2.22A, 12V/1.67A  
TOTAL OUTPUT: 20W



CC-096

38W

OUTPUT-C: 5V/3A, 9V/2.22A, 12V/1.67A  
OUTPUT-A: 5V/3A, 9V/2A, 12V/1.5A  
TOTAL OUTPUT: 38W





DC-316C

TYPE C-C PD FAST CHARGING USB DATA CABLE,METAL SHELL,NYLON BRAIDED  
240W 80Gbps

DC-413

TYPE C-C PD FAST CHARGING USB DATA CABLE,METAL SHELL,NYLON BRAIDED  
240W 40Gbps

DC-414A

TYPE C-C PD FAST CHARGING USB DATA CABLE,METAL SHELL,NYLON BRAIDED  
240W 20Gbps

DC-414B

TYPE C-C PD FAST CHARGING USB DATA CABLE,METAL SHELL,NYLON BRAIDED  
240W 10Gbps

60W/100W 480Mbps



DC-359

PD FAST CHARGING USB DATA CABLE,ABS SHELL,NYLON BRAIDED

60W/100W 480Mbps



DC-363

MAGNETIC RETRACTABLE FAST CHARGING DATA CABLE,ABS SHELL,NYLON BRADIED

60W/100W 480Mbps



DC-406

LANYARD PD FAST CHARGING USB DATA CABLE,METAL SHELL,NYLON BRAIDED  
A: TYPE C - 8PIN  
C: TYPE C - TYPE C

100W 480Mbps



DC-408

LANYARD PD FAST CHARGING USB DATA CABLE,ABS SHELL,NYLON BRAIDED  
A: TYPE C - 8PIN  
C: TYPE C - TYPE C

60W/100W 480Mbps



DC-441

MAGNETIC RETRACTABLE FAST CHARGINGDATA FLAT CABLE,METAL SHELL,NYLON BRADIED

60W/100W 480Mbps



DC-419

HANDMADE MULTICOLOR BRAIDED USB CHARGING DATA CABLE  
C: USB A-TYPE C  
D: TYPE C-TYPE C

60W/100W 480Mbps

DC-444

100% PAPER BRAIDING  
CHARGING DATA CABLE  
C: USB A-TYPE C  
D: TYPE C-TYPE C



SOFT SILICONE

DC-448

SILICONE USB DATA  
CABLE,MOLDING SHELL  
A:8PIN  
B:MICRO  
C:TYPE C  
D:TYPE C-TYPE C  
E:TYPE C-8PIN



DC-434

USB DATA  
CABLE,MOLDING SHELL  
A:8PIN  
B:MICRO  
C:TYPE C  
D:TYPE C-TYPE C  
E:TYPE C-8PIN



DC-459

TPE USB DATA  
CABLE,METAL SHELL  
A:LIGHTNING  
B:MICRO  
C:TYPE C  
D:TYPE C-TYPE C  
E:TYPE C-LIGHTNING



DC-412

SILICONE USB DATA  
CABLE,TPE SHELL  
A:8PIN  
B:MICRO  
C:TYPE C  
D:TYPE C-TYPE C  
E:TYPE C-8PIN



60W/100W 480Mbps

DC-450

DIGITAL DISPLAY PD FAST CHARGING  
BRAIDED CABLE



60W/100W 480Mbps

DC-451

DIGITAL DISPLAY PD FAST CHARGING  
BRAIDED CABLE



DC-453

TRANSPARENT SHELL  
GRDIENT COLOR  
BRAIDED DATA CABLE  
A:8PIN  
B:MICRO  
C:TYPE C  
D:TYPE C-TYPE C  
E:TYPE C-8PIN



DC-396

SILICONE USB DATA  
CABLE,MOLDING SHELL  
WITH LED  
A:8PIN  
B:MICRO  
C:TYPE C  
D:TYPE C-TYPE C  
E:TYPE C-8PIN



DC-346

NYLON BRAIDED USB  
DATA CABLE,METAL  
SHELL  
A:8PIN  
B:MICRO  
C:TYPE C  
D:TYPE C-TYPE C  
E:TYPE C-8PIN





DC-336

2 IN 1 USB DATA CABLE, METAL SHELL  
NYLON BRAIDED



DC-384

2 IN 1 USB DATA CABLE, METALSHELL  
NYLON BRAIDED



DC-378

2 IN 1 USB DATA CABLE,  
METAL SHELL,SILICON  
JACKET



DC-220

3 IN 1 USB DATA CABLE, METAL SHELL  
NYLON BRAIDED



DC-321

5 IN 1 USB DATA CABLE, METAL SHELL NYLON  
BRAIDED



DC-338

4 IN 1 USB DATA CABLE, METAL SHELL  
NYLON BRAIDED



DC-461

3 IN 1 PD 100W RETRACTABLE USB  
DATA CABLE,METAL SHELL



DC-475

100W RETRACTABLE USB CABLE WITH  
WIRELESS CHARGING

# W

WIRELESS CHARGER



WC-196

MAGNETIC WIRELESS CHARGING  
CAR HOLDER  
OUTPUT: 15W/10W/7.5W/5W  
MATERIAL: PC+ABS



WC-197

MAGNETIC WIRELESS  
CHARGING CAR HOLDER  
OUTPUT: 15W/10W/7.5W/5W  
MATERIAL: PC+ABS



WC-173

MAGNETIC WIRELESS CHARGING CAR HOLDER  
WITH COLORFUL ATMOSPHERE LIGHTS  
OUTPUT: 15W/10W/7.5W/5W  
A: ALUMINUM ALLOY+ABS  
B: PC+ABS



WC-176

MAGNETIC WIRELESS CHARGING PAD  
WITH COLORFUL ATMOSPHERE LIGHTS  
OUTPUT: 15W/10W/7.5W/5W  
MATERIAL: PC+ABS



WC-198

MAGNETIC WIRELESS CHARGING CAR HOLDER  
WITH COLOFUL ATMOSPHERE LIGHTS  
OUTPUT: 15W/10W/7.5W/5W  
A: ALUMINUM ALLOY+ABS  
B: PC+ABS



WC-199

MAGNETIC WIRELESS CHARGING PAD  
WITH COLORFUL ATMOSPHERE LIGHTS  
OUTPUT: 15W/10W/7.5W/5W  
A: ALUMINUM ALLOY+ABS  
B: PC+ABS



WC-184

MAGNETIC WIRELESS CHARGING CAR HOLDER  
OUTPUT: 15W/10W/7.5W/5W  
MATERIAL: ALUMINUM ALLOY



WC-175

MAGNETIC WIRELESS CHARGING  
CAR HOLDER  
OUTPUT: 15W/10W/7.5W/5W  
MATERIAL: GLASS FIBER + ABS



WCI-01

MAGNETIC WIRELESS CHARGING FOR WATCH  
INPUT: 5W  
OUTPUT: 2.5W  
MATERIAL: ABS



WCI-04

IWATCH & SAMSUNG WATCH DOUBLE  
SIDE MAGNETIC WIRELESS CHARGING  
INPUT: 5W  
OUTPUT: 2.5W  
MATERIAL: ABS



WC-156

WIRELESS CHARGING CAR HOLDER  
OUTPUT: 10W/7.5W/5W  
MATERIAL: ABS



WC-194

MAGNETIC WIRELESS CHARGING  
CAR HOLDER  
OUTPUT: 15W/10W/7.5W/5W  
MATERIAL: ABS



WC-182

MAGNETIC WIRELESS CHARGING PAD  
OUTPUT: 15W/10W/7.5W/5W  
MATERIAL: ALUMINUM ALLOY+ABS



WC-166

3 IN 1 MULTI-FUNCTIONAL MAGNETIC  
WIRELESS CHARGER  
OUTPUT: 15W/10W/7.5W/5W/2.5W  
MATERIAL: ALUMINUM ALLOY+ABS



WC-098

WIRELESS CHARGING CAR HOLDER  
OUTPUT: 10W/7.5W/5W  
MATERIAL: ABS



WC-108

MAGNETIC WIRELESS CHARGING  
CAR HOLDER  
OUTPUT: 15W/10W/7.5W/5W  
MATERIAL: ABS  
COLOUR: BLACK



WC-153

3 IN 1 WIRELESS CHARGING STAND  
OUTPUT: 15W/10W/7.5W/5W/2W  
MATERIAL: ABS



WC-200

3 IN 1 WIRELESS CHARGING STAND  
WITH LIGHT  
OUTPUT: 15W/10W/7.5W/5W/2W  
MATERIAL: ABS



WCPS-6

WIRELESS CHARGING CAR HOLDER  
OUTPUT: 10W/7.5W/5W  
MATERIAL: ABS+PC



WC-125

WIRELESS CHARGING CAR HOLDER  
OUTPUT: 15W/10W/7.5W/5W  
MATERIAL: ABS



WC-201

3 IN 1 WIRELESS CHARGING STAND  
OUTPUT: 15W/10W/7.5W/5W/2W  
MATERIAL: ABS



WC-169

3 IN 1 WIRELESS CHARGING STAND  
OUTPUT: 15W/10W/7.5W/5W/2W  
MATERIAL: ABS+ACRYLIC



WCPS-23

WIRELESS CHARGING PAD  
OUTPUT: 15W/10W/7.5W/5W  
MATERIAL: ABS+PC



WCPS-24

WIRELESS CHARGING PAD  
OUTPUT: 15W/10W/7.5W/5W  
MATERIAL: ABS+PC



# H

## HUB & ADAPTER



AD-203

MAGNETIC MULTI-FUNCTIONAL DOCKING STATION  
5 IN 1 TYPE C HUB  
HDMI+TYPE C2.0+PD3.0+SD+TF



AD-204

FOR PHONE MAGNETIC SSD ENCLOSURE  
3 IN 1 TYPE C HUB  
TYPE C2.0+PD3.0+M.2 10GB

AD-201

WIRELESS TRANSMITTER  
POINT-TO-POINT, PLUG AND PLAY, NO NEED SETTING  
SCREEN MIRROR AND SCREEN EXTENDER  
4K HD, STABLE TRANSMISSION, ONE-TOUCH  
DISCONNECT/CONNECT



AD-202

17 IN 1 USB C HUB WITH SSD  
HDMI\*2+DP\*2+USB\*4+  
TYPE-C\*4+RJ45+SD+TF+AUDIO





AD-184

3 IN 1 USB HUB  
ABS SHELL TYPE C TO HDMI+PD+USB



AD-196

3 IN 1 TYPE C HUB  
ABS SHELL TYPE C TO HDMI+PD+USB



AD-197

3 IN 1 TYPE C HUB  
ABS SHELL TYPE C TO HDMI+PD+USB



AD-089

3 IN 1TYPE C HUB  
METAL SHELL TYPE C TO HDMI+PD+USB



AD-090

5 IN 1 TYPE C HUB  
METAL SHELL 2\*TYPE C TO HDMI\*2+PD+USB\*2



AD-091

7 IN 1 TYPE C HUB  
METAL SHELL 2\*TYPE C TO HDMI+PD+TYPE C+SD+TF+USB\*2



AD-198

3 IN 1 TYPE C HUB  
ABS SHELL TYPE C TO HDMI+PD+USB



AD-199

3 IN 1 TYPE C HUB WITH HOLDER  
ABS SHELL TYPE C TO HDMI+PD+USB



AD-200

6 IN 1 TYPE C HUB WITH COOLING FAN  
HDMI+USB\*2+TYPE-C+PD+RJ45



AD-116

3 IN 1 TYPE C HUB  
METAL SHELL TYPE C TO HDMI+PD+USB



AD-117

5 IN 1 TYPE C HUB  
METAL SHELL TYPE C TO HDMI+PD+TYPE C+USB\*2



AD-053

7 IN 1 TYPE C HUB  
METAL SHELL TYPE C TO HDMI+PD+TYPE C+SD+TF+USB\*2





AD-037

3 IN 1 TYPE C HUB  
METAL SHELL TYPE C TO HDMI+PD+USB



AD-133

8 IN 1 TYPE C HUB  
METAL SHELL TYPE C TO HDMI+USB\*3+PD+TF+SD+RJ45



AD-191

13 IN 1 TYPE C HUB  
HDMI\*2+DP+USB\*4+TYPE-C\*2+RJ45+SD+TF+AUDIO



AD-050

11 IN 1 TYPE C HUB  
METAL SHELL TYPE C TO HDMI+RJ45+VGA+PD+TYPE C+SD+TF+USB\*3+AUDIO



AD-079

9 IN 1 TYPE C HUB  
TRANSPARENT SHELL TYPE C TO HDMI+VGA+PD+3.5MM+SD+TF+USB\*2



AD-192

15 IN 1 TYPE C HUB  
HDMI\*2+DP+USB\*5+TYPE-C\*3+RJ45+SD+TF+AUDIO



# P

POWER BANK



## Solid-State Battery

PSSB-100-5QC

### 20W 5000MAH

POWER BANK WITH MAGNETIC WIRELESS CHARGING  
INPUT-TYPE C / TYPE C CABLE: 5V/3A, 9V/1.67A, 15W MAX  
OUTPUT-TYPE C / TYPE C CABLE / LIGHTNING CABLE:  
5V/3A, 9V/2.22A, 12V/1.67A, 20W MAX.  
OUTPUT-WIRELESS: 5W/7.5W/10W/15W  
SIZE: 81\*65\*16MM  
MATERIAL: ABS+PC



## Solid-State Battery

PSSB-101-10QC

### 35W 10000MAH

POWER BANK  
INPUT-TYPE C / TYPE C CABLE:  
5V/3A, 9V/3A, 12V/2.22A, 15V/1.67A, 15V/1.33A, 20V/1A, 20W MAX  
OUTPUT-TYPE C / TYPE C CABLE:  
5V/3A, 9V/3A, 12V/2.92A, 15V/2.33A, 20V/1.75A, 35W MAX.  
OUTPUT-LIGHTNING CABLE: 5V/3A, 9V/3A, 12V/2.92A  
OUTPUT-TYPE C+TYPE C CABLE+LIGHTNING CABLE: 5V/3A MAX  
SIZE: 77\*66\*28.5MM  
MATERIAL: ABS+PC



PB-110-10QC

### 20W 10000MAH

POWER BANK  
INPUT-TYPE C: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.  
OUTPUT-C: 5V/3A, 9V/2.22A, 12V/1.67A, 20W MAX.  
OUTPUT-C CABLE: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.  
OUTPUT-A1: 5V/3A, 9V/2A, 12V/1.5A 18W MAX.  
OUTPUT-A2: 5V/2A  
OUTPUT-LIGHTNING CABLE: 5V/2A  
SIZE: 145\*68\*18.5MM  
MATERIAL: ABS

PB-111-20QC

### 20W 20000MAH

POWER BANK  
INPUT-TYPE C: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.  
OUTPUT-C: 5V/3A, 9V/2.22A, 12V/1.67A, 20W MAX.  
OUTPUT-C CABLE: 5V/3A, 9V/2A, 12V/1.5A, 18W MAX.  
OUTPUT-A1: 5V/3A, 9V/2A, 12V/1.5A 18W MAX.  
OUTPUT-A2: 5V/2A  
OUTPUT-LIGHTNING CABLE: 5V/2A  
SIZE: 145\*68\*30.5MM  
MATERIAL: ABS+PC

## Solid-State Battery

PSSB-102-10QC

### 20W 10000MAH

POWER BANK  
INPUT-TYPE C / TYPE C  
CABLE: 5V/2.4A, 9V/2A, 12V/1.5A, 18W MAX  
OUTPUT-TYPE C / TYPE C  
CABLE: 5V/3A, 9V/2.22A, 12V/1.67A, 20W MAX.  
SIZE: 108\*70\*17.8MM  
MATERIAL: ABS+PC



## Solid-State Battery

PSSB-103-20QC

### 20W 20000MAH

POWER BANK  
INPUT-TYPE C / TYPE C  
CABLE: 5V/2.4A, 9V/2A, 12V/1.5A, 18W MAX  
OUTPUT-TYPE C / TYPE C  
CABLE: 5V/3A, 9V/2.22A, 12V/1.67A, 20W MAX.  
SIZE: 108\*70\*27MM  
MATERIAL: ABS+PC



PB-069-20Q-65W

### 65W 20000MAH

POWER BANK  
INPUT-TYPE C:  
5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, 65W MAX.  
OUTPUT-A1/A2:  
5V/3A, 9V/2A, 12V/1.5A, 10V/2.25A, 22.5W MAX.  
OUTPUT-C:  
5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, 65W MAX.  
SIZE: 150\*67.9\*28MM  
MATERIAL: ABS+PC

PB-070-30Q-65W

### 65W 30000MAH

POWER BANK  
INPUT-TYPE C:  
5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, 65W MAX.  
OUYPUT-A1/A2:  
5V/3A, 9V/2A, 12V/1.5A, 10V/2.25A, 22.5W MAX.  
OUTPUT-C:  
5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A, 65W MAX.  
SIZE: 150\*67.9\*40.3MM  
MATERIAL: ABS+PC

PB-070-30Q-100W

### 100W 30000MAH

POWER BANK  
INPUT-TYPE C:  
5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 100W MAX.  
OUYPUT-A1/A2:  
5V/3A, 9V/2A, 12V/1.5A, 10V/2.25A, 22.5W MAX.  
OUTPUT-C:  
5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A, 100W MAX.  
SIZE: 150\*67.9\*40.3MM  
MATERIAL: ABS+PC



## 2000MAH



PB-094-2W

POWER BANK  
INPUT-TYPE C:5V/1A  
OUTPUT-TYPE C CABLE: 5V/1A  
OUTPUT-WIRELESS (WATCH): 2.5W  
SIZE: 66\*43\*14MM  
MATERIAL: ABS

## 5000MAH



PB-096-5QW3

3 IN 1 MAGNETIC WIRELESS POWER BANK  
INPUT-C: 5V/3A,9V/2A,12V/1.5A,18W MAX.  
OUTPUT-C: 5V/3A,9V/2.22A,12V/1.67A,20W MAX.  
OUTPUT-WIRELESS: 2.5W/5W/7.5W/10W/15W  
SIZE: 104\*67\*8.5MM  
MATERIAL: ALUMINUM ALLOY

## 10000MAH



PB-097-10QW3

3 IN 1 MAGNETIC WIRELESS POWER BANK  
INPUT-C: 5V/3A,9V/2A,12V/1.5A,18W MAX.  
OUTPUT-C: 5V/3A,9V/2.22A,12V/1.67A,20W MAX.  
OUTPUT-WIRELESS: 5W/7.5W/10W/15W  
SIZE: 104\*67\*13.8MM  
MATERIAL: ALUMINUM ALLOY



PB-077-5QAM

## 5000MAH

MAGNETIC WIRELESS POWER BANK  
INPUT-C: 5V/3A,9V/2A,12V/1.5A,18W MAX.  
OUTPUT-C: 5V/3A,9V/2.22A,12V/1.67A,20W MAX.  
OUTPUT-WIRELESS: 5W/7.5W/10W/15W  
SIZE: 104\*67\*85MM  
MATERIAL: ALUMINUM+ABS



PB-079-5QM

## 5000MAH

MAGNETIC WIRELESS POWER BANK  
INPUT-C: 5V/3A,9V/2A,18W MAX.  
OUTPUT-C: 5V/3A,9V/2.22A,12V/1.67A,20W MAX.  
OUTPUT-A: 5V/4.5A,4.5V/5A,9V/2A,12V/1.5A,22.5W MAX.  
OUTPUT-WIRELESS: 5W/7.5W/10W/15W  
SIZE: 97.8\*64\*14.6MM  
MATERIAL: ABS



PB-108-5QW

## 20W 5000MAH

MAGNETIC WIRELESS POWER BANK  
INPUT-C: 5V/3A,9V/2A,18W MAX.  
OUTPUT-C: 5V/3A,9V/2.22A,12V/1.67A,20W MAX.  
OUTPUT-WIRELESS: 5W/7.5W/10W/15W  
SIZE: 103\*66\*8.6MM  
MATERIAL: ALUMINUM ALLOY+PC+ABS

## 2500MAH



PB-095-2W

MINI POWER BANK  
INPUT-TYPE C:5V/1A  
OUTPUT-TYPE C CABLE: 5V/1A  
OUTPUT-WIRELESS (WATCH): 2.5W  
SIZE: 90\*50\*20MM  
MATERIAL: ABS

## 10000MAH

## 35W



PB-076-20QC

POWER BANK  
INPUT-TYPE C/TYP C CABLE:  
5V/3A,9V/3A,12V/2.9A,15V/2.33A,20V/1.75A,35W MAX.  
OUTPUT-C/TYP C CABLE:  
5V/3A,9V/3A,12V/2.9A,15V/2.33A,20V/1.75A,35W MAX.  
OUTPUT-A: 5V/3A,9V/2A,12V/1.5A,18W MAX.  
OUTPUT-LIGHTNING CABLE: 5V/3A,9V/3A,27W MAX.  
SIZE: 88\*66.5\*25.2MM  
MATERIAL: ABS+PC

## 20000MAH

## 45W



PB-078-10QAM

## 10000MAH

POWER BANK  
INPUT-TYPE C/TYP C CABLE:  
5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A,45W MAX.  
OUTPUT-C/TYP C CABLE:  
5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A,45W MAX.  
OUTPUT-A: 5V/2.4A,9V/2A,12V/1.5A,18W MAX.  
OUTPUT-LIGHTNING CABLE: 5V/2A,9V/3A,27W MAX.  
SIZE: 100\*71\*32MM  
MATERIAL: ABS+PC

PB-078-10QAM

MAGNETIC WIRELESS POWER BANK  
INPUT-C: 5V/3A,9V/2A,12V/1.5A,18W MAX.  
OUTPUT-C: 5V/3A,9V/2.22A,12V/1.67A,20W MAX.  
OUTPUT-WIRELESS: 5W/7.5W/10W/15W  
SIZE: 104\*67\*15.5MM  
MATERIAL: ALUMINUM+ABS

PB-080-10QM

## 10000MAH

MAGNETIC WIRELESS POWER BANK  
INPUT-C: 5V/3A,9V/2A,18W MAX.  
OUTPUT-C: 5V/3A,9V/2.22A,12V/1.67A,20W MAX.  
OUTPUT-A: 5V/4.5A,4.5V/5A,9V/2A,12V/1.5A,22.5W MAX.  
OUTPUT-WIRELESS: 5W/7.5W/10W/15W  
SIZE: 104\*69\*19MM  
MATERIAL: ABS

PB-109-10QW

## 20W 10000MAH

MAGNETIC WIRELESS POWER BANK  
INPUT-C: 5V/3A,9V/2A,18W MAX.  
OUTPUT-C: 5V/3A,9V/2.22A,12V/1.67A,20W MAX.  
OUTPUT-WIRELESS: 5W/7.5W/10W/15W  
SIZE: 103\*66\*13.8MM  
MATERIAL: ALUMINUM ALLOY+PC+ABS



**PB-090-10Q**

**10000MAH**

POWER BANK  
 INPUT-TYPE C/MICRO:  
 5V/3A,9V/2A,12V/1.5A,18W MAX.  
 OUTPUT-C: 5V/3A,9V/2.22A,12V/1.67A,20W MAX.  
 OUTPUT-A: 5V/3A,9V/2A,12V/1.5A,22.5W MAX.  
 SIZE: 141\*67.5\*15.7MM  
 MATERIAL: ABS

**PB-091-20Q**

**20000MAH**

POWER BANK  
 INPUT-TYPE C/MICRO:  
 5V/3A,9V/2A,12V/1.5A,18W MAX.  
 OUTPUT-C: 5V/3A,9V/2.22A,12V/1.67A,20W MAX.  
 OUTPUT-A: 5V/3A,9V/2A,12V/1.5A,22.5W MAX.  
 SIZE: 141.5\*67.5\*28.5MM  
 MATERIAL: ABS



**PB-104-10QC**

**10000MAH**

POWER BANK  
 INPUT-TYPE C: 5V/3A,9V/2A,12V/1.5A,18W MAX.  
 OUTPUT-C: 5V/3A,9V/2.22A,12V/1.67A,20W MAX.  
 OUTPUT-C CABLE: 5V/3A,9V/2A,12V/1.5A,18W MAX.  
 OUTPUT-A1: 5V/3A,9V/2A,12V/1.5A,18W MAX.  
 OUTPUT-A1: 5V/2A  
 OUTPUT-LIGHTNING CABLE: 5V/2A  
 SIZE: 144\*69\*32MM  
 MATERIAL: ABS+PC

**PB-105-20QC**

**20000MAH**

POWER BANK  
 INPUT-TYPE C: 5V/3A,9V/2A,12V/1.5A,18W MAX.  
 OUTPUT-C: 5V/3A,9V/2.22A,12V/1.67A,20W MAX.  
 OUTPUT-C CABLE: 5V/3A,9V/2A,12V/1.5A,18W MAX.  
 OUTPUT-A1: 5V/3A,9V/2A,12V/1.5A,18W MAX.  
 OUTPUT-A1: 5V/2A  
 OUTPUT-LIGHTNING CABLE: 5V/2A  
 SIZE: 144\*69\*32MM  
 MATERIAL: ABS+PC



**10000MAH**



**PB-027-10Q**

POWER BANK  
 INPUT-TYPE C/MICRO: 5V/3A,9V/2A,12V/1.5A,18W MAX.  
 OUTPUT-C: 5V/3A,9V/2.22A,12V/1.67A,20W MAX.  
 OUTPUT-A1/A2: 5V/4.5A,4.5V/5A,9V/2A,12V/1.5A,22.5W MAX.  
 SIZE: 137\*68.7\*15MM  
 MATERIAL: ABS

**20000MAH**



**PB-028-20Q**

POWER BANK  
 INPUT-TYPE C/MICRO: 5V/3A,9V/2A,12V/1.5A,18W MAX.  
 OUTPUT-C: 5V/3A,9V/2.22A,12V/1.67A,20W MAX.  
 OUTPUT-A1/A2: 5V/4.5A,4.5V/5A,9V/2A,12V/1.5A,22.5W MAX.  
 SIZE: 137\*68.7\*27.5MM  
 MATERIAL: ABS

**30000MAH**



**PB-029-30Q**

POWER BANK  
 INPUT-TYPE C/MICRO: 5V/3A,9V/2A,12V/1.5A,18W MAX.  
 OUTPUT-C: 5V/3A,9V/2.22A,12V/1.67A,20W MAX.  
 OUTPUT-A1/A2: 5V/4.5A,4.5V/5A,9V/2A,12V/1.5A,22.5W MAX.  
 SIZE: 137\*68.7\*39.5MM  
 MATERIAL: ABS

**PB-092-10QC**

**20W 10000MAH**

POWER BANK  
 INPUT-TYPE C: 5V/2.5A,9V/2A,12V/1.5A,18W MAX.  
 OUTPUT-TYPE C /TYPE C CABLE: 5V/3A,9V/2.22A,12V/1.67A,20W MAX.  
 SIZE: 143.8\*69.5\*17.5MM  
 MATERIAL: ABS

**PB-093-20QC**

**20W 20000MAH**

POWER BANK  
 INPUT-TYPE C: 5V/2.5A,9V/2A,12V/1.5A,18W MAX.  
 OUTPUT-TYPE C /TYPE C CABLE: 5V/3A,9V/2.22A,12V/1.67A,20W MAX.  
 SIZE: 144.5\*70.1\*30.1MM  
 MATERIAL: ABS

**PB-106-30QC**

**30000MAH**

POWER BANK  
 INPUT-TYPE C/TYPE C CABLE: 5V/3A,9V/2A,12V/1.5A,18W MAX.  
 OUTPUT-C1: 5V/3A,9V/2.22A,12V/1.67A,20W MAX.  
 OUTPUT-C2: 5V/3A,9V/2A,12V/1.5A,18W MAX  
 OUTPUT-C CABLE: 5V/3A,9V/2A,12V/1.5A,18W MAX.  
 OUTPUT-A1: 5V/3A,9V/2A,12V/1.5A,18W MAX.  
 OUTPUT-A1: 5V/2A  
 OUTPUT-LIGHTNING CABLE: 5V/2A  
 SIZE: 110\*65\*52MM  
 MATERIAL: ABS+PC

**PB-107-50QC**

**50000MAH**

POWER BANK  
 INPUT-TYPE C/TYPE C CABLE: 5V/3A,9V/2A,12V/1.5A,18W MAX.  
 OUTPUT-C1: 5V/3A,9V/2.22A,12V/1.67A,20W MAX.  
 OUTPUT-C2: 5V/3A,9V/2A,12V/1.5A,18W MAX  
 OUTPUT-C CABLE: 5V/3A,9V/2A,12V/1.5A,18W MAX.  
 OUTPUT-A1: 5V/3A,9V/2A,12V/1.5A,18W MAX.  
 OUTPUT-A1: 5V/2A  
 OUTPUT-LIGHTNING CABLE: 5V/2A  
 SIZE: 110\*65\*79MM  
 MATERIAL: ABS+PC



# P

## PACKAGING



HOT SEALING BLISTER  
SIZE: 80\*150MM



HOT SEALING BLISTER  
SIZE: 80\*150MM



OPP BAG  
SIZE: 100\*150MM



COLOR BOX WITH PAPER TRAY  
SIZE: 90\*55MM



COLOR BOX WITH PAPER TRAY  
SIZE: 80\*130\*25MM



COLOR BOX WITH PAPER TRAY  
SIZE: 80\*130\*35MM



MAGNETIC COLOR BOX

PAPER CARD  
SIZE:160\*100MM



PAPER WRAP  
SIZE:35\*23.5\*41M



ECO-FRIENDLY COLOR BOX WITH  
PAPER TRAY  
SIZE:60\*160\*20MM



ECO-FRIENDLY COLOR BOX WITH  
PAPER TRAY  
SIZE:60\*160\*20MM



ECO-FRIENDLY COLOR BOX WITH  
PAPER TRAY  
SIZE:90\*140\*20MM



ECO-FRIENDLY COLOR BOX WITH  
PAPER TRAY  
SIZE:70\*90\*70MM



PAPER WRAP WITH EURO HOLE  
SIZE:38\*30\*62MM



PAPER WRAP WITH EURO HOLE  
SIZE:85\*45\*115MM



ECO-FRIENDLY PAPER BAG WITH  
PAPER TRAY  
SIZE: 55\*120MM



ECO-FRIENDLY PQD DISPLAY



ECO-FRIENDLY FLOOR DISPLAY



ECO-FRIENDLY FLOOR DISPLAY

