



Dongguan Perfect Amperex Technology Limited



Global Professional Small Polymer Lithium-ion Battery manufacturer

目录

CONTENTS

1

Company profile

2

Product application

3

R&D

4

QC


5

Partner



Company Profile

- Founded in 2010
- Self-brand : PATL
- Located in Guangdong and Guangxi
- About 800 staffs
- Daily Production:600K
- Factory Area:>25,000 M²
- Global Professional Small Polymer Lithium-ion Battery manufacturer



PATL(GUANGXI)



PATL(GUANGDONG)





Development History

Newly established company

Founded in Liaobu Town, Dongguan

2010

Brand

- Register the "PATL" brand
- High energy and high voltage technology breakthrough

2015

Steady development

- Won the "Best Quality Award" of Xiaomi Ecological Chain Company
- Series products through "UL certification"
- To build a demonstration base for the cultivation of talents in provincial universities

2017

Leap into the future

- Fully develop overseas markets
- Comprehensive breakthrough in fast charging performance technology
- Daily capacity : 600Kpcs

2019

2024

- Moved to Hengli Sanjiang Industrial
- Passed the quality management system ISO9001



Continuous development

- The Development of Overseas Markets
- Launched soft pack cylindrical battery and special-shaped battery
- "Top 10 wearable Device Lithium Battery Enterprises in Guangdong Province"
- Successfully passed the "high-tech enterprise identification"


Upswing period

- Daily capacity : 400Kpcs
- Launch soft-pack button battery and e-cigarette battery
- Passed ISO14001 environmental management system
- Set up PATL Guangxi
- Series of products through BIS, KC, PSE certification

steady development



Organization structure





Overview



Our company have built full intergrated R&D technology system. Led by senior technology experts who have rich development experience background at ATL/Highpower, the R&D team gathered a number of master degree and bachelor degree team members, cooperates with Central SouthUniversity to develop new products and new technology innovation. Now we have developed over 500 models of lithium polymer batteries for bluetooth and wearable products.



Patent for invention

- 1 We have obtained a number of patents for invention and new utility patents.
- 2 We spend over **6%** of our annual sales revenue on r&d and technology improvement.
- 3 We have an independent and complete product trial production line, a complete set of reliable performance testing laboratory and advanced analytical testing laboratory.
- 4 We work closely with top battery research institutions and universities.



Technical roadmap

Note: Different color blocks represent production status

DVT 

PR 

MP 

4.35V LCO-1.0C
339wh/L
3.0-4.35V

4.35V LCO-3.0C
335wh/L
2.75-4.35V

4.45V LCO-3.0C
340wh/L
2.75-4.45V

4.48V LCO-5C
339wh/L
3.0-4.48V

Si/C-X
>2500mAh/g / >90%
3.0-4.50V

纽扣系列
充电倍率 $\leq 5C$

4.20V NCM+M
339wh/L
3.0-4.20V

4.35V LCO/NCM/M
338-353wh/L
3.0-4.35V

4.35V LCO/NCM/M
360-370wh/L
3.0-4.35V

低成本
充电倍率0.8-3C

4.40V LCO
448wh/L-2C
3.0-4.40V

4.40V LCO
450wh/L-5C
2.75-4.40V

4.45V LCO
455wh/L-5C
2.75-4.45V/0°C/1.0C充放
300CL

4.50V LCO
483wh/L-8C
2.75-4.50V/-10°C下0.1C充

快充体系
充电倍率 $\geq 5C$

4.35V LCO/NCM
456wh/L
2.75-4.35V

4.40V LCO
517wh/L
2.75-4.40V

4.45V LCO
525wh/L
2.75-4.45V

Si/C-X
>2500mAh/g / >90%
3.0-4.50V

数码高能量密度
充电倍率1.5C

Before 2021

2022

2023

2024~2025

Production environment

※ Class 100000 cleanroom



Equipment

High-speed
Mixing machine



搅拌机

Automatic
coating machine



挤压涂布机

Automatic roller
pressing machine



自动辊压机

Automatic
winding machine



自动卷绕机

Automatic
production machine



自动制片机

Automatic slitting
machine



自动分条机

Equipment

High vacuum oven



高真空烤箱

Automatic top side
sealing machine



自动顶侧封机

Automatic injection
machine



自动注液机

High precision
capacity grading



高精度分容柜

Automatic moulding
machine



自动成型机

High precision
formation



高精度化成柜

Quality control

The company strictly subject to the requirements of ISO9001: 2015 system to establish quality assurance system. Our QC Department is composed by the IQC, IPQC, QA, QE, FQC with more than 50 strict trained staffs to ensure the whole quality safety process from raw materials , production process to final product outgoing shipments.

Material lab : ICP spectrometer: Test of trace elements (copper, iron, nickel, sodium) in lithium cobaltate and graphite, strictly according to GB/T24533-2019:ICP730-ES detection
Sampling frequency: The result of the first batch/software automatic control test



ICP spectrum analyzer

Dynamic adsorption surface analyzer: mainly test the specific surface area of powder materials;
Sampling frequency: The result of the first batch/software automatic control test



Dynamic adsorption

Laser particle size analyzer: test particle size, particle size, particle size distribution, D50 particle size, etc.
Sampling frequency: The result of the first batch/software automatic control test



Laser particle size analyzer

Quality control

Material lab : Fluorescence analyzer: X-ray fluorescence analyzer, mainly testing RoHS2.0 test, halogen test, strict control of raw materials environmental protection test, main materials/auxiliary materials 100% sampling



Fluorescent Plate Reader

Diaphragm permeability tester: Testing isolation membrane permeability
Sampling frequency: the first batch/time of software automatic control test data
Test results can be accurately determined



Diaphragm permeability tester

Computer servo tensile testing machine:
Isolation film: mainly test puncture strength, tensile strength, adhesive paper;
Copper foil/aluminum foil: mainly test tensile strength;
Pole ear: pole ear welding tensile strength;
Sampling frequency: Test ledger control is established for the first batch/time



Servo tensile test machine

Product process testing:

Engineering: Coating
Job content: Automatic online
100% surface density detection
Management project:
Single/double sided density test



Online surface density detection

Engineering: Roll press
Job content: online laser thickness
100% test
Management item: pole thickness
test



Laser thickness measurement

Project: pole strip
Job description: After the pole slice is
cut, the edge transverse/longitudinal
burrs are detected under the
microscope
Management item: Marginal hairline



Two Dimensional measuring



Product process testing:

Engineering: X-ray inspection
Job Description: Use x-ray machine to measure the coating condition of positive and negative electrode plates
Management Project: overhang



X-ray test

Project: Baking
Operation content: Respectively take the positive and negative electrode plate samples for testing, the first layer over 100% test
Management item: Moisture



Moisture test

Engineering: OCV (K Value Test)
Job content: The device automatically detects 100%K value test
Management items: Voltage/internal resistance



OCV test

Electrical performance and Safety laboratory

Environmental Testing

- Heating Test
- Temperature cycle test
- Altitude simulation
- 85°C High Temp.



Mechanical Testing

- Crush
- Puncture
- Impact
- Vibration
- Drop



Electrical safety Testing

- Room temp.short circuit
- 55°C short circuit
- Over charge
- Over discharge



Electrical function Performance

- Primary performance
- Rate discharge
- Different Temp. discharge
- Cycle life
- Retention capability
- Storage capability




Supplier of materials

Materials	Main supplier
positive pole	Hunan Shanshan Energy Technology Co., Ltd.
	Beijing Easpring Material Technology Co.,Ltd.
negative pole	ZCT JIANGXI ZICHEN TECHNOLOGY CO.,LTD
	Inner Mongolia Snow New Material Technology Co., Ltd.
electrolyte	Dongguan Shanshan Battery Materials Co.,Ltd
	Hubei Huachi New Energy Material Co., Ltd.
al-plastic film	SHOWA Denko BATTERY MATERIALS (SHANGHAI) Co., Ltd.
	Dongguan Excellent New Material Technology Co., Ltd.
diaphragm	Huizhou Xinji Meitai Technology Co., Ltd.
	Chongqing Enjieniumi Technology Co., Ltd.



ISO9001:2015



ISO14001:2015



CQC



IEC62133



UL



BIS



KC



CE




UN38.3



PSE



Partner



Thanks!

Dongguan Perfect Amperex Technology Limited

www.patlcell.com



Dongguan Perfect Amperex Technology Limited

Address: No. 121-122 Sanjiang industrial park, Hengli
Town, Dongguan city, Guangdong province, China

Tel : 0769-82305866

Fax : 0769-82301898

E-mail : leon.lee@patlcell.com

Website : <http://www.patlcell.com>