Zeng Jie Scale

YONGKANG Z&J
WEIGHING INSTRUMENT FACTORY

YONGKANG Z&J
WEIGHING INSTRUMENT FACTORY

Add: No.1 Xing'an Avenue, Xialixi Industrial Base, Yongkang, Zhejiang, China1200

+86-579-8733 2719

zhou@cn-znj.com / jackie@cn-znj.com

https://zengjiehengqi.en.alibaba.com/

Scan the code to learn more about products



2025
PRODUCT CATALOG

Z&J ZENGJIE SCALE
YONGKANG Z&J
WEIGHING INSTRUMENT FACTORY

OUR QUALIFICATIONS


























About Us

Yongkang Z&J Weighing Instrument Factory is located in the Capital City of Hardware in Yongkang, Zhejiang, China. It was founded in 2016, which is a professional manufacturer for household weighing instrument, like bathroom scale, kitchen scale, body fat scale, bluetooth body scale.

We have comprehensive and creative teams for technology, design, production,quality control, marketing, service, research & development. Based on the high-speed development for us and the accumulation of the experiences for all aspects, Z&J can provide professional ODM and OEM order service. With our effort, the products have been exported to Europe, North and South America, South- east Asia, Australia, Africa, and also gotten the highly approvement and favorable comments from the clients. Normally our products will be full-inspected for 2 times during calibration and packing, 1 time spot-inspection in the warehouse before loaded, so we insist on the tenet as "Quality First, Clients Paramount" all the time. To offer our quality products at competitive prices, fight with our customers shoulder by shoulder to win the market as widely as possible in the coming days.

In the mean time, we are looking for integration with other variety of product categories and even industries. We've always believed a good enterprise is not just selling products, it also needs to improve the standard or take the social responsibility. Sincerely looking forward to cooperating with all of you here.





AD-302

Size：28×28×3cm/ 30×30×3cm
Display mode：LCD
LCD size：7.5×3cm
Unit：lb/kg

Max capacity：180kg/396lb, d=0.05kg
Power：2×AAA/Lithium batteries





AD-301

Size：28×28×2.4cm/30×30×2.4cm
Display mode：LCD
LCD size：7.5×3cm
Unit：lb/kg

Max capacity：180kg/396lb, d=0.05kg
Power：2×AAA/Lithium batteries





AG-28

Size：28×28×2.4cm
Display mode：LCD
LCD size：7.5×3.5cm
Unit：lb/kg

Max capacity：180kg/396lb, d=0.05kg
Power：Solar charging





AD-2630

Size：26×30×2.4cm
Display mode：LCD
LCD size：7.5×3cm
Unit：lb/kg

Max capacity：180kg/396lb, d=0.1kg
Power：2×AAA/Lithium batteries





AD-26

Size：26×26×2.2cm
Display mode：LCD
LCD size：5.9×2.4cm
Unit：lb/kg

Max capacity：180kg/396lb, d=0.05kg
Power：2×AAA/Lithium batteries





AD-261

Size：26×26×2.2cm
Display mode：LCD
LCD size：5.9×2.4cm
Unit：lb/kg

Max capacity：180kg/396lb, d=0.05kg
Power：2×AAA/Lithium batteries





AD-28

Size：28×28×2.3cm
Display mode：LCD
LCD size：7.5×3cm
Unit：lb/kg

Max capacity：180kg/396lb, d=0.05kg
Power：2×AAA/Lithium batteries





AD-324

Size：32.4×32.4×2.4cm
Display mode：LCD
LCD size：7.5×3.2cm
Unit：lb/kg

Max capacity：180kg/396lb, d=0.1kg
Power：2×AAA





ADY-30

Size：30×30×2.4cm
Display mode：LED
LED size：7.8×3.2cm
Unit：lb/kg

Max capacity：180kg/396lb, d=0.05kg
Power：2×AAA/Lithium batteries





AD-30

Size：30×30×2.4cm
Display mode:LCD
LCD size：7.5×3cm
Unit：lb/kg

Max capacity：180kg/396lb, d=0.05kg
Power：2×AAA/Lithium batteries





ADY-26

Size：26×26×2.2cm
Display mode：LED
LED size：6×3cm
Unit：lb/kg

Max capacity：180kg/396lb, d=0.05kg
Power：2×AAA/Lithium batteries





ADY-3730

Size: 37×30×2.4cm
Display mode: LED
LED size: 7.8×3.2cm
Unit: lb/kg

Max capacity: 180kg/396lb, d=0.05kg
Power: 2×AAA/Lithium batteries



AD-1425

Size: 14×25×2.2cm
Display mode: LED
LED size: 6×3cm
Unit: lb/kg

Max capacity: 180kg/396lb, d=0.05kg
Power: 2×AAA/Lithium batteries



ADY-301

Size: 30.5×30.5×2.5cm
Display mode: LED
LED size: 7.8×3.2cm
Unit: lb/kg

Max capacity: 180kg/396lb, d=0.05kg
Power: 4×AAA/Lithium batteries



ADY-28

Size: 28×28×2.3cm
Display mode: LED
LED size: 7.8×3.2cm
Unit: lb/kg

Max capacity: 180kg/396lb, d=0.05kg
Power: 2×AAA/Lithium batteries



AD-28Y

Size: 28×2.3cm
Display mode: LCD
LCD size: 5.9×2.4cm
Unit: lb/kg

Max capacity: 180kg/396lb, d=0.05kg
Power: 2×AAA/Lithium batteries





ADL-30C

Size: 30×30×2.8cm
Display mode: LCD
LCD size: 5.9×10.3cm
Unit: lb/kg/st
APP: OKOK/TUYA

Max capacity: 180kg/396lb, d=0.05kg
Power: 4×AAA/Lithium batteries





ADYL-26

Size: 26×26×2.2cm
Display mode: LED
LCD size: 6×3cm
Unit: lb/kg/st
APP: OKOK/TUYA

Max capacity: 180kg/396lb, d=0.05kg
Power: 2×AAA/Lithium batteries





AGL-28

Size: 28×28×2.4cm
Display mode: LED
LCD size: 7.5×3.5cm
Unit: lb/kg/st
APP: OKOK/TUYA

Max capacity: 180kg/396lb, d=0.05kg
Power: Solar charging





ADYL-281

Size: 28×28×2.4cm
Display mode: LED
LED size: 7.8×3.2cm
Unit: lb/kg/st
APP: OKOK/TUYA

Max capacity: 180kg/396lb, d=0.05kg
Power: 2×AAA/Lithium batteries





ADYL-28

Size: 28×28×2.4cm
Display mode: LED
LED size: 7.8×3.2cm
Unit: lb/kg/st
APP: OKOK/TUYA

Max capacity: 180kg/396lb, d=0.05kg
Power: 2×AAA/Lithium batteries





ADYL-282

Size: 28×28×2.4cm
Display mode: LED
LED size: 7.8×3.2cm
Unit: lb/kg/st
APP: OKOK/TUYA

Max capacity: 180kg/396lb, d=0.05kg
Power: 3×AAA/Lithium batteries





ADYL-283

Size: 28×28×2.4cm
Display mode: LED
LED size: 7.8×3.2cm
Unit: lb/kg/st
APP: OKOK/TUYA

Max capacity: 180kg/396lb, d=0.05kg
Power: 2×1.5V AAA batteries
1×CR2032 lithium batteries





ADL-261

Size: 26×26×2.2cm
Display mode: LCD
LCD size: 5.9×2.4cm
Unit: lb/kg/st
APP: OKOK/TUYA

Max capacity: 180kg/396lb, d=0.05kg
Power: 2×AAA/Lithium batteries





ADL-301

Size: 30×30×2.8cm
Display mode: LCD
LCD size: 7.5×3cm
Unit: lb/kg/st
APP: OKOK/TUYA

Max capacity: 180kg/396lb, d=0.05kg
Power: 4×AAA/Lithium batteries





ADYL-282

Size: 28×28×2.4cm
Display mode: LCD
LCD size: 7.5×3cm
Unit: lb/kg/st
APP: OKOK/TUYA

Max capacity: 180kg/396lb, d=0.1kg
Power: 2×AAA/Lithium batteries





ADT-324

Size: 32.4×32.4×2.8cm
Display mode: LCD
LCD size: 7.5×3.2cm
Unit: lb/kg/st

Max capacity: 180kg/396lb, d=0.1kg
Power: 2×AAA





ADDL-28

Size: 28×28×2.4cm
Display mode: LED
LED size: 7.8×3.2cm
Unit: lb/kg/st
APP: OKOK/TUYA

Max capacity: 180kg/396lb, d=0.05kg
Power: 3×AAA/Lithium batteries



ADDL-30

Size: 30×30×2.8cm
Display mode: LED
LED size: 7.8×3.2cm
Unit: lb/kg/st
APP: OKOK/TUYA

Max capacity: 180kg/396lb, d=0.05kg
Power: 4×AAA/Lithium batteries



ADYL-30

Size: 30×30×2.8cm
Display mode: LED
LED size: 7.8×3.2cm
Unit: lb/kg/st
APP: OKOK/TUYA

Max capacity: 180kg/396lb, d=0.05kg
Power: 2×AAA/Lithium batteries



ADL-26

Size: 26×26×2.2cm
Display mode: LCD
LCD size: 5.9×2.4cm
Unit: lb/kg/st
APP: OKOK/TUYA

Max capacity: 180kg/396lb, d=0.05kg
Power: 2×AAA/Lithium batteries



ADYL-261

Size: 26×26×2.2cm
Display mode: LED
LED size: 6×3cm
Unit: lb/kg/st
APP: OKOK/TUYA

Max capacity: 180kg/396lb, d=0.05kg
Power: 2×AAA/Lithium batteries



ADYL-2630

Size: 26×30×2.4cm
Display mode: LED
LED size: 6×3cm
Unit: lb/kg/st
APP: OKOK/TUYA

Max capacity: 180kg/396lb, d=0.05kg
Power: 2×AAA/Lithium batteries



ADT-30Y

Size: 30×2.8cm
Display mode: LCD
LCD size: 7.5×3.2cm
Unit: lb/kg/st

Max capacity: 180kg/396lb, d=0.05kg
Power: 2×AAA



ADL-28Y

Size: 28×2.4cm
Display mode:LCD
LCD size: 5.9×2.4cm
Unit: lb/kg/st
APP: OKOK/TUYA

Max capacity: 180kg/396lb, d=0.05kg
Power: 2×AAA/Lithium batteries



ADL-30

Size: 30×30×2.8cm
Display mode: LCD
LCD size: 7.5×3cm
Unit: lb/kg/st
APP: OKOK/TUYA

Max capacity: 180kg/396lb, d=0.05kg
Power: 2×AAA/Lithium batteries



ADL-2630

Size: 26×30×2.4cm
Display mode: LCD
LCD size: 7.5×3cm
Unit: lb/kg/st
APP: OKOK/TUYA

Max capacity: 180kg/396lb, d=0.05kg
Power: 2×AAA/Lithium batteries



ADL-30M

Size: 28×28×3cm | 30×30×3cm
Display mode: LCD
LCD size: 7.5×3cm
Unit: lb/kg
APP: OKOK/TUYA

Max capacity: 180kg/396lb, d=0.05kg
Power: 2×AAA/Lithium batteries





CF-01

Scale size：21.5×15×1.5cm
LCD size：45×20mm
Unit：g/kg/lb/oz/ml/fl

Max Capacity：1kg/3kg / 5kg / 7kg / 10kg, d=1g
Power：1×CR2032 lithium batteries



B05

Scale size：16.3×12.7×3.5cm
LCD size：40×17mm
Unit：g/lb/oz

Max Capacity：3kg / 5kg / 7kg / 10kg, d=1g
Power：2×AAA



CF-11

Scale size：14.5×20×3.2cm
LCD size：52×18mm
Unit：g/lb/oz

Max Capacity：3kg / 5kg / 7kg / 10kg, d=1g
Power：2×AAA

KITCHEN SCALE



CF-02

Scale size：21.5×21.5×1.5cm
LCD size：56×25mm
Unit：g/oz/tl/ct/gn

Max Capacity：15Kg, d=1g
Power：2×AAA



CF-03

Scale size：22.5×18.5×1.5cm
LCD size：56×25mm
Unit：g/oz/tl/ct/gn

Max Capacity：15Kg, d=1g
Power：2×AAA



I2000

Scale size：10.6×12.7×2cm
LCD size：43×15mm
Unit：g/oz/tl/ct/gn

Max Capacity：1KG/3KG/5KG d=0.1g
Power：2×AAA



B03

Scale size：18×13.8×1.7cm
LCD size：40×17mm
Unit：g/oz/tl/ct/gn

Max Capacity：1KG/3KG/5KG/10KG d=1G
Power：2×AAA



CF-12

Scale size：14×18.5×1.5cm
LCD size：36×18mm
Unit：g/oz/tl/ct/gn

Max Capacity：1KG/3KG/5KG d=0.1g
Power：2×AAA



CF-13

Scale size：16.5×18.5×3.2cm
LCD size：60×25mm
Unit：g/oz/tl/ct/gn

Max Capacity：1KG/3KG/5KG/10KG d=0.1g
Power：9v/12v