



# PC GAMING CASE

POWERCASE ENTERPRISE CO.,LTD

Room 1609-1611,Long Nian Building, Nanlian Community, Longgang Sub-district, Shenzhen City, China.



WEBSITE



3D SHOWROOM



Phone/wechat : +8613802289233

Website : [www.powercase.com.cn](http://www.powercase.com.cn)

Email : [tracy@powercase.com.cn](mailto:tracy@powercase.com.cn)

Skype : 352337258@qq.com

[www.powercase.com.cn](http://www.powercase.com.cn)

# THE COMPANY PROFILE

## POWERCASE ENTERPRISE CO.,LTD

Powercase/XYZCASE is a 16 years old company which established in 2007.

We are one of PC CASE, Cooling, Power Supply and other Computer Accessories leading Manufacturer in China(in Guangzhou).

We provide OEM and ODM services to our customers from All over the world.

All products are our own private molds. Our most prominent advantages are come from providing Low wholesale price, Rich latest products ptions, and of course Reliable quality. Basically we develop Dozens of new products every year.

We have very high credibility and reliability in our customers, this come from we help customers grow their businesses and building limitless business cooperation and strategic partnerships with each other. The customers we have worked with are generally satisfied with us.

Connections open up endless possibilities. Welcome to start with us!




## We're Factory!

Professional PC case and PC accessories manufacturer.

We have full coverage of PC products.

Such as ATX,MATX,EATX ,ITX Computer case and Power supply,  
CPU cooler, watercooler.



# 01 COMPUTER CASE

|                  |       |
|------------------|-------|
| GAMING ATX-E-ATX | 1-27  |
| GAMING M-ATX     | 28-31 |
| OFFICE CASE      | 32-34 |

# 02 PC CASE FANS

|     |       |
|-----|-------|
| FAN | 35-36 |
|-----|-------|

# 03 WATER COOLING

37

# 04 POWER SUPPLY

38

245-3



## 245 SERIES

### PRODUCT PARAMETER

|             |                                                                                                                   |                  |                                |
|-------------|-------------------------------------------------------------------------------------------------------------------|------------------|--------------------------------|
| Dimension   | 430 x 245 x 445mm<br>433 x 245 x 475mm                                                                            | Drive bays       | 3.5"HDD x3,2.5"SDD x3          |
| Motherboard | ATX/M-ATX/ITX                                                                                                     | Watercooling Max | MB tray/Top:360mm,Rear:120mm   |
| Clearance   | Graphic card length limited:420mm(MAX)<br>CPU height limited:185mm(MAX)<br>Power supply length limited:200mm(MAX) | Fan support Max  | x8(Rear,Top,PSU Cover,MB Tray) |
|             |                                                                                                                   | I/O port         | USB3.0x1,Type-Cx1,HD AUDIO     |
|             |                                                                                                                   | PCI slot         | 7                              |



245-2



# PS218E-ATX

| PRODUCT PARAMETER |                                                                                                                   |
|-------------------|-------------------------------------------------------------------------------------------------------------------|
| Dimension         | 430 x 218 x 435mm<br>435 x 218 x 455mm                                                                            |
| Motherboard       | ATX/M-ATX/ITX                                                                                                     |
| Clearance         | Graphic card length limited:425mm(MAX)<br>CPU height limited:160mm(MAX)<br>Power supply length limited:176mm(MAX) |
| Drive bays        | 3.5"HDD x2 , 2.5"SDD x2                                                                                           |
| Watercooling Max  | MB tray:360mm,Top:360mm,Rear:120mm                                                                                |
| Fan support Max   | x10(Rear,Top,PSU Cover,MB Tray,HDD case)                                                                          |
| I/O port          | USB3.0x1,USB1.0x2,HD AUDIO                                                                                        |
| PCI slot          | 7                                                                                                                 |



## 218-MATX SERIES

| PRODUCT PARAMETER |                                                                                                                   |                  |                                         |
|-------------------|-------------------------------------------------------------------------------------------------------------------|------------------|-----------------------------------------|
| Dimension         | 430 x 218 x 395mm<br>434 x 218 x 415mm                                                                            | Drive bays       | 3.5"HDD x2,2.5"SDD x2                   |
| Motherboard       | M-ATX/ITX                                                                                                         | Watercooling Max | MB tray:240mm,Top:360mm,Rear:120mm      |
| Clearance         | Graphic card length limited:425mm(MAX)<br>CPU height limited:160mm(MAX)<br>Power supply length limited:176mm(MAX) | Fan support Max  | x9(Rear,Top,PSU Cover,MB Tray,HDD case) |
|                   |                                                                                                                   | I/O port         | USB3.0x1,USB1.0x2,HD AUDIO              |
|                   |                                                                                                                   | PCI slot         | 5                                       |



PS218D-MATX



PS218E-MATX

# 290XL-6



## 290XL SERIES

| PRODUCT PARAMETER |                                                                                                                   |                  |                                    |
|-------------------|-------------------------------------------------------------------------------------------------------------------|------------------|------------------------------------|
| Dimension         | 420 x 210 x 465mm<br>430 x 450 x 475mm                                                                            | Drive bays       | 3.5"HDD x2,2.5"SDD x2              |
| Motherboard       | ATX/M-ATX/ITX                                                                                                     | Watercooling Max | MB tray:240mm,Top:360mm,Rear:120mm |
| Clearance         | Graphic card length limited:400mm(MAX)<br>CPU height limited:168mm(MAX)<br>Power supply length limited:210mm(MAX) | Fan support Max  | x9(Rear,Top,PSU Cover,MB Tray)     |
|                   |                                                                                                                   | I/O port         | USB3.0x1,USB1.0x2,HD AUDIO         |
|                   |                                                                                                                   | PCI slot         | 7+2                                |



290XL-5



290XL-8



290XL-9

# P285-2-MATX

| PRODUCT PARAMETER |                                                                                                                   |
|-------------------|-------------------------------------------------------------------------------------------------------------------|
| Dimension         | 420 x 285 x 350mm<br>420 x 285 x 350mm                                                                            |
| Motherboard       | M-ATX/ITX                                                                                                         |
| Clearance         | Graphic card length limited:410mm(MAX)<br>CPU height limited:160mm(MAX)<br>Power supply length limited:240mm(MAX) |
| Drive bays        | 3.5"HDD x2 , 2.5"SDD x2                                                                                           |
| Watercooling Max  | MB tray:280mm,Top:360mm,Rear:120mm                                                                                |
| Fan support Max   | x9(Rear,Top,Bottom,MB Tray)                                                                                       |
| I/O port          | USB3.0x1,USB1.1x1,HD AUDIO                                                                                        |
| PCI slot          | 4                                                                                                                 |




# P295-MATX

## PRODUCT PARAMETER

|             |                                                                                                                   |                  |                                   |
|-------------|-------------------------------------------------------------------------------------------------------------------|------------------|-----------------------------------|
| Dimension   | 340 x 276 x 315mm<br>350 x 276 x 333mm                                                                            | Drive bays       | 3.5"HDD x2,2.5"SDD x2             |
| Motherboard | M-ATX/ITX                                                                                                         | Watercooling Max | Rear: 120mm,Top:280mm             |
| Clearance   | Graphic card length limited:330mm(MAX)<br>CPU height limited:160mm(MAX)<br>Power supply length limited:150mm(MAX) | Fan support Max  | x7(Rear,Top,Bottom,MB Tray)       |
|             |                                                                                                                   | I/O port         | USB3.0x1,USB1.1x1,Type-C,HD AUDIO |
|             |                                                                                                                   | PCI slot         | 4                                 |



P285-1-MATX



P295-MATX

# PZ1



# PZ SERIES

## PRODUCT PARAMETER

|             |                                                                                                                   |                  |                                      |
|-------------|-------------------------------------------------------------------------------------------------------------------|------------------|--------------------------------------|
| Dimension   | 410 x 277 x 415mm<br>415 x 277 x 445mm                                                                            | Drive bays       | 3.5"HDD x2,2.5"SDD x4                |
| Motherboard | ATX/M-ATX/ITX                                                                                                     | Watercooling Max | Rear: 120mm,Top/MB tray/Bottom:360mm |
| Clearance   | Graphic card length limited:380mm(MAX)<br>CPU height limited:163mm(MAX)<br>Power supply length limited:200mm(MAX) | Fan support Max  | x10(Rear,Top,Bottom,MB Tray)         |
|             |                                                                                                                   | I/O port         | USB3.0x1,USB1.1x2,LED,HD AUDIO       |
|             |                                                                                                                   | PCI slot         | 7                                    |



PZ




PZ-LED PANEL  
SCREEN DISPLAY



PZ-B-S




PZ-M1



# PE-BL

## PRODUCT PARAMETER

|                  |                                        |
|------------------|----------------------------------------|
| Dimension        | 420 x 230 x 470mm                      |
|                  | 420 x 230 x 470mm                      |
| Motherboard      | ATX/M-ATX/ITX                          |
| Clearance        | Graphic card length limited:400mm(MAX) |
|                  | CPU height limited:175mm(MAX)          |
|                  | Power supply length limited:200mm(MAX) |
| Drive bays       | 3.5'HDD x2 , 2.5'SDD x2                |
| Watercooling Max | MB tray:240mm,Top:360mm,Rear:140mm     |
| Fan support Max  | x9(Rear,Top,Middle,MB Tray)            |
| I/O port         | USB3.0x1,USB1.1x2,HD AUDIO             |
| PCI slot         | 7+3                                    |



# X SERIES

## PRODUCT PARAMETER

|                  |                                        |
|------------------|----------------------------------------|
| Dimension        | 415 x 225 x 470mm                      |
|                  | 465 x 225 x 490mm                      |
| Motherboard      | E-ATX/ATX/M-ATX/ITX                    |
| Clearance        | Graphic card length limited:400mm(MAX) |
|                  | CPU height limited:175mm(MAX)          |
|                  | Power supply length limited:200mm(MAX) |
| Drive bays       | 3.5'HDD x2 , 2.5'SDD x2                |
| Watercooling Max | Top:360mm,Front:420mm                  |
| Fan support Max  | x12(Front,Rear,Top,PSU Cover,MB Tray)  |
| I/O port         | USB3.0x1,USB2.0x2,HD AUDIO             |
| PCI slot         | 7                                      |



X5



X6

## PRODUCT PARAMETER

# E3-BL

## PRODUCT PARAMETER

|                  |                                        |
|------------------|----------------------------------------|
| Dimension        | 330 x 212 x 470mm                      |
|                  | 330 x 212 x 470mm                      |
| Motherboard      | ATX/M-ATX/ITX                          |
| Clearance        | Graphic card length limited:330mm(MAX) |
|                  | CPU height limited:160mm(MAX)          |
|                  | Power supply length limited:160mm(MAX) |
| Drive bays       | 3.5'HDD x1 , 2.5'SDD x2                |
| Watercooling Max | Top:280mm,Rear:120mm                   |
| Fan support Max  | x3(Rear,Top)                           |
| I/O port         | USB3.0x1,USB1.1x2,HD AUDIO             |
| PCI slot         | 7                                      |



# KM-230 SERIES

## PRODUCT PARAMETER

|                  |                                        |
|------------------|----------------------------------------|
| Dimension        | 420 x 230 x 480mm                      |
|                  | 455 x 230 x 510mm                      |
| Motherboard      | E-ATX/ATX/M-ATX/ITX                    |
| Clearance        | Graphic card length limited:410mm(MAX) |
|                  | CPU height limited:185mm(MAX)          |
|                  | Power supply length limited:200mm(MAX) |
| Drive bays       | 3.5'HDD x2 , 2.5'SDD x2                |
| Watercooling Max | Front/Top:360mm                        |
| Fan support Max  | x9(Front,Side,Rear,Top)                |
| I/O port         | USB3.0x1,USB2.0x2,HD AUDIO             |
| PCI slot         | 7                                      |



KM230-C



KM230-B

# PA01-G



## PA SERIES

### PRODUCT PARAMETER

|             |                                        |                  |                                  |
|-------------|----------------------------------------|------------------|----------------------------------|
| Dimension   | 360 x 200 x 470mm                      | Drive bays       | 3.5"HDD x2,2.5"SDD x2            |
|             | 400 x 200 x 485mm                      |                  |                                  |
| Motherboard | ATX/M-ATX/ITX                          | Watercooling Max | Rear:120mm,Top:280mm,Front:360mm |
| Clearance   | Graphic card length limited:340mm(MAX) | Fan support Max  | x6(Rear,Top,Front)               |
|             | CPU height limited:165mm(MAX)          | I/O port         | USB3.0x1,USB1.1x2,HD AUDIO       |
|             | Power supply length limited:180mm(MAX) | PCI slot         | 7                                |



PA01-M



PA03

# JX210-2



## JX210 SERIES

### PRODUCT PARAMETER

|             |                                        |                  |                                  |
|-------------|----------------------------------------|------------------|----------------------------------|
| Dimension   | 355 x 210 x 465mm                      | Drive bays       | 3.5"HDD x2,2.5"SDD x2            |
|             | 355 x 210 x 465mm                      |                  |                                  |
| Motherboard | ATX/M-ATX/ITX                          | Watercooling Max | Rear:120mm,Top:240mm,Front:360mm |
| Clearance   | Graphic card length limited:320mm(MAX) | Fan support Max  | x6(Rear,Top,Front)               |
|             | CPU height limited:180mm(MAX)          | I/O port         | USB3.0x1,USB1.1x1,HD AUDIO       |
|             | Power supply length limited:180mm(MAX) | PCI slot         | 7+2                              |



JX210-1



JX210-1-LED



JX210-2-LED

# PE12



## PE SERIES

### PRODUCT PARAMETER

|             |                                        |                  |                                   |
|-------------|----------------------------------------|------------------|-----------------------------------|
| Dimension   | 420 x 230 x 470mm                      | Drive bays       | 3.5"HDD x2,2.5"SDD x2             |
|             | 460 x 230 x 470mm                      |                  |                                   |
| Motherboard | E-ATX/ATX/M-ATX/ITX                    | Watercooling Max | Rear:140mm,Top:360mm,Front:420mm  |
| Clearance   | Graphic card length limited:400mm(MAX) | Fan support Max  | x7(Rear,Top,Front)                |
|             | CPU height limited:180mm(MAX)          | I/O port         | USB3.0x1,USB1.1x2,Type-C,HD AUDIO |
|             | Power supply length limited:200mm(MAX) | PCI slot         | 7+3                               |



PE03



PE03-L

# E606-M



## E6 SERIES

### PRODUCT PARAMETER

|             |                                        |                  |                                  |
|-------------|----------------------------------------|------------------|----------------------------------|
| Dimension   | 360 x 212 x 470mm                      | Drive bays       | 3.5"HDD x2,2.5"SDD x2            |
|             | 390 x 212 x 487mm                      |                  |                                  |
| Motherboard | E-ATX/ATX/M-ATX/ITX                    | Watercooling Max | Rear:120mm,Top:280mm,Front:360mm |
| Clearance   | Graphic card length limited:330mm(MAX) | Fan support Max  | x8(Rear,Top,Front)               |
|             | CPU height limited:160mm(MAX)          | I/O port         | USB3.0x1,USB1.1x1,HD AUDIO       |
|             | Power supply length limited:180mm(MAX) | PCI slot         | 7                                |



E606-G



E608

# 210XL-P1-G



## 210XL-P SERIES

| PRODUCT PARAMETER |                                        |                  |                                   |
|-------------------|----------------------------------------|------------------|-----------------------------------|
| Dimension         | 380 x 210 x 465mm                      | Drive bays       | 3.5"HDD x2,2.5"SDD x2             |
|                   | 430 x 210 x 465mm                      |                  |                                   |
| Motherboard       | E-ATX/ATX/M-ATX/ITX                    | Watercooling Max | Rear:120mm,Top:240mm,Front:360mm  |
| Clearance         | Graphic card length limited:360mm(MAX) | Fan support Max  | x6(Rear,Top,Front)                |
|                   | CPU height limited:170mm(MAX)          | I/O port         | USB3.0x1,USB1.1x2,Type-C,HD AUDIO |
|                   | Power supply length limited:220mm(MAX) | PCI slot         | 7                                 |



210XL-P1-M



210XL-P3



210XL-P2



210XL-P5

# H36-380



## H36 SERIES

| PRODUCT PARAMETER |                                        |                  |                                  |
|-------------------|----------------------------------------|------------------|----------------------------------|
| Dimension         | 380 x 210 x 440mm                      | Drive bays       | 3.5"HDD x2,2.5"SDD x2            |
|                   | 435 x 215 x 440mm                      |                  |                                  |
| Motherboard       | E-ATX/ATX/M-ATX/ITX                    | Watercooling Max | Rear:120mm,Top:240mm,Front:360mm |
| Clearance         | Graphic card length limited:360mm(MAX) | Fan support Max  | x6(Rear,Top,Front)               |
|                   | CPU height limited:175mm(MAX)          | I/O port         | USB3.0x1,USB1.1x2,HD AUDIO       |
|                   | Power supply length limited:220mm(MAX) | PCI slot         | 7+2                              |



H36-380



# PS195-1



## PS195 SERIES

### PRODUCT PARAMETER

|             |                                        |                  |                                     |
|-------------|----------------------------------------|------------------|-------------------------------------|
| Dimension   | 350 x 195 x 435mm                      | Drive bays       | 3.5"HDD x2,2.5"SDD x2               |
|             | 395 x 195 x 450mm                      |                  |                                     |
| Motherboard | ATX/M-ATX/ITX                          | Watercooling Max | Rear:140mm,Front/Top:360mm,MB:240mm |
| Clearance   | Graphic card length limited:330mm(MAX) | Fan support Max  | x11(Rear,Top,Front,MB Tray)         |
|             | CPU height limited:165mm(MAX)          | I/O port         | USB3.0x1,USB1.0x2,HD AUDIO          |
|             | Power supply length limited:200mm(MAX) | PCI slot         | 7                                   |



PS195-2-M



PS195-2-G



PS195-3

## PS195 SERIES



PS195-5



PS195-6



PS195-7



PS195-8



PS195-9



PS195-10-M



PS195-10-G

# I731-M



## I7 SERIES

### PRODUCT PARAMETER

|             |                                                                                                                   |                  |                              |
|-------------|-------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|
| Dimension   | 370 x 210 x 435mm<br>410 x 210 x 450mm                                                                            | Drive bays       | 3.5"HDD x2,2.5"SDD x2        |
| Motherboard | ATX/M-ATX/ITX                                                                                                     | Watercooling Max | Rear:140mm,Front:360mm       |
| Clearance   | Graphic card length limited:360mm(MAX)<br>CPU height limited:168mm(MAX)<br>Power supply length limited:220mm(MAX) | Fan support Max  | x8(Rear,Top,Front,PSU cover) |
|             |                                                                                                                   | I/O port         | USB3.0x1,USB1.0x2,HD AUDIO   |
|             |                                                                                                                   | PCI slot         | 7                            |



I701



I706



I711-M



I711-G

## I7 SERIES



I730



I730-V2



I730-V2



I731-M



I731-G



I731-G



I735-M



I735-G



I736-M



I738

# PI908-M



## I9 SERIES

### PRODUCT PARAMETER

|             |                                        |                  |                                     |
|-------------|----------------------------------------|------------------|-------------------------------------|
| Dimension   | 415 x 210 x 470mm                      | Drive bays       | 3.5'HDD x2,2.5'SDD x2               |
|             | 455 x 210 x 485mm                      |                  |                                     |
| Motherboard | E-ATX/ATX/M-ATX/ITX                    | Watercooling Max | Rear:140mm,Front/Top:360mm,MB:240mm |
| Clearance   | Graphic card length limited:400mm(MAX) | Fan support Max  | x11(Rear,Top,Front,MB Tray)         |
|             | CPU height limited:168mm(MAX)          | I/O port         | USB3.0x1,USB1.0x2,HD AUDIO          |
|             | Power supply length limited:245mm(MAX) | PCI slot         | 7                                   |



PI902-G



PI906-M



PI906-G

## I9 SERIES



PI909-G



PI909-METAL



PI909-MESH



PI915



PI931-G



PI932-G

# 833-M



## 08 SERIES

### PRODUCT PARAMETER

|             |                                                                                                                   |                  |                              |
|-------------|-------------------------------------------------------------------------------------------------------------------|------------------|------------------------------|
| Dimension   | 350 x 200 x 440mm<br>390 x 200 x 449mm                                                                            | Drive bays       | 3.5"HDD x2,2.5"SDD x2        |
| Motherboard | ATX/M-ATX/ITX                                                                                                     | Watercooling Max | Rear:120mm,Front:240mm       |
| Clearance   | Graphic card length limited:330mm(MAX)<br>CPU height limited:160mm(MAX)<br>Power supply length limited:190mm(MAX) | Fan support Max  | x8(Rear,Top,Front,PSU cover) |
|             |                                                                                                                   | I/O port         | USB3.0x1,USB2.0x1,HD AUDIO   |
|             |                                                                                                                   | PCI slot         | 7                            |



818



820-V2



820-V3



820-V4



823



825-V1

## 08 SERIES



825-V2



827



828



830



831



832-M



832-G



833-G



835



839



840-M



840-G

2603



## 26 SERIES

## PRODUCT PARAMETER

|             |                                        |                  |                            |
|-------------|----------------------------------------|------------------|----------------------------|
| Dimension   | 330 x 200 x 430mm                      | Drive bays       | 3.5"HDD x2,2.5"SDD x1      |
|             | 360 x 200 x 450mm                      |                  |                            |
| Motherboard | ATX/M-ATX/ITX                          | Watercooling Max | Rear:120mm,Front:280mm     |
| Clearance   | Graphic card length limited:320mm(MAX) | Fan support Max  | x6(Rear,Top,Front)         |
|             | CPU height limited:160mm(MAX)          | I/O port         | USB3.0x1,USB1.0x2,HD AUDIO |
|             | Power supply length limited:176mm(MAX) | PCI slot         | 7                          |



2605



2621



2622



2616-G



2616-M

G30



## G SERIES

## PRODUCT PARAMETER

|             |                                        |                  |                            |
|-------------|----------------------------------------|------------------|----------------------------|
| Dimension   | 332 x 185 x 413mm                      | Drive bays       | 3.5"HDD x2,2.5"SDD x2      |
|             | 332 x 185 x 413mm                      |                  |                            |
| Motherboard | E-ATX/ATX/M-ATX/ITX                    | Watercooling Max | Rear:120mm,Top:240mm       |
| Clearance   | Graphic card length limited:300mm(MAX) | Fan support Max  | x6(Rear,Top,Front)         |
|             | CPU height limited:155mm(MAX)          | I/O port         | USB3.0x1,USB1.1x2,HD AUDIO |
|             | Power supply length limited:180mm(MAX) | PCI slot         | 7                          |



G31



G35



G46



G47



G48

# JX188-5



## 26 SERIES

| PRODUCT PARAMETER |                                        |                  |                            |
|-------------------|----------------------------------------|------------------|----------------------------|
| Dimension         | 340 x 190 x 430mm                      | Drive bays       | 3.5"HDD x2,2.5"SDD x2      |
|                   | 400 x 190 x 440mm                      |                  |                            |
| Motherboard       | ATX/M-ATX/ITX                          | Watercooling Max | Front:240mm,Rear:120mm     |
| Clearance         | Graphic card length limited:310mm(MAX) | Fan support Max  | x6(Rear,Top,Front)         |
|                   | CPU height limited:160mm(MAX)          | I/O port         | USB3.0x1,USB1.1x1,HD AUDIO |
|                   | Power supply length limited:160mm(MAX) | PCI slot         | 7                          |



JX188-10



JX188-11-M



JX188-12



JX188-15



JX188-18

# 210M SERIES

| PRODUCT PARAMETER |                                        |
|-------------------|----------------------------------------|
| Dimension         | 380 x 210 x 380mm                      |
|                   | 423 x 210 x 380mm                      |
| Motherboard       | M-ATX/ITX                              |
| Clearance         | Graphic card length limited:375mm(MAX) |
|                   | CPU height limited:160mm(MAX)          |
|                   | Power supply length limited:200mm(MAX) |
| Drive bays        | 3.5"HDD x2 , 2.5"SDD x2                |
| Watercooling Max  | Top:240mm,Front:240mm                  |
| Fan support Max   | x6(Front,Rear,Top)                     |
| I/O port          | USB3.0x1,USB1.1x2,HD AUDIO             |
| PCI slot          | 4                                      |



210M-1



210M-2

PRODUCT PARAMETER

# GW SERIES

| PRODUCT PARAMETER |                                        |
|-------------------|----------------------------------------|
| Dimension         | 425 x 205 x 340mm                      |
|                   | 410 x 270 x 352mm                      |
| Motherboard       | M-ATX/ITX                              |
| Clearance         | Graphic card length limited:410mm(MAX) |
|                   | CPU height limited:165mm(MAX)          |
|                   | Power supply length limited:170mm(MAX) |
| Drive bays        | 3.5"HDD x1 , 2.5"SDD x1                |
| Watercooling Max  | Rear:120mm,Top:240/360mm               |
| Fan support Max   | x10(Bottom,Rear,Top,MB Tray)           |
| I/O port          | USB3.0x1,USB1.0x1,HD AUDIO             |
| PCI slot          | 7                                      |



GW-L



GW

# 55-M11



## 310M SERIES

### PRODUCT PARAMETER

|             |                                        |                  |                            |
|-------------|----------------------------------------|------------------|----------------------------|
| Dimension   | 310 x 200 x 375mm                      | Drive bays       | 3.5'HDD x2,2.5'SDD x1      |
|             | 350 x 200 x 390mm                      |                  |                            |
| Motherboard | M-ATX/ITX                              | Watercooling Max | Rear:120mm,Front:280mm     |
| Clearance   | Graphic card length limited:295mm(MAX) | Fan support Max  | x5(Rear,Top,Front)         |
|             | CPU height limited:160mm(MAX)          | I/O port         | USB3.0x1,USB2.0x2,HD AUDIO |
|             | Power supply length limited:165mm(MAX) | PCI slot         | 4                          |



55-M2



55-M3

## 310M SERIES



5515



5516



5517



5518



5519



5520

# SP-M2



## SP SERIES

### PRODUCT PARAMETER

|             |                                                                                                                   |                  |                            |
|-------------|-------------------------------------------------------------------------------------------------------------------|------------------|----------------------------|
| Dimension   | 350 x 230 x 375mm<br>375 x 230 x 390mm                                                                            | Drive bays       | 3.5"HDD x2,2.5"SDD x2      |
| Motherboard | M-ATX/ITX                                                                                                         | Watercooling Max | Rear/Top:240mm             |
| Clearance   | Graphic card length limited:340mm(MAX)<br>CPU height limited:190mm(MAX)<br>Power supply length limited:180mm(MAX) | Fan support Max  | x6(Rear,Top,Front)         |
|             |                                                                                                                   | I/O port         | USB3.0x1,USB1.1x2,HD AUDIO |
|             |                                                                                                                   | PCI slot         | 4+2                        |



SP-M3-M-LED



SP-M3-G-LED

# 17306



## 1730 SERIES

### PRODUCT PARAMETER

|             |                                                                                                     |             |                                         |
|-------------|-----------------------------------------------------------------------------------------------------|-------------|-----------------------------------------|
| Dimension   | 340 x 175 x 350mm<br>375 x 175 x 350mm                                                              | Drive bays  | 3.5"HDD x2,2.5"SDD x4,<br>FDD x1,DVD x1 |
| Motherboard | M-ATX/ITX                                                                                           | Fan support | x3(Rear,Side panel,Front)               |
| Clearance   | Graphic card length limited:320mm(MAX)<br>CPU height limited:138mm(MAX)<br>Power supply :175mm(MAX) | I/O port    | USB3.0x2,HD AUDIO                       |
|             |                                                                                                     | PCI slot    | 4                                       |



17302



17307



17308

# SQ SERIES

## PRODUCT PARAMETER

|             |                                                                                                                  |            |                                        |
|-------------|------------------------------------------------------------------------------------------------------------------|------------|----------------------------------------|
| Dimension   | 380 x 102 x 340mm                                                                                                | Drive bays | 3.5'HDD x1,2.5'SDD x1<br>DVD x1,FDD x1 |
| Motherboard | M-ATX/ITX                                                                                                        | I/O port   | USB3.0x2,USB2.0x2,HD AUDIO             |
| Clearance   | Graphic card length limited:225mm(MAX)<br>CPU height limited:90mm(MAX)<br>Power supply length limited:175mm(MAX) | PCI slot   | 4                                      |



SQ05



SQ07



# S8

## PRODUCT PARAMETER

|             |                                                   |             |                            |
|-------------|---------------------------------------------------|-------------|----------------------------|
| Dimension   | 335 x 95 x 260mm                                  | Drive bays  | 2.5'SDD x3                 |
| Motherboard | M-ATX/ITX                                         | Fan Support | Front:1x6/8cm              |
| Clearance   | CPU height limited:76mm(MAX)<br>Power supply :TFX | I/O port    | USB3.0x1,USB2.0x2,HD AUDIO |
|             |                                                   | PCI slot    | 3                          |



S8




# S5

## PRODUCT PARAMETER

|             |                                                   |                 |                            |
|-------------|---------------------------------------------------|-----------------|----------------------------|
| Dimension   | 210 x 95 x 263mm                                  | Drive bays      | 2.5'SDD x2                 |
| Motherboard | ITX                                               | Fan Support Max | Front:1x8cm                |
| Clearance   | CPU height limited:76mm(MAX)<br>Power supply :TFX | I/O port        | USB3.0x2,USB2.0x1,HD AUDIO |
|             |                                                   | PCI slot        | 3                          |



S5



# S3

## PRODUCT PARAMETER

|             |                                                                |                 |                            |
|-------------|----------------------------------------------------------------|-----------------|----------------------------|
| Dimension   | 210 x 73 x 190mm                                               | Drive bays      | 2.5'SDD x2                 |
| Motherboard | ITX                                                            | Fan Support Max | Front:1x6cm                |
| Clearance   | CPU height limited:45mm(MAX)<br>Power supply :Adapter 90W/120W | I/O port        | USB3.0x2,USB2.0x1,HD AUDIO |
|             |                                                                | PCI slot        | 0                          |



S3



FANS

PRODUCT PARAMETER

|                          |                                   |
|--------------------------|-----------------------------------|
| Dimension:               | 120*120*25mm                      |
| Fan Rated Voltage:       | 12V                               |
| LED Rated Voltage:       | 12V for SINGLE COLOR, 5V for ARGB |
| Fan Rated Current:       | 0.26A+10% Max                     |
| LED Rated Current:       | 0.16A                             |
| Opearting Voltage Range: | 10.8-13.2V                        |
| Power Consumption:       | 3.12W+10% Max                     |

|                   |                         |
|-------------------|-------------------------|
| Speed:            | 1100±10%                |
| Max Air flow:     | 58 CFM(f/min)           |
| Max Air Pressure: | 1.04mm H <sub>2</sub> O |
| Noise Leve:       | 22.8dB(A)               |
| Lifetime:         | 40.000hrs               |
| No. of Blade:     | 7/9/11 Blades           |
| Bearing Type:     | Hydraulic Bearing       |



PF1



PF1-INFINITY



M2-14



M2-ARGB



M6



M6-14



M9-INFINITY



M9



M13



M11



M17



M18



M19



M21



M22



M23



M25



M27



M28

| PRODUCT PARAMETER   |                                      |
|---------------------|--------------------------------------|
| Fan Life:           | 30000Hrs                             |
| Air Volume:         | 58.2CFM                              |
| Fan Size:           | 120x120x25mm                         |
| Power Interfance:   | 4pin                                 |
| LED Color:          | ARGB                                 |
| Lighting Mode:      | ARGB inner 8PCS                      |
| Quantity of fans:   | 1/2/3PCS                             |
| Fan Material:       | a.PBT black B.RoHS 2.0               |
| Heatsink Material:  | Aluminum                             |
| Power:              | 2.4W                                 |
| Noise:              | ≤30dB-A                              |
| Bearing:            | Fluid Bearing                        |
| Fan Speed Control:  | 800-1500R                            |
| Air Pressure:       | 0.92MM-H2O                           |
| Connector/PWM:      | 4P-PWM+ASUS male and female terminal |
| Fan Blade Quantity: | 9pcs                                 |
| Air Flow:           | 58.2CFM                              |



120MM



240MM



360MM



240MM

**COLONEL**  
GPSU-B600S  
Output power (mW): 600 W  
Fan dimensions (mm): 140  
Weight (g): 1556  
Dimensions (mm): 160 x 150 x 85  
Plugs: 24 x1, 4/8 x1, SATA x 7,  
MOLEX × 3, PCI-E 6/8× 2  
Type: ATX/semi-modular  
Color: Black  
Material: Metal  
Efficiency: 80 PLUS BRONZE standard  
Security features: OVP, SCP, OPP, SIP, UVP  
PSU length (mm): 160  
Current on 12V/51A, 5V/10.8A, 3.3V/9.6A  
Fan bearing: Hydraulic



| CAB LE     | MOTH ERBOARD                                                                        | CPU                                                                                 | HDD/SSD                                                                             | FAN                                                                                 | GRAPHIC CARD                                                                        |
|------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|
| CONNECTOR  |  |  |  |  |  |
| PINS / QTY | 24 x 14                                                                             | /8 x 1                                                                              | SATA x 7M                                                                           | OLEX x 3                                                                            | PCI-E 6/8 x 2                                                                       |

**GENERAL**  
GPSU-G650M  
Output power (mW): 650 W  
Fan dimensions (mm): 140  
Weight (g): 1340  
Dimensions (mm): 160 x 85 x 150  
Plugs: 24 x1, 4/8 x1, SATA ×9,  
MOLEX x 3, PCI-E 6/8 ×4  
Type: ATX/fully modular  
Color: Black  
Material: Metal  
Efficiency: 80 PLUS GOLD standard  
Security features: OVP, SCP, OPP, SIP, UVP  
PSU length (mm): 160  
Current on 12V/56A, 5V/10.8A, 3.3V/9.6A  
Fan bearing: Fluid Dynamic Bearing (FDB)



| CABL EM     | OTHERBOARD                                                                            | CPU                                                                                   | HDD/SSD                                                                               | FAN                                                                                   | GRAPHIC CARD                                                                          |
|-------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|
| CONNECTOR   |  |  |  |  |  |
| PINS / QT Y | 24 x 1                                                                                | 4/8 x 1                                                                               | SATA x 9M                                                                             | OLEX x 3                                                                              | PCI-E 6/8 x 4                                                                         |