



PRODUCT MANUAL

FROM HONG KONG, CHINA

COMMITTED TO HIGH APPEARANCE
SUPERIOR QUALITY
HIGH COST PERFORMANCE



FOCUS ON DIGITAL 3C MANUFACTURING



INKAX WAS ESTABLISHED IN 2008,
FOCUSED ON SMART WATCHES, BLUETOOTH HEADPHONES, BLUETOOTH AUDIO,
MOBILE POWER, CABLES AND OTHER 3C DIGITAL INTELLIGENT PRODUCTS RESEARCH AND
DEVELOPMENT, AFTER OVER YEARS OF TECHNICAL PRECIPITATION, COMBINED WITH YOUNG AESTHETIC
WITH VERY MATURE OF TECHNICAL EXPERIENCE, COMBINED WITH A
YOUTHFUL AESTHETIC STYLE, WE CONTINUE TO INTRODUCE
INNOVATIVE PRODUCTS EXPORTED TO MORE THAN
100 COUNTRIES AROUND THE WORLD.

DEDICATED TO HIGH VALUE / HIGH QUALITY / HIGH COST PERFORMANCE
FOCUS ON INTELLIGENT DIGITAL OF STRENGTH OF THE BLACK TECHNOLOGY
POSSESS INDEPENDENT CORE TECHNOLOGY

3000+

OVERSEAS
BRAND COUNTERS

5000W+

OUTDOOR EXPERT
RECOMMENDED

100+

EXPORT
COUNTRIES

INTRODUCTION

- ▶ INKAX was founded in 2008 in Hong Kong, China. is a global operation of young, passionate, fashionable, happy personalized brand, is also widely loved by users of the global professional technology and sports health brand.
- ▶ In the field of sports and health, with a strong technological strength, INKAX exported to more than 100 countries overseas, and now has become a professional. The name of professional sports health intelligent equipment, many sports lovers are In the use of INKAX.
- ▶ Aiming to be a global leader in every market sector, INKAX's mission and vision is to provide people with excellent quality and innovative products for their lives.



FRONT DESK



OFFICE AREA



BOARDROOM



PRESIDENT ROOM

inkax

inkax company in China (Dongguan, Shenzhen) are Have their own factory plant

Additional overseas Vietnam factory to be established in 2021



inkax



AUDIO CLASS

TWS EARPHONE

CAPACITY:
300mAh
WORKING DISTAND:
10m



T02ANC-Pro

TWS EARPHONE

CAPACITY:
300mAh
WORKING DISTAND:
10m



TWS-22

TWS EARPHONE

CAPACITY:
250mAh
WORKING DISTAND:
10m



TWS-14

TWS EARPHONE

CAPACITY:
200mAh
WORKING DISTAND:
10m



TWS-18

TWS EARPHONE

CAPACITY:
300mAh
WORKING DISTAND:
10m



TWS-19

TWS EARPHONE

CAPACITY:
250mAh
WORKING DISTAND:
10m



TWS-24

WIRELESS HEADSETS

CAPACITY:
200mAh
WORKING DISTAND:
10m



H01

WIRELESS HEADSETS

CAPACITY:
350mAh
WORKING DISTAND:
10m



H02

WIRELESS HEADSETS

CAPACITY:
400mAh
WORKING DISTAND:
10m



H06ANC

SPORTS WIRELESS EARPHONE

CAPACITY:
130mAh
DISTANCE OF LINK:
10m



AEH-01

WIRELESS EARPHONE

CAPACITY:
75mAh
WORKING DISTAND:
10m



OWS-01

WIRELESS EARPHONE

CAPACITY:
100mAh
WORKING DISTAND:
10m



BL-26

WIRELESS SPEAKER

CAPACITY:
2400mAh
DISTANCE OF LINK:
15m



BS-45

WIRELESS SPEAKER

CAPACITY:
3600mAh
WORKING DISTAND:
10m



BS-49

WIRELESS SPEAKER

CAPACITY:
4000mAh
WORKING DISTAND:
10m



BS-50

WIRED EARPHONE

LINE LENGTH:
120cm
PORT:
Type-C



E03

WIRED EARPHONE

LINE LENGTH:
120cm
PORT:
3.5mm



E07

WIRED EARPHONE

LINE LENGTH:
120cm
PORT:
3.5mm
Type-C
lightning



AE-04



ENERGY STORAGE POWER SUPPLY

OUTDOOR POWER SUPPLY

CAPACITY:
300Wh (24Ah 12.8V)
OUTPUT:
10-14.2V, 120W (Max)



PPS01

POWERBANK

CAPACITY:
20000mAh PD20W
OUTPUT:
USB1: 22.5W
USB2/3/4: 10W
TYPE C: 20W



PBQ-25

POWERBANK

CAPACITY:
30000mAh
OUTPUT:
TYPE C1/2: 140W MAX
TYPE C1+2: 140W MAX
USB A: 18W



PBQ-24

POWERBANK

CAPACITY:
20000mAh
OUTPUT:
TYPE C: 20W MAX
USB1/2: 22.5W MAX
USB1+2: 22.5W MAX



PBQ-21

POWERBANK

CAPACITY:
10000mAh
OUTPUT:
USB: 22.5W, TYPE C: 20W
TYPE-C LINE: 22.5W MAX
Lightning: 10W MAX



PBQ-22

POWERBANK

CAPACITY:
5000mAh
OUTPUT:
TYPE C1: 65W MAX
TYPE C2: 60W MAX
USB A: 18W MAX



PBQ-12

POWERBANK

CAPACITY:
40000mAh
OUTPUT:
USB1/2: 22.5W
Type-C Orange: 20W
Type-C Cable: 22.5W
Lightning: 10W MAX



PBQ-14

POWERBANK

CAPACITY:
80000mAh
OUTPUT:
USB 1/2: 10W, USB 3: 22.5W MAX
Type-C Orange: 20W MAX
Type-c line: 22.5W MAX
Lightning: 10W MAX



PBQ-18

POWERBANK

CAPACITY:
10000mAh
OUTPUT:
USB: 22.5W MAX
Type-C: 20W MAX
USB+TYPE C: 18W MAX



PBQ-10

POWERBANK

CAPACITY:
10000mAh
OUTPUT:
Type-C: 18W MAX
Wireless: 15W MAX
USB: 18W MAX



PBM-02

POWERBANK

CAPACITY:
5000mAh
OUTPUT:
Wireless: 15W MAX



PBM-03

POWERBANK

CAPACITY:
10000mAh
OUTPUT:
Type-C: 20W MAX
Wireless: 15W MAX
USB: 22.5W MAX



PBM-04

POWERBANK

CAPACITY:
5000mAh
OUTPUT:
5V-2.1A



PB-09

POWERBANK

CAPACITY:
20000mAh
OUTPUT:
USB1/2: 5V-2.1A



PB-04

POWERBANK

CAPACITY:
20000mAh
OUTPUT:
USB1/2: 5V-2.1A



PB-02

BATTERY

Built-in battery



B Series

BATTERY

External Battery



BTH Series

BATTERY

Built-in battery



BTM Series

DATA CABLE

DATA CABLE

LENGTH: 100cm
OD: 4.2mm
OUTPUT: 3.1A
MATERIAL: PVC+ Cotton Braided

CB-17



DATA CABLE

LENGTH: 100cm
OD: 4.0mm
OUTPUT: 2.1A
MATERIAL: Aluminiumalloy+ Cotton Braided

CB-19



DATA CABLE

LENGTH: 100cm
OD: 4.2mm
OUTPUT: 3.1A
MATERIAL: PVC, Aluminiumalloy+ Cotton Braided

CB-20



DATA CABLE

LENGTH: 100cm
OD: 3.8mm
OUTPUT: 2.1A
MATERIAL: Silicone, TPE + Electroplated Parts

CB-21



DATA CABLE

LENGTH: 100cm
OD: 3.8mm
OUTPUT: 2.1A
MATERIAL: Silicone, TPE

CB-22



DATA CABLE

LENGTH: 100cm
OD: 3.8mm
OUTPUT: 2.1A
MATERIAL: Silicone, TPE

CB-23



DATA CABLE

LENGTH: 100cm
OD: 3.8mm
OUTPUT: 2.1A
MATERIAL: TPE

CB-24



DATA CABLE

LENGTH: 100cm
OD: 4.0mm
OUTPUT: 2.1A
MATERIAL: PVC+Braided Wire, Aluminum Alloy

CB-25



DATA CABLE

LENGTH: 100cm
OD: 3.8mm
OUTPUT: 2.1A
MATERIAL: PVC

CB-26



DATA CABLE

LENGTH: 100cm
OD: 3.8mm
OUTPUT: 2.1A
MATERIAL: Silicone

CB-11



DATA CABLE

LENGTH: 100cm
OD: 5.5mm
OUTPUT: 5A
MATERIAL: Imitation silicone

CB-12



DATA CABLE

LENGTH: 100cm
OD: 3.5mm
OUTPUT: 2A
MATERIAL: PVC

CB-09



DATA CABLE

LENGTH: 100cm
OD: 3.5mm
OUTPUT: 2.1A
MATERIAL: PVC

CB-13



DATA CABLE

LENGTH: 130cm
OD: 4.5mm
OUTPUT: 4A
MATERIAL: TPE

CB-08



DATA CABLE

LENGTH: 120cm
OD: 4.0mm
OUTPUT: 2A
MATERIAL: PVC+Braided Wire, Aluminum Alloy

CK-135



DATA CABLE

LENGTH: 100cm
OD: 3.5mm
OUTPUT: 3.1A(MAX)
MATERIAL: ABS+Wire

CB-31



DATA CABLE

LENGTH: 100cm
OD: 3.5mm
OUTPUT: 3.1A(20W)
MATERIAL: TPE

CK-128



DATA CABLE

LENGTH: 100cm
OD: 4.2mm
OUTPUT: 5A(100W)
MATERIAL: TPE

CK-138



TRAVEL CHARGER

CHARGER

OUTPUT:
USB-C: PD 30W, PPS33W
PD3.0/QC 4+PPSUSB-A: 18W
QC 3.0 SCPUSB-C&USB-A: 17W
Total output: 33W (MAX)

C13 PLUG: EU/US/UK



CHARGER

OUTPUT:
TYPE-C1/2: PD67W
USB-A: QC3.0 60W
C1+C2: 45W+20W
C1+USB-A: 45W+20W
C2+USB-A: 15W
C1+C2+USB-A: 45W+15W

C15 PLUG: US+EU/UK Conversion plug



CHARGER

OUTPUT:
USB-C1/2: PPS100W
PPSUSB-A: 60W
C1+C2: 67W+30W
C1/C2+USB-A: 67W+30W
C1+C2+USB-A: 45W+30W+18W
Total output: 100W(MAX)

C16 PLUG: US+EU/UK Conversion plug



CHARGER

OUTPUT:
USB-A: 1.18W MAX
Type-C: 65W MAX
USBC+USBA: 45W+18W
PD2.0/PD3.0PPS: 3.3V-20V
QC2.0/QC3.0+FCP V00C2.0
Total power: 65W

C09 PLUG: EU/US/UK



CHARGER

OUTPUT:
5V-3A, 9V-2.22A, 12V-1.66A
20W MAX

HCA-133



CHARGER

OUTPUT1:
USB-A: 5V-3A, 9V-2.2A, 12V-1.7A
TYPE-C: 5V-3A, 9V-2.2A, 12V-1.7A

HCA-05



CHARGER

OUTPUT:
PD Output: 5V-3A, 9V-3A, 12V-3A, 15V-3A, 20V-2.25A(45W)
QC Output: 5V-3A, 9V-2A, 12V-1.5A(18W)
Total Power: 45W Max

C18



CHARGER

OUTPUT:
Type-C1: PD 65W; Type-C2: PD 65W; USB-A: QC 27W
C1 + C2: 45W + 18W (63W)
C1 + USB: 45W + 18W (63W)
C2 + USB: 5V-4.8A (24W) C1 + (C2 + USB): 45W + 15W (60W)

C20



CHARGER

OUTPUT:
Total Power: 45W Max
USB-C: MAX 45W
USB-A: MAX 18W
USB-A+USB-C: 5V-3A

C12



CHARGER

OUTPUT:
USB-C: PD 30W MAX
USB-A: QC3.0 18W MAX
USB-A+USB-C: MAX18W

C05



CHARGER

OUTPUT:
PD30W
DC 5V-3A, 9V-3.33A, 12V-2.5A, 15V-2A, 20V-1.5A, PD2.0/PD3.0

HC-12



CHARGER

OUTPUT:
USB-C1/C2: 35W MAX
USB-C1+C2: 35W MAX
(17.5W+17.5W)

HCC-08



CHARGER

OUTPUT:
Output Power: 45W MAX
USB-C: 45W MAX
USB-A: 18W MAX
USB-A+USB-C: 18W MAX

C10



CHARGER

OUTPUT:
12W, 5V-2.4A

C06



CHARGER

OUTPUT:
USB-A: 18W MAX
USB-C1/2: 20W MAX
USB-A+USB-C1/2: 20W MAX
USB-A+USB-C1+USB-C2: 40W MAX

C26



CHARGER

OUTPUT:
Total output: DC 5V-2.4A
Total power: 12W

C27



CHARGER

OUTPUT:
USB A1: 5V-2.4A
USB A2: 5V-2.4A
12W MAX

HCB-02



CHARGER

OUTPUT:
PD20W
5V-3A/9V-2.2A/12V-1.7A

CD-111





CAR PRODUCTS CLASS

CAR CHARGER

USB A: QC3.0 18W MAX
TYPE C: PD 20W
OUTPUT1/2: 25W MAX

CA-19



CAR CHARGER

OUTPUT:
USB A: QC3.0 18W MAX
TYPE-C: PD 20W MAX
Total Power: 38W MAX

CA-20



CAR CHARGER

OUTPUT:
USB: 5V-3A, 9V-2A, 12V-1.5A
TYPE-C: 5V-3A, 9V-2A, 12V-1.5A
USB+TYPE-C: 5V-3A
QC3.0, AFC, QC2.0, PD3.0

CA-21



CAR CHARGER

OUTPUT:
C1: 5V-2.4A, 9V-2.22A, 12V-1.67A
C2: 5V-3A, 9V-2.77A, 11V-2.25A, 12V-2.08A
Total Output: 45W Max

CA-10



CAR CHARGER

OUTPUT:
Dual channel QC3.0, 18W+18W
USB1: 5V-2.4A, 9V-2A, 12V-1.5A
USB2: 5V-2.4A, 9V-2A, 12V-1.5A
Total Output(MAX): 36W

CA-14



CAR CHARGER

OUTPUT:
USB1/2: 5V-3A, 9V-2A, 12V-1.5A
total power: 36W
QC3.0/SCV/VOCC

CC-50



CAR CHARGER

OUTPUT:
USB-1: 5V-2.4A
USB-2: 5V-2.4A
Total Output: 2.4A Max

CA-01



CAR CHARGER

OUTPUT:
USB 1: 5V-3.1A
USB 2: 5V-3.1A
15W MAX

CA-05



CAR CHARGER

OUTPUT:
5V-3.1A

CC-41



CAR BLUETOOTH MP3

OUTPUT:
USB-A1: 5V-3.1A
USB-A2: 5V-1A
USB-C: QC3.0 18W
5V-3.1A/9V-2A/12V-1.5A

CM-02



CAR BLUETOOTH MP3

OUTPUT:
USB-A1: 5V-3.1A
USB-A2: 5V-1A
USB-C: QC3.0 18W
5V-3.1A/9V-2A/12V-1.5A

CM-03



CAR BLUETOOTH MP3

OUTPUT:
USB-A1: 5V-3.1A
USB-A2: 5V-1A
USB-C: QC3.0 18W
5V-3.1A/9V-2A/12V-1.5A

CM-07



CAR HOLDER

CH-11



CAR HOLDER

CH-12



CAR HOLDER

CH-49



CAR HOLDER

CH-48



CAR HOLDER

CH-29



TEMPORARY PARKING NUMBER PLATE

CH-23





SMART WEARABLE CATEGORY

SMART WATCH

CAPACITY:
240mAh
WORKING DISTAND:
10mm
SIZE:46mm

W08



SMART WATCH

CAPACITY:
260mAh
WORKING DISTAND:
10mm
SIZE:46mm

W08U



SMART WATCH

CAPACITY:
260mAh
WORKING DISTAND:10mm
SIZE:45mm

SW-08UZ



SMART WATCH

CAPACITY:
220mAh
WORKING DISTAND:
10mm
SIZE:49mm

SW-08R



SMART WATCH

CAPACITY:
230mAh
WORKING DISTAND:
10m
WATER PROOF:IP68

SWR-01



SMART WATCH

CAPACITY:
230mAh
WORKING DISTAND:
10m
WATER PROOF:IP68

SWR-02



SMART WATCH

CAPACITY:
220mAh
DISTANCE OF LINK:
10m
WATER PROOF:IP68

SWR-03



SMART WATCH

CAPACITY:
230mAh
DISTANCE OF LINK:
10m
WATER PROOF:IP68

SWR-05A



WIRELESS SUNGLASSES

battery:
200mAh
working distance:
12m

SG-01



WATCH BAND

MATERIAL:
silicone

WB-01



WATCH BAND

MATERIAL:
silicone

WB-02



WATCH BAND

MATERIAL:
silicone
woven

WB-03



WATCH BAND

MATERIAL:
silicone
stainless steel woven

WB-04



WATCH BAND

MATERIAL:
silicone
refined steel

WB-05



WATCH BAND

MATERIAL:
silicone
calfskin

WB-06





FLASH MEMORY CLASS

USB DISK

Memory:
4GB/8GB/16GB/32GB/
64GB/128GB



US-01

USB DISK

Memory:
4GB / 8GB / 16GB
32GB / 64GB / 128GB



US-04

USB DISK

Memory:
4GB/8GB/16GB/32GB/
64GB/128GB



US-06

USB DISK

Memory:
16GB/32GB/64GB/
128GB/256GB/512GB



US-08

MEMORY CARD

Memory:
4GB / 8GB / 16GB
32GB / 64GB / 128GB



SC-01

MEMORY CARD

Memory:
8GB/16GB/32GB/64GB/
128GB/256GB



SC-02

PROTECTION PRODUCTS

PHONE CAMERA PROTECTOR

GLC-01



WATCH SCREEN PROTECTOR

Characteristic:HD,
Smooth touch, Shatterproof,
Fall resistance, 360° protection

GLW-02



PHONE SCREEN PROTECTOR

Characteristic:
eye protecting

GL-05



PHONE SCREEN PROTECTOR

Characteristic:
peeping prevention 28°

GL-06



MOBILE PHONE CASE

Material:Miracil TPU+1.5mm
PC backplanesheath+N52
strongmagnet
(embeddedprocess)

PC-03A



MOBILE PHONE CASE

Material: Solid silica
gel+True Microfiber
(multiple colors available)

PC-04





MOBILE PHONE / OTHERS

MOBILE PHONE


6.58" Large Display
12+9GB RAM+128GB ROM
33W FAST CHARGE
108MP Triple Camera
10000mAh Mega Battery



P04

MOBILE PHONE

6.8" Large Display
8GB RAM+128GB ROM
Android 13.0
48MP Triple Camera
6180mAh Mega Battery



MP02

MOBILE SCREEN



SA-01

CAPACITIVE PEN

BATTERY: 165mAh
OD: 8.9mm
LENGTH: 166mm



SP-01

HAIR DRYER

NET WEIGHT: 438g
PRODUCT POWER: 1600W
POWER CORD LENGTH: 1.8m
STANDARD AIR NOZZLE: Smooth



HD-01

DESKTOP STAND

MATERIAL: ABS



CH-50

DOCKING STATION

MATERIAL: Aluminium alloy



PA-05

DOCKING STATION

LENGTH: 15cm
MATERIAL: Aluminium Alloy



DST-06

ADAPTER

MATERIAL: TPE +Aluminium alloy



PA-08



Website: www.inkax.hk



WeChat public: inkax

COMPANY INFORMATION

Approved by INKAX Quality Standard

Copyright © INKAX. All rights reserved

Standard: Pass the INKAX quality detection standard.

Address: Rm 28, Unit A1, 2/F., Phase 1, Kaiser estate,

No 41 man yue street, Hunghom, Kln, Hong Kong

Designed by INKAX in HK