THE PLATINUM
Experience Real Karaoke




ELEVATE YOUR ENTERTAINMENT EXPERIENCE

P R O D U C T C A T A L O G

- KARAOKE
- AMPLIFIERS
- SPEAKERS
- MICROPHONES
- SOUNDBAR





ALPHA 2 | CELLO2 | PIANO ver 1.6 | PIANO 4K | PIANO XL SD | PIANO XL HDD | REYNA SE | REYNA3C | REYNA 4

KS-5 | KS-10 | KBOX 3 | PK10 | DK65 DUO | DK88 DUO | KS-10 MINI SD | KS-100 MINI BOX

PREMIUM KARAOKE

ALPHA 2

Elevating your karaoke experience goes beyond simply grabbing the mic and belting out your favorite tunes. It's about creating an atmosphere of enjoyment, camaraderie, and self-expression. Consider investing in a high-quality karaoke system with crisp sound and vibrant visuals; a dedicated sound system with powerful speakers can make a significant difference.



- 23K SONGS
- PRO SCORE
- DREAM SAM5716B
- ONLINE SONG UPDDATE
- MICROPHONE EFFECTS
- 4K ULTRAHD — 4K UHD MOVIE SUPPORT
- SD CARD SONG STORAGE
- THE PLATINUM LINK — PLATINUM LINK APP SUPPORT
- THE PLATINUM VIDEO RECORDING Sing with me — SING WITH ME
- android tv — ANDROID TV
- USER EXPANSION FILES
- CAR READY
- VIDEO RECORDING
- 2 WIRELESS MICROPHONES
- Youtube Karaoke
- CUSTOM SCORE VIDEO CLIPS

Interface

- 2X USB 2.0 (input)
- LAN port
- Digital Video Out
- 3.5mm to RCA A/V Out
- Coin-in port
- Score-In port
- External I.R. port
- Infrared Remote Sensor
- SD Card port
- Bluetooth (Remote Connectivity)
- WIFI

Storage

- SD Card

Microphones

- 2 High Quality Digital Microphones
- 2 Wireless Microphone

Power

- Adopter DC 12V 1.5A output
- 18 watts / 110-220 Volt input
- 50-60 Hz

DIMENSION: W 457 x D 508 x H 127 mm

THE PLATINUM LINK

GET LINKED

FOR ANDROID — LINK Q.R.

FOR IOS — SAME Q.R.

PREMIUM KARAOKE



CELLO 2

The Cello2 Karaoke is a revolutionary new way to experience karaoke. With its sleek design, high-quality sound, and intuitive features, the Cello2 Karaoke is the perfect choice for karaoke enthusiasts of all levels. Whether you're a seasoned pro or a complete beginner, the Cello2 Karaoke has everything you need to let loose and have some fun.

- PLATINUM LINK
- WIRELESS MICROPHONE WITH KEYPAD
- SONG RECORDING
- USER EXPANSION FILES SUPPORT
- KARAOKE SCORING

DIGITAL WIRELESS MICROPHONE SPECIFICATIONS:

RF Transmitter

Working Voltage / Current: 2.3V-3.3V/100mA
Modulation: FM
RF Carrier Frequency Range: A. 500.5MHz
B. 505.0MHz

Frequency Stability:<±10ppm
Harmonic Distortion: <0.5%
Audio Frequency Response: 40Hz-KHz
Dynamic Range: >105dB
Working Distance: ≥15M

RF Reciever

Working Voltage / Current: 2.8V-3.4V/150mA
RF Carrier Frequency Stability: A. 500.4MHz
B. 505.0MHz
Audio Frequency Stability : <±10ppm
Spurious Rejection: >80dB
Image Rejection: >80dB
Frequency Response: 40Hz-15KHz
Dynamic Range: 105dB
Receive Sensitivity: 5dbuV
Working Distance: ≥15M

Microphones

- 2 High Quality

Microphones Input

Interface

- USB 2.0 (input)
- Infrared Remote Sensor
- Composite Video Out
- RCA Audio Out
- Coin-In Jac
- Score-In Jack

Storage

- Micro Sd Card

Power

- Auto Volt AC110-220
- 50-60 Hz
- 10 Watts

DIMENSION: W 660 x D 508 x H 230 mm

THE PLATINUM LINK

GET LINKED

FOR ANDROID — LINK Q.R.
FOR IOS — SAME Q.R.

SD CARD KARAOKE

PIANO VER 1.6

Piano Version 1.6 can be used for work or play at home. In comparison to other models in its class, it has exclusive features that are exclusive to this platform and integrates the newest karaoke system functionalities. The Piano Ver. 1.6 offers customers a useful place to save personal stuff because it stores content on a Micro SD card. Because of its postable design and 12V power consumption, this model is perfect for use when traveling.
Platinum Link App is now available for Piano Ver. 1.6 .



MOBILE APP SUPPORT

KARAOKE SCORING

SONG RECORDING

USER EXPANSION FILES

32 GB MICRO SD CARD STORAGE

Interface
- Micro Sd Card Slot
- USB 2.0 Slot
- 2 Wired Microphone Input Jacks
- LED Display
- Infrared Remote Sendor
- I.R Extension Jack
- Composite Video Out
- RCA Audio Out
- Coin-In Jack
- Score-In Jack

Storage
- Micro Sd Card

Microphones
- 2 High Quality Microphones Inputs with Volume and Echo Controls

Power
- Adoptor DC 5V 2A output
- 10W

DIMENSION: W 200 x D 200 x H 60 mm

THE PLATINUM LINK

GET LINKED

FOR ANDROID — LINK Q.R.

FOR IOS — SAME Q.R.

PREMIUM KARAOKE PLAYER

PIANO 4K

SMART SSD KARAOKE PLAYER

Android karaoke system

Dream DSP building in

Hifi audio decord



DIMENSION: W 915 x D 560 x H 305 mm

- OVER 23K English and OPM Songs — OVER 23K SONGS
- MONTHLY ONLINE SONG UPDATE
- M.2 SSD STORAGE
- THE PLATINUM LINK — PLATINUM LINK APP SUPPORT
- DREAM SAM 5708 SYNTHESIZER
- USER EXPANSION FILES
- 4K ULTRA HD — 4K UHD MOVIE SUPPORT
- YOUTUBE KARAOKE
- CUSTOM SCORE VIDEO CLIPS
- PRO SCORE
- VIDEO RECORDING
- MICROPHONE EFFECTS

This device that combines digital technology and traditional singing. It offers a vast digital library of songs, and a microphone input for live performances. It also connects to the internet, allowing users to access online platforms and engage with a global community of singers. Advanced voice processing technology enhances the singing experience, providing real-time feedback and vocal training features. This innovative device offers an unparalleled karaoke experience for both seasoned and newcomers.

THE PLATINUM LINK

GET LINKED

FOR ANDROID — LINK Q.R.

FOR IOS — SAME Q.R.

SD CARD KARAOKE PLAYER

PIANO XL SD VER 1.1

SD CARD KARAOKE PLAYER



Interface
- Score-In
- Audio-R
- Audio-L
- DC 5V Output
- I.R Input
- Micro SD Card Slot

Storage
- Micro Sd Card

Microphones
- 2 High Quality Microphones Input

with Volume, Echo, Bass, and Treble Controls

- Boost Button
- Echo Knob
- Mic Knob
- Bass Knob
- Treble Knob
- 2 Wired Microphone Input Jacks

Power
AC 110-250
50-60Hz
15W

DIMENSION: W 340 x D 180 x H 110 mm

THE PLATINUM LINK

GET LINKED

FOR ANDROID — LINK Q.R.

FOR IOS — SAME Q.R.

HDD KARAOKE PLAYER

PIANO XL HDD

HARD DISK KARAOKE PLAYER



Interface
- Score-In
- Audio-R
- Audio-L
- DC 5V Output
- I.R Input
- Micro SD Card Slot

Storage
- Hard Disk Drive

Microphones
- 2 High Quality Microphones Input

with Volume, Echo, Bass, and Treble Controls

- Boost Button
- Echo Knob
- Mic Knob
- Bass Knob
- Treble Knob
- 2 Wired Microphone Input Jacks

Power
AC 110-250
50-60Hz
15W

DIMENSION: W 340 x D 180 x H 110 mm

THE PLATINUM LINK

GET LINKED

FOR ANDROID — LINK Q.R.

FOR IOS — SAME Q.R.

DVD KARAOKE PLAYER

Reyna SE



Interface
- USB 2.0 Slot
- Digital Video Out
- 2 Wired Microphone Input Jacks
- LED Display
- Infrared Remote Sensor
- I.R Extension Jack
- Composite Video Out
- RCA Audio Out
- Coaxial
- Coin-In Jack
- Score-In Jack

Storage
- DVD Dual Layer 8.5GB

Microphones
- 2 High Quality Microphones Input

Power
AC 110-250
50-60Hz
15W

DIMENSION: W 280 x D 210 x H 60 mm

DVD KARAOKE PLAYER

Reyna 3C



Interface
- USB 2.0 Slot
- Digital Video Out
- 2 Wired Microphone Input Jacks
- LED Display
- Infrared Remote Sensor
- I.R Extension Jack
- Composite Video Out
- RCA Audio Out
- Coaxial
- Coin-In Jack
- Score-In Jack

Storage
- DVD Dual Layer 8.5GB

Microphones
- 2 High Quality Microphones Input

Power
AC 110-250
50-60Hz
15W

DIMENSION: W 350 x D 230 x H 80 mm

DVD KARAOKE PLAYER

Reyna 4



Interface
- USB 2.0 Input
- 2x Wired Microphone Inputs
- Infrared Remote Sensor
- I.R. Extension Jack
- Score-In Jack
- Coin In
- Front Panel Control Buttons and Knobs
- FND Display
- Composite Video-Out
- RCA Audio-Out
- Digital Video Output

Storage
- DVD Dual Layer 8.5GB

Microphones
- 2 High Quality Microphones Input with dedicated volume
- Treble and bass controls plus echo effect

Power
- AC 110`250V
- 15W

DIMENSION: W 350 x D 230 x H 90 mm

THE PLATINUM LINK

GET LINKED

FOR ANDROID — LINK Q.R.

FOR IOS — SAME Q.R.

DVD KARAOKE PLAYER

KS-5



Interface
- USB 2.0 Input
- 2x Wired Microphone Inputs
- Infrared Remote Sensor
- Composite Video-Out
- RCA Audio-Out

STORAGE
- DVD Dual Layer 8.5GB

MICROPHONES:
- 2 High Quality Microphone inputs with echo effects

POWER
- AC 110~250V, 15W

DIMENSION: W 220 x D 195 x H 45 mm

DVD KARAOKE PLAYER

KS-10



Interface
- USB 2.0 Input
- 2x Wired Microphone Inputs
- LED Display
- Infrared Remote Sensor
- Composite Video-Out
- RCA Audio-Out

STORAGE
- DVD Dual Layer 8.5GB

MICROPHONES:
- 2 High Quality Microphone inputs with volume
- and Echo Controls
-

POWER
- Auto Volt AC110-250
- 50-60Hz
- 15W

DIMENSION: W 260 x D 190 x H 60 mm

SD CARD KARAOKE

K-BOX 3



Interface
- USB 2.0 Input
- 2x Wired Microphone Inputs
- Infrared Remote Sensor
- 3.5mm to RCA

STORAGE
- 32 GB Micro SD Card

MICROPHONES:
- 2 High Quality Microphone inputs with Echo effect

• POWER
- AC 110~250V, 15W

DIMENSION: W 280 x D 160 x H 60 mm

THE PLATINUM LINK

GET LINKED

FOR ANDROID — LINK Q.R.

FOR IOS — SAME Q.R.

PRO PARTY JUKEBOX

KARAOKE

PK-10

- 700W Max Power
- Treble and Bass Controls
- UHF Wireless Microphone
- Microphone Echo, Level and EQ
- BT Wireless Music Streaming
- Guitar Input with Volume Control
- AUX Input
- Line Output
- USB/Micro SD Card Input
- Battery and AC Powered
- Stand Mountable

HANDY AND VERSATILE

GUITAR INPUT

21K++ Songs

MOST NUMBER OF SONGS IN IT'S CLASS

BUSINESS INVESTMENT

PLATINUM LINK



THE PLATINUM LINK

GET LINKED

FOR ANDROID

LINK Q.R.

FOR IOS

SAME Q.R.

DIMENSION: W 330 x D 365 x H 605 mm

PARTY JUKEBOX

KARAOKE

DK65 Duo

Speaker System Features:

- 1600W PMPO
- Big Sound, Big Bass
- AUX-in , USB, MSD Card inputs, ARC
- BT Wireless Music Streaming
- FM Radio
- Wired Microphone inputs
- Dynamic Lighting
- Up to 5.5 Hours playback on battery
- Guitar Input

Karaoke Features:

- 23K++ OPM and English songs
- Multiple Background Videos
- Recording Function
- Karaoke Scoring
- On-screen Song Search
- Echo Effect
- Regular New Song updates every 4 months

BIG SOUND BIG BASS

KARAOKE BUILT-IN

WIRELESS MUSIC STREAMING

BATTERY AND AC POWERED

WIRELESS MICROPHONES



THE PLATINUM LINK

GET LINKED

FOR ANDROID

LINK Q.R.

FOR IOS

SAME Q.R.

DIMENSION: W 330 x D 330 x H 605 mm

PARTY JUKEBOX

KARAOKE

DK88 Duo

- 2000W PMPO
- Big Sound, Big Bass
- Aux-in, USB, MSD Card inputs
- BT Wireless Music Streaming
- FM Radio
- Wired Microphone inputs
- Guitar / Instrument inputs
- Fire Lighting
- Up to 5 Hours playback on battery

BIG SOUND BIG BASS

KARAOKE BUILT-IN

WIRELESS MUSIC STREAMING

BATTERY AND AC POWERED

WIRELESS MICROPHONES



THE PLATINUM LINK

GET LINKED

FOR ANDROID

LINK Q.R.

FOR IOS

SAME Q.R.

DIMENSION: W 330 x D 330 x H 700 mm

KS - 10 MINI SD

Features:
- **Multiple Background Videos**
- **Recording Function**
- **Karaoke Scoring**
- **On-screen Song Search**
- **Echo Effect**
- **Song Update every 4 months**
- **User Expansion files support**

Interface
- USB 2.0 Input
- 2x Wired Microphone Inputs
- Infrared Remote Sensor
- 3.5mm to RCA A/V Out

STORAGE
- Micro SD Card

MICROPHONES:
- 2 High Quality Microphone inputs

POWER
- 12v Adapter
- 50-60 Hz
- 18W





DIMENSION: W 140 x D 140 x H 38 mm

CHEAPEST SD CARD KARAOKE FROM PLATINUM

THE PLATINUM LINK

GET LINKED

FOR ANDROID — LINK Q.R.

FOR IOS — SAME Q.R.

KS - 100 MINIBOX



Features:
- **Multiple Background Videos**
- **Recording Function**
- **Karaoke Scoring**
- **On-screen Song Search**
- **Echo Effect**
- **Song Update every 4 months**
- **User Expansion files support**
- **Built-in TV Box**

Interface
- USB 2.0 Input
- 2x Wired Microphone Inputs
- Infrared Remote Sensor
- 3.5mm to RCA A/V Out

STORAGE
- Micro SD Card

MICROPHONES:
- 2 High Quality Microphone inputs

POWER
- 12v Adapter
- 50-60 Hz
- 18W



DIMENSION: W 140 x D 140 x H 38 mm

Car Ready • Adventure Ready • 12V Solar Power • Shockproof
Support MP3 Song Recording • Maintenance Free • Budget Friendly

THE PLATINUM LINK

GET LINKED

FOR ANDROID — LINK Q.R.

FOR IOS — SAME Q.R.


THE PLATINUM
Experience Real Karaoke
Built for Performance
and Quality
AMPLIFIERS
ELVIS 700 | MAHARAJA | SULTAN MA-350 | BOSS MA-400 PRO

ELVIS 700

PROFESSIONAL DSP ANALOG AMPLIFIER

PREMIUM AMPLIFIERS



DIMENSION: W 440 x D 400 x H 120 mm

- **Interface:**
- Music Volume
- Mic Volume
- Effect Level
- Touch Screen LED Display
- USB Type A Input
- USB Type B Input
- Bluetooth (Remote Connectivity)
- 2 Wired Microphone Input Jacks
- 2 Wireless Mic Antenna
- Bluetooth Antenna
- IR Sensor
- 2 Channels Output
- 1 Optical Input
- Record Output
- Sub Output
- Center Output

- **Specification:**
- Power Supply: AC 220V/60Hz
- Output Power: 700 Watts (350W x 2CH)/8Ω
- Power Consumption : 12 W
- Rated Power Current : 6A
- Size: 438(W)x110(H)x334(D)mm
- Weight:(NET) : 11Kg
- Frequency Response: 20Hz~20KHz
- S/N : >90dB
- T.H.D : 1%(1KHz)

4900W AT 8Ω MAX POWER

MAHARAJA AMPLIFIERS



DIMENSION: W 420 x D 235 x H 170 mm

Power Supply	AC 220V/60Hz
Out Power	400 Watt (200WX2CH)4Ω
Power Consumption	700Watts
Rated Power Current	3.5A
Size	420(W)x170(H)x235(D)mm
Weight (NET)	8.5Kg
Frequency Response	20Hz~20KHz
S/N	85dB
T.H.D.	1% (1Khz)

2800W AT 4Ω MAX POWER

SULTAN MA-350 AMPLIFIERS



DIMENSION: W 420 x D 270 x H 130 mm

Power Supply	AC 220V/60Hz
Out Power	246W (123WX2CH)4Ω
Power Consumption	480Watts
Rated Power Current	2.2A
Size	420(W)x134(H)x290(D)mm
Weight (NET)	6.5Kg
Frequency Response	20Hz~20KHz
S/N	85dB
T.H.D.	1% (1Khz)

1722W AT 4Ω MAX POWER

BOSS MA-400 PRO AMPLIFIERS



DIMENSION: W 420 x D 310 x H 110 mm

Power Supply	AC 220V/60Hz
Out Power	300W (150WX2CH)4Ω
Power Consumption	565Watts
Rated Power Current	2.5A
Size	420(W)x102(H)x329(D)mm
Weight (NET)	67.4Kg
Frequency Response	20Hz~20KHz
S/N	≥65dB
T.H.D.	1% (1Khz)

2100W
AT 4Ω
MAX
POWER

THE PLATINUM
Experience Real Karaoke

Audio Performance,
Power to Perform

SPEAKERS

AD-106 | AD-310 PRO | XM200

AD-106 SPEAKERS



Type	10 inch 2-way speaker
Frequency Range	42Hz-20kHz
Power Range	100W / 1ch
Sensitivity	99dB
Impedance	6ohms
Crossover Frequency	600Hz/3kHz
Size (WxHxD)	30x50x27
Color	Black
Material	Wood

DIMENSION: W 300 x D 270 x H 500 mm

AD-310 PRO SPEAKERS

Audio Performance
Power to Perform





Type	10 inch 2-way speaker
Frequency Range	42Hz-20kHz
Power Range	100W / 1ch
Sensitivity	99dB
Impedance	8ohms
Crossover Frequency	600Hz/3kHz
Size (WxHxD)	30x50x27
Color	Black
Material	Wood

DIMENSION: W 300 x D 340 x H 530 mm

XM200

CROSS-MEDIA SPEAKER SERIES

Audio System

- Speaker: Rated output power 80W(40W+40W)
- Bass: Spec. 6.5" 06W30-4TB DRC2.35Ω
  Rated output power 40W
- Tweeter: Spec. 2" 53MM-4Ω-10W -52-A695
  Rated output power 10W

Specification

- Input Levels: 750mV
- Input Voltage: AC110-240V/50-60Hz
- Bluetooth: Version 5.3
- FR: 50HZ-20KHz
- S/N ＞95dB
- Phase AC Input




Control Button

DIMENSION: W 210x D 220 x H 330 mm

Rear Panel:

- Music Volume Adjustment
- Bass Adjustment
- Microphone Volume
- Tweeter Adjustment
- Echo Adjustment
- Microphone Input
- AUX Input
- Mode switch (Bluetooth/ AUX/Optical/USB Input/HDMI)
- Bass Output
- Play/Pause
- USB Input
- AC Input
- Power switch
- Speaker Output


BLUETOOTH


AUX INPUT


MICROPHONE INPUTS WITH ECHO FUNCTION


HDMI


USB INPUT


THE PLATINUM
Experience Real Karaoke
Best for speech and
vocal performance
MICROPHONES
B10 | B20 | KS 3000 | KS 5000 | PT 5000 | PT 8000
U20 | U40 | U80
PK-WMT2022
PK-WMT2022

WIRELESS MICROPHONE

B10 PK-WMT2022



- Wireless Transmitter and Receiver
- Dongle Type Receiver
- Rechargeable transmitter and receiver units
- Type C charging Port
- Volume Control on the handheld unit
- Foldable receiver plug
- Channel select on the handheld unit

Microphone: 50 Ø x 130mm
Dongle: 210 x 190 x 200 mm

B20 PK-WMT2022



- Wireless Transmitter and Receiver
- Dongle Type Receiver
- Rechargeable transmitter and receiver units
- Type C charging Port
- Volume Control on the handheld unit
- Foldable receiver plug
- Channel select on the handheld unit

Microphone: 50 Ø x 130mm
Dongle: 210 x 190 x 200 mm

WIRED MICROPHONE

KS 3000



· Type	Dynamic Type
· Model No.	KS-3000
· Impedance	600Ω±15% (AT 1KHz)
· Sensitivity	-52±2dB (AT 1KHz)
· Frequency Response	50Hz~12000Hz
· Direction	Hypercardioid
· Operating Temperature	-10 C ~ 60 C
· Construction	Sponge Ref-Shake Type
· Response Curve	As Figure
· Color	Silver

Microphone: 50 Ø x 170mm

KS 5000



· Type	· Dynamic Type
· Model No.	· KS-5000
· Impedance	· 600Ω±15% (AT 1KHz)
· Sensitivity	· -52±2dB (AT 1KHz)
· Frequency Response	· 50Hz~12000Hz
· Direction	· Hypercardioid
· Operating Temperature	· -10 C ~ 60 C
· Construction	· Sponge Ref-Shake Type
· Response Curve	· As Figure
· Color	· Silver

Microphone: 50 Ø x 170mm

WIRED MICROPHONE

PT 5000



· Type	· Dynamic Type
· Model No.	· PT-5000
· Impedance	· 600±15% (AT 1KHz)
· Sensitivity	· -71±2dB (AT 1KHz)
· Frequency Response	· 50Hz~15000Hz
· Direction	· Uni-Directional
· Operating Temperature	· -60°C ~ 70°C
· Construction	· Sponge Ref-Shake Type
· Response Curve	· As Figure
· Color	· Blue Grey

Microphone: 50 Ø x 180mm

PT 8000



· Type	· Dynamic Type
· Model No.	· PT-8000
· Impedance	· 600±15% (AT 1KHz)
· Sensitivity	· -71±2dB (AT 1KHz)
· Frequency Response	· 50Hz~15000Hz
· Direction	· Uni-Directional
· Operating Temperature	· -60°C ~ 70°C
· Construction	· Sponge Ref-Shake Type
· Response Curve	· As Figure
· Color	· Silver Metallic

Microphone: 50 Ø x 210mm

WIRELESS MICROPHONE

U20

2 CHANNEL UHF MICROPHONE



Channel	2CH
Frequency Range	640MHz-690MHz
Frequency Response	50Hz-16KHz ±3dB
Dynamic Range	>110dB
T.H.D	<0.5%
S/N Ratio	>90dB
Operating Range	>20m

Transmitter

Adjustment Mode	FM
Image Controlment	>50dB
Max Deviation	75KHz
Power	DC 2.4 ~ 3.0V

Receiver

Sensitivity	2.0μV
S/N Ratio	>90dB
Distortion	<0.5%
Output	Balance Output, 6.35mm Mixed Output
Power	DC 12V 200ma

Wireless microphone with effective use range greater than 20m away.

U20 microphone is crafted to capture voice, so the singer always sounds good.

In addition to meeting the audio needs of any collaborative space, the low-profile design naturally integrates with any room aesthetic.

Microphone: 55 Ø x 240mm
Receiver 210 x 210 x 140 mm

WIRELESS MICROPHONE

U40

2 CHANNEL WIRELESS SYSTEM



Channel Numbers	200 CH
Receiver Shell	EIA Standard 1/2U
Receiving Sensitivity	2.0μV
Bandwidth	50MHz
Channel Spacing	250 KHz
S/N Ratio	>90dB
Receiver Type	UHF
Audio Jack	6.35mm Mix Output 2XLR Balance Output
Antenna Input Socket	2 BNC Socket
Power Supply	220~240V AC/12~14VDC
Dimensions(mm)	210(L)x156(W)x45(H)
Enviromental Conditions	Apply to -10~60°C

Receiver Feature

Channels	200CH
Carrier Frequency	640MHz~690MHz
Bandwidth	≤250KHz
Frequency Response	30Hz~16KHz ±3dB
Sensitivity	>100dB
T.H.D	<0.5%
S/N Ratio	>90dB
Effective Use Range	>50m

Handheld Transmitter

Dimensions (mm)	50x249mm
Antenna	Built-In Type
Harmonic Radiation	≤-60DBC
Frequency Stability	±0.005%, ATO~50°C
Battery Type	AA 1.5V
Battery Time	For More Than 8 hrs.

LIVE SOUND

QUALITY PERFORMANCE

RANGE

KARAOKE

CONVENIENCE

Microphone: 55 Ø x 240mm
Receiver 210 x 210 x 140 mm

WIRELESS MICROPHONE

U80

4-Channel UHF Wireless Microphone System

RECEIVER SPECIFICATIONS:

- Digital phase-locked loop technology
- Frequency range: 500~560MHz
- Modulation mode: FM
- Adjustable channel number: 200 channels
- Frequency pair mode: IR pair frequency
- Pilot mode: Pilot Plus Digital ID
- Distortion: ≤0.5%
- Dynamic range: 100dB
- Reception sensitivity: >80dBm
- Signal-to-noise ratio: ≥100dB
- Power supply specifications: 220V /50Hz 5W



Microphone: 55 Ø x 240mm
Receiver W 205 x D 13.5 x H 45 mm

PC CONNECTION

MOBILE CONNECTION

WIRELESS TRANSMISSION

INFRARED MATCHING

EXTENDED VOICE DYNAMICS

ANTI INTERFERENCE

THE PLATINUM
Experience Real Karaoke

Immersive Audio,
Breathtaking Sounds

SOUNDBAR

A200 | M10 | M20

SOUNDBAR

A200

5.1.2 Channel Soundbar with Dolby Atmos® and Wireless Subwoofer

5.1.2CH Soundbar
- With 5.25” Wireless Subwoofer
- Dolby Atmos, Dolby Digital
  Dolby Digital Plus,
  Dolby True HD
- Bluetooth 5.3 Wireless
- USB Port for MP3 Playback
- LED Indicator

Interface:
- HDMI eARC
- Optical
- 3.5mm Aux-In Jack
- USB Port

Power Supply and Consumption
- Input Voltage = AC 100~240V
- Frequency = 50/60Hz
- Soundbar = 45W, <0.5W (Standby)
- Subwoofer = 20W, <0.5W (Standby)

8-speaker system
200W RMS



Dolby ATMOS

- **Cinematic surround sound**
- **Suitable for large rooms 35sqm and above**
- **Crystal clear vocals and rich sound**

REMOTE CONTROL | PRESET EQ | BLUETOOTH | HDMI eARC | OPTICAL DIGITAL INPUT | AUX-IN | USB

Dimension:
- Bar (WxHxD) = 1000 x 65 x 95mm
- Subwoofer (WxHxD) = 120 x 403 x 300mm

SOUNDBAR

M10 PTSB-80W

2.1 CH Soundbar



2.1CH Soundbar
- Bluetooth 5.3 Wireless
- USB port for Media playback
- LED indicator
- Remote Controller

Inteface
- TV Arc
- Optical
- 3.5mm Aux-in jack
- USB Port

Power Supply and Consumption:
- Input Voltage: AC 100~240V
- Frequency: 50/60Hz

Power Output
- 20W*2+40W=80W



REMOTE CONTROL | PRESET EQ | BT | TV ARC | OPTICAL DIGITAL INPUT | AUX-IN | USB

Dimension:
- 70H *78D*900L mm

Weight: w/ Giftbox: 2.57 kgs Unit Only: 2.16 kgs

SOUNDBAR

M20

2.0 CH Dolby Audio Soundbar



- Power Supply: AC 110-240V ~ 50/60Hz
- Main material: Extrusion bar housing with high glossy+Metal grill
- AUX input
- USB input
- Optical input
- TV ARC input
- Bluetooth (Version: 5.3)
- LED Display
- Remote control
- Output power: 50x2=100W R.M.S.
- Driver unit: 0.75”x2+2.75”x4
- Optional:Wireless 240W



REMOTE CONTROL | LED DISPLAY | BT | TV ARC | OPTICAL DIGITAL INPUT | AUX-IN | USB

Dolby Audio™

Dimension: 67H *118D*900L mm
Weight: Unit Only: 3.6 kgs

THE PLATINUM
Experience Real Karaoke

PERSONAL AUDIO DEVICES

APOLLO | APOLLO XL | APOLLO PRO | MATE

PTHM510

APOLLO

PORTABLE BLUETOOTH SPEAKERS

Unleash the Beat Anywhere



Product Specifications

- **Bluetooth version:** BT5.3,
- **Bluetooth chipset:** ATS2853C
- **BT frequency:** 2.402GHz-2.48GHz,
- **BT profiles:** HFP, HSP, A2DP, AVRCP
- **Hands free Call :** Support,
- **TWS(True wireless stereo):** Support two speakers, one is the left channel(host), the other is right channel
- **Battery capacity :** Built in 7.4V/2000mAh Input: 5V/3A, also can accept 5V/1A, 5V/2A; if over 5V/3A, the speaker can only recieve 5V/3A at most.
- **Input Charging time:** Around 2hrs under 5V/3A
- **Power bank function:** The output is 5V/1A for emergency smartphone charging,
- **Woofer:** 1x(52*91mm) woofer,
- **Twitter :** 1x30mm twitter,
- **Bass radiator:** 1x bass radiator,
- **Output(Peak power):** 40W,
- **Output(RMS): 25W S/N:** >85dB,
- **Frequency response:** 50Hz--20KHz,
- **Playback ways:** Bluetooth, TWS, USB flash drive, MicroSD card, Aux-in
- **EQs:** Press power button to shift different EQs,
- **EQ_one:** full range, **EQ_two:** standout vocal sound ,
- **Playback time:** Up to 8hrs(level_4, total 16 levels on iPhones)
- **DSP:** Built-in an independent DSP chipset, so it's DSP-enhanced speaker
- **Water-resist:** IPX6

DIMENSION: W 168 x D 75 x H 86 mm
Weight: 0.73kg

BLACK **WHITE**

PTHM520

APOLLO XL

PORTABLE BLUETOOTH SPEAKERS

Your Music, Anywhere

Built-in Power Bank

Water-Resistant

DSP Technology



SPECIFICATIONS:

- **Bluetooth version:** BT5.3,
- **Bluetooth chipset model:** ATS2853C,
- **BT frequency:** 2.402GHz-2.480GHz,
- **BT profiles:** HFP, HSP, A2DP, AVRCP
- **TWS(True wireless stereo):** Support two speakers, the host one is the left channel the vice one is the right channel
- **Input:** 5V/1A - 5V/3A,
- **Input Charging time:** Around 4hrs from 5V/3A,
- **Power bank function:** 5V/1A,
- **Woofer:** 1x76mm,
- **Twitter:** 2x48mm,
- **Bass radiator:** 1xoval bass radiator
- **Output(Peak power):** 100W,
- **Output(RMS):** 60W,
- **S/N:** >85dB,
- **Frequency response:** 50Hz--20KHz,
- **Water-resist:** IPX6
- **Independent DSP chipset:** Built-in an independent DSP chipset, so it's DSP-enhanced speaker

DIMENSION: W 230 x D 105 x H 110 mm
Weight: 1.8kg

BLACK **WHITE**

PTHM530

APOLLO PRO

PORTABLE BLUETOOTH SPEAKERS

Immerse Yourself in Sound and Color with RGB Light Speakers

Built-in Power Bank

Water-Resistant

DSP Technology



SPECIFICATIONS:

- **Bluetooth version :** BT5.3
- **Bluetooth chipset model:** ATS2853
- **BT frequency:** 2.402GHz-2.480GHz
- **BT profiles:** HFP, HSP, A2DP, AVRCP
- **Hands free Call :** Support
- **TWS(True wireless stereo)** Support two speakers, the host one is the left channel, the vice one is the right channel
- **Battery capacity :** Built in 7.4V/4000mAh rechargeable battery
- **Input:** 5V/3A
- **Charging time:** Around 3hrs from 5V/3A
- **Power bank function:** The output is 5V/1A for emergency smartphone charging
- **Woofer:** 1x114mm
- **Twitter:** 1x38mm
- **Bass radiator:** Take air duct way, so no radiator
- **Output(Peak power):** 80W
- **Output(RMS):** 50W
- **S/N:** >85dB
- **Frequency response:** 50Hz--20KHz
- **Playback ways:** Bluetooth, TWS(Under BT/TF/USB/AUX IN), USB flash drive, Mircro SD card; 3.5mm Aux-in & 3.5mm Line out OTG play music or OTG live streaming
- **Playback time:** Up to 11hrs
- **RGB display:** Yes
- **DSP chipset :** Take a DSP chip to enhance the sound of UHF Microphones
- **Powerbank function:** Yes, 5V/1A

DIMENSION: W 261 D 120x H 192 mm
Weight: 2.8kg (Speaker only)

BLACK **WHITE**

MATE

Clip Bluetooth Speaker

Effortless audio, anywhere you need it



Features:

- HD Sound quality
- Rechargeable battery
- Hands-free calling
- Playing time: up to 10 hours
- IPX5 water resistant
- Compact size
- Easy Controls
- Built-in magnetic clip

Specification:

- Bluetooth Version: 5.3
- Output: 3W
- Battery capacity: 450mAh
- Frequency: 50Hz-20KHz
- Weight: 83.2g
- Input: 5V-1A

DIMENSION: W 83 x D 40 x H 119 mm
Weight: 110 g

THE PLATINUM

Experience Real Karaoke

Viber/Whatsapp: 0933-434-3772 Globe: 0917-843-3053 Smart: 0939-249-7210 Landline: 8-866-1162 Loc.118

ThePlatinumKaraoke @PlatinumKRK PlatinumKaraoke platinumkaraokeph / platinumkaraoke.ph theplatinumkaraoke

www.platinumkaraoke.com