

**BEILIAN**

RETURN THE ORIGINAL  
ECOSYSTEM RESPIRATION



Air purifier

**Cixi Beilian Electrical Appliance Co.,Ltd.**

Add: No. 28th, Haitong Road, Guanhaiwei Town, Cixi, Ningbo, P.R. China

Tel: +86-574-63631256

Fax: +86-574-63631049

Http:// [www.chinaairpurifier.com](http://www.chinaairpurifier.com)



## Company Profile

Cixi Beilian Electrical Co.,Ltd was found in 2011 . It is located in Cixi Ningbo, the home appliance manufacturing base in China . Cixi Beilian has grown into a professional company that has advanced equipment in products research and development , mold opening , plastic injection , filter manufacture and finished products assembling . Our air purifiers are warmly welcome among the popular brand , such as Honeywell,HAIER,Whirlpool,Media expert and so on . Our annual output is more than 3 million pieces.



## Business Scope



We have sold our products to China , American , Canada , the UK , France ,Germany , Spain , Russia , South Asia , Australia , Singapore , India and Korea etc.

## Fair Exhibition



Germany IFA



American CES



Brazil CES



Hongkong Electronics Fair

# Certificates



# Functional Testing



# Aging Testing



# Testing Equipments



## Filter Workshop Introduction

We have specialized filter manufacture equipments , cooperated with two professional labs, we can meet multi- functional parts developing with our rich filter development experience.


## The Filter Manufacture Equipments



## Filter Workshop and Warehouse



## Samples Exhibition



HEPA




Activated carbon filter



Filter cloth with carbon



Prefilter,HEPA and active carbon combined filter



Cold catalyst filter



Columnar filter

## Function

- Double adjustment with more thorough sterilization
- Key operation, odour remove
- Sterilization and disinfection
- Chargeable ,long working time
- Degrade pesticide residues



CE RoHS REACH ISO9001 BSCI

### CJB-100

Model	CJB-100
CADR	45m³/h
Effective area	6m²
Rated power	1W
Rated voltage	3.7V
N.W/G.W	0.3KG/0.4KG
Item size	Φ110*100mm
Packing size	660*275*390mm (30PCS)
Max noise	≤45B
20GP/40GP/40HQ	11760/24390/28680(PCS)



## Function

- Double adjustment with more thorough sterilization
- 2 gear Ozone generation
- Indicator light
- Charge



CE RoHS REACH ISO9001 BSCI

### CJB-100B

Model	CJB-100B
Rated power	4W
Rated voltage	5V
N.W/G.W	0.3KG/0.4KG
Max noise	≤45B





## Function

- Double adjustment with more thorough sterilization
- 2 gear Ozone generation
- Indicator light
- Charge

CE RoHS REACH UL ISO9001 BSCI

### CJB-100C

Model	CJB-100C
Rated power	4W
Rated voltage	5V
N.W/G.W	0.5KG/0.6KG
Item size	103*103*95mm



## Function

- Double adjustment with more thorough sterilization
- 2 gear Ozone generation
- Indicator light
- Charge

CE RoHS REACH UL ISO9001 BSCI

### CJB-100D

Model	CJB-100D
Rated power	4W
Rated voltage	5V





CE RoHS REACH UL ISO9001 BSCI

## CKJ-07A

Model	CKJ-07A
CADR	40m <sup>3</sup> /h
Effective area	5m <sup>2</sup>
Rated power	10W
Rated voltage	12V
N.W/G.W	1.2KG/2.3KG
Item size	400*165*60mm
Packing size	527*470*462mm(6PCS)
Max noise	≤55dB
20GP/40GP/40HQ	1152/2400/3000(PCS)

## Function

- Multiple filtration (Pre filter,HEPA filter)
- 3 fan speeds adjustment
- PM2.5 realtime display
- Two fans design with higher efficiency purification

## Function

- Multilayer filtration (compound filter cloth with carbon)
- 3 fan speeds adjustment
- PM2.5 realtime display
- Two fans design with higher efficiency purification



CE RoHS REACH UL ISO9001 BSCI

## CKJ-01A

Model	CKJ-01A
CADR	5.3m <sup>3</sup> /h
Effective area	1m <sup>2</sup>
Rated power	10W
Rated voltage	DC5V
N.W/G.W	5.5KG/6.1KG
Item size	φ74*183mm
Packing size	525*325*330mm (15PCS)
Max noise	≤40dB
20GP/40GP/40HQ	7005/14445/17715(PCS)





## Function

- Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed ,auto mode , sleep mode
- Timer



CE RoHS REACH UL ISO9001 BSCI

### BK-01

Model	BK-01
CADR	300m <sup>3</sup> /h
Effective area	40m <sup>2</sup>
Rated power	60W
Rated voltage	220-240V
N.W/G.W	6.6KG/7.5KG
Item size	338*210*610mm
Packing size	400*260*695mm
Max noise	≤59dB
20GP/40GP/40HQ	383/793/936(PCS)



## Function

- Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed ,auto mode , sleep mode
- Timer



CE RoHS REACH UL ISO9001 BSCI

### BK-02

Model	BK-02
CADR	220m <sup>3</sup> /h
Effective area	28m <sup>2</sup>
Rated power	45W
Rated voltage	220-240V
N.W/G.W	5.5KG/6.5KG
Item size	317*180*535mm
Packing size	385*250*620mm
Max noise	≤59dB
20GP/40GP/40HQ	456/945/1143(PCS)



## Function

- Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed ,auto mode , sleep mode
- Timer



CE RoHS REACH UL ISO9001 BSCI

### BKJ-02A

Model	BKJ-02A
CADR	220m <sup>3</sup> /h
Effective area	35m <sup>2</sup>
Rated power	45W
Rated voltage	220-240V
N.W/G.W	5.5KG/7.3KG
Item size	317*180*535mm
Packing size	385*250*620mm
Max noise	≤60dB
20GP/40GP/40HQ	456/945/1143(PCS)



## Function

- Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency air sensor
- Filter replacement indicator
- 3 fan speed ,auto mode
- Timer
- Air quality indicator by color



CE RoHS REACH UL ISO9001 BSCI

### BK-03

Model	BK-03
CADR	30m <sup>3</sup> /h
Effective area	28m <sup>2</sup>
Rated power	15W
Rated voltage	220-240V
N.W/G.W	2.2KG/3.0KG
Item size	260*150*450mm
Packing size	315*190*500mm
Max noise	≤52dB
20GP/40GP/40HQ	790/1616/1918(PCS)



## Function

- Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Filter replacement indicator 、 children safe lock
- 3 fan speed ,auto mode , sleep mode
- Timer
- 2 number air quality index



CE RoHS REACH UL ISO9001 BSCI

## BK-05

Model	BK-05
CADR	277m <sup>3</sup> /h
Effective area	38m <sup>2</sup>
Rated power	45W
Rated voltage	220-240V
N.W/G.W	6.2KG/7.9KG
Item size	325*180*565mm
Packing size	395*260*640mm
Max noise	≤58dB
20GP/40GP/40HQ	405/863/1019(PCS)



## Function

- Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Filter replacement indicator 、 children safe lock
- 3 fan speed ,auto mode , sleep mode
- Timer
- 2 number air quality index



CE RoHS REACH UL ISO9001 BSCI

## BK-06

Model	BK-06
CADR	277m <sup>3</sup> /h
Effective area	38m <sup>2</sup>
Rated power	45W
Rated voltage	220-240V
N.W/G.W	6.2KG/7.9KG
Item size	325*180*565mm
Packing size	395*260*640mm
Max noise	≤58dB
20GP/40GP/40HQ	405/863/1019(PCS)



## Function

- Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Filter replacement indicator 、 children safe lock
- 3 fan speed ,auto mode , sleep mode
- Timer
- 2 number air quality index



CE RoHS REACH UL ETL ISO9001 BSCI

### BK-07

Model	BK-07
CADR	277m <sup>3</sup> /h
Effective area	38m <sup>2</sup>
Rated power	45W
Rated voltage	220-240V
N.W/G.W	6.2KG/7.9KG
Item size	325*180*565mm
Packing size	395*260*640mm
Max noise	≤58dB
20GP/40GP/40HQ	405/863/1019(PCS)



## Function

- Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed ,auto mode , sleep mode
- Timer



CE RoHS REACH UL ETL ISO9001 BSCI

### BK-08

Model	BK-08
CADR	271m <sup>3</sup> /h
Effective area	36m <sup>2</sup>
Rated power	45W
Rated voltage	220-240V
N.W/G.W	6.2KG/7.9KG
Item size	325*180*565mm
Packing size	395*260*640mm
Max noise	≤58dB
20GP/40GP/40HQ	405/863/1019(PCS)



## Function

- Multiple filtration (pre-filter + HEPA filter + Ionizer)
- Filter replacement indicator
- 3 fan speed adjustment
- Optional high efficiency filter net with carbon
- Air quality indicator light

CE RoHS REACH UL ENEC ISO9001 BSCI

### BKJ-10A

Model	BKJ-10A
CADR	110m <sup>3</sup> /h
Effective area	15m <sup>2</sup>
Rated power	25W
Rated voltage	220-240V
N.W/G.W	2.4KG/3.7KG
Item size	240*240*210mm
Packing size	585*585*313mm(4PCS)
Max noise	≤60dB
20GP/40GP/40HQ	900/1920/2240(PCS)



## Function



CE RoHS REACH UL ENEC ISO9001 BSCI

### BKJ-10C

Model BKJ-10C



## Function



CE RoHS REACH UL ISO9001 BSCI

### BKJ-10D

Model BKJ-10D



## Function



- Cylinder filtration (pre-filter + HEPA filter + Activated carbon filter+ Air Ionizer)
- 1-12hours timer
- Child lock
- Anion
- 4 Fan speeds
- Wifi
- PM2.5 digital display
- Temperature and humidity digital display

CE RoHS REACH UL ISO9001 BSCI

### BKJ-10G

Model	BKJ-10G
CADR	70m <sup>3</sup> /h
Effective area	m <sup>2</sup>
Rated power	W
Rated voltage	12V
N.W/G.W	KG/ KG
Item size	158*158*119mm
Packing size	
Max noise	≤55dB
	20GP/40GP/40HQ





## Function

- Cylinder filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- Filter replacement indicator
- 3 fan speed adjustment
- Optional high efficiency filter net with carbon
- Aromatherapy function

CE RoHS REACH UL ISO9001 BSCI

### BKJ-5

Model	BKJ-5
CADR	50m <sup>3</sup> /h
Effective area	6m <sup>2</sup>
Rated power	17W
Rated voltage	220-240V
N.W/G.W	1.8KG/2.6KG
Item size	Φ170*232mm
Packing size	455*405*285mm(4PCS)
Max noise	≤56dB
20GP/40GP/40HQ	2136/4396/5160(PCS)



## Function

- Cylinder filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- Filter replacement indicator
- 3 fan speed adjustment
- Optional high efficiency filter net with carbon
- Aromatherapy function

CE RoHS REACH UL ISO9001 BSCI

### BKJ-15

Model	BKJ-15
CADR	150m <sup>3</sup> /h
Effective area	18m <sup>2</sup>
Rated power	25W
Rated voltage	220-240V
N.W/G.W	2.4KG/3.2KG
Item size	Φ213*280mm
Packing size	573*550*355mm(4PCS)
Max noise	≤59dB
20GP/40GP/40HQ	960/2032/2368(PCS)





## Function

- Cylinder filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- Filter replacement indicator
- 3 fan speed adjustment
- Optional high efficiency filter net with carbon
- Aromatherapy function

CE RoHS REACH UL ISO9001 BSCI

### BKJ-15A

Model	BKJ-15A
CADR	150m <sup>3</sup> /h
Effective area	15m <sup>2</sup>
Rated power	25W
Rated voltage	220-240V
N.W/G.W	2.4KG/3.2KG
Item size	Φ213*280mm
Packing size	568*548*365mm(4PCS)
Max noise	≤59dB
20GP/40GP/40HQ	992/2016/2352(PCS)



## Function

- Cylinder filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- Filter replacement indicator
- 3 fan speed adjustment
- Optional high efficiency filter net with carbon
- Aromatherapy function

CE RoHS REACH UL ISO9001 BSCI

### BKJ-15B

Model	BKJ-15B
CADR	150m <sup>3</sup> /h
Effective area	18m <sup>2</sup>
Rated power	25W
Rated voltage	220-240V
N.W/G.W	2.4KG/3.2KG
Item size	Φ213*280mm
Packing size	580*555*360mm(4PCS)
Max noise	≤55dB
20GP/40GP/40HQ	952/1980/2320(PCS)





## Function

- Cylinder filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- Filter replacement indicator
- 3 fan speed adjustment
- Optional high efficiency filter net with carbon
- Optional atmosphere night light
- Optional tvoc sensor



CE RoHS REACH UL ISO9001 BSCI

## BKJ-15C

Model	BKJ-15C
CADR	155m <sup>3</sup> /h
Effective area	18m <sup>2</sup>
Rated power	25W
Rated voltage	220-240V
N.W/G.W	2.7KG/3.3KG
Item size	221*221*305mm
Packing size	570*570*394mm(4PCS)
Max noise	≤61dB
20GP/40GP/40HQ	864/1760/2080(PCS)



## Function

- Cylinder filtration (pre-filter + HEPA filter + Air Ionizer)
- 3 Fan speeds
- Filter replacement indicator
- Air Ionizer control



CE RoHS REACH UL ISO9001 BSCI

## BKJ-15F

Model	BKJ-15F
CADR	150m <sup>3</sup> /h
Effective area	18m <sup>2</sup>
Rated power	25W
Rated voltage	220-240V
N.W/G.W	2.5KG/3.3KG
Item size	218*218*284mm
Packing size	555*555*355mm(4PCS)
Max noise	≤63dB
20GP/40GP/40HQ	



## Function

- Cylinder filtration (H11 Composite filter screen)
- 3 Fan speeds
- Anion
- UV lamp
- Atmosphere lamp



CE RoHS REACH UL ISO9001 BSCI

### BKJ-15L

Model	BKJ-15L
CADR	150m <sup>3</sup> /h
Effective area	18m <sup>2</sup>
Rated power	25W
Rated voltage	220V
N.W/G.W	2.3KG/ KG
Item size	φ216*305mm
Packing size	545*545*375mm(4PCS)
Max noise	≤61dB
	20GP/40GP/40HQ



## Function

- Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed ,auto mode , sleep mode
- Timer
- PM2.5 air quality
- DC motor digital display



CE RoHS REACH UL ISO9001 BSCI

### BKJ-16A

Model	BKJ-16A
CADR	220m <sup>3</sup> /h
Effective area	28m <sup>2</sup>
Rated power	20W
Rated voltage	220-240V
N.W/G.W	5.5KG/6.1KG
Item size	325*202*530mm
Packing size	400*275*615mm
Max noise	≤59dB
	20GP/40GP/40HQ 408/844/998(PCS)



## Function

- Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed ,auto mode , sleep mode
- Timer
- PM2.5 air quality digital display



CE RoHS REACH UL ISO9001 BSCI

### BKJ-16B

Model	BKJ-16B
CADR	120m <sup>3</sup> /h
Effective area	15m <sup>2</sup>
Rated power	20W
Rated voltage	220-240V
N.W/G.W	3.4KG/5.5KG
Item size	284*173*439mm
Packing size	370*240*530mm
Max noise	≤59dB
20GP/40GP/40HQ	589/1200/1412(PCS)

## Function

- Multiple filtration (pre-filter + Cold catalyst filter and activated carbon filter + HEPA filter)
- Timer
- Filter replacement alert
- 4 fan speeds
- Sleep mode
- Air quality display



CE RoHS REACH UL ISO9001 BSCI

### BKJ-16C

Model	BKJ-16C
CADR	180m <sup>3</sup> /h
Effective area	22m <sup>2</sup>
Rated power	55W
Rated voltage	220-240V
N.W/G.W	5.5KG/ KG
Item size	325*202*530mm
Packing size	400*275*615mm(1PCS)
Max noise	≤61dB
20GP/40GP/40HQ	





## Function

- Multiple filtration filtration (pre-filter + HEPA filter + Activated carbon filter+Air Ionizer(reserved))
- Timer
- Filter replacement alert
- 3 fan speeds
- Sleep mode
- Atmosphere lamp



CE RoHS REACH UL ISO9001 BSCI

### BKJ-20A

Model	BKJ-20A
CADR	200m <sup>3</sup> /h
Effective area	24m <sup>2</sup>
Rated power	55W
Rated voltage	120V
N.W/G.W	4KG/ KG
Item size	328*162*410mm
Packing size	390*225*560mm(1PCS)
Max noise	≤61dB
	20GP/40GP/40HQ



## Function

- Multiple filtration (pre-filter + Activated carbon filter+HEPA filter)
- Timer
- Filter replacement alert
- 3 fan speeds
- Sleep mode
- Dust sensor(optional)
- Anion



CE RoHS REACH UL ISO9001 BSCI

### BKJ-20B

Model	BKJ-20B
CADR	200m <sup>3</sup> /h
Effective area	24m <sup>2</sup>
Rated power	55W
Rated voltage	120V
N.W/G.W	4.1KG/ KG
Item size	325*165*410mm
Packing size	394*236*495mm
Max noise	≤61dB
	20GP/40GP/40HQ 597/1207/1448(PCS)



## Function

- Multiple filtration filtration (pre-filter + Cold catalyst filter and activated carbon filter+HEPA filter)
- Timer
- Filter replacement alert
- 3 fan speeds
- Sensor light
- Sleep mode

CE RoHS REACH UL ISO9001 BSCI

### BKJ-20C

Model	BKJ-20C
CADR	200m <sup>3</sup> /h
Effective area	24m <sup>2</sup>
Rated power	55W
Rated voltage	120V
N.W/G.W	KG/ KG
Item size	325*165*395mm
Packing size	445*388*475mm(2PCS)
Max noise	≤61dB
20GP/40GP/40HQ	



## Function

- Multiple filtration (pre-filter + Cold catalyst filter and activated carbon filter+HEPA filter)
- Timer
- Filter replacement alert
- 3 fan speeds
- Sleep mode

CE RoHS REACH UL ISO9001 BSCI

### BKJ-20D

Model	BKJ-20D
CADR	200m <sup>3</sup> /h
Effective area	24m <sup>2</sup>
Rated power	55W
Rated voltage	120V
N.W/G.W	KG/ KG
Item size	325*163*400mm
Packing size	
Max noise	≤61dB
20GP/40GP/40HQ	





## Function

- Multiple filtration filtration (pre-filter + HEPA filter+Activated carbon filter)
- Timer
- Filter replacement alert
- 3 fan speeds
- Dust sensor(optional)
- Sleep mode
- Anion

CE RoHS REACH UL ISO9001 BSCI

### BKJ-20F

Model	BKJ-20F
CADR	200m <sup>3</sup> /h
Effective area	24m <sup>2</sup>
Rated power	55W
Rated voltage	120V
N.W/G.W	4KG/ KG
Item size	328*162*410mm
Packing size	400*230*525mm
Max noise	≤61dB
20GP/40GP/40HQ	562/1188/1402(PCS)




## Function

- Multiple filtration (pre-filter +HEPA filter+ Activated carbon filter)
- Touch Key
- 4 Fan speeds
- Sleep mode
- 8 hours timing
- Ionizer control
- Filter replacement alert
- PM2.5 digital display

CE RoHS REACH UL ISO9001 BSCI

### BKJ-20G

Model	BKJ-20G
CADR	180m <sup>3</sup> /h
Effective area	19m <sup>2</sup>
Rated power	W
Rated voltage	220V
N.W/G.W	4.37KG/ KG
Item size	312*535.5*175mm
Packing size	mm
Max noise	≤56.4dB
20GP/40GP/40HQ	(PCS)





## Function

- Cylinder filtration (pre-filter + HEPA filter + Activated carbon cotton+ Air Ionizer)
- Timer
- 3 fan speeds
- Anion
- Atmosphere lamp
- Filter replacement alert
- Dust sensor(optional)
- Wifi(optional)

CE RoHS REACH UL ISO9001 BSCI

### BKJ-22A

Model	BKJ-22A
CADR	200m <sup>3</sup> /h
Effective area	24m <sup>2</sup>
Rated power	55W
Rated voltage	120V
N.W/G.W	KG/ KG
Item size	325*163*400mm
Packing size	580*580*455mm
Max noise	≤61dB
20GP/40GP/40HQ	648/1380/1640(PCS)



## Function

- Cylinder filtration (pre-filter + HEPA filter+Activated carbon filter+Air Ionizer)
- Timer
- 3 fan speeds
- Anion
- Dust sensor(optional)
- Wifi(optional)

CE RoHS REACH UL ISO9001 BSCI

### BKJ-22B

Model	BKJ-22B
CADR	225m <sup>3</sup> /h
Effective area	24m <sup>2</sup>
Rated power	25W
Rated voltage	220V
N.W/G.W	KG/ KG
Item size	227*227*360mm
Packing size	555*555*447mm
Max noise	≤64dB
20GP/40GP/40HQ	816/1680/1932(PCS)





## Function

- Cylinder filtration (pre-filter + HEPA filter + Activated carbon filter+ Air Ionizer)
- Timer
- 3 fan speeds
- Anion
- Dust sensor(optional)
- Wifi(optional)



CE RoHS REACH UL ISO9001 BSCI

## BKJ-22C

Model	BKJ-22C
CADR	225m <sup>3</sup> /h
Effective area	24m <sup>2</sup>
Rated power	25W
Rated voltage	220V
N.W/G.W	KG/ KG
Item size	227*227*362.5mm
Packing size	565*565*435mm
Max noise	≤64dB
20GP/40GP/40HQ	832/1680/1952(PCS)



## Function

- Cylinder filtration (pre-filter + HEPA filter+ Activated carbon filter+ Air Ionizer)
- Timer
- 3 fan speeds
- Anion
- Dust sensor(optional)
- Wifi(optional)



CE RoHS REACH UL ISO9001 BSCI

## BKJ-22D

Model	BKJ-22D
CADR	225m <sup>3</sup> /h
Effective area	24m <sup>2</sup>
Rated power	25W
Rated voltage	220V
N.W/G.W	KG/ KG
Item size	227*227*360mm
Packing size	565*565*435mm
Max noise	≤64dB
20GP/40GP/40HQ	832/1680/1952(PCS)



## Function

- Cylinder filtration (pre-filter + HEPA filter + Activated carbon filter+ Air Ionizer)
- Timer
- 5 fan speeds
- Anion
- Dust sensor
- Wifi
- UV lamp
- Odor sensor

CE RoHS REACH UL ISO9001 BSCI

### BKJ-22E

Model	BKJ-22E
CADR	200m <sup>3</sup> /h
Effective area	25m <sup>2</sup>
Rated power	24W
Rated voltage	220V
N.W/G.W	KG/ KG
Item size	
Packing size	
Max noise	≤61dB
	20GP/40GP/40HQ



## Function

- Cylinder filtration (pre-filter + HEPA filter + Activated carbon filter+ Air Ionizer)
- Timer
- 5 fan speeds
- Anion
- Dust sensor
- Wifi
- UV lamp
- Odor sensor

CE RoHS REACH UL ISO9001 BSCI

### BKJ-22F

Model	BKJ-22F
CADR	300m <sup>3</sup> /h
Effective area	36m <sup>2</sup>
Rated power	10W
Rated voltage	220V
N.W/G.W	3.5KG/ KG
Item size	265*265*383mm
Packing size	
Max noise	≤64dB
	20GP/40GP/40HQ





## Function

- Cylinder filtration (pre-filter + HEPA filter + Activated carbon filter+ Air Ionizer)
- Anion
- 3 Fan speeds
- Auto mode
- Timer function (2, 4, 6, 8h)
- Filter replacement alert
- Sleep mode
- PM2.5 digital display



CE RoHS REACH UL ISO9001 BSCI

## BKJ-22H

Model	BKJ-22H
CADR	200m <sup>3</sup> /h
Effective area	m <sup>2</sup>
Rated power	25W
Rated voltage	100-240V
N.W/G.W	KG/ KG
Item size	
Packing size	
Max noise	≤61dB
	20GP/40GP/40HQ



## Function

- Cylinder filtration (pre-filter + HEPA filter + Activated carbon filter+ Air Ionizer)
- Touch screen operation panel
- Timer
- 5 fan speeds
- Anion
- Dust sensor
- WIFI
- UV lamp
- Odor sensor



CE RoHS REACH UL ISO9001 BSCI

## BKJ-22M

Model	BKJ-22M
CADR	200m <sup>3</sup> /h
Effective area	25m <sup>2</sup>
Rated power	10W
Rated voltage	220V
N.W/G.W	3.5KG/ KG
Item size	290*282*383MM
Packing size	
Max noise	≤61dB
	20GP/40GP/40HQ



## Function

- Cylinder filtration (pre-filter + HEPA filter + Activated carbon filter+ Air Ionizer)
- TVOC(reserved)
- Temperature and humidity sensor (reserved)
- Auto mode
- 3 Fan speeds
- Timer function (1、2、4、8h)
- Filter replacement alert
- PM2.5 digital display



CE RoHS REACH UL ISO9001 BSCI

### BKJ-22Q

Model	BKJ-22Q
CADR	200m <sup>3</sup> /h
Effective area	m <sup>2</sup>
Rated power	25W
Rated voltage	220V
N.W/G.W	KG/ KG
Item size	260*320*378mm
Packing size	
Max noise	≤61dB
	20GP/40GP/40HQ



## Function

- Cylinder filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- Filter replacement indicator
- 3 fan speed adjustment
- Optional high efficiency filter net with carbon
- Timer
- High efficiency dust sensor
- Air quality indicator light



CE RoHS REACH UL ISO9001 BSCI

### BKJ-23A

Model	BKJ-23A
CADR	240m <sup>3</sup> /h
Effective area	29m <sup>2</sup>
Rated power	50W
Rated voltage	220-240V
N.W/G.W	3.3KG/3.9KG
Item size	220*220*261.5mm
Packing size	565*565*435mm (4PCS)
Max noise	≤61dB
	20GP/40GP/40HQ 800/1632/1952(PCS)



## Function

- Cylinder filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- Filter replacement indicator
- 3 fan speed adjustment
- Optional high efficiency filter net with carbon
- Timer
- High efficiency dust sensor
- Air quality indicator light

CE RoHS REACH UL ISO9001 BSCI

### BKJ-23B

Model	BKJ-23B
CADR	240m <sup>3</sup> /h
Effective area	29m <sup>2</sup>
Rated power	50W
Rated voltage	220-240V
N.W/G.W	3.5KG/5.0KG
Item size	248*248*364mm
Packing size	310*310*435mm
Max noise	≤61dB
20GP/40GP/40HQ	661/1345/1597(PCS)



## Function

- Cylinder filtration (pre-filter + H13 Composite filter screen+Air Ionizer)
- Timer
- Child lock
- Filter replacement alert
- Sleep mode,Wind speed
- Anion

CE RoHS REACH UL ISO9001 BSCI

### BKJ-23C

Model	BKJ-23C
CADR	230m <sup>3</sup> /h
Effective area	24m <sup>2</sup>
Rated power	45W
Rated voltage	120V
N.W/G.W	3.5KG/ KG
Item size	220*220*360mm
Packing size	
Max noise	≤64dB
20GP/40GP/40HQ	





## Function

- Cylinder filtration (pre-filter + HEPA filter + Activated carbon filter+ Air Ionizer)
- Timer
- 5 fan speeds
- Anion
- Dust sensor
- Wifi
- UV lamp
- Odor sensor



CE RoHS REACH UL ENEC ISO9001 BSCI

### BKJ-27A

Model	BKJ-27A
CADR	300m <sup>3</sup> /h
Effective area	36m <sup>2</sup>
Rated power	10W
Rated voltage	220V
N.W/G.W	3.5KG/ KG
Item size	250*250*378mm
Packing size	
Max noise	≤64dB
	20GP/40GP/40HQ



## Function

- Cylinder filtration (pre-filter + HEPA filter + Activated carbon filter+ Air Ionizer)
- Timer
- Filter replacement alert
- Atmosphere lamp
- 3 fan speeds+sleep mode



CE RoHS REACH UL ENEC ISO9001 BSCI

### BKJ-200

Model	BKJ-200
CADR	200m <sup>3</sup> /h
Effective area	24m <sup>2</sup>
Rated power	55W
Rated voltage	120V
N.W/G.W	4KG/ KG
Item size	350*215*440mm
Packing size	388*225*475mm
Max noise	≤61dB
	20GP/40GP/40HQ 675/1380/1638(PCS)



## Function

- Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator
- Filter replacement indicator 、 children safe lock
- 3 fan speed ,auto mode , sleep mode
- Timer

CE RoHS REACH UL ISO9001 BSCI

## BKJ-215

Model	BKJ-215
CADR	222m <sup>3</sup> /h
Effective area	28m <sup>2</sup>
Rated power	45W
Rated voltage	220-240V
N.W/G.W	4.7KG/6.5KG
Item size	328*182*495mm
Packing size	400*245*575mm
Max noise	≤59dB
20GP/40GP/40HQ	489/1014/1199(PCS)



## Function

- Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Filter replacement indicator 、 children safe lock
- 3 fan speed ,auto mode , sleep mode
- Timer

CE RoHS REACH UL ISO9001 BSCI

## BKJ-215B

Model	BKJ-215B
CADR	180m <sup>3</sup> /h
Effective area	22m <sup>2</sup>
Rated power	40W
Rated voltage	220-240V
N.W/G.W	4.7KG/6.3KG
Item size	328*182*495mm
Packing size	400*245*605mm
Max noise	≤59dB
20GP/40GP/40HQ	471/963/1134(PCS)





## Function

- Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator
- Filter replacement indicator 、 children safe lock
- 3 fan speed ,auto mode , sleep mode
- Timer

CE RoHS REACH UL ISO9001 BSCI

## BKJ-215C

Model	BKJ-215C
CADR	222m <sup>3</sup> /h
Effective area	28m <sup>2</sup>
Rated power	45W
Rated voltage	220-240V
N.W/G.W	4.7KG/6.5KG
Item size	328*182*495mm
Packing size	400*245*605mm
Max noise	≤59dB
20GP/40GP/40HQ	471/963/1134(PCS)



## Function

- Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Filter replacement indicator 、 children safe lock
- 3 fan speed ,auto mode , sleep mode
- Timer

CE RoHS REACH UL ISO9001 BSCI

## BKJ-215I


Model	BKJ-215I
CADR	180m <sup>3</sup> /h
Effective area	22m <sup>2</sup>
Rated power	44W
Rated voltage	220V
N.W/G.W	4.7KG/5.0KG
Item size	328*182*495mm
Packing size	400*245*605mm
Max noise	≤59dB
20GP/40GP/40HQ	471/963/1134(PCS)





## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed , auto mode , sleep mode
- Timer



CE RoHS REACH UL ENEC ISO9001 BSCI

## BKJ-250F-A01

Model	BKJ-250F-A01
CADR	330m <sup>3</sup> /h
Effective area	40m <sup>2</sup>
Rated power	52W
Rated voltage	220-240V
N.W/G.W	7.1KG/9.0KG
Item size	252*278*560mm
Packing size	355*330*645mm
Max noise	≤66dB
20GP/40GP/40HQ	357/738/876(PCS)



## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed , auto mode , sleep mode
- Timer
- Optional wireless charging



CE RoHS REACH UL ENEC ISO9001 BSCI

## BKJ-250D-A01

Model	BKJ-250D-A01
CADR	330m <sup>3</sup> /h
Effective area	40m <sup>2</sup>
Rated power	52W
Rated voltage	220-240V
N.W/G.W	7.1KG/9.0KG
Item size	525*278*560mm
Packing size	355*330*645mm
Max noise	≤66dB
20GP/40GP/40HQ	357/738/876(PCS)



## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed , auto mode , sleep mode
- Timer



CE RoHS REACH UL ENEC ISO9001 BSCI

### BKJ-300

Model	BKJ-300
CADR	300m <sup>3</sup> /h
Effective area	36m <sup>2</sup>
Rated power	65W
Rated voltage	220-240V
N.W/G.W	6.1KG/8.0KG
Item size	380*215*525mm
Packing size	465*300*620mm
Max noise	≤61dB
20GP/40GP/40HQ	318/650/782(PCS)



## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed , auto mode , sleep mode
- Timer
- PM2.5 realtime display



CE RoHS REACH UL ENEC ISO9001 BSCI

### BKJ-300A

Model	BKJ-300A
CADR	308m <sup>3</sup> /h
Effective area	38m <sup>2</sup>
Rated power	68W
Rated voltage	220-240V
N.W/G.W	6.3KG/8.1KG
Item size	380*215*565mm
Packing size	450*270*640mm
Max noise	≤65dB
20GP/40GP/40HQ	358/720/876(PCS)



## Function

- Multiple filtration (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed ,auto mode , sleep mode
- Timer
- PM2.5 air quality display



CE RoHS REACH UL ISO9001 BSCI

### BKJ-306

Model	BKJ-306
CADR	300m <sup>3</sup> /h
Effective area	36m <sup>2</sup>
Rated power	65W
Rated voltage	220-240V
N.W/G.W	6.2KG/8.0KG
Item size	380*230*560mm
Packing size	435*280*630mm
Max noise	≤61dB
20GP/40GP/40HQ	360/737/884(PCS)



## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed , auto mode , sleep mode
- Timer



CE RoHS REACH UL ISO9001 BSCI

### BKJ-306A

Model	BKJ-306A
CADR	306m <sup>3</sup> /h
Effective area	37m <sup>2</sup>
Rated power	65W
Rated voltage	220-240V
N.W/G.W	6.0KG/8.0KG
Item size	380*230*620mm
Packing size	445*290*700mm
Max noise	≤66dB
20GP/40GP/40HQ	299/600/738(PCS)



## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed , auto mode , sleep mode
- Timer



CE RoHS REACH UL ISO9001 BSCI

### BKJ-306B

Model	BKJ-306B
CADR	300m <sup>3</sup> /h
Effective area	36m <sup>2</sup>
Rated power	68W
Rated voltage	220-240V
N.W/G.W	5.5KG/7.3KG
Item size	380*230*560mm
Packing size	435*280*630mm
Max noise	≤66dB
20GP/40GP/40HQ	360/736/868(PCS)



## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed , auto mode , sleep mode
- Timer
- PM2.5 realtime display



CE RoHS REACH UL ISO9001 BSCI

### BKJ-310F-A01

Model	BKJ-310F-A01
CADR	300m <sup>3</sup> /h
Effective area	36m <sup>2</sup>
Rated power	68W
Rated voltage	220-240V
N.W/G.W	6.8KG/9.2KG
Item size	395*233*593mm
Packing size	490*310*690mm
Max noise	≤60dB
20GP/40GP/40HQ	263/539/689(PCS)



## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed , auto mode , sleep mode
- Timer



CE RoHS REACH UL ISO9001 BSCI

### BKJ-33

Model	BKJ-33
CADR	330m <sup>3</sup> /h
Effective area	40m <sup>2</sup>
Rated power	65W
Rated voltage	220-240V
N.W/G.W	6.7KG/8.7KG
Item size	365*205*545mm
Packing size	440*275*625mm
Max noise	≤66dB
20GP/40GP/40HQ	426/882/1000(PCS)



CE RoHS REACH UL ISO9001 BSCI

### BKJ-35-A01

Model	BKJ-35-A01
CADR	330m <sup>3</sup> /h
Effective area	40m <sup>2</sup>
Rated power	40W
Rated voltage	220-240V
N.W/G.W	6.4KG/9.2KG
Item size	590*384*100mm
Packing size	675*225*523mm
Max noise	≤66dB
20GP/40GP/40HQ	358/733/865(PCS)

## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed , auto mode , sleep mode
- Timer
- PM2.5 realtime display
- Optional desk support and wall bracket



CE RoHS REACH UL ISO9001 BSCI

## BKJ-35-B01

Model	BKJ-35-B01
CADR	300m <sup>3</sup> /h
Effective area	40m <sup>2</sup>
Rated power	40W
Rated voltage	110-220V
N.W/G.W	5.4KG/8.4KG
Item size	590*395*100mm
Packing size	680*192*505mm
Max noise	≤66dB
20GP/40GP/40HQ	419/871/1022(PCS)

## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator by color
- Filter replacement indicator、 children safe lock
- 3 fan speed , auto mode , sleep mode
- Timer
- PM2.5 realtime display
- Optional desk support and wall bracket



CE RoHS REACH UL ISO9001 BSCI

## BKJ-350

Model	BKJ-350
CADR	350m <sup>3</sup> /h
Effective area	54m <sup>2</sup>
Rated power	55W
Rated voltage	220-240V
N.W/G.W	6.8KG/8.5KG
Item size	405*250*592mm
Packing size	465*315*673mm
Max noise	≤60dB
20GP/40GP/40HQ	272/566/681(PCS)

## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator by color
- Filter replacement indicator、 children safe lock
- 3 fan speed , auto mode , sleep mode
- Timer
- PM2.5 realtime display
- Infrared remote control





## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Visible air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed , auto mode , sleep mode
- Timer
- PM2.5 realtime display
- Infrared remote control



CE RoHS REACH UL ISO9001 BSCI

### BKJ-350A

Model	BKJ-350A
CADR	370m <sup>3</sup> /h
Effective area	57m <sup>2</sup>
Rated power	55W
Rated voltage	220-240V
N.W/G.W	7.6KG/9.9KG
Item size	409*250*605mm
Packing size	485*330*695mm
Max noise	≤64dB
20GP/40GP/40HQ	242/505/597(PCS)



## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed , auto mode , sleep mode
- Timer



CE RoHS REACH UL ISO9001 BSCI

### BKJ-370

Model	BKJ-370
CADR	580m <sup>3</sup> /h
Effective area	70m <sup>2</sup>
Rated power	65W
Rated voltage	220-240V
N.W/G.W	9.0KG/11.5KG
Item size	435*230*660mm
Packing size	500*300*745mm
Max noise	≤68dB
20GP/40GP/40HQ	253/516/601(PCS)



## Function

- Cylinder filtration (pre-filter + H11 Composite filter screen+Air Ionizer)
- Timer
- 4 fan speeds
- Raise head,shake head
- Dust sensor
- Temperature and humidity sensor
- Odor sensor
- UV lamp



CE RoHS REACH UL ISO9001 BSCI

## BKJ-45A

Model	BKJ-45A
CADR	450m <sup>3</sup> /h
Effective area	24m <sup>2</sup>
Rated power	W
Rated voltage	110V/220V
N.W/G.W	KG/ KG
Item size	278*278*650mm
Packing size	
Max noise	≤61dB
	20GP/40GP/40HQ



## Function

- Cylinder filter (pre-filter + HEPA filter + activated carbon filter + ionizer)
- High efficiency dust sensor
- Air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed , auto mode , sleep mode
- Timer
- PM2.5 realtime display



CE RoHS REACH UL ISO9001 BSCI

## BKJ-50

Model	BKJ-50
CADR	500m <sup>3</sup> /h
Effective area	66m <sup>2</sup>
Rated power	65W
Rated voltage	220-240V
N.W/G.W	7.8KG/10.6KG
Item size	328*328*696mm
Packing size	418*410*815mm
Max noise	≤60dB
	20GP/40GP/40HQ 175/350/420(PCS)



## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- Air quality display
- Filter replacement alert
- Children safe lock
- 5 fan speed , auto mode , sleep mode
- Timer



CE RoHS REACH UL ENEC ISO9001 BSCI

### BKJ-50B

Model	BKJ-50B
CADR	500m <sup>3</sup> /h
Effective area	60m <sup>2</sup>
Rated power	73W
Rated voltage	220V
N.W/G.W	8.9KG/13KG
Item size	320*320*745mm
Packing size	405*405*840mm
Max noise	≤70dB
20GP/40GP/40HQ	174/349/420(PCS)

## Function



CE RoHS REACH UL ENEC ISO9001 BSCI

### BKJ-50C

Model	BKJ-50C
-------	---------





## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Air Ionizer)
- Air quality display
- Filter replacement alert
- Children safe lock
- 4 fan speed , auto mode , sleep mode
- Timer



CE RoHS REACH UL ETL ISO9001 BSCI

### BKJ-50E

Model	BKJ-50E
CADR	500m <sup>3</sup> /h
Effective area	66m <sup>2</sup>
Rated power	65W
Rated voltage	220V
N.W/G.W	8.3KG/11.5KG
Item size	336*336*721mm
Packing size	407*407*810mm
Max noise	≤68dB
20GP/40GP/40HQ	175/350/420(PCS)

## Function



CE RoHS REACH UL ETL ISO9001 BSCI

### BKJ-50F

Model	BKJ-50F
-------	---------





## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Air Ionizer)
- Air quality display
- Filter replacement alert
- Children safe lock
- 4 fan speed , auto mode , sleep mode
- Timer



CE RoHS REACH UL ENEC ISO9001 BSCI

### BKJ-50G

Model	BKJ-50G
CADR	500m <sup>3</sup> /h
Effective area	66m <sup>2</sup>
Rated power	65W
Rated voltage	220V
N.W/G.W	9KG/12.15KG
Item size	336*336*721mm
Packing size	416*416*805mm
Max noise	≤68dB
20GP/40GP/40HQ	175/350/420(PCS)



## Function

CE RoHS REACH UL ENEC ISO9001 BSCI

### BKJ-50H

Model	BKJ-50H
-------	---------





## Function

- Multiple filter (Pre-filter of nylon mesh+H11 composite filter screen+Air Ionizer)
- Children safe lock
- Timer
- Four fan speed
- Filter replacement alert
- Anion,Sleep mode
- Visible air quality by color
- PM2.5 air quality display
- Wifi(optional)
- UV lamp(optional)



CE RoHS REACH UL ISO9001 BSCI

## BKJ-55A

Model	BKJ-55A
CADR	500m <sup>3</sup> /h
Effective area	60m <sup>2</sup>
Rated power	75W
Rated voltage	220V
N.W/G.W	10.5KG/ KG
Item size	340*320*670mm
Packing size	420*400*765mm
Max noise	≤70dB
20GP/40GP/40HQ	175/375/450(PCS)



## Function

CE RoHS REACH UL ISO9001 BSCI

## BKJ-55D

Model	BKJ-55D
CADR	m <sup>3</sup> /h
Effective area	m <sup>2</sup>
Rated power	W
Rated voltage	V
N.W/G.W	KG/ KG
Item size	mm
Packing size	mm
Max noise	≤ dB
20GP/40GP/40HQ	





## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed , auto mode , sleep mode
- Timer
- PM2.5 realtime display



RoHS REACH ISO9001 BSCI

## BKJ-60C

Model	BKJ-60C
CADR	630m <sup>3</sup> /h
Effective area	76m <sup>2</sup>
Rated power	90W
Rated voltage	220-240V
N.W/G.W	8.5KG/10.5KG
Item size	451*218*715mm
Packing size	535*295*805mm
Max noise	≤69dB
20GP/40GP/40HQ	216/441/508(PCS)



## Function

- Multiple filter (pre-filter + H11 Composite filter screen+Air Ionizer)
- Children safe lock
- Timer
- 4 fan speed
- Filter replacement alert
- Anion,Sleep mode
- Visible air quality by color
- PM2.5 air quality display
- UV lamp(optional)
- Wifi(optional)



CE RoHS REACH ISO9001 BSCI

## BKJ-60D

Model	BKJ-60D
CADR	600m <sup>3</sup> /h
Effective area	72m <sup>2</sup>
Rated power	90W
Rated voltage	220V
N.W/G.W	11KG/ KG
Item size	410*230*786mm
Packing size	490*310*845mm
Max noise	≤61dB
20GP/40GP/40HQ	212/439/531(PCS)



## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed , auto mode , sleep mode
- Timer
- PM2.5 realtime display



CE RoHS REACH UL ENEC ISO9001 BSCI

## BKJ-70

Model	BKJ-70
CADR	950m <sup>3</sup> /h
Effective area	114m <sup>2</sup>
Rated power	120W
Rated voltage	220-240V
N.W/G.W	14.5KG/18.2KG
Item size	400*390*720mm
Packing size	493*480*820mm
Max noise	≤70dB
20GP/40GP/40HQ	129/282/348(PCS)



## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed , auto mode , sleep mode
- Timer
- PM2.5 realtime display



CE RoHS REACH UL ENEC ISO9001 BSCI

## BKJ-80A

Model	BKJ-80A
CADR	850m <sup>3</sup> /h
Effective area	102m <sup>2</sup>
Rated power	100W
Rated voltage	220-240V
N.W/G.W	14KG/18KG
Item size	410*393*705mm
Packing size	493*480*805mm
Max noise	≤70dB
20GP/40GP/40HQ	131/276/342(PCS)



## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed , auto mode , sleep mode
- Timer
- PM2.5 realtime display



CE RoHS REACH UL ISO9001 BSCI

### BKJ-80B

Model	BKJ-80B
CADR	850m <sup>3</sup> /h
Effective area	102m <sup>2</sup>
Rated power	100W
Rated voltage	220-240V
N.W/G.W	14KG/18KG
Item size	410*393*705mm
Packing size	493*480*805mm
Max noise	≤70dB
20GP/40GP/40HQ	131/276/342(PCS)

## Function

- Multiple filter (pre-filter + HEPA filter + activated carbon filter + Ionizer)
- High efficiency dust sensor
- Air quality indicator by color
- Filter replacement indicator 、 children safe lock
- 3 fan speed , auto mode , sleep mode
- Timer
- PM2.5 realtime display



CE RoHS REACH UL ISO9001 BSCI

### BKJ-90

Model	BKJ-90
CADR	970m <sup>3</sup> /h
Effective area	117m <sup>2</sup>
Rated power	105W
Rated voltage	220-240V
N.W/G.W	14.5KG/18.2KG
Item size	400*400*720mm
Packing size	502*502*875mm
Max noise	≤70dB
20GP/40GP/40HQ	112/236/299(PCS)



## Function

- Cylinder filtration (pre-filter + H11 Composite filter screen+Air Ionizer)
- Timer
- 4 fan speed
- Filter replacement alert
- Anion,Sleep mode
- PM2.5 air quality display
- Children safe lock
- UV lamp(optional)
- Odor sensor(optional)
- Temperature and humidity sensor(optional)



CE RoHS REACH UL ISO9001 BSCI

## BKJ-90B

Model	BKJ-90B
CADR	950m <sup>3</sup> /h
Effective area	108m <sup>2</sup>
Rated power	105W
Rated voltage	220V
N.W/G.W	14.5KG/18.2KG
Item size	400*400*760mm
Packing size	500*500*875mm
Max noise	≤70dB
20GP/40GP/40HQ	116/243/299(PCS)



## Function

- Multiple filter (pre-filter + H11 Composite filter screen+Air Ionizer)
- Timer
- UV lamp
- Filter reset
- Sleep mode,Wind speed
- Anion
- Child lock

CE RoHS REACH UL ISO9001 BSCI

## BKJ-90C

Model	BKJ-90C
CADR	900m <sup>3</sup> /h
Effective area	108m <sup>2</sup>
Rated power	105W
Rated voltage	220V
N.W/G.W	12.5KG/ KG
Item size	400*400*805mm
Packing size	
Max noise	≤70dB
20GP/40GP/40HQ	

