



#WONDERFUL BEGIN#



+ *unlimited* **PRODUCTS**
CATALOGUE *x*



THE TRAITS THAT MAKE US SHINE



Founded in 2016, darkFlash was composed of DIY pc builders and gaming enthusiasts. From design to manufacture, from cooling system, case fans to gaming chairs and desks, we've come a long way to perfect ourselves on style and details. We believe, sticking to what we set out to do, no matter how long it would take, we would eventually become legends.

FLY TO UNLIMITED!

CONTENTS

2	Our Flagship Product DF7100 / DF5000	17	Cooling products
4	La Saint-Valentin: Glass and Metal - the Boys' Romance	22	Your Best Bet for Endless Power! Upmost Series 850W
6	Folding Art We Bent the Panel!	23	PC Power
8	PC Cases	24	Uncrowned Throne Ergonomic Gaming Chair
12	Cool! Cooler!! Coolest!!! DX ver2.6 360 Liquid Cooler	26	Starry Sky Serenade New Product Color Matching
14	Liquid or Air? How to Choose Your First CPU Cooler?	27	External Accessories
16	Love Yourself Poster of INF. 24 Pro	28	LCD Monitor



OUR FLAGSHIP PRODUCT. LUXURY ATX PC CASE

DF7100

DF SERIES

SPECIFICATIONS

Case Size :	541*234.3*526mm
Packing Size :	632*338*640mm
Material :	0.8 SPCC
Motherboard :	E-ATX/ ATX/ M-ATX
HDD / SSD :	4 / 2
Expansion Slots :	8 Slots
Max. VGA Length :	480mm (Max.)
Max. CPU Height :	185mm (Max.)
Power Supply :	Bottom, 200mm
Radiator System :	Front : 240/ 280mm Top : 240/ 280/ 360mm
Fan Support :	Front : 120mm*3/ 140mm*3 Top : 120mm*3/ 140mm*3 Rear : 120mm*1/ 140mm*1
I/O :	Power/ Reset/ Type-C (3.2 Gen 1)/ USB3.0*2/ LED/ HD Audio
Front Panel :	Aluminum / ABS
Left Panel :	Tempered Glass

*Chassis : DF7100 | System Fan : CCM 140 Black | CPU Cooler : S11 Pro Black

DF5000

LUXURY SELECTION PC CASE

Case Size :	455*240*480mm	Radiator System :	Top : 240/280/360mm
Packing Size :	465*240*500mm		Rear : 120/140mm
Material :	0.8 SPCC		Side : 240/360mm
Motherboard :	ATX/ M-ATX/ ITX	Fan Support :	Top : 120mm*3/ 140mm*2
HDD / SSD :	2 or 0 / 3 or 1		Front : 120mm*3/ 140mm*3
Expansion Slots :	7 Slots		Side : 120mm*3 Bottom : 120mm*3
Max. VGA Length :	425mm (Max.)		Rear : 120mm*1/ 140mm*1
Max. CPU Height :	175mm (Max.)	I/O :	Power / Reset / USB3.0*2/
Power Supply :	290mm		Type-C*1/ HD AUDIO

You can see the honeycomb shape of its front panel at first glance. Through the lines drawn in different directions inside, using the principle of optical illusion, the three-dimensional sense and layering of the panel are increased. At the same time, the hexagonal structure also makes its ventilation efficiency and wind Noise has been greatly optimized. DF5000 has such a large space that it can hold an E-ATX motherboard and also has a 480mm graphics card space, which can completely hold 4 mechanical hard drives (HDD) and 2 solid state drives (SSD).

Transform it into a steel monster!



*Chassis : DF5000 | System Fan : CL 6 Black | CPU Cooler : DX v2 360 Black



Have you ever seen a case panel inlaid with gemstones? Maybe you should take a look at the darkFlash DF7100. Of course, the chassis is not really inlaid with gems, but is lined with pieces of diamond-like metal.

To be honest, this guy looks like a Titan, wild and powerful, as if it has an unstoppable aura. It is hard to say that it is not a bold design attempt. The glass side panel adopts an open-leaf design, which eliminates the trouble of disassembly, and is very friendly to inspection

and maintenance: you don't need to take down the whole piece of glass and worry about hidden dangers caused by broken glass!

The darkFlash DF7100 can be equipped with a 240 or 280 liquid cooler at the same time as the 360 liquid cooler. The maximum capacity of 480mm can be used with almost all graphics cards currently on the market. The lower disk slot can accommodate 4 mechanical hard drives (HDD) and 2 solid state drives (SSD).





SPECIFICATIONS

Case Size :	473*248*456mm
Material :	0.8 SPCC / Metal / Tempered Glass
Motherboard :	E-ATX/ATX/ M-ATX/ ITX
HDD / SSD :	3(Max.) / 3(Max.)
Expansion Slots :	5 or 7 Slots
Max. VGA Length :	425mm (Max.)
Max. CPU Height :	180mm (Max.)
Power Supply :	Bottom, 180mm, ATX
Radiator System :	Front : 240/ 360mm Top : 240/ 360mm
Fan Support :	Front : 120mm*3/ 140mm*2 (Mesh Ver. only) Top : 120mm*3/ 140mm*3 Rear : 120mm*1/ 140mm*1 Right(F): 120mm*3 / 140mm*2 Right(R): 120mm*3 Rear : 120mm*1 Top : 120mm*3 / 140mm*2 Bottom : 120mm*1 / 140mm*1
I/O :	Power/ Reset/ USB3.0*2/ Type-C*1/ HD Audio USB3.0*2/ LED/ HD Audio

*Chassis : DLX 4000 white | System Fan : CL 6 white | CPU Cooler : DX 360 V2.6 white

WHITE BLACK

GLASS/MESH

DLX4000

LUXURY SELECTION PC CASE

La Saint-Valentin: Glass and Metal - the Boys' Romance

What boy can resist a cool big fish tank made of metal and glass?!

The transparent glass design on both sides allows you to fully appreciate the cool light and shadow created by yourself. Maybe this is the romance that belongs only belongs to boys. (Friendly reminder: Please do not really use this case to raise fish.)

Guys who are entangled in Valentine's Day and don't know what gift to give, you can choose this case: "My dear, I want to bring you a special gift this Valentine's Day, a unique case - darkFlash's dlx4000 case." Of course, if he or she is a game and installation enthusiast, that would be great. If not, then you can justifiably keep it for yourself. Although, it might bring some risks.



As the main chassis of darkFlash, DLX series is widely favored by buyers because of its excellent appearance design. Powerful hardware support, superior performance, easy maintenance and upgrade.

DLX4000 can be perfectly equipped with ATX motherboard + RTX4090 graphics card (425mm max). Of course, 360 liquid cooler is also indispensable. The super large space and excellent heat dissipation performance make DLX4000 more diverse in the hands of installation enthusiasts.



NO LONGER STRAIGHT!

Introducing our latest gaming PC case, featuring a unique design that will bend your mind: we bent the panel! That's right, the front panel of our case is intentionally curved, adding not only a cool and modern look, but also extra space for all your hardware needs.

It was a deliberate decision to create something different, something that stands out from the crowd. And it's not just about aesthetics; it's also about giving you the flexibility to install more components and unleash the full potential of your gaming rig.

So, are you ready to join us on this bending journey? With our unique panel design, your gaming PC will no longer be just another straight and boring case. It will be a true statement piece that reflects your personality and style.

We bent the panel - now it's your turn to bend the rules and take your gaming to the next level!

FOLDING ART

WE BENT THE PANEL!



DLZ31


LUXURY ATX PC CASE

SPECIFICATIONS

Case Size :	495.9*217.2*505.5mm
Packing Size :	576*575*292mm
Material :	0.8/ 0.7mm SPCC
Motherboard :	ATX / M-ATX / ITX
HDD / SSD :	2 / 4
Expansion Slots :	7+2 Slots
Max. VGA Length :	390mm (Max.)
Max. CPU Height :	172mm (Max.)
Power Supply :	Bottom, 200mm
Radiator System :	Front : 240/ 280mm Radiator Top : 240/ 280/ 360mm Radiator
Fan Support :	Front : 120mm*3/ 140mm*3 Rear : 120mm*1/ 140mm*1 Top : 120mm*3/ 140mm*2
I/O :	USB3.0*2 / HD Audio/ Power/ Reset/ Type-C
Front Panel :	Metal
Side Panel :	Tempered glass

SPECIFICATIONS

Case Size :	450*210*450mm
Material :	0.6 SPCC / Tempered Glass / Iron / ABS
Motherboard :	M-ATX/ ITX
HDD / SSD :	2(Max.) / 3(Max.)
Expansion Slots :	5 Slots
Max. VGA Length :	410mm (Max.)
Max. CPU Height :	165mm (Max.)
Power Supply :	Bottom, 265mm
Radiator System :	Front : 240/280/360mm Top : 240/280/360mm Rear : 120mm
Fan Support :	Front : 140mm*2/ 120mm*3 (Mesh Ver. only) Rear : 120mm*1 Top : 120mm*3 / 140mm*2 Side : 120mm*2 PSU Chamber : 120mm*2
I/O :	Power/ Reset/ USB3.0*1/ USB2.0*2 / HD Audio / LED



WHITE BLACK

DK415M

LUXURY M-ATX PC CASE

DK415M:

As a new star, the overall design of DK415M tends to be subtle and introverted. Its color is either pure white or pure black - but this is not a shortcoming, which means that it is a three-dimensional canvas that can be created whatever you want into a work of art.

Of course, having the potential to be a work of art does not mean that it can only be used as a vase. The thickness of the metal plate is 0.6mm, which provides good thermal conductivity and sufficient support. Although its width is only 450mm, it only supports the M-ATX and below motherboards, but it still provides a 410mm graphics card space, and can also install three 120mm fans or two 140mm fans on the front panel. It is difficult to turn around in a small space, but it can also be equipped with a 360 liquid cooler on the top! Up to 2 mechanical hard drives (HDD) or 3 solid state drives (SSD) can be installed.



Different from the introverted 415M, the design of DLZ31 is more bold and radical. Two steel plates are bent and interspersed together, which is like a set of contradictions and blends with each other. a work of art. DLZ31 is also available in two colors, white and black. The white case is painted in white, like an "angel", symbolizing purity and holiness; the black case uses a colliding color scheme of black and orange, more like a "devil", symbolizing rebellion and resistance.

Cooooo!!! The DLZ31 chassis is definitely a muscular monster, with a metal plate thickness of 0.8mm and its big enough body. It will definitely make you look at it more often. Its appearance is so ruthless, but as the saying goes, don't judge a person by its cover. In addition to installing ATX motherboards, graphics cards within 390mm can also be installed. As an experimental product, with the support of seven 120mm fans, it can still guarantee its efficient heat dissipation. Of course, you can even install a 360mm liquid cooler on the top or a 280mm liquid cooler on the front for maximum cooling efficiency.





WHITE BLACK PINK

GLASS

DK431

LUXURY ATX PC CASE

Color : White/ Black/ Pink
Chassis Size : 470*205*485mm
Steel Thickness : 0.6mm SPCC
Max. VGA : 400mm length
Max. CPU : 160mm height
Motherboard : E-ATX/ ATX/ M-ATX



WHITE BLACK PINK

MESH

DK431

LUXURY ATX PC CASE

Color : White/ Black/ Pink
Chassis Size : 470*205*485mm
Steel Thickness : 0.6mm SPCC
Max. VGA : 400mm length
Max. CPU : 160mm height
Motherboard : E-ATX/ ATX/ M-ATX



WHITE BLACK

DK361

LUXURY ATX PC CASE

Color : White/ Black
Chassis Size : 475*210*405.8mm
Steel Thickness : 0.5mm SPCC
Max. VGA : 350mm length
Max. CPU : 160mm height
Motherboard : ATX/ M-ATX/ ITX



WHITE BLACK

DK360

LUXURY ATX PC CASE

Color : White/ Black
Chassis Size : 480*210*400mm
Steel Thickness : 0.5mm SPCC
Max. VGA : 350mm length
Max. CPU : 160mm height
Motherboard : ATX/ M-ATX/ ITX



E

S

A

C

O

P



WHITE

DLZ32

Luxury ATX PC Case

Color : White
Case Size : 495.9*217.2*505.5mm
Steel Thickness : 0.8-0.7mm SPCC
Max. VGA : 390mm length
Max. CPU : 172mm height
Motherboard : ATX/ M-ATX/ ITX



ALUMINUM

DLZ32

Luxury ATX PC Case

Color : Black
Case Size : 495.9*217.2*505.5mm
Steel Thickness : 0.8-0.7mm SPCC
Max. VGA : 390mm length
Max. CPU : 172mm height
Motherboard : ATX/ M-ATX/ ITX



WHITE BLACK



DF2100

LUXURY ATX PC CASE

Color : Black
Chassis Size : 450*210*482mm
Steel Thickness : 0.6mm SPCC
Max. VGA : 400mm length
Max. CPU : 170mm height
Motherboard : E-ATX/ ATX/ M-ATX/ ITX

WHITE BLACK



DK352 PLUS

LUXURY ATX PC CASE

Color : White/ Black
Chassis Size : 390*200*450mm
Steel Thickness : 0.5mm SP CC
Max. VGA : 340mm length
Max. CPU : 160mm height
Motherboard : E-ATX/ ATX/ M-ATX

WHITE BLACK



DK352

LUXURY ATX PC CASE

Color : White/ Black
Chassis Size : 390*200*450mm
Steel Thickness : 0.5mm SPCC
Max. VGA : 340mm length
Max. CPU : 160mm height
Motherboard : E-ATX/ ATX/ M-ATX

WHITE BLACK



A290

LUXURY ATX PC CASE

Color : White/ Black
Chassis Size : 320*190*433mm
Steel Thickness : 0.5mm SPCC
Max. VGA : 260mm length
Max. CPU : 160mm height
Motherboard : ATX/ M-ATX/ ITX

WHITE BLACK PINK NEOMINT



DLX22 Neo

Luxury ATX Chassis

Color : White/ Black/ Pink
NeoMint
Chassis Size : 412*216*488mm
Steel Thickness : 0.7mm SPCC
Max. VGA : 380mm length
Max. CPU : 165mm height
Motherboard : E-ATX/ ATX/ M-ATX/ ITX

WHITE BLACK

● ●



DLV31

Luxury ATX PC CASE

Color : White/ Black
Chassis Size : 510*238*550mm
Steel Thickness : 0.7mm SPCC
Max. VGA : 345mm(Max.)
Max. CPU : 177mm(Max.)
Motherboard : E-ATX/ ATX
M-ATX/ ITX

WHITE BLACK

● ●



ARGB

DLX200

Duo Side Opening Panel

Color : White/ Black
Chassis Size : 468*233*493mm
Steel Thickness : 0.8mm SPCC
Max. VGA : 400mm length
Max. CPU : 180mm height
Motherboard : E-ATX/ ATX/
M-ATX/ ITX

WHITE BLACK

● ●



GLASS

DLX200

Duo Side Opening Panel

Color : White/ Black
Chassis Size : 468*233*493mm
Steel Thickness : 0.8mm SPCC
Max. VGA : 400mm length
Max. CPU : 180mm height
Motherboard : E-ATX/ ATX/
M-ATX/ ITX

WHITE BLACK PINK NEOMINT

● ● ● ●



DLM21 Mesh

Luxury M-ATX Chassis

Color : White/ Black/ Pink
NeoMint
Chassis Size : 376*208*405mm
Steel Thickness : 0.6mm SPCC
Max. VGA : 350/ 330mm length
Max. CPU : 160mm height
Motherboard : M-ATX/ ITX

WHITE BLACK PINK NEOMINT

● ● ● ●



DLM22

Luxury M-ATX Chassis

Color : White/ Black/ Pink
NeoMint
Chassis Size : 360*208*425mm
Steel Thickness : 0.6mm SPCC
Max. VGA : 350/ 330mm length
Max. CPU : 160mm height
Motherboard : M-ATX/ ITX

WHITE BLACK

● ●



MESH

DLX200

Duo Side Opening Panel

Color : White/ Black
Chassis Size : 468*233*493mm
Steel Thickness : 0.8mm SPCC
Max. VGA : 400mm length
Max. CPU : 180mm height
Motherboard : E-ATX/ ATX/
M-ATX/ ITX

WHITE BLACK

● ●



SILENT

DLX200

Duo Side Opening Panel

Color : White/ Black
Chassis Size : 468*233*493mm
Steel Thickness : 0.8mm SPCC
Max. VGA : 400mm length
Max. CPU : 180mm height
Motherboard : E-ATX/ ATX/
M-ATX/ ITX

BLACK GRAY

● ●



DLC31

LUXURY ATX PC CASE

Color : Black/ Gray
Chassis Size : 390*210*496mm
Steel Thickness : 0.6mm SPCC
Max. VGA : 340mm length
Max. CPU : 160mm height
Motherboard : ATX/ M-ATX/ ITX

BLACK GRAY

● ●




DLC31 Mini

LUXURY M-ATX PC CASE

Color : Black/ Gray
Chassis Size : 390*210*440mm
Steel Thickness : 0.6mm SPCC
Max. VGA : 340mm length
Max. CPU : 160mm height
Motherboard : M-ATX/ ITX

WHITE BLACK PINK NEOMINT

● ● ● ●



DLX21 Mesh

Duo Side Opening Panel

Color : White/ Black/ Pink/ NeoMint
Chassis Size : 448*233*493mm
Steel Thickness : 0.8mm SPCC
Max. VGA : 400mm length
Max. CPU : 180mm height
Motherboard : E-ATX/ ATX/
M-ATX/ ITX

WHITE BLACK PINK NEOMINT

● ● ● ●



DLX21

Duo Side Opening Panel

Color : White/ Black/ Pink/
NeoMint
Chassis Size : 448*233*493mm
Steel Thickness : 0.8mm SPCC
Max. VGA : 400mm length
Max. CPU : 180mm height
Motherboard : E-ATX/ ATX/
M-ATX/ ITX

WHITE BLACK PINK

● ● ●



DK100

Luxury ATX Chassis

Color : White/ Black/ Pink
Chassis Size : 336*220*442mm
Steel Thickness : 0.4mm SPCC
Max. VGA : 300mm length
Max. CPU : 160mm height
Motherboard : ATX/ M-ATX/ ITX

WHITE BLACK

● ●



DK150

Luxury ATX Chassis

Color : White/ Black
Chassis Size : 370*206*432mm
Left Panel : Tempered glass
Max. VGA : 290mm length
Max. CPU : 160mm height
Motherboard : ATX/ M-ATX/ ITX

WHITE BLACK PINK NEOMINT

● ● ● ●



MINI-ITX

DLH21

Luxury Mini-ITX Chassis

Color : White/ Black/ Pink/ NeoMint
Chassis Size : 238.8*175*412mm
Steel Thickness : 0.8mm SPCC
Max. VGA : 320*147*61mm
Max. CPU : 134mm height
Motherboard : ITX

WHITE BLACK PINK NEOMINT

● ● ● ●



DLX22

Duo Side Opening Panel

Color : White/ Black/ Pink
NeoMint
Chassis Size : 448*233*493mm
Steel Thickness : 0.8mm SPCC
Max. VGA : 400mm length
Max. CPU : 180mm height
Motherboard : E-ATX/ ATX/
M-ATX/ ITX

Introducing the **DX v2.6 360** - the ultimate water cooling solution for high-performance computers. With its advanced features and stunning visual effects, this powerful cooler takes your computing experience to the next level.

One of the key features of the DX v2.6 360 is its 360-degree rotatable cold head. This allows for easy adjustment and ensures that the cooler can be positioned in the most efficient way possible. Additionally, the cold head and fan are designed with a unique space-free visual effect, providing an incredible aesthetic appeal.

The DX v2.6 360 also features aRGB lighting effects on both the cold head and fan, adding a touch of customization and personality to your build. These lighting effects can be easily adjusted and synchronized with other RGB components for a seamless and visually stunning setup.

But the DX v2.6 360 isn't just about looks - it's a high-performance liquid cooler. Thanks to its powerful liquid cooling technology, the DX v2.6 360 provides superior cooling performance, keeping your CPU, GPU, and memory running at optimal temperatures even under heavy loads.

Installation is a breeze, with a user-friendly design that makes setup simple and straightforward. The DX v2.6 360 is also compatible with both Intel 17xx and AMD AM5, making it a versatile and convenient choice for a wide range of builds.

In summary, the **DX v2.6 360** is a **powerful and visually stunning liquid cooler** for high-performance computers. Its **360-degree rotatable cold head**, **space-free visual effects**, **aRGB lighting**, and **superior cooling performance** make it the perfect choice for gamers, content creators, and anyone looking for an exceptional computing experience.



WHITE BLACK PINK

Ver.2.6

DX360

LIQUID CPU COOLER

SPECIFICATIONS

Model :	Twister DXV2.6 360
Color :	White/ Black/ Pink
Water Block Size :	78.5*70*54mm
Pump Speed :	2700±10% RPM
Pump Voltage :	12V
Cooler Size :	394*120*27mm
Radiator Material :	Aluminum
Fan Size :	120*120*25mm
Fan Speed :	800-1800 RPM
Air Flow :	51CFM±10%
Noise Level :	32dBA±10%
Static Pressure :	1.5mm H2O
Compatible :	Intel : LGA 115x / 20xx(V3)/12xx/17xx AMD : AM5/AM4/AM3(+)/AM2(+)/FM2/FM1

COOL! COOLER!! COOLEST!!!

The 360mm liquid cooler system for computer cases is currently one of the most popular cooling methods. Providing powerful cooling capabilities for high-performance computers to ensure system stability and reliability. The system utilizes comprehensive liquid cooling technology to effectively cool high-temperature components such as the CPU, GPU, and memory. Avoiding system crashes and hardware damage caused by overheating.

WHITE BLACK PINK

WHITE BLACK PINK

WHITE BLACK PINK

WHITE BLACK PINK

TWISTER
DX120 Ver.2.6

All-in-one Liquid CPU Cooler

Color :	White/ Black/ Pink
Pump Speed :	2700±10% RPM
Pump Voltage :	12V
Radiator Material :	Aluminum
Fan Size :	120*120*25mm
Fan Speed :	800-1800 RPM
Compatible :	
Intel :	LGA 115x / 20xx(V3)/12xx/17xx
AMD :	AM5/AM4/AM3(+)/AM2(+)/FM2/FM1

TWISTER
DX240 Ver.2.6

All-in-one Liquid CPU Cooler

Color :	White/ Black/ Pink
Pump Speed :	2700±10% RPM
Pump Voltage :	12V
Radiator Material :	Aluminum
Fan Size :	120*120*25mm
Fan Speed :	800-1800 RPM
Compatible :	
Intel :	LGA 115x / 20xx(V3)/12xx/17xx
AMD :	AM5/AM4/AM3(+)/AM2(+)/FM2/FM1

TWISTER
DX480 Ver.2.6

All-in-one Liquid CPU Cooler

Color :	White/ Black/ Pink
Pump Speed :	2700±10% RPM
Pump Voltage :	12V
Radiator Material :	Aluminum
Fan Size :	120*120*25mm
Fan Speed :	800-1800 RPM
Compatible :	
Intel :	LGA 115x / 20xx(V3)/12xx/17xx
AMD :	AM5/AM4/AM3(+)/AM2(+)/FM2/FM1



When you are preparing to configure a computer for yourself.

Which CPU cooling will you choose?

Have you ever thought about the difference between water cooling and air cooling?



WHITE BLACK PINK

ARGB/Rainbow

DC480

All-in-one Liquid CPU Cooler

SPECIFICATIONS

- Color : White/ Black/ Pink
- Water Block Size : 71*66.5*45mm
- Pump Speed : 3200±10%RPM
- Pump Voltage : 12V
- Cooler Size : 517*120*27mm
- Radiator Material : Aluminum
- Fan Size : 120*120*25mm
- Fan Speed : 800~2000±10% RPM
- Air Flow : 84.2CFM
- Noise Level : 16.0 - 30.15 dBA
- Static Pressure : 2.54mm H2O
- Compatible : Intel : LGA 115x / 20xx(V3)/12xx/17xx
AMD : AM5/AM4/AM3(+)/AM2(+)/FM2/FM1

WHITE BLACK PINK

Ellsworth SERIES

S21

TOWER CPU COOLER

- Overall Dimensions : 130x75x157mm
- Fan Dimensions : 120x130x25mm
- Fan Speed : 800 - 2000±10% RPM
- Air Flow : 21.74 - 81.2CFM
- Noise Level : 16.0 - 30.15 dBA
- Static Pressure : 0.3 - 2.33mm H2O
- Bearing Pressure : Hydro Bearing
- Compatible : Intel : LGA 115x / 20xx(V3)/12xx/17xx
AMD : AM5/AM4/AM3(+)/AM2(+)/FM2/FM1



How to Choose Your First CPU Cooler

? LIQUID OR AIR



Liquid Cooler

ADVANTAGE:

Space: An excellent liquid cooler can often save a lot of space for the chassis. Its small liquid block generally does not affect the installation of other components of the motherboard. Moreover, a liquid cooler only needs to be equipped with one cold head, which not only saves space in the case, but also means that additional decorations can be placed if your case is transparent.

Beautiful: Light pollution! Yes, water cooling will make the light pollution of your case more integrated and dazzling. And it's easier to DIY according to your own preferences.

SHORTCOMING:

Leakage risk: Be careful! Once the water cooling leaks, it will screw up everything in your computer! Although this is only a small probability event, improper handling and operation, as well as inevitable aging, will increase the risk of leakage of liquid cooling.

Installation Difficulty: The installation steps of liquid cooler are relatively more complicated. It is really a technical job to sort out these lines, and it is really a big challenge for beginner novice who installed the machine for the first time.

ADVANTAGE:

Easy to install: Put your thermal paste on the CPU, and then put it on it directly!

Low noise: Air cooling radiator has less noisy. Because it only needs to dissipate heat through the fan. However, liquid cooler requires a water pump and fans to work together, and the noise is relatively louder.

Longer life and safer: In theory, air cooling can be used until your computer disintegrates.

SHORTCOMING:

Space: The huge volume makes the air cooler chassis seem cramped. Theoretically, the larger the air cooling volume, the higher the heat dissipation efficiency. However, excessive air cooling sometimes crowds out the positions of the GPU and memory.

Overweight: Although we have taken as many measures as possible to help the chassis and motherboard support the overweight air cooling, it is still impossible to avoid the deformation of the motherboard over time. Moreover, the installed air cooling will increase the risk of damage to other components during the transportation of the chassis.

Uwch!: Watch out for air-cooled heat sinks! They are thin and have sharp edges. Therefore, it is easy to scratch yourself during the installation operation.

Air Cooler

In the case of the same general heat dissipation efficiency, the price of air cooler is more economical than that of liquid cooler. However, due to the limitation of materials and technology, the maximum heat dissipation limit of air cooler is only about 200W-250W.

Based on these two cooling methods, we offer you the following purchasing advice:



If you have a high-performance CPU or need to operate at high load for a long time, then liquid cooler is a good choice.

If you value quietness and simplicity of installation, and the performance requirement is not particularly high, then air cooler is a good choice.

If you prefer high performance and low noise, you can choose a high-end air cooler radiator or use a liquid cooler solution with quiet fans.

In general, liquid cooler and air cooler have their own advantages and disadvantages, and the choice should be based on your own needs.

Model : INFINITY 24 Pro
Color : White/ Black/ Pink
Dimensions : 120x120x25mm
Fan Speed : 800-1200±10% RPM
Air Flow : 65 CFM
Noise Level : 18-30 dB (MAX.)
MTTF : 30000 hrs
Static Pressure : 0.78mm H2O



LOVE YOURSELF

SINGLE 3IN1 5IN1

INF.24 PRO

PWM A-RGB COOLING FAN

GOAL

WHITE BLACK PINK



WHITE BLACK PINK



WHITE BLACK PINK



WHITE BLACK PINK



WHITE BLACK PINK



RADIANT

DC120 ARGB/
RAINBOW

All-in-one Liquid CPU Cooler

Color : White/ Black/ Pink
Pump Speed : 3200±10% RPM
Pump Voltage : 12V
Radiator Material : Aluminum
Fan Size : 120*120*25mm
Fan Speed : 800~2000±10% RPM
Compatible :
Intel : LGA 115x / 20xx(V3)/12xx/17xx
AMD : AM5/AM4/AM3(+)/AM2(+)/FM2/FM1



RADIANT

DC240 ARGB/
RAINBOW

All-in-one Liquid CPU Cooler

Color : White/ Black/ Pink
Pump Speed : 3200±10% RPM
Pump Voltage : 12V
Radiator Material : Aluminum
Fan Size : 120*120*25mm
Fan Speed : 800~2000±10% RPM
Compatible :
Intel : LGA 115x / 20xx(V3)/12xx/17xx
AMD : AM5/AM4/AM3(+)/AM2(+)/FM2/FM1



RADIANT

DC360 ARGB/
RAINBOW

All-in-one Liquid CPU Cooler

Color : White/ Black/ Pink
Pump Speed : 3200±10% RPM
Pump Voltage : 12V
Radiator Material : Aluminum
Fan Size : 120*120*25mm
Fan Speed : 800~2000±10% RPM
Compatible :
Intel : LGA 115x / 20xx(V3)/12xx/17xx
AMD : AM5/AM4/AM3(+)/AM2(+)/FM2/FM1



RADIANT

DC280 ARGB/
RAINBOW

All-in-one Liquid CPU Cooler

Color : White/ Black/ Pink
Pump Speed : 3200±10% RPM
Pump Voltage : 12V
Radiator Material : Aluminum
Fan Size : 140*140*25mm
Fan Speed : 800~2000±10% RPM
Compatible :
Intel : LGA 115x / 20xx(V3)/12xx/17xx
AMD : AM5/AM4/AM3(+)/AM2(+)/FM2/FM1



RADIANT

DC420 ARGB/
RAINBOW

All-in-one Liquid CPU Cooler

Color : White/ Black/ Pink
Pump Speed : 3200±10% RPM
Pump Voltage : 12V
Radiator Material : Aluminum
Fan Size : 140*140*25mm
Fan Speed : 800~2000±10% RPM
Compatible :
Intel : LGA 115x / 20xx(V3)/12xx/17xx
AMD : AM5/AM4/AM3(+)/AM2(+)/FM2/FM1

WHITE BLACK



DA360

All-in-one Liquid CPU Cooler

Color : White/ Black
 Pump Speed : 2500±10% RPM
 Pump Voltage : 12V
 Radiator Material : Aluminum
 Fan Size : 120*120*25mm
 Fan Speed : 900-1800±10% RPM
 Compatible :
 Intel : 775/ 115x/ 1200/ 1366/ 1700/ 20xx(v3)
 AMD : AM5/ AM4/ AM3(+)/ AM2(+)/ FM2(+)/ FM1

WHITE BLACK



DA240

All-in-one Liquid CPU Cooler

Color : White/ Black
 Pump Speed : 2500±10% RPM
 Pump Voltage : 12V
 Radiator Material : Aluminum
 Fan Size : 120*120*25mm
 Fan Speed : 900-1800±10% RPM
 Compatible :
 Intel : 775/ 115x/ 1200/ 1366/ 1700/ 20xx(v3)
 AMD : AM5/ AM4/ AM3(+)/ AM2(+)/ FM2(+)/ FM1

WHITE BLACK PINK NEOMINT



S11 PRO

Tower CPU Cooler

Dimensions : 122*78*158mm
 Fan Dimensions : 120*25*120mm
 Fan Speed : 800-1800±10% RPM
 Bearing Type : Hydro Bearing
 Compatible :
 Intel : 775/ 115x/ 1200/ 1366/ 1700/ 20xx(v3)
 AMD : AM5/ AM4/ AM3(+)/ AM2(+)/ FM2/ FM1

TDP
180W

BLACK



DARKVOID

Top-flow CPU Cooler

Dimensions : 127*127*82mm
 Fan Dimensions : 125*125*25mm
 Fan Speed : 1800±10% RPM
 Bearing Type : Hydro Bearing
 Compatible :
 Intel : 775/ 115x/ 1366
 AMD : AM4/ AM3 (Core i3/ i5)

WHITE BLACK

APERTURE
DW240

All-in-one Liquid CPU Cooler

Color : White/ Black
 Pump Speed : 3200±10% RPM
 Pump Voltage : 12V
 Radiator Material : Aluminum
 Fan Size : 120*120*25mm
 Fan Speed : 900-2100±10% RPM
 Compatible :
 Intel : LGA 115x / 20xx(V3)/12xx/17xx
 AMD : AM5/AM4/AM3(+)/AM2(+)/FM2/FM1

WHITE BLACK

APERTURE
DW360

All-in-one Liquid CPU Cooler

Color : White/ Black
 Pump Speed : 3200±10% RPM
 Pump Voltage : 12V
 Radiator Material : Aluminum
 Fan Size : 120*120*25mm
 Fan Speed : 900-2100±10% RPM
 Compatible :
 Intel : LGA 115x / 20xx(V3)/12xx/17xx
 AMD : AM5/AM4/AM3(+)/AM2(+)/FM2/FM1

BLACK



SHADOW PRO

Top-flow CPU Cooler

Dimensions : 100*100*94mm
 Fan Dimensions : 100*100*25mm
 Fan Speed : 800-2500±10% RPM
 Bearing Type : Hydro Bearing
 Compatible :
 Intel : 115x/ 1366/ 20xx
 AMD : AM4/ AM3 (Core i3/ i5)

BLACK



DR11 LED

IMPRESSIVE PERFORMANCE FAN

Fan Speed : 1200±10% RPM
 Fan Dimensions : 120*120*25mm
 Air Flow : 53CFM
 Static Pressure : 0.97mmH2O
 Noise Level : 22.5dB (A)
 Rating Voltage : DC12V
 Bearing Type : Hydro Bearing

BLACK



S2X

Dual Fan Tower CPU Cooler

Dimensions : 140*127*165mm
 Fan Dimensions : 120*130*25mm
 Fan Speed : 800-1800±10% RPM
 Bearing Type : Hydro Bearing
 Compatible :
 Intel : 775/ 115x/ 1200/ 1366/ 1700/ 20xx(v3)
 AMD : AM5/ AM4/ AM3(+)/ AM2(+)/ FM2/ FM1

TDP
200W

WHITE BLACK PINK



DARKAIR PRO

Tower CPU Cooler

Dimensions : 128*75*155mm
 Fan Dimensions : 120*120*25mm
 Fan Speed : 800-1600±10% RPM
 Bearing Type : Hydro Bearing
 Compatible :
 Intel : 775/ 115x/ 1200/ 1366
 AMD : AM5/ AM4/ AM3(+)/ AM2(+)

BLACK



DR11 ARGB

IMPRESSIVE PERFORMANCE FAN

Fan Speed : 1200±10% RPM
 Fan Dimensions : 120*120*25mm
 Air Flow : 53CFM
 Static Pressure : 0.97mmH2O
 Noise Level : 22.5dB (A)
 Rating Voltage : DC12V
 Bearing Type : Hydro Bearing

BLACK



DR12 PRO

Double Light Ring A-RGB Cooling Fan

Fan Speed : 1200±10% RPM
 Fan Dimensions : 120*120*25mm
 Air Flow : 38CFM
 Static Pressure : 0.38mmH2O
 Noise Level : 16dB (A)
 Rating Voltage : DC12V
 Bearing Type : Hydraulic Bearing


BLACK



DARKAIR PLUS

Dual Fan Tower CPU Cooler


Dimensions : 128*102*158mm
 Fan Dimensions : 120*120*25mm
 Fan Speed : 800-1600±10% RPM
 Bearing Type : Hydro Bearing
 Compatible :
 Intel : 775/ 115x/ 1200/ 1366
 AMD : AM5/ AM4/ AM3(+)/ AM2(+)/ FM2/ FM1

L6 DUAL
TOWER

Air CPU Cooler

Dimensions : 96.5*90*136mm
 Fan Dimensions : 90*90*25mm
 Fan Speed : 2200±10% RPM
 Bearing Type : Hydro Bearing
 Compatible :
 Intel : 775/ 115x/ 1366/ 20xx
 AMD : AM5/ AM4/ AM3 (Core i3/ i5/ i7)

WHITE BLACK



CL6

RGB COOLING FAN

Fan Speed : 1100±10% RPM
 Fan Dimensions : 120*120*25mm
 Air Flow : 32.18CFM(ft3/min)
 Static Pressure : 0.62mm-H2O
 Noise Level : ≤26.0dB(A)
 Rating Voltage : DC12V
 Bearing Type : Rifle Bearing

WHITE BLACK PINK NEOMINT



INFINITY 8

PWM A-RGB Cooling Fan

Fan Speed : 800±10% RPM
 Fan Dimensions : 120*120*25mm
 Air Flow : 62.18(Max.) CFM
 Static Pressure : 1.82mmH2O
 Noise Level : 18-30dBA (Max.)
 Current : 0.3-0.5A
 MTTF : 30,000hrs


WHITE BLACK PINK



CL12

Rainbow LED Lighting Cooling Fan
Fan Speed : 1200±10%RPM
Fan Dimensions : 120*120*25mm
Air Flow : 52.46(Max.) CFM
Static Pressure : 0.73mmH2O
Noise Level : 25.52dBA (Max.)
Current : 0.4A
MTTF : 30,000hrs

WHITE BLACK PINK NEOMINT



CX6 PWM

Aurora Lighting A-RGB Cooling Fan
Fan Speed : 800-2000±10%RPM
Fan Dimensions : 120*120*25mm
Air Flow : 55.29CFM
Static Pressure : 1.63mmH2O
Noise Level : 18-30dBA (Max.)
Current : 0.3-0.5A
MTTF : 30,000hrs

BLACK



CF140

Triple Halo Luxury Cooling Fan
Fan Speed : 1200±10%RPM
Fan Dimensions : 140*140*25mm
Air Flow : 71±10%CFM
Static Pressure : 0.87mmH2O
Noise Level : 33dBA (Max.)
Bearing Type : Hydraulic Bearing
MTTF : 20,000hrs


BLACK



CS140

Single Circle Light Ring 140mm Fan
Fan Speed : 1100±10%RPM
Fan Dimensions : 140*140*25mm
Air Flow : 43CFM
Static Pressure : 1.0mmH2O
Noise Level : 24dBA (Max.)
Bearing Type : Hydraulic Bearing
MTTF : 20,000hrs

WHITE BLACK PINK NEOMINT



C6 MS

A-RGB Cooling Fan
Fan Speed : 1100±10%RPM
Fan Dimensions : 120*120*25mm
Air Flow : 36.54CFM
Static Pressure : 0.74mmH2O
Noise Level : 20.3dBA (Max.)
Current : 0.36A
MTTF : 20,000hrs

BLACK



CF8 PRO

Crystal Frame A-RGB Fan
Fan Speed : 1100±10%RPM
Fan Dimensions : 120*120*25mm
Air Flow : 30CFM
Static Pressure : 0.62mmH2O
Noise Level : 22.5dBA (Max.)
Bearing Type : Rifle Bearing
MTTF : 30,000hrs

WHITE BLACK



S202

FDB PWM A-RGB Cooling Fan
Fan Speed : 600±200-1800±10%RPM
Fan Dimensions : 120*130*25mm
Air Flow : 75.8(Max.) CFM
Static Pressure : 2.6mmH2O
Noise Level : 32dBA (Max.)
Current : 240±20% mA(FAN)
MTTF : 360 mA(MAX)(LED)
100,000hrs

WHITE BLACK



S200

FDB PWM Cooling Fan
Fan Speed : 600±200-1800±10%RPM
Fan Dimensions : 120*130*25mm
Air Flow : 75.8(Max.) CFM
Static Pressure : 2.6mmH2O
Noise Level : 32dBA (Max.)
Current : 240±20% mA
MTTF : 100,000hrs

BLACK



DR12 PWM

Double Light A-RGB PWM Cooling Fan
Fan Speed : 800-1800±10%RPM
Fan Dimensions : 120*120*25mm
Air Flow : 59.61CFM
Static Pressure : 1.29mmH2O
Noise Level : 18-30dBA (Max.)
Current : 0.30-0.50A
MTTF : 30,000hrs

BLACK



GR12

Dual Blade High-Pressure Cooling Fan
Fan Speed : 1200±10%RPM
Fan Dimensions : 120*120*25mm
Air Flow : 45.5CFM
Static Pressure : 1.37mmH2O
Noise Level : 25.0dBA (Max.)
Bearing Type : Hydraulic Bearing
MTTF : 80,000hrs

WHITE BLACK



S101

FDB PWM A-RGB Cooling Fan
Fan Speed : 600±200-1800±10%RPM
Fan Dimensions : 120*120*25mm
Air Flow : 76(Max.) CFM
Static Pressure : 2.3mmH2O
Noise Level : 25.7dBA (Max.)
Current : 120±20% mA(FAN)
MTTF : 360 mA(MAX)(LED)
100,000hrs

WHITE BLACK



S100

FDB PWM Cooling Fan
Fan Speed : 600±200-1800±10%RPM
Fan Dimensions : 120*120*25mm
Air Flow : 76(Max.) CFM
Static Pressure : 2.3mmH2O
Noise Level : 25.7dBA (Max.)
Current : ≤50mA
MTTF : 100,000hrs

BLACK



CF11 PRO

Triple Halo Luxury Cooling Fan
Fan Speed : 1100±10%RPM
Fan Dimensions : 120*120*25mm
Air Flow : 30CFM
Static Pressure : 0.64mmH2O
Noise Level : 23.5dBA (Max.)
Bearing Type : Hydraulic Bearing
MTTF : 25,000hrs

BLACK



TALON PRO

Gaming Frameless Cooling Fan
Fan Speed : 1200±10%RPM
Fan Dimensions : 120*120*25mm
Air Flow : 53CFM
Static Pressure : 2.2mmH2O
Noise Level : 23dBA (Max.)
Bearing Type : Hydraulic Bearing
MTTF : 30,000hrs

BLACK



C7

Thick Halo A-RGB Cooling Fan
Fan Speed : 1500±10%RPM
Fan Dimensions : 120*120*25mm
Air Flow : 38.5CFM
Static Pressure : 1.57mmH2O
Noise Level : 25.0dBA (Max.)
Current : ≤0.15±20%
MTTF : 40,000hrs

UPMOST^{SERIES} 850W

YOUR BEST BET FOR ENDLESS POWER!

What are you buying the power supply for? To provide enough power for your precious computer, of course. However, if your power supply is unstable, it will be like a time bomb that explodes at any time, blowing your computer and mind to pieces.

UPMOST 850 is your savior, providing you with all-weather power supply protection, allowing you to enjoy high-performance games and work without worry.

The UPMOST 850 is the latest addition to our power supply range and we are excited to share its incredible features with you!

1. High-quality capacitors made in Japan: Through high-quality components and reasonable structure, it provides more accurate voltage, more stable current, and longer service life.

2. 100% output rate and 12V voltage output: high-performance processor helps you realize free output without channel restrictions, and more stable graphics card power supply.

3. DC to DC converter circuit design: While maintaining high efficiency and long-term stable high-power output, all components can receive a flexible power supply.

4. ACTIVE PFC 99%: Adopt 99% Active PFC to improve inverse rate and efficiency.

5. Six protection circuits: To improve the durability of the power supply and protect your system, we have set up six protection technologies inside the power supply: overvoltage protection (OVP), overcurrent protection (OCP), over power protection (OPP), short circuit protection (SCP), over temperature protection (OTP), unique value proposition (UVP).

6. Full modular design: In this way, you can choose the cables you like so that the internal space of your computer case can become more abundant, and the air can flow smoothly. Which is very beneficial to the cooling of the entire system.

7. 16AWG copper alloy PCI-E cable: 16AWG cables can effectively reduce heat generation while providing high efficiency. The cross-sectional area of 16AWG represents a more stable power supply, higher energy efficiency, and low heat generation.

8. All-black flat cable: To cleanly arrange the lines and connect the

SPECIFICATIONS

Rate Power :	850W(ATX3.0)
Dimensions :	140*150*86mm
Fan Dimensions :	120*120*25mm
AC Input :	100V-240V
Power Interface :	20+4pin*1
PCI-E Interface :	6+2pin*3
PCI-E 5.0 Interface :	12+4pin*1
CPU Interface :	4+4pin*4
SATA Interface :	7
PETA Interface :	4
FDD Interface :	1

wires more conveniently, we use flat cables


9. FDB 120mm fan: FDB bearing fan provides stable operation while maintaining low noise and longer life.

10. Noiseless mode (Switch provided): It supports 100% noiseless [Fanless] mode, and has a binary switch that can select the noiseless mode. (In the ON state, if the internal temperature reaches 60°C, it will start cooling; when it drops to 40°C, the cooling device will stop running)

So, whether you're a professional gamer, a computer enthusiast, or simply looking for a reliable power supply for your home or office setup, UPMOST 850 has got you covered! With its superior features and top-notch performance, you can rest assured that your components will always have the power they need to perform at their best. Try it out today and experience the difference for yourself!



WHITE BLACK




ATX-PSU

UPMOST 750

Full Modular Power Supply

Rate Power :	750W
Dimensions :	140*150*86mm
Fan Dimensions :	120*120*25mm
AC Input :	100V-240V
Power Interface :	20+4pin*1
PCI-E Interface :	6+2pin*3
CPU Interface :	4+4pin*4
SATA Interface :	7
PETA Interface :	4
FDD Interface :	1

WHITE BLACK



ATX-PSU

UPMOST 850

Full Modular Power Supply

Rate Power :	850W
Dimensions :	140*150*86mm
Fan Dimensions :	120*120*25mm
AC Input :	100V-240V
Power Interface :	20+4pin*1
PCI-E Interface :	6+2pin*3
CPU Interface :	4+4pin*4
SATA Interface :	7
PETA Interface :	4
FDD Interface :	1

ATX-PSU

WA600

Non-modular Power Supply

Rate Power :	600W
Dimensions :	140*150*86mm
Fan Dimensions :	120*120*25mm
AC Input :	200V-240V
Power Interface :	20+4pin*1
PCI-E Interface :	6+2pin*2
CPU Interface :	4+4pin*1
SATA Interface :	3
PETA Interface :	3

ATX-PSU

WA700

Non-modular Power Supply

Rate Power :	700W
Dimensions :	140*150*86mm
Fan Dimensions :	120*120*25mm
AC Input :	100V-240V
Power Interface :	20+4pin*1
PCI-E Interface :	6+2pin*2
CPU Interface :	4+4pin*2
SATA Interface :	4
PETA Interface :	2

ATX-PSU

WA800

Non-modular Power Supply

Rate Power :	800W
Dimensions :	140*150*86mm
Fan Dimensions :	120*120*25mm
AC Input :	100V-240V
Power Interface :	20+4pin*1
PCI-E Interface :	6+2pin*2
CPU Interface :	4+4pin*2
SATA Interface :	4
PETA Interface :	2

Family of Power

RC650

UNCROWNED
THRONE

ERGONOMIC
GAMING CHAIR

Looking for the ultimate gaming experience? Then come check out our ergonomic gaming chairs!

Our gaming chairs are designed to provide the most comfortable and immersive gaming experience. With its sleek design and high-quality materials, you'll feel like you're sitting in the cockpit of your favorite game.

SPECIFICATIONS

- Foam Type : Back rest : 24 density cotton
Seat cushion : setted cotton
- Structure : 1.5mm thickness iron frame
- Embroider : Back rest and Front Waist
- Chair Cover Material : Half PU leather
- Armrest : 2D
- Armrest Features : Up/Down, Left/Right
- Tilt Mechanism Angle : 90 to 160°
- Tilt Mechanism Type : 19 Tray (Butterfly)
- Gas Lift Class : 100 Class 3
- Base : 350mm Nylon
- Caster : 60mm Gaming Wheels
- Carton Size : 86 x 70 x 32.5cm
- Min. Height of Chair : 69 x 54 x 128-138cm
470mm (18.5 inch)

Our gaming chairs are made from the finest materials, including high-density foam padding and breathable mesh fabric. The ergonomic design ensures that you can sit for hours on end without feeling any discomfort or fatigue. In addition, the adjustable armrests, headrest and lumbar support allow you to customize the chair to your exact specifications, giving you the most comfortable and personalized gaming experience.

The RC650 gaming chair has a professional design with embedded RGB lights, up to 300 different RGB light effects that can be controlled by the controller. The high-density foam liner and full metal frame material bring you a stable and comfortable experience.



GAMING

RC200

Butterfly-Function Series

- Structure : Mesh
- Backrest : Mesh + Plastic Shell
- Cushion Sponge : Raw Cotton
- Handrail : Linkage Handrail
- Tray : Dual-Function Tray
- Gas lift Rod : 3 Stages Gas Rod (BIFMA)
- Base : Gaming Chair No.1 Base (BIFMA)
- Wheels : Five-holes E-Sport Wheel (BIFMA)



GAMING

RC300

Butterfly-Function Series

- Foam Type : High Density Polyurethane Foam
- Embroidery : Head, Upper & Lower Back
- Armrest : Adjustable
- Armrest Features : Tilt-able Armrest (90-150°)
- Tilt Mechanism Type : Y19, BIFMA Approved
- Chair Cover Material : PU (front) + PVC (back), hydrolysis bearing
- Base : 350mm nylon pointed base
BIFMA Approved
- Caster : 50mm PU+nylon wheel, BIFMA Approved
- Carton Size : 92*32*65 cm



GAMING

RC350

Butterfly-Function Series

- Foam Type : Back rest : 24 density cotton
Seat cushion : setted cotton
- Structure : 1.5mm thickness iron frame
- Embroidery : Back rest and Front Waist
- Armrest : 2D
- Armrest Features : Up/Down, Left/Right
- Tilt Mechanism Angle : 90 to 160°
- Tilt Mechanism Type : 166 Tray
- Base : 350mm Nylon
- Caster : 50mm Gaming Wheels
- Carton Size : 83 x 65 x 32cm
- Minimum Height of Chair : 470mm(18.5 inch)



GAMING

RC600

Butterfly-Function Series

- Foam Type : High Density Polyurethane Foam
- Structure : Diameter : 19mm metal bracket
- Embroidery : Head, Head Pillow, Front Seat & Lower Back
- Armrest : BIFMA approved 3D armrest
- Armrest Features : Up/Down, Front/Back, Swivel
- Tilt Mechanism Type : Y19, BIFMA Approved
- Base : Radius: 370mm matte metal base
- Caster : 63mm nylon wheel
- Carton Size : 86*70*33 cm



GAMING

RC850

Butterfly-Function Series

- Foam Type : Back rest : 24 density cotton
Seat cushion : setted cotton
- Structure : 1.5mm thickness iron frame
- Embroidery : Back rest, Neck
- Armrest : 4D
- Armrest Features : Up/Down, Left/Right, Before/After
- Tilt Mechanism Angle : 90 to 150°
- Tilt Mechanism Type : Multi-Function Series
- Base : 350mm Iron base
- Caster : 60mm-Five wheel bases (BIFMA)
- Carton Size : 83 x 73 x 36cm
- Minimum Height of Chair : 480mm

Whether you're a gamer, a writer, or just looking for a more efficient way to type, our keyboard has all your needs covered.

GD108 is manufactured with precision and durability in mind, using high-quality materials and state-of-the-art designs to ensure they can withstand the most demanding use. Whether you're pounding away at your keyboard for hours on end or just using your keyboard for everyday tasks, you can trust our products to deliver the performance and reliability you need.

The **GD108** is a full-key keyboard, but what sets our keyboards apart is the range of software and features that come with it. With support for dual-mode connectivity and rechargeable portability, to advanced key roll technology and ergonomic tilt angles, our keyboards include everything you need to take your typing experience to the next level.

darkFlash
GD SERIES

NEW PRODUCT
COLOR MATCHING
STARRY SKY
SERENADE



- Model : GD108 Mechanical Keyboard
- Key number : 110keys
- Weight : 1024g
- Life cycle : 50 million times
- Battery : 1200mAh
- Port : USB Type-C
- Connection : wired / 2.4G
- Keycap : PBT

EXTERNAL
ACCESSORIES

STARRY SKY BROWN SUGAR



GD87

- Mechanical keyboard
- Key numbers : 89
 - Life : 50 million times
 - Wight : 842g
 - Connect : Wired + 2.4G wireless
 - Software support : XP/ Win 7/ Win 8/Win 10/ Win 11/ Mac OS X10.4 or above

MILK&BROWN BROWN SUGAR DARK SHADOW



GD100

- Mechanical keyboard
- Key numbers : 100
 - Life : 50 million times
 - Wight : 920g
 - Connect : Wired + 2.4G wireless
 - Software support : XP/ Win 7/ Win 8/Win 10/ Win 11/ Mac OS X10.4 or above

MOCHA BROWN SUGAR MATCHA GREEN WHITE PEACH PINK MILKY WHITE



V200

- Bluetooth Wireless Keyboard
- Key numbers : 84
 - Life : 10 million times
 - Wight : 369±10g
 - Connect : 2.4G wireless + Bluetooth
 - Software support : Win XP/ Win 7/ Win 8/ Win 10/ Win 11/ Mac OS X10.4 or above

MOCHA BROWN SUGAR



M310


- WIRELESS BLUETOOTH MOUSE
- Dimensions : 112*60*33±5mm
 - Weight : 63±5g
 - DPI : 800-1200-1600
 - Type : Optical mouse
 - Operation systems : XP/ Win7/ Win8/ Win10 Win11/ Mac OS X10.4 or above
- 2.4G transistor
- Transmission : 20M
 - Voltage : 1.5V
 - Current : 15±1mA
 - Frequency : 250Hz
- Bluetooth
- Transmission : 10M
 - Voltage : 1.5V
 - Current : 15±1mA
 - Frequency : 114Hz

WHITE BLACK



DLT01

- GAMING FOLDABLE MONITOR STAND
- Material : Plastic+Metal
 - Weight load : Capacity 25kg
 - DPI : 800-1200-1600
 - Dimension : 420*200*83mm 470*200*83mm 520*200*83mm



G100

- Convenient Laptop Cooler
- Color : Silver / Black
 - Dimensions : 400*280*50mm
 - Materials : Aluminum+ABS
 - Noise Level : <19 dBA
 - Life : 20,000hrs
 - Rated Voltage : 1A
 - Power Cord Type : USB Connection
 - Fan Dimensions : 160*160*25mm*1 60*60*15mm*4



DLT22

- FOLDABLE NOTEBOOK STAND
- Material : Plastic+Metal
 - Dimension : 311*311*31.8mm



G200

- High-Efficiency Laptop Cooler
- Dimensions : 360*250*55mm
 - Materials : Aluminum / PP
 - Noise Level : 56 dBA
 - Life : 45,000hrs
 - Rated Voltage : 5VDC
 - Rated Current : 0.15A
 - USB Port : 2 Pcs(2.0)
 - Main Fan Speed : 1100±10%RPM
 - Sec Fan Speed : 2400±10%RPM
 - Fan Dimensions : 140*140*12mm*1 60*60*12mm*4



DLT23

- 2 IN 1 MULTIFUNCTIONAL STAND
- Material : Plastic
 - Weight : 252(laptop stand) 85g(phone stand)
 - Weight load : Capacity 25kg
 - DPI : 800-1200-1600
 - Dimension : 262*70*23.5mm 150*70*15mm(phone stand) 520*200*83mm(laptop stand)

LCD MONITOR



G27Q

Liquid crystal monitor

Size : 27"
Resolution : 2560*1440
Brightness : 250cd/m²
Screen ratio : 16:9
Field frequency : 75Hz
Wall mount : 100*100mm
Color gamut : 99% sRGB
Display color : 16.7 million colors
Interface : DP+HDMI+USB



GU24Q

Liquid crystal monitor

Size : 23.8"
Resolution : 2560*1440
Brightness : 250cd/m²
Screen ratio : 16:9
Field frequency : 75Hz
Wall mount : 100*100mm
Color gamut : 99% sRGB
Display color : 16.7 million colors
Interface : DP+HDMI+USB



G2402

Liquid crystal monitor

Size : 23.8"
Resolution : 1920*1080
Brightness : 250cd/m²
Screen ratio : 16:9
Field frequency : 75Hz
Wall mount : 75*75mm
Color gamut : 93% sRGB
Display color : 16.7 million colors
Interface : VGA+HDMI



G24C

Liquid crystal monitor

Size : 23.8"
Resolution : 1920*1080
Brightness : 220cd/m²
Screen ratio : 16:9
Field frequency : 75Hz
Wall mount : 75*75mm
Color gamut : 96% sRGB
Display color : 16.7 million colors
Interface : VGA+HDMI



E24S

Liquid crystal monitor

Size : 23.8"
Resolution : 1920*1080
Brightness : 250cd/m²
Screen ratio : 16:9
Field frequency : 165Hz
Wall mount : 75*75mm
Color gamut : 99% sRGB
Display color : 16.7 million colors
Interface : DP+HDMI+Type-C



G27SE

Liquid crystal monitor

Size : 27"
Resolution : 1920*1080
Brightness : 250cd/m²
Screen ratio : 16:9
Field frequency : 75Hz
Wall mount : 75*75mm
Color gamut : 96% sRGB
Display color : 16.7 million colors
Interface : VGA+HDMI



G24E

Liquid crystal monitor

Size : 23.8"
Resolution : 1920*1080
Brightness : 220cd/m²
Screen ratio : 16:9
Field frequency : 60Hz
Wall mount : 75*75mm
Color gamut : 96% sRGB
Display color : 16.7 million colors
Interface : VGA+HDMI



A229W

Liquid crystal monitor

Size : 21.5"
Resolution : 1920*1080
Brightness : 200cd/m²
Screen ratio : 16:9
Field frequency : 75Hz
Wall mount : 100*100mm
Color gamut : 93% sRGB
Display color : 16.7 million colors
Interface : VGA/ VGA+HDMI



DARKFLASH INFOTECH CO., LTD.
www.darkFlash.com

 facebook.com/darkFlash.global/
 instagram.com/darkFlash_official/
 [darkFlash_official](https://youtube.com/darkFlash_official)