PD
CHARGER
JK-TC10A/PD
INTELLIGENT POWER OUTPUT
INPUT: 100-240V AC 50/60 Hz 0.6A
OUTPUT: 5.0V/3.0A, 9.0V/2.22A
12V/1.67A, PD20W
20W

PD
FAST & SAFE
CHARGER
20W
OUTPUT++
INTELLIGENT
INPUT: 100-240V AC 50/60 Hz 0.6A
OUTPUT: 5.0V/3.0A, 9.0V/2.22A
12V/1.67A, PD20W

TRAVEL CHARGER
DUAL OUTPUT+
EASY TO CARRY
FEATURES
Fire Retrardant PC engineered plastic.
Input : 100-240V AC 50/60 HZ 0.35A
Output:DC5.0V/2.1A MAX 10.5W
model:
JK-TC18C/2USB
2.1A

DUAL OUTPUT
TRAVEL CHARGER
model:
JK-TC18C/2USB
FEATURES
Fire Retrardant PC engineered plastic.
Input : 100-240V AC 50/60 HZ 0.35A
Output:DC5.0V/2.1A MAX 10.5W
2.1A

20W FAST & SAFE
CHARGER
PD - Power Delivery Fast Charger
Fire Retrardant PC engineered plastic.
Input : 100-240V ~ 50/60Hz 0.6A
Output : 5.0V/3.0A 9.0V/2.22A
12.0V/1.67A, PD 20W
SP-TC01

20W
POWER OUTPUT
PD
Model:
SP-TC02
Input : 100-240V ~ 50/60Hz 0.6A
Output : 5.0V/3.0A 9.0V/2.22A
12.0V/1.67A, PD 20W
UNIVERSAL COMPATIBILITY
USB & TYPE-C CHARGING PORT

20W
POWER OUTPUT
PD
CHARGER
QC3.0 + PD20W Fast Charger
Fire Retrardant PC engineered plastic.
INPUT : 100-240V AC 50/60 HZ 0.6A
USB-A OUTPUT : 5.0V/3A, 9.0V/2A,
12.0V/1.5A, QC3.0 18W
USB-C OUTPUT : 5.0V/3.0A, 9.0V/2.22A,
12.0V/1.67A PD20W
TOTAL OUTPUT : 20W MAX
Model:
SP-TC03

20W
POWER OUTPUT
PD
DUAL OUTPUT
CHARGER
QC3.0 + PD20W Fast Charger
Fire Retrardant PC engineered plastic.
INPUT : 100-240V AC 50/60 HZ 0.6A
USB-A OUTPUT : 5.0V/3A, 9.0V/2A,
12.0V/1.5A, QC3.0 18W
USB-C OUTPUT : 5.0V/3.0A, 9.0V/2.22A,
12.0V/1.67A PD20W
TOTAL OUTPUT : 20W MAX
Model:
SP-TC04

QC3.0+PD20W
Fast Charger
FEATURES
SP-TC13BC
QC3.0 + PD20W Fast Charger
Fire Retrardant PC engineered plastic.
INPUT: 100-240V AC 50/60 HZ 0.6A
USB-A OUTPUT: 5.0V/3A, 9.0/2A,
12.0V/1.5A, QC3.0 18W
USB-C OUTPUT: 5.0/3.0A, 9.0V/2.22A,
12.0V/1.67A PD20W
TOTAL OUTPUT: 20W MAX

SP-TC56A
HOME CHARGER
Input: 120V — 240V AC 50/60 Hz 0.3A
Output: Max DC 5V 2A

PD
Power Delivery
FAST CHARGE
SP-TC67A

3in1
MULTI-PORT
65W
SMART CHIP
IC 3.0 & PD 3.0
SUPPORT
CHARGER
MODEL:
SP-TC83AG
GaN PD Adapter
MODEL: SP-TC83AG
INPUT: 100-240V AC 50/60 Hz 1.5A
USB-C1 / C2 OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A PD65W Max
USB-A OUTPUT: 5V/3A, 9V/3A, 12V/3A, 20V/3A QC3.0 60W MAX
TOTAL OUTPUT: 65W MAX

MODEL:
SP-TC82AG
UNIVERSAL COMPATIBILITY
USB & TYPE-C CHARGING PORT
65W
INPUT: 100-240V～50/60 Hz 1.5A
USB-C1 / C2 OUTPUT: 5V⎓3A, 9V⎓3A, 12V⎓3A, 15V⎓3A, 20V⎓3.25A PD65W Max
USB-A OUTPUT: 5V⎓3A, 9V⎓3A, 12V⎓3A, 20V⎓3A, QC3.0 60W Max
TOTAL OUTPUT: 65W MAX

2
DUAL USB CHARGER
UNIVERSAL COMPATIBILITY
USB & TYPE-C CHARGING PORT
65W
GaN PD Adapter
MODEL: SP-TC81AG
INPUT: 100-240V AC 50/60 Hz 1.5A
USB-C OUTPUT: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A PD65W Max
USB-A OUTPUT: 5V/3A, 9V/2A, 12V/1.5A, QC3.0 18W Max
TOTAL OUTPUT: 65W MAX

Model:TC21A
SPECIFICATION
Material: Fire-retardant PC engineering plastics
Rated Input: DC120-240V
Rated output: DC5V⎓1A(max) 5W

USB C
OUTPUT
PD Fast Charger 20W
SP-TC78A
PD - Power Delivery Fast Charger
Fire Retrardant PC engineered plastic.
Input : 100-240V ~ 50/60Hz 0.6A
Output : 5.0V/3.0A 9.0V/2.22A
12.0V/1.67A, PD 20W

FAST CHARGE
QC3.0+ • PD20W
SP-TC78AC
Fire Retardant PC engineered plastic.
Input: 100-240V AC 50/60HZ 0.6A
USB-A OUTPUT:5.0V/3A, 9V/2A, 12.0V/1.5A, QC3.0 18W
USB-C OUTPUT:5.0V/3A, 9V/2.22A, 12.0V/1.67A, PD20W
TOTAL OUTPUT:20W MAX

FAST CHARGE
90 conv-enient
•PD20W
SP-TC77A
Fire Retardant PC engineered plastic.
Input: 100-240V AC 50/60HZ 0.6A
USB-C OUTPUT: 5.0V/3A, 9V/2.22A, 12.0V/1.67A PD20W

90°
QC3.0+
PD FAST 20W CHARGER
SP-TC77AC
Fire Retardant PC engineered plastic.
Input: 100-240V AC 50/60HZ 0.6A
USB-A OUTPUT:5.0V/3A, 9V/2A, 12.0V/1.5A, QC3.0 18W
USB-C OUTPUT:5.0V/3A, 9V/2.22A, 12.0V/1.67A, PD20W
TOTAL OUTPUT:20W MAX

TYPE C
DUAL PD Fast Charger 20W
SP-TC76A
Dua PD20W Fast C arger
Fire Retrardant PC engineered plastic.
INPUT : 100-240V AC 50/60 HZ 0.6A
USB-C1 / C2 OUTPUT: 5.0V/3.0A, 9.0V/2.22A, 12.0V/1.67A PD20W
USB-C1+C2 OUTPUT : 5.0V/3.0A
TOTAL OUTPUT : 20W MAX

MODEL:
SP-TC70AG
GaN CHARGER
45°
UNIVERSAL


VD-AB01
ARMBAND
WATERPROOF
SPORT

Lightning
to 3.5mm
Audio&Connector&Charge adapter
13CM
Line length
VD-ADP003

2in1
Dual Lightning
Adapter
Charge & Listen to Music
Simultaneously
Conductor: Copper, Metal shell,
Aluminium Oxide shell
MODEL
VD-ADP004

Bluetooth
Receiver
Bluetooth
V4.1 QEDR
PRODUCT PARAMETERS
Bluetooth version: V4.1 + EDR
Receiving distance: 10 meters
Talking time: 4 meters
Continuous music playback time: 4 hours
Charging time: 50 minutes
Microphone sensitivity: +/- 42db
Output power: 30mw
Range of frequency response: 20Hz-20kHz
MODEL
VD-ADP005

USB-C To 3.5mm Adapter
AUDIO CABLE
Call
Music
VD-ADP006
THE QUALITY OF THE SOUND IS NOT AFFECTED AFTER
THE CONNECTION

2in1 Lightning Headphone
ADAPTER
Charging & listening of the
same time
VD-ADP008

2in1 Lightning Headphone
ADAPTER
SYNC SUPPORT MUSIC PLAY
AND CHARGING
VD-ADP007

AUX AUDIO
Audio Conversion Line
BT
VD-ADP009

ADAPTER
HDTV + LIGHTNING
VD-ADP010
CHARGING
MUSIC
TALKING
HDTV
VOICE

ADAPTER
TYPE-C TO HDTV
VD-ADP011
Connect your USB-C computer
to an HDTV-equipped display

3in1
FHD CABLE
Phone Full Hdtv Cable
1.0M
LENGTH
MODEL
VD-ADP012

USB-C
to 3.5mm
Enjoy High-quality Sound
VD-ADP013
ADAPTER
2IN1

USB-C
ADAPTER
USB-C
AUDIO
USB-C
CHARGE
VD-APD014

AUDIO CABLE
Lightning to 3.5mm
Connecter
VD-AUX001
Name: Wire audio line
Interface: 3.5mm gold-plated pin
Conductor: Copper, Metal shell,
Aluminum oxide shell
Line warp: 1m
Connectivity: All audio devices
with 3.5mm
Auxiliary interface
Color:Black,Siliver,Gold
Nylon

USB-C
AUDIO CABLE
Nylon
material
Stable Transmission For
Uninterrupted Music.
100CM
length
PRODUCT PARAMETERS
Material: TPE + Aluminium alloy
Compatible with: All USB-C devices
MODEL
VD-AUX002


AUX
AUDIO CABLE
1000MM
Nylon
Material:
Non-woven cloth
+ TPE + Aluminium alloy
MODEL
VD-AUX003

WIRELESS
True Wireless
BASS
EARPHONES
Bt Version:v5.0+edr
Transmission Distance: 10m
Headphone Battery:40mah/pcs
Charging Box Battery:420mah
Frequency:20hz-18.5khz
Speaker Size: 10mm
Impedance:32ohms
MODEL
VD-BT001

Pure Sound
True Wireless
MODEL
VD-BT002
BT Version: V5.0+EDR
Transmission Distance: 10m
Headphone Battery: 40mah/pcs
Charging Box: 420mah
Frequency: 20hz-18.5khz
Speaker Size: 10mm
Impedance: 32ohms


MINI
Hands-Free call + Voice Assitant
V5.0
HIFI
Bt Version: V5.0+edr
Transmission Distance:10m
Headphone Battery:40mah/pcs
Charging Box Battery:420mah
Frequency:20hz-18.5khz
Speaker Size:10mm
Impedance:32ohms
VD-BT003

WIRELESS
EARPHONE
One touch answer
VD-
BT004
BLUETOOTH SPEC: V4.1+EDR
TRANSMISSION FREQUENCY: 2.4GHZ
SUPPORT MODE: A2DP1.2/AVRCP1.0/HSP1.0/
HFP1.5
TRANSMISSION POWER: CLASS 2
WORKING DISTANCE: 10M
BATTERY CAPACITY: 50MAH LI-ION BATTERY
TALKING TIME: ROUGH 4 HOURS
STANDBY TIME ROUGH 120 HOURS
CHARGING TIME: ROUGH 1.5 HOURS(MICRO 5PIN)
SOCKET TYPE

SPORT
Bluetooth
SOUND
V5.0 | 10M | 2.4G
VD-BT005
BLUETOOTH SPEC:.....V5.0+EDR
TRANSMISSION FREQUENCY:.....2.4GHZ
SUPPORT MODE:.....A2DP1.2/AVRCP1.0/HSP1.0/HFP1.5
TRANSMISSION POWER:.....CLASS 2
WORKING DISTANCE:.....10M
BATTERY CAPACITY:.....110MAH LITHIUM POLYMER BATTERY
TALKING TIME:.....ROUGH 6HOURS
STANDBY TIME:.....ROUGH 300 HOURS
CHARGING TIME:.....ROUGH 1.5 HOURS(MICRO 5PIN)

BORN FOR SPORT
Earphone
MAGNETIC
VD-BT006
BLUETOOTH SPEC.:.....V5.0+EDR
TRANSMISSION FREQUENCY:.....2.4GHZ
SUPPORT MODE:.....A2DP1.2/AVRCP1.0/HSP1.0/HFP1.5
TRANSMISSION POWER:.....CLASS 2
WORKING DISTANCE:.....10M
BATTERY CAPACITY:.....110MAH LITHIUM POLYMER BATTERY
TALKING TIME:.....ROUGH 6HOURS
STANDBY TIME:.....ROUGH 300 HOURS
CHARGING TIME:.....ROUGH 1.5 HOURS(MICRO 5PIN)

EARPHONE
V5.1
wireless
MUSIC
VD-BT007
Bluetooth Version: V5.1
Bluetooth Range: 10m
Charging time: 1 hours
Playback time: 2-3 hours
Standby time: 100hours

WIRELESS
EARPHONE
High Quality Microphone.
SMART
DISPLAY
VD-BT008
Bluetooth Version: V5.0
Charging interface: iOS
Power input: DC/5V
Earphone battery:25mAh/3.7V
Charging box battery:250mAh/3.7V
Support Protocol:A2DP/AVCTP/AVDTP/AVRCP/HFP
Music Time:about 4 hours
Talk Time:about 3 hours
Charging time: about 1.5 hours

EARPHONE
WIRELESS PURE SOUND
VD-BT009
TOUCH
KEY
TWS
Ear Buds Specification
Transmission distance:>10M
Battery capacity: 30mAh
Playing time: about 5hours(ear buds)
Charging time: about 1.5hours(ear buds)
Rated input: 5V=30mA
Charging Case Specification
Battery capacity: 250mAh
Charging time: about 1.5hours
Rated input: 5V=300mA
(All technical information is subject to
actual performance)
5.1
BLUETOOTH

5
PLAY TIME
HOURS
VD-BT010
TWS
Ear Buds Specification
Transmission distance:>10M
Battery capacity: 30mAh
Playing time: about 5hours(Ear buds)
Charging time: about 1.5hours(Ear buds)
Rated input: 5V=30mA
Charging Case Specification
Battery capacity: 300mAh
Charging time: about 1.5hours
Rated input: 5V=300mA
(All technical information is subject to
actual performance)

CAR CHARGER
2.1A
OUTPUT
VD-CC001

USB FAST
CAR CHARGER
100
high power
VD-CC002
Qualcomm
Quick Charge 3.0

18W QC+PD
Mini Car charger
Dual port fast charging
VD-CC003
PRODUCT PARAMETERS
Color:Black
Material: PC+ABS
USB port: 2 Output
Input: 12-24V
Output(PD): 5V-3A,9V-2A, 12V-1.5A
Output(QC3.0): 3.6-6.5V,3A 6.5-9V,2A
9-12V,1.5A

VD-CC005
TOTAL OUTPUT
PD 40W
QC36W
CAR
CHARGER
PD+QC3.0
PRODUCT PARAMETERS
INPUT:12-24V
OUTPUT:C1(PD20W)5V=3A 9V=2.25A 12V=1.67A
(QC18W)5V=3A 9V=2A 12V=1.5A
OUTPUT:C2(PD20W)5V=3A 9V=2.25A 12V=1.67A
(QC18W)5V=3A 9V=2A 12V=1.5A
TOTAL OUTPUT:PD40W or QC36W

DUAL PD
PD+QC3.0
Dual Type-C
PD 20W+QC3.0
PRODUCT PARAMETERS
INPUT:12-24V
OUTPUT:C1(PD20W)5V=3A 9V=2.25A 12V=1.67A
(QC18W)5V=3A 9V=2A 12V=1.5A
OUTPUT:C2(PD20W)5V=3A 9V=2.25A 12V=1.67A
(QC18W)5V=3A 9V=2A 12V=1.5A
TOTAL OUTPUT:PD20W or QC18W

CAR
CHARGER
VD-CC007
3.1A
3
USB
Input:DC12V-24V
Output:DC5.0V=3.1A

USB-A
2USB-C
3USB
CAR CHARGER
VD-CC008
Quick Charge
15W
+
18W
Input:12-24V
Output:C1(PD18W) 5V-3A 9V-2A 12V-1.5A
USB(QC3.0) 5V-3A 9V-2A 12V-1.5A
C2(15W) 5V-3A
TOTAL OUTPUT: 33W MAX

UNIVERSAL TABLET
DESK MOUNT STAND
FOR TABLET
NO ABNORMAL NOISE
FIT 7-10"
NO SHAKING

360°
FIRM
In Car Charging
Supports in car charging while using the holder
Safe Driving
Easy access, to avoid any distractions whilst driving
360° Rotation
360 degree rotating ball to meet various viewing angles
Car Holder
MODEL
VD-HD002


Car Holder
Free Rotation
360°
CABLE CLIP
MODEL
VD-HD003

DESKTOP LAZY BRACKET
Reserve Charging Slot
Play while charging
Foldable Desktop Stand
Adjustable Multi-angle Neck
Anti-shock And Non-Slip
Easy Operation
MODEL
VD-HD004

MODEL
VD-HD005
Weather Resistant
Bike Mount


Hose
Mobile Phone Bracket
Flexible aluminum alloy hose design
MODEL
VD-HD006
Magnetic

MAGNETIC
L-Shaped Magnetic Holder
360°
FIRM
MODEL
VD-HD007
Sleek and convenient to use
Metal sheet sticks to almost any surface
Rotate your device for portrait or landscape viewing
Air Vent Clip Magnetic holder holds various smartphones

Magnetic
Car Holder
Strong Magnetic
MODEL
VD-HD008
INCLUDES

PHONE BRACKET
CLIP TYPE
CLIP TYPE
ROTATE 360
UP & DOWN
SUCTION MODE
VD-HD009

AIR VENT
CAR HOLDER
Strong & Steady
FOR CAR
CLIP TYPE
Air Vent Mould
360-DEGREES ROTATION
VD-HD010

5X
MAGNET
VD-HD011
360-Degrees Rotation
MINI & STRONG
MAGNETIC
Phone Bracket
CONVENIENT AND QUICK
360°
FIRM


Flexible aluminum alloy hose design
FOR CAR
MAGNETIC
CAR HOLDER
WINDSHIELD
HOSE
VD-HD012

Convenient Adjustment
STRONG MAGNET FORCE,STABLE AND RELIABLE
CAR BRACKET
VD-HD013
POWERFUL
MAGNETIC FORCE

Reserve Charging Port
Metal
Tablet Holder
for Tablet Device
Foldable
non-slip
Adjustable
VD-HD014


Air Outlet
MODEL
VD-HD015
Magnetic
Car Holder
Strog Magnetic
One-hand Operation
CABLE CLIP


FREE ROTATION
Car Hold
Free rotation angle
Driving single hand adjustment angle of view
360°
CLEAR VIEW
FIRM

OTG+USB
Supports Phone / Computer
Data Transmission
For Type-C
MODEL
VD-OTG002


OTG Connecter
Mini
PLUG AND PLAY
MODEL
VD-OTG001

2IN1
USB-C + MICRO
TO USB3.
OTG Connecter
MODEL
VD-OTG003
Dual Port
Compatible With Mobile Phones/Tablets That
Support Micro USB And USB-C Interface
With OTG Function

For Type-C
OTG Connecter
Supports Phone / Tablets / Computer
Data Transmission
MODEL
VD-OTG004

TYPE-C EARPHONE
Enjoy the Music / Enjoy the Life
HD
VD-EAR001


POP-UP EARPHONE
HD
VD-EAR002

METAL
EARPHONE
In-ear Magnetic Sport Headphones
MODEL
VD-EAR003
Frequency response:20-20000Hz
Cord length:1.2M
Plug Type: 3.5mm
Impedance:16Ω ±15%
Speaker diameter: Φ10mm
Sensitivity:-45dB±3dB


In-Ear Headphones
Superbass
MODEL
VD-EAR004


3.5MM
EARPHONE
HD
VD-EAR005

WIRELESS
CHARGER
FAST CHARGING
Name : 3 in 1 wireless charger
Using type : Foldable
Material : Plastic + Acrylic
Charging port : Type-C
Input current : ≥9V-2A, 5V-3A
Phone output : 15W/10W/7.5W/5W
Watch output : 2.5W
Headphone output : 3W
Adapter : ≥9V-2A, 5V-3A

TOUCH
VD-WLC002
WIRELESS CHARGER
FULL-AUTOMATIC CAR WIRELESS CHARGER
Material: ABS + SILICON GEL
Input power: 9V/2A or 5V/3A
Output power: 15W/10W/7.5W/5W
Working frequency:110-205kHz
Wireless charging effective distance: 3-6mm(max)
Conversion efficiency: Normal charge>70%,faster charge>75%

CAR HOLDER
CLIP STYLE
TOUCH
VD-WLC003
WIRELESS
CHARGER
FULL-AUTOMATIC CAR WIRELESS CHARGER
Material: ABS + SILICON GEL
Input power: 9V/2A or 5V/3A
Output power: 15W/10W/7.5W/5W
Working frequency:110-205kHz
Wireless charging effective distance: 3-6mm(max)
Conversion efficiency: Normal charge>70%,faster charge>75%

VD-WLC004
2IN1
WIRELESS
CHARGER
Material: ABS + SILICON GEL
Input power: 9V/2A or 5V/3A
Output power: 15W/10W/7.5W/5W
Working frequency:110-205kHz
Wireless charging effective distance: 3-6mm(max)
Conversion efficiency: Normal charge>70%,faster charge>75%

15W
Faster
VD-WLC005
TRANSPARENT
MAGNETIC CHARGER
Model:VD-WLC005
Input : DC5V-2A/5V-3A/9V-2A
Output: 15W

TRANSPARENT
MAGNETIC
HOLDER
VD-WLC006
Product name: 15W Wieless charger
Model: VD-WLC006
Input: 5V=2A/5V = 3A/9V=2A
Output: 15W


TRANSPARENT
VD-WLC007
WIRELESS CHARGING
Product name: 15W Wieless charger
Model: VD-WLC007
Input: 5V=2A/5V = 3A/9V=2A
Output: 15W

WIRELESS
ENERGY STAR
MAGSAFE CHARGER
15W
MODEL
VD-WLC008

POWER
BANK
WIRELESS
VD-PB0001
Qualcomm Quick Charge 3.0
10000 mAh
Cell:Polymer battery
Capacity:10000mAh
Input:DC5V-2A(MAX)
Output:DC5V-2A(MAX)
Fast Input:DC9V-2A
Fast Output:DC4.5V-5A,9V-2A, 12V-1.5A(MAX 22.5W)
Wireless Output:5V9V-1.67A(15W)
PD

POWER BANK
22.5
Qualcomm Quick Charge 3.0
20000 MAH
Cell:Polymer battery
Capacity:20000mAh
Input:DC5V-2A(MAX)
Output:DC5V-2A(MAX)
Fast Input:DC9V-2A
Fast Output:DC4.5V-5A,9V-2A, 12V-1.5A(MAX 22.5W)
Wireless Output:5V9V-1.67A(15W)
PD

22.5W
MODEL: VD-PB009
20000 mAH
DIGITAL DISPLAY
Micro Input: 5V-1A/2A,9V-2A
Type-C Input/Output:DC5V-3A,9V-2.22A,12V-1.5A
USB Output1/2: DC5V-3A/4.5A,9A-2A,12V-1.5A
Total Output: 5V-4.5A(MAX)
Total Power: 22.5W
Battery Capacity: 74Wh 3.7V 20000mAh

POWER
BANK
VD-PD008
22.5W
10000 mAh
Micro Input: 5V-1A/2A,9V-2A
Type-C Input / Output: DC5V-3A,9V-2.22A,12V-1.5A
USB Output 1/2: DC5V-3A/4.5A,9A-2A,12V-1.5A
Total output: 5V-4.5A(MAX)
Total power: 22.5W
Battery Capacity: 37Wh 3.7V 10000mAh

SAFETY CHARGING
25 50 75 100
VD-PB010
Input: DC5V-2A
Output: DC5V-2A
Lightning Output: DC5V-2A
Capacity: 10000mAh (3.7V)
Rated capacity: 37Wh
3in1
POWER BANK

Built-in
3 Types of Charging Cables
VD-PB011
20000mAh
Input: DC5V-2A
Output: DC5V-2A
Lightning Output: DC5V-2A
Capacity: 20000mAh (3.7V)
Rated capacity: 37Wh
3in1
POWER BANK

4 OUTPUT
30000 mAh
POWER BANK
22.5W
MODEL:
VD-PB012
Capacity:30000mAh Rated
Micro/Type-C Input:DC5V-3A,9V-2A,12V-1.5A
Type-C Output:DC5V-3A,9V-2A,12V-1.5A
Output A/B:DC4.5V-5A,5V-4.5A,9V-2A,12V-1.5A

SMART SECURITY
FAST CHARGING
MODEL:
VD-PD013
10000mAh
3A OUTPUT
MICRO • TYPE-C • LIGHTNING
Type-C / Micro Input: DC5V-2A
USB Line / Input: DC5V-2A USB1/2/ Output: 5V-2A
Lightning / Type-C / Micro Output: DC5V-2A
Total Output:5V-3A
Capacity: 10000mAh (3.7V)
Rated Capacity: 37Wh

DUAL OUTPUT
POWER
BANK
Model:
VD-PB015
Input: Type C
5V-3A/9V-2.22A/12V-1.67A
Output: Type C
5V-3A/9V-2.22A/12V-1.67A
Wireless Charging Output: 15W (MAX)
Rated Capacity: 37Wh/3.7V

POWER BANK
VD-PB014
20000mAh
Type-C / Micro Input : DC5V-2A
USB Line / Input: DC5V-2A USB1/2/ Output: 5V-2A
Lightning / Type-C / Micro Output: DC5V-2A
Total Output: 5V-3A
Capacity: 20000mAh (3.7V)
Rated capacity : 74Wh

3in1
DATA CABLE
HIGH SPEED
2.5A MAX output
VD-DC001
1200mm

3in1
DATA CABLE
HIGH SPEED
2.5A MAX output
VD-DC002
1200mm

3in1
DATA CABLE
HIGH SPEED
2.5A MAX output
VD-DC003
1200mm

DATA
SYNC & CHARGING
CABLE
MODEL
VD-DC004
100CM
5V 2A
FOR:MICRO
Product Parameters:
Material:TPE
Transmission speed:48mbps
Input interface:USB
Output interface:Micro
provide up to 2A charging current

DATA
SYNC & CHARGING
CABLE
MODEL
VD-DC005
Product Parameters:
Material:TPE
Transmission speed:48mbps
Input interface:USB
Output interface:Lighting
100CM
5V 2A
FOR:LIGHTNING
provide up to 2A charging current

DATA
SYNC & CHARGING
CABLE
MODEL
VD-DC006
100CM
5V 2A
FOR:Type-C
Product Parameters:
Material:TPE
Transmission speed:48mbps
Input interface:USB
Output interface:Type-C
provide up to 2A charging current

DATA
CHARGING & SYNC
CABLE
provide up to 2.4A charging current
For Micro
VD-DC007
2000mm

DATA
CHARGING & SYNC
CABLE
provide up to 2.4A charging current
For Lightning
VD-DC008
2000mm

DATA
CHARGING & SYNC
CABLE
provide up to 2.4A charging current
For Type-C
VD-DC009
2000mm

DATA
CHARGING & SYNC
CABLE
provide up to 2.4A charging current
For Micro
VD-DC010
3000mm

DATA
CHARGING & SYNC
CABLE
provide up to 2.4A charging current
For Lightning
VD-DC011
3000mm

DATA
CHARGING & SYNC
CABLE
provide up to 2.4A charging current
For Type-C
VD-DC012
3000mm

DATA
SYNC & CHARGING
CABLE
TYPE-C TO LIGHTNING
MODEL
VD-DC0013
5V 2A
1000MM
Product Parameters:
Material:TPE
Transmission speed:48mbps
Interface: Type-C to Lightning

DATA
SYNC & CHARGING
CABLE
TYPE-C TO LIGHTNING
MODEL
VD-DC0014
5V 2A
2000MM
Product Parameters:
Material:TPE
Transmission speed:48mbps
Interface: Type-C to Lightning

DATA
SYNC & CHARGING
CABLE
TYPE-C TO LIGHTNING
MODEL
VD-DC0015
5V 2A
2000MM
Product Parameters:
Material:TPE
Transmission speed:48mbps
Interface: Type-C to Lightning

DATA
SYNC & CHARGING
CABLE
TYPE-C TO TYPE-C
High speed transmission
100%
PURE COPPER
Product Parameters:
Material:TPE
Length:1000mm
Transmission speed:48mbps
Interface: Type-C to Type-C
5V 2A
1000MM
MODEL
VD-DC0016

DATA
SYNC & CHARGING
CABLE
TYPE-C TO TYPE-C
High speed transmission
100%
PURE COPPER
Product Parameters:
Material:TPE
Length:2000mm
Transmission speed:48mbps
Interface: Type-C to Type-C
5V 2A
2000MM
MODEL
VD-DC0017

DATA
SYNC & CHARGING
CABLE
TYPE-C TO TYPE-C
High speed transmission
100%
PURE COPPER
Product Parameters:
Material:TPE
Length:2000mm
Transmission speed:48mbps
Interface: Type-C to Type-C
5V 2A
3000MM
MODEL
VD-DC0018

60W
USB DATA CABLE
Nylon
1500MM
Fast
MODEL
VD-DC0019
Material:Nylon + Aluminum alloy + Copper
Power: PD 20W, downward compatible with PD 18W
Transmission speed: 48mbps
Input interface: Type-C
Output interface: Type-C


2.5A MAX output
3 in 1
Data Cable
1200MM
MODEL
VD-DC0020

Nylon
1500MM
Fast
60W
USB DATA CABLE
Material:TPE+Aluminum alloy
Power:PD 20W,downmard compatible with PD 18W
Transmission speed: 48mbps
Input interface: Type-C
Output interface: Type-C
MODEL
VD-DC0021

3A
Nylon 1500
USB DATA CABLE
QUICK CHARGE
MODEL
VD-DC0022
Material: Nylon + Aluminum alloy + Copper
Transmission speed: 48mbps
Input interface: USB
Output interface: Type-C

MODEL
VD-DC0023
3A
USB DATA CABLE
QUICK CHARGE
1500MM Fast Nylon
Material: TPE+Aluminum alloy
Transmission speed: 48mbps
Input interface: USB
Output interface: Type-C

2.0A
USB DATA CABLE
MODEL
VD-DC025
Material: TPE + Aluminum alloy
Transmission speed: 48mbps
Input interface: USB
Output interface: Lighting

20W
USB DATA CABLE
Nylon 1500MM Fast
MODEL
VD-DC026
Material: TPE + Aluminum alloy
Power: PD 20W, downward compatible with PD 18W
Transmission speed: 48mbps
Input interface: Type-C
Output interface: Lighting

2.0A
Nylon 1500
Material: TPE+Aluminum alloy
Transmission speed: 48mbps
Input interface: USB
Output interface: Lighting
MODEL
VD-DC0028

Nylon
1500
Fast
MODEL
VD-DC029
PD 20W
DATA CABLE
Material: Cloth+Aluminum alloy
Power: PD 20W, downward compatible with PD 18W
Transmission speed: 48mbps
Input interface: Type-C
Output interface: Lighting

CAMERA
PROTECTOR
UPDATED VERSION
model:
VD-CL001

VD-CL002
WATCH
GLASS

WATCH
CASE
VD-CL003

LENS
SHIELD
VD-CL004
9H

MOBILE PHONE
CARD READER
4 in1
MODEL
VD-CR001
Compatible File Format
File txt.doc.ppt.xls.xlsx.pdf
Music mp3.wma.wav.m4a.aac.m4r.ogg
Video mov.mpg.vob.wmb.rmvb.avi.mp4.mkb.flv
Image jpg.jpeg.png.gif.bmp.tif.itf

CAR FM
DUAL OUTPUT
Model:
VD-FM001
PD18W +QC3.0
BT:
BT version: V5.0+EDR
Frequency:20-20Khz
Voltage:5V(+/-0.5)
Working current:45mA(MAX)
Standby current:25mA(MAX)
Frequency:2.402-2.480 ghz
Effective distance:5m(+/-)
RF output:4 dBm
FM:
FM: 87.5MHZ-108.0MHZ
Emission power: 87 dBuv/107 dBuv
Effective distance:5m(+/-)

STENTS
FM CAR KIT
CAR MP3 MP5 CHARGER
SUPPORT FAST CHARGER
ALWAYS ENJOYHI-FIMUSIC
360 Degrees Rotation
MODEL
VD-FM002

WIRELESS FM
TRANSMITTER
CAR MP3 CHARGER
MODEL
VD-FM003
PRODUCT PARAMETER
Input:DC 12-24V USB Output: 5V-2A
Total output: 10W (Max)
FM transmitting frequency: 87.5-108MHz
FM transmission distance:<5 meters
Bluetooth version: version 5.0
Bluetooth distance:<10 meters
Aux audio output: 3.5MM/ stereo 2.0
Music format: MP3/APE/FLAC/WAV
Hi-Fi
UNINTERRUPTED PLAYBACK


FM CAR KIT
WIRELESS FM TRANSMITTER
CAR MP3 TF CARD CHARGER
MODEL
VD-FM004

CAR MP3 PLAYER
RGB AMBIENT LIGHTING
QC3.0+PD
Qualcomm Quick Charge 3.0
PD CHARGING
BT Car MP3 Player Specification
Working Voltage: 12-24V
Music format: MP3/WMA
Support: USB Drive
Light function: Ambient light
Frequency response rate: 20Hz-15KHz
USB Output: QC3.0,1Q
Limited Voltage: 10-26V
FM frequency: 87.5-108.0MHZ
FM model: Stereo, PLL Locking Technology
Charging port: USB, PD
Working temperature: 0-55 Degree
MODEL
VD-FM005

CAR MP3 PLAYER
MULTIFUNCTION WIRELESS
A2DP
DUAL USB
FM
FM: 87.5Mhz-108.0Mhz
Emission power: 87dBuv/107 dBuv
Effective distance: 5m
Bluetooth
Bluetooth version: V4.2 + EDR
Frequency: 20-20kHz
Voltage: 5V +/-0.5
Working Current: 45mA(maximum)
Standby Current: 25mA(maximum)
Frequency: 2.402-2.480 ghz
Effective distance: 5m
RF output: 4 dBm
model
VD-FM006

CAR MP3 PLAYER
Multifunction Wireless
3.1A
A2DP
model
VD-FM007
Smart Wireless MP3 in Vehicle
Wireless Version:4.0+EDR
Wireless Range:<10M
Music Format: SupportMP3/WMA
Working voltage:0-24V
TF Memory: <128GB
FM Frequency Range:<87.5-108.0MHz
Working temperature: 0-40
AUX Output/Input

CAR FM
PD 18W
VD-FM008
MULTIFUNCTION WIRELESS
• Automatic power off memory function
• Version: V5.0
• Hands-free calling
• Support DSP technology
• Support one-button subwoofer output
Battery voltage detection

FM CAR KIT
MULTIFUNCTION WIRELESS
2USB+PD PORT
PD 18W
VD-FM009
• Automatic power off memory function
• Version: V5.0
• Hands-free calling
• Support DSP technology
• Support one-button subwoofer output
Battery voltage detection