



M&F INDUSTRIES LIMITED **LIGHTING SOLUTIONS**

- LED WORK LIGHTS
- AGRICULTURAL LED
- FORKLIFT LED
- LED DRIVING LIGHTS
- CONSTRUCTION LED
- LED HEADLIGHTS
- MARINE LED
- LED FOG LIGHTS
- SNOW PLOW LED

 M&F Industries Limited

 +86 158 8972 1522

 info@mflamps.com

 No. 888, Luomu Road, Shishan Town, Nanhai District, Foshan, Guangdong, CN



INTRODUCTION

“M&F started business since 2010, and built the production line since 2013. The main product lines range from LED work lights, LED driving lights, LED fog lights and LED headlights etc.

With over 10 years experience in LED lighting for automotive and off highway equipment, M&F customized quality products to develop the market with customers together.

In order to assure the product quality and stability, we'll arrange comprehensive tests for mechanical, electronic, and optical performance, and our factory strictly controlled the production process according to ISO9001 standard, and 100% inspection on each light before shipment.

Besides, all of our products could get Emark approved. And most of them are according to CISPR CLASS 4, FMVSS 108.”

ADVANTAGES



Business Model

M&F Lamps is a subsidiary brand, with factory and export brand separated, we could offer you not only factory direct price, product & financial support, but flexible support with fast reactions.



Technology Strength

R&D engineer team are professional in mechanical, electronic and optical solutions for LED work lights. Our CISPR 25 CLASS 4/5 solution will assure the brightness, stable and lifespan of our products.



Quality Control

High level quality standard on LED work lights, driving lights and headlights, Stable material supply chain based on our steady growth of sales volume, Strict management according to ISO9001 quality system.



Innovative Products

As we are committed to be one of the leading brand in the off highway LED lighting industry, we invest more than one million USD each year to develop new products continuously.



Lighting Experience

Over 11 years overseas sales and 8 years manufacturing experience, we could better understand what you need in different markets and work as a trustworthy partner.



Our Service

New innovative products promotion, 24/7 for sales and support, 5 years warranty, sourcing and warehouse for your storage.



VIP Support

Free samples, free mold charge, exclusive models, financial support, professional sales assistant to coordinate your orders.



Our Integrity

Doing the right thing for customers is our core value, we insist on working with trust, honesty, consistency and responsibility.

R&D



EMI TEST



EMS TEST



INTEGRATING SPHERE



GONIOPHOTOMETER




TEMPERATURE TEST



IPX9 TEST




VIBRATION TEST



CISPR 25 CLASS

CERTIFICATES






WL-0602-10

IP69K


POWER : 10W
VOLTAGE : 10-30V
LIGHT OUTPUT : 850LM
COLOR TEMP : 6000K
AMP DRAW : 0.83A
BEAM PATTERN : FLOOD
EMC: ECE R10



WL-0602-16

IP69K


POWER : 16W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1360LM
COLOR TEMP : 6000K
AMP DRAW : 1.33A
BEAM PATTERN : FLOOD/SPOT
EMC: ECE R10



WL-0602-18

IP69K

POWER : 18W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1530LM
COLOR TEMP : 6000K
AMP DRAW : 1.5A
BEAM PATTERN : FLOOD
EMC: ECE R10




WL-0602-40

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD
EMC: ECE R10


ECE R23



WL-0702-12

IP69K

POWER : 12W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1020LM
COLOR TEMP : 6000K
AMP DRAW : 1A
BEAM PATTERN : FLOOD
EMC: ECE R10



WL-0702-16

IP69K

POWER : 16W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1360LM
COLOR TEMP : 6000K
AMP DRAW : 1.33A
BEAM PATTERN : FLOOD
EMC: ECE R10

ECE R23



WL-0702-24

IP69K

POWER : 24W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1020LM
COLOR TEMP : 6000K
AMP DRAW : 2A
BEAM PATTERN : FLOOD
EMC: ECE R10




WL-0802-12

IP69K

POWER : 12W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1020LM
COLOR TEMP : 6000K
AMP DRAW : 1A
BEAM PATTERN : FLOOD
EMC: ECE R10


ECE R23



WL-0802-16

IP69K

POWER : 16W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1360LM
COLOR TEMP : 6000K
AMP DRAW : 1.33A
BEAM PATTERN : FLOOD
EMC: ECE R10



WL-0802-30

IP69K

POWER : 30W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2400LM
COLOR TEMP : 6000K
AMP DRAW : 2.5A
BEAM PATTERN : FLOOD
EMC: ECE R10



WL-0902-13

IP69K


POWER : 13W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1105LM
COLOR TEMP : 6000K
AMP DRAW : 1.08A
BEAM PATTERN : FLOOD
EMC: ECE R10



WL-0902-32


IP69K

POWER : 32W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2560LM
COLOR TEMP : 6000K
AMP DRAW : 2.67A
BEAM PATTERN : FLOOD
EMC: ECE R10



WL-0606-12 IP69K

POWER : 12W
VOLTAGE : 10-30V
LIGHT OUTPUT : 960LM
COLOR TEMP : 6000K
AMP DRAW : 1A
BEAM PATTERN : FLOOD/SPOT
EMC: ECE R10




WL-0606-24 IP69K

POWER : 24W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1920LM
COLOR TEMP : 6000K
AMP DRAW : 2A
BEAM PATTERN : FLOOD/SPOT
EMC: ECE R10



WL-0606-32 IP69K

POWER : 32W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2560LM
COLOR TEMP : 6000K
AMP DRAW : 2.67A
BEAM PATTERN : FLOOD/SPOT
EMC: ECE R10



WL-0606-60 IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4800LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : FLOOD/SPOT
EMC: ECE R10



WL-0706-24 IP69K

POWER : 24W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1920LM
COLOR TEMP : 6000K
AMP DRAW : 2A
BEAM PATTERN : FLOOD/SPOT
EMC: ECE R10



WL-0706-3-36 IP69K

POWER : 36W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2880LM
COLOR TEMP : 6000K
AMP DRAW : 3A
BEAM PATTERN : FLOOD/SPOT
EMC: ECE R10




WL-0706-3-42 IP69K

POWER : 42W
 VOLTAGE : 10-30V
 LIGHT OUTPUT : 3360LM
 COLOR TEMP : 6000K
 AMP DRAW : 3.5A
 BEAM PATTERN : FLOOD/SPOT
 EMC: ECE R10




WL-0706-4-36 IP69K

POWER : 36W
 VOLTAGE : 10-30V
 LIGHT OUTPUT : 2880LM
 COLOR TEMP : 6000K
 AMP DRAW : 3A
 BEAM PATTERN : FLOOD/SPOT
 EMC: ECE R10



WL-0706-4-56 IP69K

POWER : 56W
 VOLTAGE : 10-30V
 LIGHT OUTPUT : 4480LM
 COLOR TEMP : 6000K
 AMP DRAW : 4.67A
 BEAM PATTERN : FLOOD/SPOT
 EMC: ECE R10




WL-0806-24 IP69K

POWER : 24W
 VOLTAGE : 10-30V
 LIGHT OUTPUT : 1920LM
 COLOR TEMP : 6000K
 AMP DRAW : 2A
 BEAM PATTERN : FLOOD/SPOT
 EMC: ECE R10




WL-0806-3-36 IP69K


POWER : 36W
 VOLTAGE : 10-30V
 LIGHT OUTPUT : 2880LM
 COLOR TEMP : 6000K
 AMP DRAW : 3A
 BEAM PATTERN : FLOOD/SPOT
 EMC: ECE R10



WL-0806-3-48 IP69K


POWER : 48W
 VOLTAGE : 10-30V
 LIGHT OUTPUT : 3840LM
 COLOR TEMP : 6000K
 AMP DRAW : 4A
 BEAM PATTERN : FLOOD/SPOT
 EMC: ECE R10







WL-0806-4-36 IP69K

POWER : 36W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2880LM
COLOR TEMP : 6000K
AMP DRAW : 23A
BEAM PATTERN : FLOOD/SPOT
EMC: ECE R10





WL-0806-4-64 IP69K

POWER : 64W
VOLTAGE : 10-30V
LIGHT OUTPUT : 5120LM
COLOR TEMP : 6000K
AMP DRAW : 5.33A
BEAM PATTERN : FLOOD/SPOT
EMC: ECE R10



WL-0906-24 IP69K

POWER : 24W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1920LM
COLOR TEMP : 6000K
AMP DRAW : 2A
BEAM PATTERN : FLOOD/SPOT
EMC: ECE R10




WL-0906-40 IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD/SPOT
EMC: ECE R10


WL-0401-40

- W 40W
- V 10-30V
- 3200LM
- IP IP69K
- E R10
- EMC CISPR25 CLASS 4




WL-0401-50

- W 50W
- V 10-30V
- 4000LM
- IP IP69K
- E R10
- EMC CISPR25 CLASS 4
- FLOOD/SPOT



WL-0401-60

- W 60W
- V 10-30V
- 4800LM
- IP IP69K
- E R10
- EMC CISPR25 CLASS 4
- FLOOD/SPOT





WL-0601-20

- W** 20W
- V** 10–30V
- LM** 1600LM
- IP** IP69K
- E** R10
- EMC** CISPR25 CLASS 4
- DT** FLOOD/SPOT



Built-in DT





WL-0601-30

- W** 30W
- V** 10–30V
- LM** 2400LM
- IP** IP69K
- E** R10
- EMC** CISPR25 CLASS 4
- DT** FLOOD/SPOT



Built-in DT





WL-0601-40

- W** 40W or 80W
- V** 10–30V
- LM** 3200 or 6400LM
- IP** IP69K
- E** R10
- EMC** CISPR25 CLASS 4
- DT** FLOOD/SPOT



Built-in DT





WL-0601-75

- W** 75W
- V** 10–30V
- LM** 6000LM
- IP** IP69K
- E** R10
- EMC** CISPR25 CLASS 4
- DT** FLOOD/SPOT




Built-in DT




WL-0701-10

- W 10W
- V 10-30V
- 800LM
- IP IP69K
- E R10
- EMC CISPR25 CLASS 4
- FLOOD/SPOT




WL-0701-40

- W 40W
- V 10-30V
- 3200LM
- IP IP69K
- E R10
- EMC CISPR25 CLASS 4
- FLOOD/SPOT




WL-0701-50

- W 50W
- V 10-30V
- 4000LM
- IP IP69K
- E R10
- EMC CISPR25 CLASS 4
- FLOOD/SPOT



WL-0701-60

- W 60W
- V 10-30V
- 4800LM
- IP IP69K
- E R10
- EMC CISPR25 CLASS 4
- FLOOD/SPOT



WL-0701-60A

- W 60W
- V 10-30V
- 4800LM
- IP IP69K
- E R10
- EMC CISPR25 CLASS 4
- FLOOD/SPOT




WL-0701-90

- W 90W
- V 10-30V
- 7200LM
- IP IP69K
- E R10
- EMC CISPR25 CLASS 4
- FLOOD/SPOT



WL-0801-10

- W 10W
- V 10-30V
- 800LM
- IP IP69K
- E R10
- EMC CISPR25 CLASS 4
- FLOOD/SPOT




WL-0801-40

- W 40W
- V 10-30V
- 3200LM
- IP IP69K
- E R10
- EMC CISPR25 CLASS 4
- FLOOD/SPOT




WL-0801-50

- W** 50W
- V** 10-30V
- ☼** 4000LM
- IP** IP69K
- E** R10
- EMC** CISPR25 CLASS 4
- ☼** FLOOD/SPOT




WL-0801-60

- W** 60W
- V** 10-30V
- ☼** 4800LM
- IP** IP69K
- E** R10
- EMC** CISPR25 CLASS 4
- ☼** FLOOD/SPOT




WL-0801-90

- W** 90W
- V** 10-30V
- ☼** 7200LM
- IP** IP69K
- E** R10
- EMC** CISPR25 CLASS 4
- ☼** FLOOD/SPOT



WL-0801-120

- W** 120W
- V** 10-30V
- ☼** 9600LM
- IP** IP69K
- E** R10
- EMC** CISPR25 CLASS 4
- ☼** FLOOD/SPOT



WL-0803-20

- W 20W
- V 10-30V
- 2000LM
- IP IP69K
- E R10
- EMC CISPR25 CLASS 4
- FLOOD/SPOT




HANDLE



SWITCH



Built-in DT



WL-0803-27

- W 27W
- V 10-30V
- 2400LM
- IP IP69K
- E R10
- EMC CISPR25 CLASS 4
- FLOOD/SPOT





HANDLE



SWITCH



Built-in DT



WL-0803-60

- W 60W
- V 10-30V
- 4800LM
- IP IP69K
- E R10
- EMC CISPR25 CLASS 4
- FLOOD/SPOT





HANDLE



SWITCH



Built-in DT







WL-0804-60

- W 60W
- V 10-30V
- 4800LM
- IP IP69K
- E R10
- EMC CISPR25 CLASS 4
- FLOOD/SPOT



Built-in DT







WL-3013

IP69K

POWER : 12W
VOLTAGE : 10-30V
LIGHT OUTPUT : 960LM
COLOR TEMP : 6000K
AMP DRAW : 1A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4



WL-3013A

IP69K

POWER : 12W
VOLTAGE : 10-30V
LIGHT OUTPUT : 960LM
COLOR TEMP : 6000K
AMP DRAW : 1A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-3012

IP69K

POWER : 12W
VOLTAGE : 10-30V
LIGHT OUTPUT : 960LM
COLOR TEMP : 6000K
AMP DRAW : 1A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-3015

IP69K

POWER : 15W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1200LM
COLOR TEMP : 6000K
AMP DRAW : 1.25A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-3019

IP69K

POWER : 18W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1440LM
COLOR TEMP : 6000K
AMP DRAW : 1.5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-3019A

IP69K

POWER : 18W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1440LM
COLOR TEMP : 6000K
AMP DRAW : 1.5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-4003

IP69K

POWER : 27W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2160LM
COLOR TEMP : 6000K
AMP DRAW : 2.25A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-4004

IP69K

POWER : 27W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2160LM
COLOR TEMP : 6000K
AMP DRAW : 2.25A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-4005

IP69K

POWER : 15W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1200LM
COLOR TEMP : 6000K
AMP DRAW : 1.25A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-4006

IP69K

POWER : 18W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1440LM
COLOR TEMP : 6000K
AMP DRAW : 1.5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-4008

IP69K

POWER : 24W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1920LM
COLOR TEMP : 6000K
AMP DRAW : 2A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-4009

IP69K

POWER : 24W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1920LM
COLOR TEMP : 6000K
AMP DRAW : 2A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4

ECE R23




WL-3018

IP69K

POWER : 18W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1440LM
COLOR TEMP : 6000K
AMP DRAW : 1.5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-4027

IP69K

POWER : 27W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2160LM
COLOR TEMP : 6000K
AMP DRAW : 2.25A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-4031

IP69K

POWER : 30W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2400LM
COLOR TEMP : 6000K
AMP DRAW : 2.5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-4041

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-4048

IP69K

POWER : 48W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3840LM
COLOR TEMP : 6000K
AMP DRAW : 4A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-5048

IP69K

POWER : 48W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3840LM
COLOR TEMP : 6000K
AMP DRAW : 4A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-5050

IP69K

POWER : 50W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4000LM
COLOR TEMP : 6000K
AMP DRAW : 4.16A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-5060

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4800LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-6090

IP69K

POWER : 90W
VOLTAGE : 10-30V
LIGHT OUTPUT : 5200LM
COLOR TEMP : 7200K
AMP DRAW : 7.5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-6100

IP69K

POWER : 100W
VOLTAGE : 10-30V
LIGHT OUTPUT : 5200LM
COLOR TEMP : 7200K
AMP DRAW : 8.33A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-9120

IP69K

POWER : 120W
VOLTAGE : 10-30V
LIGHT OUTPUT : 9600LM
COLOR TEMP : 6000K
AMP DRAW : 10A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4






WL-5044

IP69K

POWER : 45W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3850LM
COLOR TEMP : 6000K
AMP DRAW : 3.75A
BEAM PATTERN : SPOT

E R10 EMC CISPR25 CLASS 4





WL-5046

IP69K

POWER : 45W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3600LM
COLOR TEMP : 6000K
AMP DRAW : 3.75A
BEAM PATTERN : SPOT

E R10 EMC CISPR25 CLASS 4




WL-5061

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4800LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : SPOT

E R10 EMC CISPR25 CLASS 4




WL-7090

IP69K

POWER : 90W
VOLTAGE : 10-30V
LIGHT OUTPUT : 7200LM
COLOR TEMP : 6000K
AMP DRAW : 7.5A
BEAM PATTERN : SPOT

E R10 EMC CISPR25 CLASS 4







WL-7091

IP69K

POWER : 90W
VOLTAGE : 10-30V
LIGHT OUTPUT : 7200LM
COLOR TEMP : 6000K
AMP DRAW : 7.5A
BEAM PATTERN : SPOT

E R10 EMC CISPR25 CLASS 4




WL-9121

IP69K

POWER : 120W
VOLTAGE : 10-30V
LIGHT OUTPUT : 9600LM
COLOR TEMP : 6000K
AMP DRAW : 10A
BEAM PATTERN : SPOT

E R10 EMC CISPR25 CLASS 4




WL-9135

IP69K

POWER : 135W
VOLTAGE : 10-30V
LIGHT OUTPUT : 10800LM
COLOR TEMP : 6000K
AMP DRAW : 11.25A
BEAM PATTERN : SPOT

E R10 EMC CISPR25 CLASS 4




WL-9151

IP69K

POWER : 150W
VOLTAGE : 10-30V
LIGHT OUTPUT : 12000LM
COLOR TEMP : 6000K
AMP DRAW : 12.5A
BEAM PATTERN : SPOT

E R10 EMC CISPR25 CLASS 4





WL-7105

IP69K

POWER : 105W
VOLTAGE : 10-30V
LIGHT OUTPUT : 8400LM
COLOR TEMP : 6000K
AMP DRAW : 8.75A
BEAM PATTERN : SPOT

E R10 EMC CISPR25 CLASS 4




WL-9136

IP69K

POWER : 135W
VOLTAGE : 10-30V
LIGHT OUTPUT : 10800LM
COLOR TEMP : 6000K
AMP DRAW : 11.25A
BEAM PATTERN : SPOT

E R10 EMC CISPR25 CLASS 4






WL-9160

IP69K

POWER : 160W
VOLTAGE : 10-30V
LIGHT OUTPUT : 12800LM
COLOR TEMP : 6000K
AMP DRAW : 13.3A
BEAM PATTERN : SPOT

E R10 EMC CISPR25 CLASS 4



WL-9225

IP69K

POWER : 225W
VOLTAGE : 10-30V
LIGHT OUTPUT : 18000LM
COLOR TEMP : 6000K
AMP DRAW : 2.08A
BEAM PATTERN : SPOT

E R10 EMC CISPR25 CLASS 4





LOW BEAM

LOW BEAM



HIGH BEAM 30W + LOW BEAM 30W + DRL 10W + TURN SIGNAL 12W

POWER : 82W
VOLTAGE : 10-30V
LIGHT OUTPUT : 5700LM
COLOR TEMP : 6000K
AMP DRAW : 6.83A
BEAM PATTERN : HIGH/LOW



EMC TESTED | EN55025/CISPR25



UL RATED OPTIONAL



VIBRATION TESTED | 5-2000Hz, 3 AXIS



E RATED OPTIONAL



SHOCK TESTED






IP 69 K RATED





SALT SPRAY TESTED ASTM B117




R10 R112 R6 R87





POWER :	127W
VOLTAGE :	10-30V
LIGHT OUTPUT :	8900LM
COLOR TEMP :	6000K
AMP DRAW :	10.58A
BEAM PATTERN :	HIGH/LOW

IP IP69K
E R10
EMC CISPR25 CLASS 4






Built-in DT

WL-5451H

IP69K

POWER : 45W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3600LM
COLOR TEMP : 6000K
AMP DRAW : 3.75A
BEAM PATTERN : FLOOD/SPOT

E R10 **EMC** CISPR25 CLASS 4




Built-in DT

WL-4407H

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD/SPOT

E R10 **EMC** CISPR25 CLASS 4





WL-9721

IP69K

POWER : 69W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4830LM
COLOR TEMP : 6000K
AMP DRAW : 5.75A
BEAM PATTERN : HIGH+DRL



WL-9721-50

IP69K

POWER : 50/59W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4000LM
COLOR TEMP : 6000K
AMP DRAW : 4.16/4.92A
BEAM PATTERN : FLOOD/SPOT+DRL



WL-9721-60




IP69K

POWER : 60/69W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4800LM
COLOR TEMP : 6000K
AMP DRAW : 5/5.75A
BEAM PATTERN : FLOOD/SPOT+DRL

E R10 **EMC** CISPR25 CLASS 4

E R10 **EMC** CISPR25 CLASS 4

E R10 **EMC** CISPR25 CLASS 4






WL-9921

IP69K

POWER : 92W
VOLTAGE : 10-30V
AMP DRAW : 1A
BEAM PATTERN : COMBINATION

E R10 **EMC** CISPR25 CLASS 4



HIGH BEAM: 20W

LOW BEAM: 30W

DRL: 30W

DIRECTOR INDICATOR: 12W




WL-5301

IP69K

POWER : 30W
VOLTAGE : 10-110V
AMP DRAW : 2.5A
BEAM : RED/BLUE

E R10 **EMC** CISPR25 CLASS 4



WL-6201

IP69K

POWER : 20W
VOLTAGE : 10-110V
AMP DRAW : 1.67A
BEAM : RED/BLUE/GREEN

E R10 **EMC** CISPR25 CLASS 4



WL-6202

IP69K

POWER : 5W
VOLTAGE : 10-80V
AMP DRAW : 0.42A
BEAM : RED/BLUE/GREEN

E R10 **EMC** CISPR25 CLASS 4



WL-6010A

IP69K

POWER : 10W
VOLTAGE : 10-60V
AMP DRAW : 0.83A
BEAM : RED/BLUE

E R10 **EMC** CISPR25 CLASS 4



WL-6020A

IP69K

POWER : 20W
VOLTAGE : 10-60V
AMP DRAW : 1.67A
BEAM : RED/BLUE

E R10 **EMC** CISPR25 CLASS 4



WL-6020C

IP69K

POWER : 20W
VOLTAGE : 10-110V
AMP DRAW : 1.67A
BEAM : RED/BLUE/GREEN

E R10 **EMC** CISPR25 CLASS 4





WL-7045

IP69K

POWER : 45W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3150LM
COLOR TEMP : 6000K
AMP DRAW : 3.75A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4





WL-7054

IP69K

POWER : 54W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3850LM
COLOR TEMP : 6000K
AMP DRAW : 4.5A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4




WL-7073

IP69K

POWER : 73W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4900LM
COLOR TEMP : 6000K
AMP DRAW : 6.08A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4





WL-7088

IP69K

POWER : 88W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4760LM
COLOR TEMP : 6000K
AMP DRAW : 7.33A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4




WL-7113

IP69K

POWER : 114W
VOLTAGE : 9-32V
LIGHT OUTPUT : 9120LM
COLOR TEMP : 6000K
AMP DRAW : 9.5A
BEAM PATTERN : HIGH/LOW+DRL

E R10 EMC CISPR25 CLASS 4





WL-7114

IP69K

POWER : 114W
VOLTAGE : 9-32V
LIGHT OUTPUT : 9120LM
COLOR TEMP : 6000K
AMP DRAW : 9.5A
BEAM PATTERN : HIGH/LOW+DRL

E R10 EMC CISPR25 CLASS 4







WL-4029

IP69K

POWER : 30W
VOLTAGE : 9-32V
LIGHT OUTPUT : 2400LM
COLOR TEMP : 6000K
AMP DRAW : 2.5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-4032

IP69K

POWER : 30W
VOLTAGE : 9-32V
LIGHT OUTPUT : 2400LM
COLOR TEMP : 6000K
AMP DRAW : 2.5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-4033

IP69K

POWER : 30W
VOLTAGE : 9-32V
LIGHT OUTPUT : 2400LM
COLOR TEMP : 6000K
AMP DRAW : 2.5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-4034

IP69K

POWER : 30W
VOLTAGE : 9-32V
LIGHT OUTPUT : 2400LM
COLOR TEMP : 6000K
AMP DRAW : 2.5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4






WL-3030-30

IP69K

POWER : 30W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2400LM
COLOR TEMP : 6000K
AMP DRAW : 2.5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-4001

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4



WL-4002

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4





WL-4023-40

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4







WL-4024-40

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-4035

IP69K

POWER : 35W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2800LM
COLOR TEMP : 6000K
AMP DRAW : 2.91A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-4043

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-4044

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-4050

IP69K

POWER : 50W
VOLTAGE : 10-30V
LIGHT OUTPUT : 5100LM
COLOR TEMP : 6000K
AMP DRAW : 4.17A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-4051

IP69K

POWER : 50W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4000LM
COLOR TEMP : 6000K
AMP DRAW : 4.17A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4




WL-4403-40

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-4404

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-4405

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : 45° FLOOD

E R10 EMC CISPR25 CLASS 4





WL-4407

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-4408

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4




WL-4409

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-4451

IP69K

POWER : 45W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3600LM
COLOR TEMP : 6000K
AMP DRAW : 3.75A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-4638

IP69K

POWER : 39W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3120LM
COLOR TEMP : 6000K
AMP DRAW : 3.25A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4




WL-4642

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-6652

IP69K

POWER : 65W
VOLTAGE : 10-30V
LIGHT OUTPUT : 5200LM
COLOR TEMP : 6000K
AMP DRAW : 5.42A
BEAM PATTERN : flood/high-low

E R10 EMC CISPR25 CLASS 4




WL-6066

IP69K

POWER : 65W
VOLTAGE : 10-30V
LIGHT OUTPUT : 5200LM
COLOR TEMP : 6000K
AMP DRAW : 5.42A
BEAM PATTERN : flood/high-low

E R10 EMC CISPR25 CLASS 4






WL-6451

IP69K

POWER : 45W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3600LM
COLOR TEMP : 6000K
AMP DRAW : 3.75A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4







WL-7080-60

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4800LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-7080-80

IP69K

POWER : 80W
VOLTAGE : 10-30V
LIGHT OUTPUT : 6400LM
COLOR TEMP : 6000K
AMP DRAW : 6.67A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-7602

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4800LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4




WL-8241

IP69K

POWER : 24W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2000LM
COLOR TEMP : 6000K
AMP DRAW : 2A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4





WL-4403-60

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4800LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-4403-90

IP69K

POWER : 90W
VOLTAGE : 10-30V
LIGHT OUTPUT : 7200LM
COLOR TEMP : 6000K
AMP DRAW : 7.5A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4





WL-6061

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4800LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : FLOOD/SPOT

E R10 **EMC** CISPR25 CLASS 4



WL-7604

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4800LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : FLOOD/SPOT

E R10 **EMC** CISPR25 CLASS 4





WL-3040

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : 50° flood/15° spot

E R10 EMC CISPR25 CLASS 4





WL-4012-20

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 960LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4





WL-4017

IP69K

POWER : 18W
VOLTAGE : 10-30V
LIGHT OUTPUT : 800LM
COLOR TEMP : 6000K
AMP DRAW : 1.5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-4018

IP69K

POWER : 18W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1440LM
COLOR TEMP : 6000K
AMP DRAW : 1.5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4







WL-4018N

IP69K

POWER : 18W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1440LM
COLOR TEMP : 6000K
AMP DRAW : 1.5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-4391

IP69K

POWER : 39W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3120LM
COLOR TEMP : 6000K
AMP DRAW : 3.25A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4





WL-4401

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-4402

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4





WL-4501

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4






WL-5018

IP69K

POWER : 18W
VOLTAGE : 10-30V
LIGHT OUTPUT : 800LM
COLOR TEMP : 6000K
AMP DRAW : 1.5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4






WL-5047

IP69K

POWER : 45W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3600LM
COLOR TEMP : 6000K
AMP DRAW : 3.75A
BEAM PATTERN : High/Low Spot

E R10 EMC CISPR25 CLASS 4





WL-5062

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4800LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4




WL-5063

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4800LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4






WL-5064

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4800LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4




WL-6651

IP69K

POWER : 65W
VOLTAGE : 10-30V
LIGHT OUTPUT : 5200LM
COLOR TEMP : 6000K
AMP DRAW : 5.42A
BEAM PATTERN : flood/high-lo

E R10 EMC CISPR25 CLASS 4






WL-6067

IP69K

POWER : 65W
VOLTAGE : 10-30V
LIGHT OUTPUT : 5200LM
COLOR TEMP : 6000K
AMP DRAW : 5.42A
BEAM PATTERN : flood/high-low

E R10 EMC CISPR25 CLASS 4







WL-6401

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4




WL-6401A

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : 60°flood/spot

E R10 EMC CISPR25 CLASS 4





WL-7601

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4800LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4





WL-9033

IP69K

POWER : 30W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2400LM
COLOR TEMP : 6000K
AMP DRAW : 2.5A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4





WL-9045

IP69K

POWER : 45W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3600LM
COLOR TEMP : 6000K
AMP DRAW : 3.75A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4





WL-9090

IP69K

POWER : 90W
VOLTAGE : 10-30V
LIGHT OUTPUT : 7200LM
COLOR TEMP : 6000K
AMP DRAW : 7.5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4








WL-9092

IP69K

POWER : 90W
VOLTAGE : 10-30V
LIGHT OUTPUT : 7200LM
COLOR TEMP : 6000K
AMP DRAW : 7.5A
BEAM PATTERN : HIGH/LOW




E R10 EMC CISPR25 CLASS 4




WL-9093

IP69K

POWER : 120W
VOLTAGE : 10-30V
LIGHT OUTPUT : 9600LM
COLOR TEMP : 6000K
AMP DRAW : 10A
BEAM PATTERN : HIGH/LOW



E R10 EMC CISPR25 CLASS 4




WL-9130

IP69K

POWER : 130W
VOLTAGE : 10-30V
LIGHT OUTPUT : 10400LM
COLOR TEMP : 6000K
AMP DRAW : 10.83A
BEAM PATTERN : HIGH/LOW




E R10 EMC CISPR25 CLASS 4



WL-9134

IP69K

POWER : 130W
VOLTAGE : 10-30V
LIGHT OUTPUT : 10800LM
COLOR TEMP : 6000K
AMP DRAW : 10.83A
BEAM PATTERN : COMBINATION



E R10 EMC CISPR25 CLASS 4





WL-3040

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : 50° flood/15° spot

E R10 EMC CISPR25 CLASS 4





WL-3301

IP69K

POWER : 30W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2400LM
COLOR TEMP : 6000K
AMP DRAW : 2.5A
BEAM PATTERN : LOW BEAM

E R10 EMC CISPR25 CLASS 4





WL-3305

IP69K

POWER : 84W
VOLTAGE : 10-30V
LIGHT OUTPUT : 6720LM
COLOR TEMP : 6000K
AMP DRAW : 7A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-4012-20

IP69K

POWER : 20W
VOLTAGE : 10-30V
LIGHT OUTPUT : 960LM
COLOR TEMP : 6000K
AMP DRAW : 1.67A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4







WL-4301

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4400LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : LOW

E R10 EMC CISPR25 CLASS 4





WL-4302

IP69K

POWER : 30W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2200LM
COLOR TEMP : 6000K
AMP DRAW : 2.5A
BEAM PATTERN : LOW

E R10 EMC CISPR25 CLASS 4





WL-4303

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4400LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : HIGH

E R10 EMC CISPR25 CLASS 4





WL-4401

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-4402

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD/HIGH-LOW

E R10 EMC CISPR25 CLASS 4






WL-4501

IP69K

POWER : 50W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4000LM
COLOR TEMP : 6000K
AMP DRAW : 4.17A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4







WL-4602

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4800LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4





WL-4644

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4





WL-4721

IP69K

POWER : 62W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2100LM
COLOR TEMP : 6000K
AMP DRAW : 5.17A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4





WL-4722

IP69K

POWER : 62W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2100LM
COLOR TEMP : 6000K
AMP DRAW : 5.17A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4





WL-4723

IP69K

POWER : 62W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2100LM
COLOR TEMP : 6000K
AMP DRAW : 5.17A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4




WL-4991

IP69K

POWER : 102W
VOLTAGE : 10-30V
LIGHT OUTPUT : 8160LM
COLOR TEMP : 6000K
AMP DRAW : 8.5A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4







WL-4992

IP69K

POWER : 102W
VOLTAGE : 10-30V
LIGHT OUTPUT : 7200LM
COLOR TEMP : 6000K
AMP DRAW : 8.5A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4





WL-4993

IP69K

POWER : 102W
VOLTAGE : 10-30V
LIGHT OUTPUT : 7200LM
COLOR TEMP : 6000K
AMP DRAW : 8.5A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4





WL-4994

IP69K

POWER : 102W
VOLTAGE : 10-30V
LIGHT OUTPUT : 7200LM
COLOR TEMP : 6000K
AMP DRAW : 8.5A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4





WL-5361

IP69K

POWER : 36W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2880LM
COLOR TEMP : 6000K
AMP DRAW : 3A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4





WL-5501

IP69K

POWER : 50W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4200LM
COLOR TEMP : 6000K
AMP DRAW : 4.17A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4





WL-5501A

IP69K

POWER : 50W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4000LM
COLOR TEMP : 6000K
AMP DRAW : 4.17A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4







WL-5601

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4400LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4





WL-5601A

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4800LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4





WL-5602

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4400LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4





WL-5603

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4400LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4





WL-5642

IP69K

POWER : 42W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3360LM
COLOR TEMP : 6000K
AMP DRAW : 3.5A
BEAM PATTERN : LOW

E R10 EMC CISPR25 CLASS 4




WL-5721

IP69K

POWER : 69W
VOLTAGE : 10-30V
LIGHT OUTPUT : 5000LM
COLOR TEMP : 6000K
AMP DRAW : 5.75A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4







WL-5722

IP69K

POWER : 69W
VOLTAGE : 10-30V
LIGHT OUTPUT : 5000LM
COLOR TEMP : 6000K
AMP DRAW : 5.75A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4



WL-5961

IP69K

POWER : 96W
VOLTAGE : 10-30V
LIGHT OUTPUT : 7600LM
COLOR TEMP : 6000K
AMP DRAW : 8A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4





WL-5991

IP69K

POWER : 96W
VOLTAGE : 10-30V
LIGHT OUTPUT : 7600LM
COLOR TEMP : 6000K
AMP DRAW : 8A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4





WL-6401

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4





WL-6501

IP69K

POWER : 50W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4000LM
COLOR TEMP : 6000K
AMP DRAW : 4.17A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-7601

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4800LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : FLOOD

E R10 EMC CISPR25 CLASS 4






WL-8961

IP69K

POWER : 90+6W
VOLTAGE : 10-30V
LIGHT OUTPUT : 6600LM
COLOR TEMP : 6000K
AMP DRAW : 8A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4




WL-9920

IP69K

POWER : 90+9W
VOLTAGE : 10-30V
LIGHT OUTPUT : 6600LM
COLOR TEMP : 6000K
AMP DRAW : 8.25A
BEAM PATTERN : HIGH

E R10 EMC CISPR25 CLASS 4




WL-7115

IP69K

POWER : 114W
VOLTAGE : 9-32V
LIGHT OUTPUT : 9120LM
COLOR TEMP : 6000K
AMP DRAW : 9.5A
BEAM PATTERN : FLOOD/SPOT+DRL

E R10 EMC CISPR25 CLASS 4




WL-4241

IP69K

POWER : 24W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1920LM
COLOR TEMP : 6000K
AMP DRAW : 2A
BEAM PATTERN : White+Amber Flood

E R10 EMC CISPR25 CLASS 4




WL-4640

IP69K

POWER : 114W
VOLTAGE : 9-32V
LIGHT OUTPUT : 9120LM
COLOR TEMP : 6000K
AMP DRAW : 9.5A
BEAM PATTERN : FLOOD/SPOT+DRL

E R10 EMC CISPR25 CLASS 4





WL-4641

IP69K

POWER : 24W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1920LM
COLOR TEMP : 6000K
AMP DRAW : 2A
BEAM PATTERN : White+Amber Flood

E R10 EMC CISPR25 CLASS 4







WL-6060

IP69K

POWER : 90+6W
VOLTAGE : 10-30V
LIGHT OUTPUT : 6600LM
COLOR TEMP : 6000K
AMP DRAW : 8A
BEAM PATTERN : HIGH/LOW

E R10 EMC CISPR25 CLASS 4




WL-7603

IP69K

POWER : 90+9W
VOLTAGE : 10-30V
LIGHT OUTPUT : 6600LM
COLOR TEMP : 6000K
AMP DRAW : 8.25A
BEAM PATTERN : HIGH

E R10 EMC CISPR25 CLASS 4



WL-3000

IP69K

POWER : 114W
VOLTAGE : 9-32V
LIGHT OUTPUT : 9120LM
COLOR TEMP : 6000K
AMP DRAW : 9.5A
BEAM PATTERN : FLOOD/SPOT+DRL

E R10 EMC CISPR25 CLASS 4




WL-4000

IP69K

POWER : 24W
VOLTAGE : 10-30V
LIGHT OUTPUT : 1920LM
COLOR TEMP : 6000K
AMP DRAW : 2A
BEAM PATTERN : White+Amber Flood


E R10 EMC CISPR25 CLASS 4




WL-3630

IP69K

POWER : 30W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2400LM
COLOR TEMP : 6000K
AMP DRAW : 2.5A
BEAM PATTERN : FLOOD




E R10 EMC CISPR25 CLASS 4




WL-4038

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.33A
BEAM PATTERN : FLOOD/SPOT




E R10 EMC CISPR25 CLASS 4




WL-8030

IP69K

POWER : 30W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2400LM
COLOR TEMP : 6000K
AMP DRAW : 2.5A
BEAM PATTERN : FLOOD/SPOT



E R10 EMC CISPR25 CLASS 4



WL-9091

IP69K

POWER : 90W
VOLTAGE : 10-30V
LIGHT OUTPUT : 7200LM
COLOR TEMP : 6000K
AMP DRAW : 7.5A
BEAM PATTERN : FLOOD/SPOT



E R10 EMC CISPR25 CLASS 4




WL-4027A

IP69K

POWER : 27W
VOLTAGE : 10-30V
AMP DRAW : 2.25A
BEAM PATTERN : SPOT

E R10 **EMC** CISPR25 CLASS 4




WL-4048A

IP69K

POWER : 48W
VOLTAGE : 10-30V
AMP DRAW : 4A
BEAM PATTERN : SPOT

E R10 **EMC** CISPR25 CLASS 4





WL-4403A-40

IP69K

POWER : 40W
VOLTAGE : 10-30V
AMP DRAW : 3.33A
BEAM PATTERN : SPOT

E R10 **EMC** CISPR25 CLASS 4






WL-4451A

IP69K

POWER : 45W
VOLTAGE : 10-30V
AMP DRAW : 3.75A
BEAM PATTERN : SPOT

E R10 EMC CISPR25 CLASS 4




WL-5059A

IP69K

POWER : 45W
VOLTAGE : 10-30V
AMP DRAW : 3.75A
BEAM PATTERN : BLUE SPOT

E R10 EMC CISPR25 CLASS 4




WL-0801-120A

IP69K

POWER : 120W
VOLTAGE : 10-30V
AMP DRAW : 10A
BEAM PATTERN : SPOT

E R10 EMC CISPR25 CLASS 4




WL-6020A

IP69K

POWER : 20W
VOLTAGE : 10-30V
AMP DRAW : 1.67A
BEAM PATTERN : Spot in Blue/Red

E R10 EMC CISPR25 CLASS 4




WL-9015A

IP69K

POWER : 15W
VOLTAGE : 10-30V
AMP DRAW : 1.25A
BEAM PATTERN : SPOT

E R10 EMC CISPR25 CLASS 4




WL-9025A

IP69K

POWER : 25W
VOLTAGE : 10-30V
AMP DRAW : 2.08A
BEAM PATTERN : SPOT/COMBO

E R10 EMC CISPR25 CLASS 4




WL-0407-50

IP69K

POWER : 50W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4000LM
COLOR TEMP : 6000K
AMP DRAW : 4.17A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-0407-60

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4800LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4



WL-0407-90

IP69K

POWER : 90W
VOLTAGE : 10-30V
LIGHT OUTPUT : 7200LM
COLOR TEMP : 6000K
AMP DRAW : 7.5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-0407-120

IP69K

POWER : 120W
VOLTAGE : 10-30V
LIGHT OUTPUT : 9600LM
COLOR TEMP : 6000K
AMP DRAW : 10A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-0607-30

IP69K

POWER : 30W
VOLTAGE : 10-30V
LIGHT OUTPUT : 2400LM
COLOR TEMP : 6000K
AMP DRAW : 2.5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-0607-80

IP69K

POWER : 80W
VOLTAGE : 10-30V
LIGHT OUTPUT : 6400LM
COLOR TEMP : 6000K
AMP DRAW : 6.67A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-0607-290

IP69K

POWER : 290W
VOLTAGE : 10-30V
LIGHT OUTPUT : 23200LM
COLOR TEMP : 6000K
AMP DRAW : 24.17A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4



WL-0607-580

IP69K

POWER : 580W
VOLTAGE : 10-30V
LIGHT OUTPUT : 46400LM
COLOR TEMP : 6000K
AMP DRAW : 48.3A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





0707 SERIES





WL-0707-60

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4800LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-0707-90

IP69K

POWER : 90W
VOLTAGE : 10-30V
LIGHT OUTPUT : 7200LM
COLOR TEMP : 6000K
AMP DRAW : 7.5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





WL-0707-140

IP69K


POWER : 140W
VOLTAGE : 10-30V
LIGHT OUTPUT : 11200LM
COLOR TEMP : 6000K
AMP DRAW : 11.67A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4





0807 SERIES




WL-0807-40

IP69K

POWER : 40W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3200LM
COLOR TEMP : 6000K
AMP DRAW : 3.3A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-0807-60

IP69K

POWER : 60W
VOLTAGE : 10-30V
LIGHT OUTPUT : 4800LM
COLOR TEMP : 6000K
AMP DRAW : 5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-0807-90

IP69K

POWER : 90W
VOLTAGE : 10-30V
LIGHT OUTPUT : 7200LM
COLOR TEMP : 6000K
AMP DRAW : 7.5A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4




WL-0807-120

IP69K

POWER : 120W
VOLTAGE : 10-30V
LIGHT OUTPUT : 9600LM
COLOR TEMP : 6000K
AMP DRAW : 10A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4



WL-0807-160

IP69K

POWER : 160W
VOLTAGE : 10-30V
LIGHT OUTPUT : 12800LM
COLOR TEMP : 6000K
AMP DRAW : 13.33A
BEAM PATTERN : FLOOD/SPOT

E R10 EMC CISPR25 CLASS 4



0907 SERIES





WL-0907-80

IP69K

POWER : 80W
VOLTAGE : 10-30V
LIGHT OUTPUT : 6400LM
COLOR TEMP : 6000K
AMP DRAW : 6.67A
BEAM PATTERN : FLOOD/SPOT

E R10 **EMC** CISPR25 CLASS 4






WL-0907-100

IP69K

POWER : 100W
VOLTAGE : 10-30V
LIGHT OUTPUT : 8000LM
COLOR TEMP : 6000K
AMP DRAW : 8.3A
BEAM PATTERN : FLOOD/SPOT

E R10 **EMC** CISPR25 CLASS 4







WL-2045

IP69K


POWER : 45W
VOLTAGE : 10-30V
LIGHT OUTPUT : 3600LM
LIGHT COLOR : WHITE/BLUE
AMP DRAW : 3.75A
BEAM PATTERN : FLOOD/SPOT



WL-2100

IP69K

POWER : 100W
VOLTAGE : 10-30V
LIGHT OUTPUT : 8000LM
LIGHT COLOR: WHITE/BLUE
AMP DRAW : 8.33A
BEAM PATTERN : FLOOD/SPOT





M&F LAMPS

 M&F Industries Limited

 +86 158 8972 1522

 info@mflamps.com

 No. 888, Luomu Road, Shishan Town, Nanhai District, Foshan, Guangdong, CN