

Shenzhen Accolade Sound Technology Co.,Ltd.

Tel: +86- 755- 83250758 ext.8010

Email:sales@accoladesound.cn

Web: www.accoladesound.com

Add.: 4F, Building A, Tang Xi Second Industrial Zone, No.21 Xi Jing Rd.,
Gushu Community, Bao'an District, Shenzhen, China



Accolade Sound



Company Profile

Established in 2013, Shenzhen Accolade Sound Technology Co., Ltd. is a professional manufacturer of all kind of Bluetooth Speakers and TWS Earbuds in superior quality.

It has over 50 skilled employees, with its area of more than 2500 square meters, located in Building A, Tangxi Second Industrial Zone, Gushu Area, Xixiang, Baoan, Shenzhen, China. And we have over 6 production lines and advanced facilities to ensure our product quality and production capacity.

Why choose us?

- Professional sales and technical team
- Over 7-year experience
- BSCI, ISO9000 passed, with certificate of CE, RoHS, REACH, FCC,
- Competitive price and guaranteed quality
- Committed to custom service
- OEM&ODM project

Our products are mainly exported to Europe and North America, Korea, Indonesia. We have established long-term relationship with many customers due to competitive price and super quality.



We warmly welcome you to visit our factory! Let's start our business!

AS220

SPECIFICATION

Output Power: 1x3W

Speaker Size: 1x36mm

Built-in Battery: 400mAh

Working Time: 3 hours (60% Volume)

Charging Time: 1 hours

FEATURE

SOS function

Support BT

PACKING

Product Size: 88x64x43mm




Feeling safety to carry with this
Perfume speaker which built-in SOS function








Output Power	1×5W	Build in Battery	3.7V 1200mAh
Speaker Size	1×2.5"	Product Size	140×90×160mm
Frequency Response	90Hz-18KHz	Packing Size	172×112×192mm
SNR	≥75dB	Carton Size	55×45.5×41.5cm
Power Supply	5V-500mA	PCS/CTN	24



Output Power	1×5W	Build in Battery	3.7V 1200mAh
Speaker Size	1×2.5"	Product Size	128×140×120mm
Frequency Response	90Hz-18KHz	Packing Size	175×155×150mm
Charging Time	2.5 hours	Carton Size	645×520×310mm
Working Time	8 hours (60% Volume)	PCS/CTN	24pcs



AS108

ABS+ Aluminium Alloy +Metal Grill material
Touch control, slide to switch on, slide up
Support BT, Aux-in, TWS;



AS110

- 1.2.0CH Portable Bluetooth Speaker with handsfree
- 2.Aux in
- 3.Bluetooth support
- 4.Play time:18hours(50% volume in Bluetooth mode)
- 5.Material:ABS+Fabric or Metal Grill




Output Power	1×5W	Build-in Battery	3.7V 1200mAh
Speaker Size	1×2"	Product Size	100×86×40mm
Frequency Response	80Hz-18KHz	Packing Size	120×110×65mm
SNR	≥75dB	Carton Size	49×34×34cm
Power Supply	USB 5V-1A	PCS/CTN	30



Power	8W×2	Built in battery	7.4V 1200mAh
Speaker size	45mm×2	Product size	178×118×44mm
Frequency Response	80Hz-18KHz	Giftbox size	230×140×50mm
SNR	≥75dB	Carton Box size	470×340×300mm,20pcs/ctn
Power supply	USB 5V-1A	Gross Weight	15KG





AS118

ABS+Fabric material
Support BT, Aux-in, Hands-free



Output Power	2×5W	Built-in battery	7.4V/1200mAh
Speaker Size	2×40mm	Product Size	Φ150×54mm
Frequency Response	80Hz-18KHz	Packing Size	170×170×80mm
SNR	≥75dB	Carton Size	52×35×42cm
Power Supply	USB 5V-1A	PCS/CTN	30





AS850

ABS material
Water resistance IPX4
Support BT, Aux-in, Hands free



Output Power	2×4W	Build in Battery	3.7V 1200mAh
Speaker Size	2×40mm	Product Size	152×120×50mm
Frequency Response	80Hz-18KHz	Packing Size	170×145×60mm
SNR	≥75dB	Carton Size	52×30×31.5cm
Power Supply	USB 5V-1A	PCS/CTN	30





ABS+ Aluminium Alloy +Metal Grill material
Touch control, slide to switch on, slide up/down to adjust the volume
Support BT, Aux-in, NFC



AS330

SPECIFICATION

Output Power: 2x4W

Speaker Size: 2x2"

Frequency Response: 80Hz-18KHz

SNR: ≥75dB

Power Supply: USB 5V-1A

Build in Battery: 3.7V 2000mAh

FEATURE

ABS+ Aluminium Alloy +Metal Grill material

Touch control, slide to switch on, slide up/down to adjust the volume

Support BT, Aux-in, NFC

PACKING

Product Size: 228x204x115mm


Packing Size: 235x250x150mm

Carton Size: 48.7x35x46.8cm

PCS/CTN: 4

AS350

ABS+ Aluminium Alloy +Metal Grill material
Touch control, slide to switch on, slide up
Support BT, Aux-in, TWS;





AS360

ABS+Metal Grill material
Button and remote control
Support BT, Aux-in, TWS and NFC



2.1CH	Bluetooth Speaker	Output Power	Total 25W (1x15W + 2x5W) RMS 1% THD
Speaker Size	1x4"+2x1.5"	Product Size	207x188x187mm
Frequency Response	80Hz-18KHz	Packing Size	363x236x227mm
SNR	≥75dB	Carton Size	49.1x47x23.9cm
Power Supply	Adapter DC18V- 2A	PCS/CTN	4



2.1CH	Bluetooth Speaker	Output Power	Total 25W (1x15W + 2x5W) RMS 1% THD
Speaker Size	1x4"+2x1.5"	Product Size	288x188x187mm
Frequency Response	80Hz-18KHz	Packing Size	336x236x226mm
SNR	≥75dB	Carton Size	48.7x35x46.8cm
Power Supply	Adapter DC18V- 2A	PCS/CTN	4





AS370

ABS+Metal material
Touch and remote control
Support BT, Aux-in, TWS and NFC

2.1CH	Bluetooth Speaker	Output Power	Total 25W (1×15W + 2×5W) RMS 1% THD
Speaker Size	1×4" + 2×1.5"	Product Size	210×205×198mm
Frequency Response	80Hz-18KHz	Packing Size	390×260×205mm
SNR	≥75dB	Carton Size	40.5×27.5×46cm
Power Supply	Adapter DC18V- 2A	PCS/CTN	1



AS380

ABS+Fabric material
Touch and remote control
Support BT, Aux-in, TWS ;



2.1CH	Bluetooth Speaker	Output Power	Total 45W (1x25W + 2x10W) RMS 1% THD
Power Supply	Adapter DC18V- 2A	Product Size	Φ420×103mm
Speaker Size	1x4"×2x2.75"×2x1.5"	Packing Size	480×466×205mm
Frequency Response	80Hz-18KHz	Carton Size	48.9×22.5×49cm
SNR	≥75dB	PCS/CTN	1



Certificate

