



DEDICATION, EXCELLENCE AND FOCUS



www.colorful.pro

Shenzhen Xinzengcai Creative Electronics Co., Ltd

Tel : 0755-2301-7523 (EXT 604)

Email : WMHANC@163.com

Email : sukiwong@colorful.pro

3F, Building 11, Dadu Industrial Zone, Fuyong Street,
Baoan District, Shenzhen, China

PROFESSIONAL AUDIO / VIDEO / MICROPHONE / CAMERA MANUFACTURER



Artisan Spirit

Pursuing breakthrough and innovation





COMPANY PROFILE

Shenzhen Xinzengcai Creative Electronics Co., Ltd. is a high-tech enterprise based on "innovation", "value-added", "Fashion", "professional" as the product design concept, creativity-driven high-tech enterprises. We provide customers with integrated development mode covering market research, product idea, industrial design, technology integration, software development, hardware design, testing and verification, lean manufacturing, fast delivery, professional and fast pre-sales and post-sales FAE support, etc. One-stop service for ODM whole process custom production.

The company has a strong ability to control the core quality process and manufacturing process of the product, implement pre-sales and post-sales, efficient closed-loop quality control process, through self-developed tooling and highly automated production control equipment and testing tools to minimize human error, comprehensive testing of product functionality and performance, improve production efficiency and ensure the quality and delivery of products.

To protect the company and customers brands, the organization has attached great attention to the protection of intellectual property rights, and as present the whole product line has applied for registered patents (nearly 100), covering: China, the United States, the European Union, Japan We have hired the world-renowned intellectual property law "YINGKE LAW FIRM" to protect the intellectual property rights of our customers.

We will continue to uphold the "user-centered, innovative design, quality first" business philosophy, continued innovation and creative design, to create high-quality industry star products for customers, and look forward to our closer cooperation! We will strive to become the most creative and innovative product solution provider in the 3C digital and audio/video industry.

Shenzhen Xinzengcai Creative Electronics Co., Ltd




PROFESSIONAL AUDIO / VIDEO / MICROPHONE / CAMERA MANUFACTURER



- 16 years of experience in the audio and video industry
- Exclusive patented design for the entire product line
- IPD integrated development mode
- User-centric, closed-loop quality control
- 6000² factory production area
- \$1.5 million annual development investment

www.colorful.pro

Enterprise qualification honor and patent certificate





4K
ULTRA HD

- 4K Ultra HD image
- Built-in privacy shutter
- Infinitely Dimmable
- Touch 3 colors beauty fill-in light
- Autofocus
- Horizontal and vertical screen flip

STREAM WEBCAM

4K
ULTRA HD

XZC-975



XZC-976




Touch control: 3 levels lights adjustment / Infinitely Dimmable

4K
ULTRA HD



Touch 3 colors beauty fill-in light

XZC-975



3840X2160P



Built-in privacy shutter



Touch 3 colors beauty fill-in light



Touch infinitely dimmable



Autofocus



Built-in AI Mic



Wide view angle



Flexible mounting



Background replacement



USB 2.0 free drive



Support 1/4 tripod



F/2.0

Model No: XZC-975 / XZC-976

Video resolution: 3840*2160, 1920*1080, 1280*720, 640*480 ect

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)

F/2.0

90 degrees, Vertical distortion-free

Focus method: Autofocus(AF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC, 3m long-distance pickup clear and natural. AI noise-canceling microphone.

Light: Touch infinitely dimmable, Touch 3 colors beauty fill-in light

Privacy cover: Built-in privacy shutter

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);

Warning: CN, UK, US, JP, EU and other countries and regions appearance patents, exclusive built-in privacy shutter patent design, automatic vertical screen camera patent design, prevention system must be investigated.



STREAM WEBCAM

- 2K Ultra hd image
- Built-in privacy shutter
- Infinitely dimmable
- Touch 3 colors beauty fill-in light
- Autofocus
- Horizontal and vertical screen flip

XZC-971



XZC-973



Flexible mounting



Background replacement



F/N2.0



2880X1620P



2560X1440P



Built-in privacy shutter



Touch 3 colors beauty fill-in light



Touch infinitely dimmable



Wide view angle



Autofocus



Built-in AI Mic



USB 2.0 free drive



Support 1/4 tripod

Touch control: 3 levels lights adjustment / Infinitely Dimmable



Touch 3 colors beauty fill-in light

XZC-971



Model No: XZC-971 / XZC-973

Video resolution: 2560*1440, 1920*1080, 1280*720, 640*480 ect

Video frame rate: 2K @60FPS/ sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)

F/N2.0

90 degrees, Vertical distortion-free

Focus method: Autofocus(AF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC, 3m long-distance pickup clear and natural.

Light: Touch infinitely dimmable, Touch 3 colors beauty fill-in light

Privacy cover: Built-in privacy shutter

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04/OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);

Warning: CN, UK, US, JP, EU and other countries and regions appearance patents, exclusive built-in privacy shutter patent design, automatic vertical screen camera patent design, prevention system must be investigated.



STREAM WEBCAM

- H.264 video encoding compression format
- Touch 3 levels brightness beauty fill-in light
- 1080p@30fps Full HD image
- AF autofocus
- Support major live streaming platforms

XZC-968



XZC-966

- Clearer Image
- Less Space
- Upload Faster
- F/N2.0
- Ring fill light

- H264 Encoding
- Touch control three-position light adjustment
- Wide view angle
- Autofocus
- Built-in AI Mic
- USB 2.0 free drive
- HD 1080P
- Support 1/4 tripod
- Flexible mounting
- Background replacement

Model No: XZC-967 / XZC-968 / XZC-966

Video resolution:	1920*1080, 1280*720, 640*480 ect
Video frame rate:	1080@30FPS/ sec
Encoding format:	H.264, JPEG, YUY2
Lens parameters:	5 (4+1IR) F/N2.0 78 degrees, Vertical distortion-free
Focus method:	Autofocus(AF)
Mic:	35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC, 3m long-distance pickup clear and natural.
Light:	Touch infinitely dimmable, Touch 3 colors beauty fill-in light
Privacy cover:	Built-in privacy shutter
System Compatible:	Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype
Configuration requirements:	2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);

Touch control: 3 levels lights adjustment

Soft light Medium brightness Strong light

XZC-967

Rotate 90 degrees



STREAM WEBCAM

- 1080p@60fps Full HD picture quality
- Rotating infinite dimming
- Touch 3 colors beauty fill-in light
- Built-in privacy shutter
- AF autofocus



XZC-862pro



XZC-866pro



XZC-867pro



XZC-868pro

Touch 3 colors beauty fill-in light / Rotating Infinitely Dimmable

Touch 3 colors optional

XZC-863pro



High speed 60fps



HD 1080P



Touch infinitely dimmable



Touch 3 colors beauty fill-in light



Built-in privacy shutter



Wide view angle



Autofocus



Built-in AI Mic



USB 2.0 free drive



Flexible mounting



Background replacement



Support 1/4 tripod



IR remote control (optional)

Model No: XZC-863pro / XZC-862pro / XZC-866pro / XZC-867pro / XZC-868pro

Video resolution:	1920*1080, 1280*720, 640*480 ect
Video frame rate:	1080@60FPS/ sec
Encoding format:	JPEG, YUY2
Lens parameters:	5 (4+1IR) F/N2.0 78° degrees, Vertical distortion-free
Focus method:	Autofocus(AF)
Mic:	35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC, 3m long-distance pickup clear and natural. AI noise-canceling microphone.
Light:	Rotating infinitely dimmable, Touch 3 colors beauty fill-in light
Privacy cover:	Built-in privacy shutter (Patented design)
System Compatible:	Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04/OBS, Facebook, YouTube, Xbox one, xsplit, Skype
Configuration requirements:	2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);

Warning: CN, UK, US, JP, EU and other countries and regions appearance patents, exclusive built-in privacy shutter patent design, automatic vertical screen camera patent design, prevention system must be investigated.



STREAM WEBCAM

- 1080p@60fps Full HD image
- Touch 3 colors beauty fill-in light
- Touch control infinite dimming
- AF autofocus



XZC-763



XZC-766



XZC-767



XZC-768



Touch 3 colors beauty fill-in light

XZC-762



HDR strong light is not overexposed



HD 1080P



Touch 3 colors beauty fill-in light



Touch infinitely dimmable



Built-in privacy shutter



Wide view angle



Autofocus



Built-in AI Mic



USB 2.0 free drive



Support 1/4 tripod



Flexible mounting



Background replacement

Model No: XZC-762 / XZC-763 / XZC-766 / XZC-767 / XZC-768

Video resolution: 1920*1080, 1280*720, 640*480 ect

Video frame rate: 1080@60FPS/ sec

Encoding format: JPEG, YUY2

Lens parameters: 5 (4+1IR)
F/N2.0

78 degrees, Vertical distortion-free

Focus method: Autofocus(AF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC, 3m long-distance pickup clear and natural.

Light: Touch control infinite dimming, Touch 3 colors beauty fill-in light

Privacy cover: Built-in privacy shutter

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);


Warning: CN, UK, US, JP, EU and other countries and regions appearance patents, exclusive built-in privacy shutter patent design, automatic vertical screen camera patent design, prevention system must be investigated.



- Support Mac os zoom
- Touch 3-levels light adjustment
- 1080p@30fps Full HD image
- AF autofocus
- Support major live streaming platforms

STREAM WEBCAM

XZC-962



XZC-963





Touch control 3 levels dimming



Soft light Medium brightness Strong light

XZC-962



Model No: XZC-962 / XZC-963

Video resolution:	1920*1080, 1280*720, 640*480 ect
Video frame rate:	1080@30FPS/ sec
Encoding format:	JPEG, YUY2
Lens parameters:	5 (4+1IR) F/N2.0 78 degrees, Vertical distortion-free
Focus method:	Autofocus(AF)
Mic:	35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC, 3m long-distance pickup clear and natural.
Light:	Touch 3 levels brightness beauty fill-in light, shimmer / medium / strong
System Compatible:	Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype
Configuration requirements:	2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);

Warning: CN, UK, US, JP, EU and other countries and regions appearance patents, exclusive built-in privacy shutter patent design, automatic vertical screen camera patent design, prevention system must be investigated.



STREAM WEBCAM

- 1080p@60fps Full HD quality
- h.264 video encoding format
- Infinite dimming
- Autofocus
- Horizontal and vertical screen flip



- Clearer Image
- Less Space
- Upload Faster
- Cost less

- HFR 1080P@60fps
- H.264 Encoding
- 1080P FULL HD
- Touch infinitely dimmable
- Wide view angle
- Autofocus
- Built-in AI Mic
- USB 2.0 free drive
- Flexible mounting
- Background replacement
- Support 1/4 tripod



- Soft light
- Medium brightness
- Strong light



Model No: XZC-978

- Video resolution: 1920*1080, 1280*720, 640*480 ect
- Video frame rate: 1080@60FPS/ sec
- Encoding format: H.264, JPEG, YUY2
- Lens parameters: 5 (4+1IR) F/N2.0 78 degrees, Vertical distortion-free
- Focus method: Autofocus(AF)
- Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC, 3m long-distance pickup clear and natural.
- Light: Touch beauty light infinitely adjustable light, shimmer / medium / strong
- System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype
- Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);

Warning: CN, UK, US, JP, EU and other countries and regions appearance patents, exclusive built-in privacy shutter patent design, automatic vertical screen camera patent design, prevention system must be investigated.



STREAM WEBCAM

- 1080p@60fps Full HD quality
- h.264 video encoding format
- Infinite dimming
- Autofocus
- Horizontal and vertical screen flip



XZC-974



产品型号: XZC-974

Video resolution:	1920*1080, 1280*720, 640*480 ect
Video frame rate:	1080@60FPS/ sec
Encoding format:	H.264, JPEG, YUY2
Lens parameters:	5 (4+1IR) F/N2.0 78 degrees, Vertical distortion-free
Focus method:	Autofocus(AF)
Mic:	35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC, 3m long-distance pickup clear and natural.
Light:	Touch beauty light infinitely adjustable light, shimmer / medium / strong
System Compatible:	Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype
Configuration requirements:	2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);

Warning: CN, UK, US, JP, EU and other countries and regions appearance patents, exclusive built-in privacy shutter patent design, automatic vertical screen camera patent design, prevention system must be investigated.



CONFERENCE MICROPHONE




● Working

● Mute



One Touch Mute



4 pickup modes
Cardioid Mode/Omni Mode /
Bidirectional Mode/Stereo Mode




Pickup gain
adjustment



Gain adjustment



Compatible with
various system
platforms



Imported AI
audio CPU chip



Multi-diaphragm
bin array condenser
microphone



48K Hz
DVD sound
quality

USB STUDIO MICROPHONE:

1. Microphone on or mute (short press microphone mute - red light / microphone pickup - green light), sampling rate 48K HZ
2. Pickup volume adjustment: turn the knob clockwise to pickup volume from small to large
Turn the knob counterclockwise to turn the volume from large to small
3. Headphone monitoring volume adjustment: turn the headphone volume knob clockwise, headphone playback volume from small to large
Counterclockwise rotation of the headphone volume knob, headphone playback volume from large to small
4. Directivity: Stereo
Omnidirectional
Cardioid
Bidirectional



XZC-261



CONFERENCE MICROPHONE



● Working
● Mute



One Touch Mute



4 pickup modes
Cardioid Mode/Omni Mode /
Bidirectional Mode/Stereo Mode



Pickup gain
adjustment



Gain adjustment



Compatible with
various system
platforms



Imported AI
audio CPU chip



Multi-diaphragm
bin array condenser
microphone



48K Hz
DVD sound
quality

USB STUDIO MICROPHONE:

1. Microphone on or mute (short press microphone mute - red light / microphone pickup - green light), sampling rate 48K HZ
2. Pickup volume adjustment: turn the knob clockwise to pickup volume from small to large
Turn the knob counterclockwise to turn the volume from large to small
3. Headphone monitoring volume adjustment: turn the headphone volume knob clockwise, headphone playback volume from small to large
Counterclockwise rotation of the headphone volume knob, headphone playback volume from large to small
4. Directivity: Stereo
Omnidirectional
Cardioid
Bidirectional



XZC-264



CONFERENCE MICROPHONE




XZC-262



XZC-265



XZC-267



XZC-268

● Working
● Mute



One Touch Mute



4 pickup modes
Cardioid Mode/Omni Mode /
Bidirectional Mode/Stereo Mode



Pickup gain
adjustment



Gain adjustment



Compatible with
various system
platforms



Imported AI
audio CPU chip



Multi-diaphragm
bin array condenser
microphone



48K Hz
DVD sound
quality

USB STUDIO MICROPHONE:

1. Microphone on or mute (short press microphone mute - red light / microphone pickup - green light), sampling rate 48K HZ
2. Pickup volume adjustment: turn the knob clockwise to pickup volume from small to large
Turn the knob counterclockwise to turn the volume from large to small
3. Headphone monitoring volume adjustment: turn the headphone volume knob clockwise, headphone playback volume from small to large
Counterclockwise rotation of the headphone volume knob, headphone playback volume from large to small
4. Directivity: Stereo
Omnidirectional
Cardioid
Bidirectional



XZC-266



CONFERENCE WEBCAM

- 4K Ultra HD image
- 120 degrees wide angle, suitable for video conference
- Far-field intelligent stereo AI noise cancellation Mic
- AF autofocus/FF (fixed focus)
- Adopt distortion-free lens, clear without distortion
- Double-sided fully coated optical lens, clear and bright image quality

4K
ULTRA HD



IR remote control (optional)



3840X2160P



AI intelligent
noise-cancelling
microphone



No distortion
lens



Wide view
angle



Autofocus



USB 2.0
free drive



Support
1/4 tripod



Flexible
mounting



Background
replacement

Model No: XZC-914 / XZC-915

Video resolution: 3840*2160, 1920*1080, 1280*720, 640*480 ect

Video frame rate: 3840*2160

Encoding format: JPEG, YUY2

Lens parameters: 5 (4+1IR)

F/N2.0

90 degrees, FF 120 degrees, Vertical distortion-free

Focus method: Autofocus(AF)/FF

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC, 3m long-distance pickup clear and natural.

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



XZC-914/915





CONFERENCE WEBCAM

XZC-933



IR remote control (optional)



High speed
60fps



Built-in privacy
shutter



No distortion
lens



Wide view
angle



Autofocus



Built-in AI Mic



USB 2.0
free drive



Flexible
mounting



Background
replacement



Support
1/4 tripod

Model No: XZC-922 / XZC-933

Video resolution: 1920*1080, 1280*720, 640*480 ect

Video frame rate: 1080p@60FPS/sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)

F/N2.0

78 degrees, Vertical distortion-free

Focus method: Autofocus(AF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC, 3m long-distance pickup clear and natural.

Privacy cover: Built-in privacy shutter


System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);

Warning: CN, UK, US, JP, EU and other countries and regions appearance patents, exclusive built-in privacy shutter patent design, automatic vertical screen camera patent design, prevention system must be investigated.



XZC-922





CONFERENCE WEBCAM

- 1080p Full HD quality (60FPS/H.264/30FPS)
- 115 degree ultra wide angle / 100 degree wide angle / 78 degree
- MF manual focus/AF autofocus
- Adopt distortion-free lens, clear without distortion
- Flexible PT mounting



XZC-920Hpro




XZC-920M




H264 Encoding



Built-in privacy shutter



Wide view angle



XZC-921



HD 1080P



Flexible mounting



Background replacement



No distortion lens



Manual Focusing 920HPRO/920M



Built-in AI Mic



USB 2.0 free drive



Support 1/4 tripod

Model No: XZC-931 / XZC-920Hpro / XZC-920M / XZC-921

Video resolution: 1920*1080, 1280*720, 640*480 ect

Video frame rate: 1080p@60FPS(920HPRO)/1080p@30FPS (920M /921)

Encoding format: JPEG, YUY2, H.264(920M/ 921)

Lens parameters: 6 (5+1IR) 920HPRO/5(5+1IR) 920M/4(5+1IR) 921

F/N2.0, F/N2.1, F/N2.0

115°, 100°, 78°, Vertical distortion-free

Focus method: Manual focus(920HPRO/920M), Autofocus AF(921)


Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC, 3m long-distance pickup clear and natural.

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



XZC-931





Model No: XZC-525

Video resolution: 920*1080, 1280*720, 640*480 ect

Video frame rate: 1080p@30FPS/sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.0
90 degrees, Vertical distortion-free

Focus method: Manual focus(MF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android
V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-623M

Video resolution: 920*1080, 1280*720, 640*480 ect

Video frame rate: 1080p@30FPS/sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.0
90 degrees, Vertical distortion-free

Focus method: Manual focus(MF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android
V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-622A

Video resolution: 920*1080, 1280*720, 640*480 ect

Video frame rate: 1080p@30FPS/sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.0
76 degrees, Vertical distortion-free

Focus method: Autofocus (AF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

Privacy cover: Built-in privacy shutter

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android
V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-627M

Video resolution: 1920x1080, 1600x896 , 1024x576 , 1024x768 , 1280 * 720, 640x480 ect

Video frame rate: 1080p@30FPS/sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.1
90 degrees, Vertical distortion-free

Focus method: Manual focus(MF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android
V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-628A

Video resolution: 1920x1080, 1600x896 , 1024x576 , 1024x768 , 1280 * 720, 640x480 ect

Video frame rate: 1080p@30FPS/sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.1
76 degrees, Vertical distortion-free

Focus method: Autofocus (AF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

Privacy cover: Built-in privacy shutter

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android
V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-672

Video resolution: 1920x1080, 1280 * 720,640x480 ect

Video frame rate: 1080p@30FPS/sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.1
100 degrees, Vertical distortion-free

Focus method: Fixed focus (FF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

Privacy cover: Built-in privacy shutter

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android
V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-670

Video resolution: 1920x1080, 1280 * 720,640x480 ect

Video frame rate: 1080p@30FPS/sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.1
100 degrees, Vertical distortion-free

Focus method: Fixed focus (FF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

Privacy cover: Built-in privacy shutter

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android
V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-680A

Video resolution: 920*1080, 1280*720, 640*480 ect

Video frame rate: 1080p@30FPS/sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.1
76 degrees, Vertical distortion-free

Focus method: Autofocus (AF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

Privacy cover: Built-in privacy shutter

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android
V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-682H

Video resolution: 920*1080, 1280*720, 640*480 ect

Video frame rate: 1080p@60FPS/sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.0
100 degrees, Vertical distortion-free

Focus method: Manual focus(MF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-934

Video resolution: 920*1080, 1280*720, 640*480 ect

Video frame rate: 1080p@60FPS/sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.1
100 degrees, Vertical distortion-free

Focus method: Manual focus(MF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-826

Video resolution: 920*1080, 1280*720, 640*480 ect

Video frame rate: 1080p@30FPS/sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.0
100 degrees, Vertical distortion-free

Focus method: Manual focus(MF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-935

Video resolution: 920*1080, 1280*720, 640*480 ect

Video frame rate: 1080p@30FPS/sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.1
100 degrees, Vertical distortion-free

Focus method: Manual focus(MF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-827

Video resolution: 920*1080, 1280*720, 640*480 ect

Video frame rate: 1080p@30FPS/sec

Encoding format: JPEG, YUY2


Lens parameters: 6 (5+1IR)
F/N2.1
100 degrees, Vertical distortion-free

Focus method: Manual focus(MF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-925

Video resolution: 920*1080, 1280*720, 640*480 ect

Video frame rate: 1080p@60FPS/sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.1
76 degrees, Vertical distortion-free

Focus method: Autofocus (AF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

Privacy cover: Built-in privacy shutter

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-828

Video resolution: 920*1080, 1280*720, 640*480 ect

Video frame rate: 1080p@30FPS/sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.1
100 degrees, Vertical distortion-free

Focus method: Manual focus(MF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-926H

Video resolution: 920*1080, 1280*720, 640*480 ect

Video frame rate: 1080p@60FPS/sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.1
76 degrees, Vertical distortion-free


Focus method: Autofocus (AF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

Privacy cover: Built-in privacy shutter

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-930H

Video resolution: 920*1080, 1280*720, 640*480 ect

Video frame rate: 1080p@60FPS/sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.1
76 degrees, Vertical distortion-free

Focus method: Autofocus (AF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

Privacy cover: Built-in privacy shutter

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android
V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-993A

Video resolution: 920*1080, 1280*720, 640*480 ect

Video frame rate: HDR 1080p@30FPS/sec

Encoding format: H.264, JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.0
Focal length: 7cm ~ ∞


Focus method: Autofocus (AF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

Privacy cover: Built-in privacy shutter

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android
V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-927M

Video resolution: 920*1080, 1280*720, 640*480 ect

Video frame rate: 1080p@30FPS/sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.1
100 degrees, Vertical distortion-free

Focus method: Manual focus(MF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android
V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-972

Video resolution: 920*1080, 1280*720, 640*480 ect

Video frame rate: 1080p@30FPS/sec

Encoding format: H.264, JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.0
78 degrees, Vertical distortion-free

Focus method: Autofocus (AF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

Privacy cover: Built-in privacy shutter

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android
V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-932PRO

Video resolution: 920*1080, 1280*720, 640*480 ect

Video frame rate: 1080p@30FPS/sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.0
115 degrees, Vertical distortion-free

Focus method: Manual focus(MF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android
V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);



Model No: XZC-919

Video resolution: 920*1080, 1280*720, 640*480 ect

Video frame rate: 1080p@30FPS/sec

Encoding format: JPEG, YUY2

Lens parameters: 6 (5+1IR)
F/N2.1
76 degrees, Vertical distortion-free

Focus method: Autofocus (AF)

Mic: 35db+ high sensitivity, SNR65d2 signal-to-noise ratio, 2-channel stereo noise reduction dual MIC,
3m long-distance pickup clear and natural.

Privacy cover: Built-in privacy shutter

System Compatible: Windows® XP SP2, Windows 7 / 8 / 10/ Mac OS 10.6Linux 2.6.24 OR /Chrome OS 29.0.1547.70/, Android
V 5.0/Smart TV and TV BOX , Xbox One™; Ubuntu® Linux 10.04;OBS, Facebook, YouTube, Xbox one, xsplit, Skype

Configuration requirements: 2.4GHZ Intel Core2 Duo Processor or higher, 2GB of ram or higher, USB2.0 port (USB3.0 is required for 4K products);