

www.wudoumi.net



Catalogue 2023

INDEX

1.Type-C Stations.....	P3~P11
2.Type-C Universal Docks.....	P12~P23
3.Type-C Video Adapters.....	P24~P30
4.Type-C Video Cables.....	P31~P35
5.Type-C Hubs.....	P36~P47
6.USB LAN Adapters.....	P48~P51
7.M.2/SSD Enclosure w/USB Hub.....	P52~P55
8.DVD Drive w/ USB Hub.....	P56~P59
9.Card Readers.....	P60~P63
10.8-pin HDTV Universal Adapters.....	P64~P66
11.Promotional Items.....	P67~P70
12.Contacts.....	P71

Type-c Stations



www.wudoumi.net

11 in 1 Classical Station ,3 displays



HD108

11 IN 1 (Dual HDMI)

- 1x 3.5mm Audio/Mic 2in1 (support voice call via social media app, such as Teams/Zoom/Skype/Wechat ..etc).
- 3x 3.0USB HUB ;
- 1x 2.0TF card reader +1x 2.0 SD card reader ;
- 1x RJ45 1G;
- 1x USB C for data transfer up to 480Mbps(USB 2.0 Speed);
- 2x HDMI 4K/60hz;
- 1x PD3.0(up to 100W);

- *Support MST((Multi Stream Transport) function ,
- Dual HDMI**, supports **MST** under Windows,4K60HZ UHD on both monitors simultaneously;
- *support SST under both Windows and Mac OS,4K60HZ UHD on both monitors simultaneously.



CONTACT INFO
almawang@wudoumi.net

12 in 1 Station Pro ,4 displays



HD125

12 IN1

USB 3.2 C Host port to:

1* 100W AC Plug cable (US,EU,AU style optional ;

2* DP 4K/60Hz ;

1* HDMI 4K/60Hz;

1* RJ45 1Gbps ;

2* USB C 3.1 5Gbps

1* USB A 3.1 5Gbps

1* Audio/Mic

1* **PD output 30W** (5V/9V/12V/
20V)

1* **QC 3.0 18W** (9V/2A,5V/3.6A)

*Built-in AC plug cable, makes sure all your devices with sufficient power

*Equipped with enhanced protection: Temperature Protection, Over-Current, Overvoltage, Overcharge, Overload, Overheat and Short circuit.

Supporting system : windows/macOS/Chrome Os

Standing out Features:

single display: each 4K/60hz;

Dual display: DP+DP: 4K/30HZ; DP1+HDMI: 4K/60HZ; DP2(middle)+HDMI : 4K/30HZ;


Triple display: DP1+DP2(Middle)+HDMI: 4K/60HZ+4K/30HZ+4K/60HZ;

Under windows system: support MST/SST ; Under MacoS system: support extending/mirroring

CONTACT INFO

almawang@wudoumi.net

11 in 1 Station Pro ,4 displays



HD158

11 IN1

USB 3.2 C Host port to:
2* DP 4K/60Hz ;
1* HDMI 2.0 ,4K/60Hz;
1* RJ45 1Gbps ;
2* USB C 3.2 10Gbps
1* USB A 3.2 10Gbps
1* USB A :USB2.0
1* Audio/Mic
1* **PD3.0 100W**
1* Anti-theft lock

-two cables (underneath and separate)

Supporting system : windows/macOS/Chrome Os

Standing out Features:

single display: each 4K/60hz;

Dual display: DP+DP: 4K/30HZ; DP1+HDMI: 4K/60HZ; DP2(middle)+HDMI : 4K/30HZ;

Triple display: DP1+DP2(Middle)+HDMI: 4K/60HZ+4K/30HZ+4K/60HZ;

Under windows system: support MST/SST ; Under MacoS system: support extending/mirroring

CONTACT INFO

almawang@wudoumi.net

11 in 1 Station Pro ,4 displays




HD156

11 IN1

USB 3.2 C to:
2* DP 4K/60Hz ;
1* HDMI 2.0 ,4K/60Hz;
 1*RJ45 1Gbps ;
3* USB A 3.2 10Gbps
 1* USB A :USB2.0
 1* Audio/Mic
 1* **PD3.0 100W**
 1* Anti-theft lock

single display: each 4K/60hz;
 Dual display: DP+DP: 4K/30HZ; DP1+HDMI: 4K/60HZ; DP2(middle)+HDMI : 4K/30HZ;
 Triple display: DP1+DP2(Middle)+HDMI: 4K/60HZ+4K/30HZ+4K/60HZ;
 Under windows system: support MST/SST ; Under MacoS system: support extending/mirroring



HD157

11 IN1

USB 3.2 C to:
2* DP 4K/60Hz ;
1* HDMI 2.0 ,4K/60Hz;
 1*RJ45 1Gbps ;
2* USB C 3.2 10Gbps
1* USB A 3.2 10Gbps
 1* USB A :USB2.0
 1* Audio/Mic
 1* **PD3.0 100W**
 1* Anti-theft lock

CONTACT INFO

almawang@wudoumi.net



HD100B

11 IN1

1x 3.5mm Audio/Mic 2in1 (microphone phone function support Skype /Zoom/Teams Meeting video/voice call, or Wechat call,do not support make a phone call).

3x 3.0USB HUB ; 1x 2.0TF card reader +1x 2.0 SD card reader ;
1x RJ45 1G; 1x USB C for data transfer up to 480Mbps;
1x HDMI 4K/30hz;1x VGA 1080P/60hz ;
1x PD3.0(up to 100W). - -

*Support Samsung Dex and Nintendo Switch function

*Material: whole body is aluminum;

*Product size: 280*90*20mm,cable:15cm

Weight :287g

HD60

11 IN1

1x 3.5mm Audio/Mic; 3x 3.0USB HUB ; 1xTF; 1xSD; 1x RJ45 1G;

1x mini DP 4K@30zh; 1x HDMI 4K@30zh; 1x VGA/1080P; 1x PD3.0(100W);

Support MST(Muilt Stream Transport) functions,that means:

A. Under windows system, HDMI/DP/VGA port can connect different monitors(3 monitors) , each monitor can show DIFFERENT screen at the same time.

B. Under Mac OS system, HDMI /DP/VGA port can connect different monitors(3 monitors) , each monitor can show SAME screen at the same time

Material: Whole body is Aluminum; Size: 280*90*20mm; Weight: 305g, cable: 13~15cm

CONTACT INFO

almawang@wudoumi.net



HD58

11 IN1

1x 3.5mm Audio/Mic; 3x 3.0USB HUB ; 1xTF; 1xSD; 1x RJ45 1G;
1x mini DP 4K@30zh; 1x HDMI 4K@30zh; 1x VGA/1080P; 1x PD3.0(100W);

Support MST(Multi Stream Transport) functions,that means:

- A. Under windows system, HDMI/DP/VGA port can connect different monitors (3 monitors) , each monitor can show DIFFERENT screen at the same time.
- B. Under Mac OS system, HDMI /DP/VGA port can connect different monitors (3 monitors) , each monitor can show SAME screen at the same time

Material: Aluminum; Size: 280*80*17mm; Weight: 256g, cable: 13~15cm



HD102

11 IN1

1x 3.5mm Audio/Mic 2in1 (support voice call via social media app,
such as Teams/Zoom/Skype/Wechat ..etc
3x 3.0USB HUB ; 1x 2.0TF card reader +1x 2.0 SD card reader ;
1x RJ45 1G; 1x USB C for data transfer up to 480Mbps;
1x HDMI 4K/30hz;1x VGA 1080P/60hz ;
1x PD3.0(up to 100W).

*Support Samsung Dex and Nintendo Switch function

*Material: aluminum;

*Product size: 280*80*17mm,cable:15cm

Weight :223g

CONTACT INFO

almawang@wudoumi.net



HD45

11 in 1 Type C Dock + mobile holder

3 x USB 3.0 HUB
1 x USB C for data transfer,usb2.0 standard
1xTF; 1xSD; 1x RJ45 1G;
1x VGA/1080P;1x HDMI 4K/30zh;
1x PD3.0, up to 100W power delivery;
1x 3.5mm Audio;

Speciality :

- *HDMI and VGA has mirror function ,share same screens.
- *Compatible with NEW iPad pro ,newest Macbook Pro and Macbook Air
- *Support Samsung Dex and Nintendo Switch function
- *Can be used as a laptop/mobile phone/iPad stand holder to increase the space for heat dissipation.

Material :electrolytic iron +plastic ;

Product size:292*74*22mm,cable:13~15cm; Weight :466g

CONTACT INFO

almawang@wudoumi.net

Type-C Universal Docks



www.wudoumi.net



HD160

10 in 1 Type C Docking Station

1 x HDMI, 4K@30HZ
1 x USB C (PD3.0) ,100W
1xTF; 1xSD;
1x RJ45 1G;
2x USB C 3.1,5G
1x USB A 3.1,5G
1x USB A 2.0
Weight: 109.8g
Size:137*42*15mm ,cable :15cm
*Tempered glass on upper provides a see-through effect of the PCBA



HD159

9 in 1 Type C Dock (Top tech on each port)

1x HDMI 4K/60zh;
2 x USB A 3.1,5G
2 x USB C 3.1,5G
1xTF 3.0 speed ; 1xSD 3.0 speed;
1x RJ45 1G;
1x PD3.0, up to 100W power delivery.
Product size: 137*42*15mm ,cable :15cm
Weight :109.8g
*Tempered glass on upper provides a see-through effect of the PCBA

CONTACT INFO

almawang@wudoumi.net



HD150

9 in 1 Type C Dock (with clamp for iMac)

1x HDMI 4K/30zh;
1 x USB A 3.1,5G
3 x USB C 3.1,5G
1x RJ45 1G;
1xTF 2.0 speed ; 1xSD 2.0 speed;
1x PD3.0, up to 100W power delivery.

CONTACT INFO

almawang@wudoumi.net



HD28

9IN1

1x HDMI 4K@30HZ
1x RJ45 1G ;
2x USB 3.0 HUB ;
1x PD port ;
1x TF , 1x SD ;
1x audio , 1x Mic
* Support nintendo switch Samsung Dex

Material: Aluminum; Size: 95*49*13mm; Weight:
32g; 15cm cable



HD57

8IN1

1x 4K HDMI(3840*2160,30hz,compatible with 2K)
3x 3.0 USB;
1x RJ45/1G;
1x PD3.0,100W;
1x 2.0 SD ;
1x 2.0 Micro SD;

*Support Samsung Dex
Material: aluminum; Size: 115*50*15mm;
Weight: 68g; cable: 13~15cm



HD76

8IN1

1x HDMI 4K@60HZ;
1x PD3.0 ;
1x 2.0 TF;1x 2.0 SD;
1x RJ45/1G
3x USB3.2 Gen 2 Type-A ports, 10G speed.

Speciality :
Support PD 3.0 protocol
Compatible with NEW iPad Pro ,newest Macbook Pro
and Macbook Air. Support Samsung Dex
Material: aluminum; Size: 115*50*15mm ;
Weight: 68g; cable: 13~15cm

Type-C Universal Docks

Catalogue
2023

DONGGUAN WUDOU MI
MFG COMPANY LTD



HD89

8 in 1 Type C Docking Station (Dual HDMI)

- 2 x HDMI, 4K@30HZ
- 1 x USB C (PD3.0) ,100W
- 1xTF; 1xSD;
- 1x RJ45 1G;
- 2x USB3.0
- Weight: 60g
- Size:108*43*16mm,cable :15cm

*Support MST((Multi Stream Transport) function ,that means:
A. Under windows system, HDMI ports can connect different monitors(2 monitors), each monitor can show DIFFERENT screen at the same time,both monitor display 4K UHD resolutuin.
B. Under Mac OS system,each monitor show SAME screen at the same time.



HD32

7 in 1 Type C Dock + mobile holder

- 2 x USB 3.0 HUB
- 1xTF; 1xSD;
- 1x RJ45 1G;
- 1x HDMI 4K/30zh;
- 1x PD3.0, up to 100W power delivery.
- Product size: 77*77*40 mm,cable:30~32cm
- Weight :120g

CONTACT INFO

almawang@wudoumi.net



HD59

8IN1

3x USB3.0, data transfer in 5Gbps;
1x HDMI 4K@30HZ
1x 3.5 MM audio for music
1x PD3.0, can charge for Macbook,Macbook pro;
1x TF card reader;
1x SD card reader

*Support Samsung Dex
*Compatible with New iPad Pro,new Macbook Pro and Macbook Air

Material: aluminum; Size: 111*37*11mm;
Weight: 64g; cable: 13~15cm

HD53A

6IN1

1x PD3.0, can charge for Macbook,Macbook pro;
3x USB3.0, data transfer in 5Gbps;
1x HDMI 4K@30HZ
1x 3.5 MM audio for music

*Support Samsung Dex
*Compatible with New iPad Pro,new Macbook Pro and Macbook Air

Material: aluminum; Size: 111*37*11mm;
Weight: 60g; cable: 13~15cm

HD53B

6IN1

3x USB3.0, data transfer in 5Gbps;
1x HDMI 4K@30HZ
1x TF card reader;
1x SD card reader

Compatible with New iPad Pro,new Macbook Pro and Macbook Air

Material: aluminum; Size: 111*37*11mm;
Weight: 60g; cable: 13~15cm

CONTACT INFO

almawang@wudoumi.net



HD08

7IN1

1x Type C PD, can charge for Macbook,Macbook pro;
3 x 3.0 USB , data transfer in 5Gbps ;
1x HDMI 4K@30HZ
1x TF card reader; 1x SD card reader

* Support nintendo switch Samsung Dex

Material: aluminum; Size: 81*45*14mm ;
Weight: 40g; cable: 13~15cm



HD77

6IN1

1x HDMI 4K@30hz
1x PD 3.0, up to 100W,PD 3.0 protocol;
3x USB2.0;
1x Rj45 Gigabit Ethernet port .
with springy button on RJ45 port

Material: Aluminum + plastic
Size:111*36*11mm; Cable : 13~15cm
Support Samsung Dex

CONTACT INFO
almawang@wudoumi.net



HD121

6 IN 1 (Retractable Cable)

1x USB3.0,5G speed; 1x RJ45 1G;
1xUSB C3.0 5G speed; 1x HDMI 4K@60zh;
1x VGA 1080P; 1x PD3.0(100W).

*Support SST;

*Support mirror and extend mode.

Material: ABS plastic ; Size: dia70*24.5mm;
Weight: 65.8g; cable: 13~15cm



HD115

6 IN 1 (Retractable Cable)

1x USB3.0,5G speed; 1x RJ45 1G;
1xDP 4K@60HZ; 1x HDMI 4K@60zh;
1x VGA 1080P; 1x PD3.0(100W).

*Support SST and MST;

*Support mirror and extend mode.

Material: ABS plastic ; Size: dia70*24.5mm;
Weight: 65.8g; cable: 13~15cm

CONTACT INFO

almawang@wudoumi.net



HD98

6 IN 1 (Retractable Cable)

3 x USB 3.1 10G speed;
1x RJ45 1G; 1x HDMI 4K@30zh; 1xPD3.0(100W);

Material: ABS plastic ; Size: dia70*24.5mm;
Weight:65.8g; cable: 13~15cm



HD99

6 IN 1 (Retractable Cable)

2 x USB 3.0, 5G speed;
1x RJ45 1G; 1xDP 4K@30HZ;1x HDMI 4K@30zh;
1xPD3.0(100W);

Support SST(Single Stream Transport)under Windows or OS system;
Support MST(Multi Stream Transport) under Windows system.



HD95

6 IN 1 (Retractable Cable)

2 x USB 3.1 10G speed;
1x RJ45 1G; 1xVGA@1080P;1x HDMI 4K@30zh;
1xPD3.0(100W);

Support SST(Single Stream Transport)
under windows or OS system,

Material: ABS plastic ; Size: dia70*24.5mm;
Weight: 65.8g; cable: 13~15cm

CONTACT INFO

almawang@wudoumi.net



HD92

6IN1

1x Type C PD 3.0,100W, can charge for Macbook,Macbook pro;
3 x 3.0 A HUB , data transfer in 5Gbps ;
1x HDMI 4K@30HZ
1x USB C 3.1,5G

Material: aluminum; Size: 126*35*15MM ;
Weight: 65g; cable: 13~15cm



HD93

6IN1

1x Type C PD 3.0,100W, can charge for Macbook,Macbook pro;
2 x 3.0 A HUB , data transfer in 5Gbps ;
1x HDMI 4K@30HZ
1x USB C 3.1,5G
1x RJ45,1G

Material: aluminum; Size: 126*35*15MM ;
Weight: 67.8g; cable: 13~15cm

CONTACT INFO

almawang@wudoumi.net



HD41

6IN1

1x HDMI Support 4K@30HZ;
1x SD card reader;
1x TF card reader;
1x USB3.0;
1x USB2.0;
1x PD3.0;

Size:109*31*11mm;Cable:13~15cm;
Weight:52g



HD69

5IN1

Functions:
1x HDMI 4K/30HZ ,compatible with 2K
1x USB3.0, 2x USB2.0
1x PD3.0
* Support nintendo switch, Samsung Dex

Size : 104*31*14.5mm; Cable : 13~15cm; Weight:
45g



HD62

5IN1

1x HDMI 4K@30HZ ,compatible with 2K
1x USB3.0; 2x USB2.0 ,
1x PD3.0

Size : 104x31x11mm; Cable: 13cm; Weight: 43g

CONTACT INFO

almawang@wudoumi.net



HD70

5IN1

- 1x HDMI Support 4K@30HZ;
- 1x USB3.0;
- 2x USB2.0;
- 1x PD3.0.

Speciality :

Hidden cable design, you can stuff the cable into the cable slot when you

Material: aluminum; Size: 111*41*11mm;
Weight: 95g; cable length: 9cm

HD112

5IN1

- USB A/USB C Dual input to:**
- 1x HDMI 1080P
- 1x USB3.0, 1x USB2.0
- 1x SD, 1x TF

Material : Aluminum; Size : 104*31*14.5mm;
Cable : 13~15cm; Weight: 45g

HD114

4IN1

- USB A/USB C Dual input to:**
- 1x HDMI 1080P;
- 1x USB3.0, 2x USB2.0.

Material: Aluminum
Size:100*31*14.5mm; Cable : 13~15cm

CONTACT INFO

almawang@wudoumi.net

Type-C Video Adapters



www.wudoumi.net



DP15

4IN1 (Dual DP)

2x DP , 4K/60HZ;
1x PD3.0 100W;
1x USB2.0 .

**Support both MST and SST mode*

**Dual 4K@60Hz DP Adapter,supports MST under Windows,4K/60Hz UHD on both monitors simultaneously.*

Material: aluminum; Size: 79*41*16mm ;
Weight: 60g; cable: 13~15cm



HD149

3IN1 (Dual HDMI+ Dual input)

USB C and USB A To:
2x HDMI , 1080P;
1x USB C 5V2A for external power supply.

**Solve Limitation of MacBook :supports split screen under Mac OS system and Windows by install free driver, extend 2 screens with different content.*

**This docking station is special designed and used for the Windows 10/11,Macbook M1,M2*

CONTACT INFO
almawang@wudoumi.net



HD34

4IN1 (Dual HDMI)

2x HDMI , 4k/30HZ;
1x PD3.0 ;
1x USB3.0 .

Support both MST and SST mode

Material: aluminum; Size: 58*51*12mm ;
Weight: 37g; cable: 13~15cm

HD33

5IN1 (Dual HDMI)

1x VGA 1080P@60HZ
2x HDMI , 4k/30HZ;
1x PD3.0 ;
1x USB3.0 .

Support both MST and SST mode

Material: aluminum; Size: 79*41*16mm ;
Weight: 60g; cable: 13~15cm

HD43

5IN1

1x VGA 1080P@60HZ;
1x HDMI , 4k/30HZ;
1x PD3.0 ;
1x USB3.0;
1x RJ45, 1G speed.

Material: aluminum; Size: 79*41*16mm ;
Weight: 60g; cable: 13~15cm

CONTACT INFO

almawang@wudoumi.net



HD14

3IN1

1x 3.0 HUB, support 5G data speed;
1x HDMI 4K@30HZ
1x PD charging

* Support Samsung Dex

Material: aluminum; Size: 58*51*12mm;
Weight: 37g; cable: 13~15cm

HD61

3IN1

Function:
1x HDMI 4K@30HZ
1x USB3.0
1x PD 3.0
* Support nintendo switch, Samsung Dex

Material : Aluminum; Size: 62*32*12mm;
Weight: 33g

HD68

3IN1

1x HDMI 4K@30HZ
1x USB3.0
1x PD
* Support nintendo switch, Samsung Dex

Material : Aluminum; Size: 64*33*13mm;
Weight: 33g

CONTACT INFO

almawang@wudoumi.net



HD27

Type C to HDMI

4K / 3840*2160 / 30HZ



HD55

Type C to HDMI

4K / 3840*2160 / 30HZ



HD52

Type C to HDMI

4K / 3840*2160 / 60HZ

CONTACT INFO
almawang@wudoumi.net



DP01

Type C to miniDP

4K / 3840*2160 / 60HZ



DP02

Type C to DP

4K / 3840*2160 / 60HZ



HD18

2IN1

USB A TO DUAL HDMI

1920*1080P , support Extend and mirror

Material: Aluminum ,Size:62*43*16mm

Weight:47g Cable: 10cm SR TO SR




HD17

USB A to single HDTV adapter

1920*1080P

CONTACT INFO
almawang@wudoumi.net

Type-C Video Cables



www.wudoumi.net



HD56

Type-C to HDMI Cable

HDMI: 4K/30hz
Length: 1.8M

HD51

Type-C to HDMI + USB charging cable

HDMI: 4K/60HZ
Length: 1.8m

CONTACT INFO

almawang@wudoumi.net



DP17

Type-C to DP UHD Cable

DP:8K/60HZ,4K/144HZ,4K/120HZ,4K/60HZ;
Length:2M or OEM



HD147

Type-C to HDMI UHD cable

HDMI:8K/60HZ,4K/144HZ,4K/120HZ,4K/60HZ;
Length: 2M or OEM

CONTACT INFO

almawang@wudoumi.net



DP16

DP to Type-C Rverse Cable

DP:4K/60HZ;
Length:1.8M or OEM

Special for desktop, set-top box, PS5
and XBOX to display.



DP16A

DP to Type-C Rverse Cable + USB Charging

DP:4K/60HZ;
Length:1.8M or OEM

Special for desktop, set-top box, PS5
and XBOX to display.

CONTACT INFO

almawang@wudoumi.net



HD146

HDMI/F to Type-C Rverse Cable+ USB Charging

HDMI:4K/60HZ;
Length:1.8M or OEM

Special for desktop, set-top box, PS5
and XBOX to display.



HD145

HDMI/M to Type-C Rverse Cable + USB Charging

HDMI:4K/60HZ;
Length:1.8M or OEM

Special for desktop, set-top box, PS5
and XBOX to display.

CONTACT INFO
almawang@wudoumi.net

Type-C Hubs



www.wudoumi.net



HB388

11IN1

Multi Charging Station + Data hub

1x 100W AC power plug
1x USB C Host 60W to connect to computer

Data Ports:

4x USB A 3.1/ 5Gbps,supports charging current 1A;
3x USB C3.1/ 5Gbps,supports charging current 1.5A;

Charging Ports:

1x USB C PD 30W ,charging your mobile phone/iPad/tablet/PC/Macbook
1x QC3.0 18W, charging your mobile phone and iPad/tablet

Built-in AC plug cable, makes sure all your devices with sufficient power



HB118

11IN1

Multi Charging Station + Data hub

Charing inputs:

1.DC5.5mm 100W, power adapter included
2.PD100W Magnet.

Data ports:

3xUSB C 3.1/5Gbps,supports charging current 1.5A;
1xUSB A 3.1/5Gbps,supports charging current 1A;
1xUSB A 2.0/480Mbps ;

Charging outputs:

1x USB C PD3.0 20W;
1x USB C fast charge 5V/2.4A;
1x USB A fast charge 5V/2.4A;
1x QC3.0 fast charge up to18W.

100W Power Adapter Included

CONTACT INFO
almawang@wudoumi.net



HB390

8 IN1

Data hub + Charger with Switch

Charing inputs:

DC12V3A

Data ports:

7xUSB A 3.1/5Gbps

Charging output:

USB A fast charge 5V/2.4A.

With Switch button and led on each port.



HB389

5 IN1

Data hub + Charger with Switch

Charing inputs:

DC12V2A

Data ports:

4xUSB A 3.1/5Gbps

Charging output:

USB A fast charge 5V/2.4A.

With Switch button and led on each port.

CONTACT INFO

almawang@wudoumi.net



HB333

8IN 1

USB 3.0 HUB + Fast charger

4 x USB3.0 HUB
4 x 2.4A fast charging ports;

*With DC 12/4A external power supply;
*With Swith on each port , for easy control and power consumption saving.
Size: 155*65*30mm; Case: metal; Weight: 224g; Cable: 1.5M.



HB358

7IN1

USB 3.0 HUB + Fast charger

5 x USB3.0 HUB
2 x 2.1A fast charging ports;

*With DC 12/2A external power supply;
*With Swith on each port , for easy control and power consumption saving.
Size: 172*47*24mm; Case: metal; Weight: 112g; Cable: 50CM.

CONTACT INFO

almawang@wudoumi.net



HB391

4 USB 3.0 HUB

3 x USB A 3.0
1 x USB C 3.0

Size: 98*55 *30mm; Weight: 88 g; Case : Alumi
num; Cable : 30cm~40cm

HB392

7 USB 3.0 HUB

4x USB A 3.0
3x USB C 3.0

Size: 158*55 *30 mm; Weight: 132g; Case: Alu
minum; Cable : 30cm~40cm

CONTACT INFO

Kerryhe@wudoumi.net



HB386

4IN 1

2 X USB C 3.0 +2 x USB3.0 HUB

2 x USB 3.0,with 5G speed

2 x USB C 3.0,with 5G speed.

Material: aluminum+tempered glass on upper

Size: 111*36*14mm,weight:74g

*Tempered glass on upper provides a see-through effect of the PCBA



HB387

4IN 1

4 USB C 3.2 10G HUB

4 x USB C 3.2 Gen 2, with 10G speed

Material: aluminum+tempered glass on upper

Size: 111*36*14mm,weight:76g

*Tempered glass on upper provides a see-through effect of the PCBA

CONTACT INFO
almawang@wudoumi.net



HBX05

6IN1
4 ports USB3.2 Gen 2 10G HUB+ TF/SD card reader

Input :USB C 3.2 GEN2, 10Gbps
Output: 4xUSB A 3.2, gen2, 10G Speed
SD/USB2.0
TF/USB2.0
Material: aluminum;
Size:106*33*13mm;Cable:20cm;
Weight:40g



HB380

6 IN1
4 ports USB3.2 Gen 2 10G HUB+ TF/SD card reader

Input :USB C 3.2 GEN2, 10Gbps
Output:
2xUSB A 3.2, gen2, 10G Speed
2xUSB C 3.2, gen2, 10G Speed
SD/USB2.0
TF/USB2.0

Material: aluminum;
Size:106*33*13mm;Cable:20cm;
Weight:40g

CONTACT INFO
almawang@wudoumi.net



HB379C

4IN 1

4 Ports USB3.0 HUB

Connector: USB C

2 x USB 3.0, with 5G speed

2 x USB C 3.0, with 5G speed.

Material: aluminum

Size: 98*24*11.5 mm , cable: 15cm ,weight:62g



HB379U

4IN 1

4 Ports USB3.0 HUB

Connector: USB A

2 x USB 3.0, with 5G speed

2 x USB C 3.0, with 5G speed.

Material: aluminum

Size: 98*24*11.5 mm , cable: 15cm ,weight:62g



HB359

4IN1

4 Ports USB3.0 HUB

Connector: USB C (USB A is optional)

Supports

DC.3.5mm external power supply

Size:106*34*10mm;Cable:50cm;

Weight:40g ; Material: Plastic

CONTACT INFO

almawang@wudoumi.net



HB376

5IN1

USB A/USB C Dual input to:

3 x USB3.0
SD 2.0 Card Reader
TF 2.0 Card Reader

Size:104*31*11mm;Cable:13~15cm;
Weight:52g ;Material: aluminum;

HB377

5IN1

USB A/USB C Dual input to:

1 x USB3.0 ;2 x USB2.0
SD 2.0 Card Reader
TF 2.0 Card Reader

Size:104*31*11mm;Cable:13~15cm;
Weight:52g ;Material: aluminum;

HB351

4 USB 3.0 HUB

4 x USB3.0,5G

Size:104*31*11mm;Cable:13~15cm;
Weight:52g
Material: aluminum;

CONTACT INFO

almawang@wudoumi.net



HB352

5IN1

USB 3.0 HUB + Card Reader
3 x USB3.0
SD 2.0 Card Reader
TF 2.0 Card Reader

Size:104*31*11mm;Cable:13~15cm;
Weight:52g ;Material: aluminum;

HB373

5IN1

USB 3.0 HUB + PD 3.0 Charging
4 x USB3.0 Gen1 ports,with 5G speed;
1 x PD3.0,support up to 100W power pass through,
PD 3.0 protocol !

Size:104*31*11mm;Cable:13~15cm;
Weight:52g ;Material: aluminum;

HBX73

5IN1

USB 3.2 HUB + PD 3.0 Charging
4 x USB3.2 Gen2 ports,with 10G speed;
1 x PD3.0,support up to 100W power pass through,
PD 3.0 protocol !

Size:104*31*11mm;Cable:13~15cm;
Weight:52g ;Material: aluminum;

CONTACT INFO
almawang@wudoumi.net



HB340

2in1 USB C HUB Card reader

Input: USB 3.0 A +USB2.0 USB C
Output: USB A 3.0 (5G)+ USB2.0 SD+TF card reader



HB341

USB3.1 HUB Card Reader

INPUT : USB3.1
Output : USB 3.1*2 (10G)+ USB2.0 TF+SD card reader



HB342

USB3.1 HUB

INPUT : USB3.1
Output : USB 3.1*2 (10G)+ USB2.0*1

CONTACT INFO
almawang@wudoumi.net



HB359

4IN1

4 Ports USB3.0 HUB
Connector: USB C (USB A is optional)
Supports
DC.3.5mm external power supply

Size:100*23*15mm;Cable:13~15cm;
Weight:35g ; Material: Plastic



HB328

4IN1

4 Ports USB3.0 HUB
Connector: USB C (USB A is optional)
Supports
DC.3.5mm external power supply

Size:104*31*11mm;Cable:13~15cm;
Weight:43g ;Material: Plastic



HB322

4IN1

4 Ports USB3.0 HUB
Connector: USB C (USB A is optional)
Supports
DC.3.5mm external power supply

Size:76*41*11mm;Cable:13~15cm;
Weight:31g ;Material: Plastic



HB323

4IN1

4 Ports USB3.0 HUB
Connector: USB C (USB A is optional)
Supports
Micro USB external power supply

Size:100*23*15mm;Cable:13~15cm;
Weight:35g ; Material: Plastic

CONTACT INFO
almawang@wudoumi.net

USB LAN Adapters



www.wudoumi.net



UR325

2.5G USB C LAN Adapter

USB C 3.1 to :
RJ45 port: **2.5G(2500Mbps)** more faster
than 1000Mbps;
USB C PD port : support up to 100W
power delivery to charge your PC.

Material: Abs plastic
Size: 40*38.5*15mm , cable length: 11cm
Weight: 18g
Color: black/OEM



UR303UC

1GB Dual Input LAN Adapter

USB A and USB C to :
Ethernet RJ45, 1G
Aluminum Case
Size :60*24*16mm
Weight: 24.5g

CONTACT INFO
almawang@wudoumi.net



UR305C

1GB LAN Adapter + 3 x USB 3.0

USB:3.0; Type-C: 3.1, LAN port : 1000Mbps
Color: silver/black
Material: Aluminium
Size: 86x13x12mm, cable length: 15cm
Connectors: Type-C Male, RJ-45 Female,
3x ports USB 3.0 Female




UR311

1GB LAN Adapter + 2 x USB 3.0 + TF/SD

Type-C to : 2x 3.0 HUB+ 3.0 TF/SD Card reader
Ethernet : RJ45, 1G
Aluminum Case
Size : 135*28*20mm
Weight: 48g

CONTACT INFO

almawang@wudoumi.net



UR303U

1GB USB A LAN Adapter

USB A 3.0 to LAN port : 1000Mbps
Color: silver/black/OEM
Material: Aluminium
Size: 60*24*16mm , cable length: 15cm
Weight: 24.5g



UR303C

1GB USB C LAN Adapter

Type-C to :
Ethernet RJ45, 1G
Aluminum Case
Size :60*24*16mm
Weight: 24.5g

CONTACT INFO

almawang@wudoumi.net

M.2/SSD Enclosure w/ Hub



www.wudoumi.net



Side looking



Side looking



Bottom inside looking
(magnetic suction bottom cover)

W5

Wireless M.2/SSD Enclosure Docking Station

SSD Enclosure

- 1.Support M.2 NVME M KEY&B+M KEY (PCIe protocol)SSD; and M.2 NGFF B+M KEY (SATA protocol) SSD
2. SSD size: 2242/2260/2280;
3. Speed: 10Gbps ;
4. Output interface: M.2 M-KEY;
5. No screws need for installation, just slip the cover and click.
6. Capacity: Max 2TB;
7. Read/write the SSD memory through free App wirelessly.

Docking Station interfaces include:

- ①LAN 1000Mbps
- ②Power out :PD30W +QC18W
- ③Power in : DC 48W


CONTACT INFO

almawang@wudoumi.net

M.2/SSD Enclosure w/Hub

Catalogue
2023

DONGGUAN WUDOU MI
MFG COMPANY LTD



HE001

SSD Enclosure with USB C hub

SSD Enclosure

- 1.Support M.2 NVME M KEY&B+M KEY (PCIE protocol)SSD; and M.2 NGFF B+M KEY (SATA protocol) SSD
2. SSD size: 2242/2260/2280;
3. Speed: 10Gbps ;
4. Output interface: M.2 M-KEY;
5. No screws need for installation, just slip the cover and click.
6. Capacity: Max 2TB.

USB C HUB interfaces include:
2*USB2.0 , SD/TF memory card slots

Accessories include;
USB C M to USB A M cable ;30cm;
USB C M to USB C M cable : 30cm

Material: Aluminum ,
size: 111*39.5*15mm, weight: 0.13KGS

CONTACT INFO
almawang@wudoumi.net



HE002

Dual Input M.2/SSD Enclosure

- 1.Two Protocols: PCIE/M.2 NVME M KEY&B+M KEY SSD ; SATA /M.2 NGFF B+M KEY SSD ,
 - 2.SSD Length : 2242/2260/2280
 - 3.Transmission Speed: 10Gbps
 4. Max Capacity: 2TB
- Output: USB C /USB A
System: windows7/8/10/11, MAC OS, Linux, android.

Easy installation , no screw needed , just slide mounting in ;
Simple plug and play.
Material : Aluminum Alloy , Size: 130*25*12mm; weight : 62g
System: windows7/8/10/11, MAC OS, Linux, android.



HE003

M.2/SSD Enclosure with USB C cable

- 1.Two Protocols: PCIE/M.2 NVME M KEY&B+M KEY SSD ; SATA /M.2 NGFF B+M KEY SSD ,
 - 2.SSD Length : 2242/2260/2280
 - 3.Transmission Speed: 10Gbps
 4. Max Capacity: 2TB
- Output: USB C /USB A
System: windows7/8/10/11, MAC OS, Linux, android.

Easy installation , no screw needed , just slide mounting in ;
Simple plug and play.*Compatible for any USB C port devices.
Material : Aluminum Alloy , Size: 130*25*12mm; weight : 62g
System: windows7/8/10/11, MAC OS, Linux, android.



HE004

M.2/SSD Enclosure with USB C cable

- 1.Two Protocols: PCIE/M.2 NVME M KEY&B+M KEY SSD ; SATA /M.2 NGFF B+M KEY SSD ,
 - 2.SSD Length : 2242/2260/2280
 - 3.Transmission Speed: 10Gbps
 4. Max Capacity: 2TB
- Output: USB C /USB A
System: windows7/8/10/11, MAC OS, Linux, android.

Easy installation , no screw needed , just slide mounting in ;
Simple plug and play.*Compatible for any USB C port devices.
Material : Aluminum Alloy , Size: 130*25*12mm; weight : 62g
System: windows7/8/10/11, MAC OS, Linux, android.

CONTACT INFO

almawang@wudoumi.net

DVD Drive w/ Hub



www.wudoumi.net



CD501

USB3.0 CD Drive w/ HUB

- 1.Connector : dual USB A3.0 /USB C3.1
- 2.Read speed: dvd-rom 8x;Cd-rom 24 x
3. Write speed: DVD 8x, CD 24x;
4. Support CD size: 80mm, 120mm;
5. Support CD format:DVD-ROM,DVD-R, DVD+R,DVD-RW,DVD-R DLCDA,CD-ROM, CD-R,VCD,CD-RW

USB HUB+ Card Reader in USB2.0
Material : ABS with Stripe treatment on surface;
size: 153*143*19.7mm; weight: 380g



CD503

USB3.0 CD Drive w/ HUB

- 1.Connector : dual USB A3.0 /USB C3.1
- 2.Read speed: dvd-rom 8x;Cd-rom 24 x
3. Write speed: DVD 8x, CD 24x;
4. Support CD size: 80mm, 120mm;
5. Support CD format:DVD-ROM,DVD-R, DVD+R,DVD-RW,DVD-R DLCDA,CD-ROM, CD-R,VCD,CD-RW

USB HUB+ Card Reader in USB2.0
Material : ABS with Square treatment on surface;
size: 153*143*19.7mm; weight: 380g



CD505

USB3.0 CD Drive w/ HUB

- 1.Connector : dual USB A3.0 /USB C3.1
- 2.Read speed: dvd-rom 8x;Cd-rom 24 x
3. Write speed: DVD 8x, CD 24x;
4. Support CD size: 80mm, 120mm;
5. Support CD format:DVD-ROM,DVD-R, DVD+R,DVD-RW,DVD-R DLCDA,CD-ROM, CD-R,VCD,CD-RW

USB HUB+ Card Reader in USB2.0
Material : ABS with Slanting Stripe treatment on surface;
size: 153*143*19.7mm; weight: 380g

CONTACT INFO

almawang@wudoumi.net



CD507

USB3.0 CD Drive w/ HUB

- 1.Connector : dual USB A3.0 /USB C3.1
- 2.Read speed: dvd-rom 8x;Cd-rom 24 x
3. Write speed: DVD 8x, CD 24x;
4. Support CD size: 80mm, 120mm;
5. Support CD format:DVD-ROM,DVD-R, DVD+R,DVD-RW,DVD-R DLCDA,CD-ROM, CD-R,VCD,CD-RW

USB HUB+ Card Reader in USB2.0
Material : ABS with Stone treatment on surface;
size: 153*143*19.7mm; weight: 380g



CD001

USB3.0 CD Drive

- 1,Product is tray loaing external portable ,which issuitable to USB A connector;
2. Read speed: dvd-rom 8x;Cd-rom 24 x
3. Write speed: DVD 8x, CD 24x;
4. Support CD size: 80mm, 120mm;
5. Support CD format: DVD-ROM,DVD-R,DVD+R, DVD-RW,DVD-R DLCDA,CD-ROM,CD-R,VCD,CD-RW
6. Driver free, plug and play (except for win98 syst -em, which needs to be installed)

Material : ABS with special treatment on surface;
size: 146*143*19.7mm; weight: 350g



CD201

USB3.0 CD Drive

- 1,Product is tray loaing external portable ,which issuitable to USB A/USB C connector;
2. Read speed: dvd-rom 8x;Cd-rom 24 x
3. Write speed: DVD 8x, CD 24x;
4. Support CD size: 80mm, 120mm;
5. Support CD format: DVD-ROM,DVD-R,DVD+R, DVD-RW,DVD-R DLCDA,CD-ROM,CD-R,VCD,CD-RW
6. Driver free, plug and play (except for win98 system, which needs to be installed)

Material : ABS with special treatment on surface;
size: 146*143*19.7mm; weight: 365g;

CONTACT INFO
almawang@wudoumi.net



CD203

USB3.0 CD Drive

1. Product is tray loading external portable, which is suitable to USB A/USB C connector;
2. Read speed: dvd-rom 8x; Cd-rom 24x
3. Write speed: DVD 8x, CD 24x;
4. Support CD size: 80mm, 120mm;
5. Support CD format: DVD-ROM, DVD-R, DVD+R, DVD-RW, DVD-R DL, CDA, CD-ROM, CD-R, VCD, CD-RW
6. Driver free, plug and play (except for win98 system, which needs to be installed)

Material : ABS with special treatment appearance on surface;
size: 142*142*20mm; weight: 325g;



CD202

USB3.0 CD Drive

1. Product is tray loading external portable, which is suitable to USB A/USB C connector;
2. Read speed: dvd-rom 8x; Cd-rom 24x
3. Write speed: DVD 8x, CD 24x;
4. Support CD size: 80mm, 120mm;
5. Support CD format: DVD-ROM, DVD-R, DVD+R, DVD-RW, DVD-R DL, CDA, CD-ROM, CD-R, VCD, CD-RW
6. Driver free, plug and play (except for win98 system, which needs to be installed)

Material : ABS with CD appearance on surface;
size: 142*142*20mm; weight: 325g;



CD205

USB3.0 CD Drive

1. Product is tray loading external portable, which is suitable to USB A/USB C connector;
2. Read speed: dvd-rom 8x; Cd-rom 24x
3. Write speed: DVD 8x, CD 24x;
4. Support CD size: 80mm, 120mm;
5. Support CD format: DVD-ROM, DVD-R, DVD+R, DVD-RW, DVD-R DL, CDA, CD-ROM, CD-R, VCD, CD-RW
6. Driver free, plug and play (except for win98 system, which needs to be installed)

Material : ABS with soccer texture on surface;
size: 142*142*20mm; weight: 325g;

CONTACT INFO

almawang@wudoumi.net

Card Readers



www.wudoumi.net



CR317

2IN1 (USB A and USB C)

- 1.All in One: Designed with SD/Micro SD/CF /MS slots;
- 2.USB A3.0 and USB C 3.1 device port reaches up to 5Gbps in transmission rate;
- 3.Simultaneous Work:supports reading and writing 4 different memory cards at the same time;
- 4.Universal for smartphone and PC ;
- 5.Supports read up to 2TB cards ;
- 5.Plug and play.
- 6.Product size :72*50*12mm,cable length:15mm including connector
Case in aluminium alloy



CJ15

4IN1

1. with type C , lightning /Android /USB connectors, can view TF/SD/USB data by just one plug
2. Size: 81*51*10 mm ;
3. Weight: 16g for net product or so ;
4. iOS need APP , others is plug & play

CONTACT INFO
almawang@wudoumi.net



iJ09

Card Reader for iPhone

1. TF and SD card reader with short cable; cable length 6~9cm;
 2. Size: 61*27*11mm ;
 3. Weight: 11g for net product ;
 4. Free APP for iOS
- 100pcs/ctn



iJ28

3IN1

- OTG Card Reader for smartphone / laptop ;
1. with type C ,Lightning and Android connectors
 2. Available on SD/TF slots and USB A port;
 - 3.Plug and play ;
 4. Compatible system: Windows ,Mac OS,Android



CJ16

2IN1

- OTG Card Reader for smartphone / laptop ;
1. with type C , Android connectors
 2. Available on SD/TF slots
 - 3.Support laptop with TYPE C interface ;
 - 4.Plug and play ;
 5. Compatible system: Windows ,Mac OS,LINUX.
 - 6.Size:Dia 21*59mm
 - 7.Color : black and grass green
- Support read/write card capacity up to 256GB.

CONTACT INFO

almawang@wudoumi.net



CJ10

3IN1

2 in 1 OTG Card Reader
For smartphone / PC ;

1. With type C , micro USB and USB connectors
2. Available on SD/TF slots
3. Plug and play



CJ03

3IN1

OTG Card Reader
For smartphone / PC ;

1. With type C connector
2. Available on SD/TF and USB A slots
3. Plug and play

CONTACT INFO

almawang@wudoumi.net

8-pin HDTV Universal Adapters



www.wudoumi.net



iHD153

3IN1

3in 1 powerful lightning adapter

Ports:

- 1.HDMI:supports HD video out put 1080P;
- 2.Type C female:connect with A USB C to lightning cable to realize Lightning to HDMI function ; connect with A USB A to USB C cable for 5V2A external power supply.
- 3.USB A : for U flash,mouse,keyboard,mouse OR connect with A USB A to lightning cable to realize Lightning to HDMI function.

Features:

- *Special lightning adapter with USB port but no lightning cable , connect with lightning to USB C or USB C to USB cable to use;
- *Support iOS , iPadoS system ;
- *with the lightning cable or type C cable to iPhone /iPad for mirroring operation ;
- *Support mirror videos from Apps,such as streaming videos, pictures, games, slideshows on Facebook,YouTube,Twitter, Instagram, Reddit, Pinterest, Snapchat, IDMB, Microsoft Office etc.to bigger and clearer screens.
- *Plug and play;
- *no lightning connector ,no infringement,also no upgrade problem, you can sell this product without any worries .



iHD37

4IN1

4in 1 lightning adapter

Ports:

- 1.HDMI:supports HD video out put 1080P;
- 2.Lightning female: 5V2A for charging;
- 3.USB A : for U flash,mouse,keyboard,mouse...;
- 4.RJ45 support fast safring.

Features:

Plug and play

CONTACT INFO

almawang@wudoumi.net



iHD154

5IN1

5in 1 lightning adapter

Ports:

- 1.HDMI:supports HD video out put 1080P;
- 2.Lightning female: 5V2A for charging;
- 3.USB A x 2: for U flash,mouse,keyboard,mouse...;
- 4.3.5mm audio/mic sound card support direct broadcast.

Features:

Plug and play



iHD20

2IN1

2in 1 lightning adapter

Ports:

- 1.HDMI:supports HD video out put 1080P;
- 2.Lightning female: 5V2A for charging;

Features:

Plug and play

CONTACT INFO

almawang@wudoumi.net

OTG Lightning Adapters



iAD22

OTG 8-pin to USB A 3.0 Adapter
1. Supports data and charging
2. Plug and play



TC01

OTG USB C to USB A 3.0 Adapter
1. Supports data and charging
2. Plug and play



iJ22

Lightning to USB A Adapter
For iPhone/iPad;
Plug and play

CONTACT INFO

almawang@wudoumi.net

OTG Lightning Adapters



iJ23

Lightning to USB A Adapter+Charging
For iPhone/iPad;
Plug and play



iJ25

Lightning to USB A +SD/TF+Charging
For iPhone/iPad;
Plug and play



iJ20

Lightning to USB A +SD/TF
For iPhone/iPad;
Plug and play

CONTACT INFO

almawang@wudoumi.net

Entry Level USB C or USB A LAN HUB /Adapter



UR205U

100 MB USB A 2.0 LAN Adapter
USB A to : 3xUSB A2.0
1x RJ45,100Mbps



UR205C

100 MB USB C 2.0 LAN Adapter
USB C to : 3xUSB A2.0
1x RJ45,100Mbps



UR201

100 MB USB 2.0 LAN Adapter
Connector: USB C (USB A is optional)
USB C to RJ45 female,100Mbps

CONTACT INFO

almawang@wudoumi.net

Entry Level USB C or USB A 2.0 HUB



HB218A

USB A TO
3* USB 2.0 HUB+1*USB3.0

Material: Aluminum,
Size: 92.6*23*14mm;
Weight: 19.5g;Cable: 17.5cm



HB218C

USB C TO
3* USB 2.0 HUB+1*USB3.0

Material: Aluminum,
Size: 92.6*23*14mm;
Weight: 19.5g;Cable: 17.5cm



HB230

USB C TO
2* USB C 2.0, 480Mbps ;
2* USB A 2.0, 480Mbps ;

Material: Aluminum,
Size: 79.6*17.3*7.3mm;
Weight: 16.5g;Cable: 12cm

CONTACT INFO

almawang@wudoumi.net

DONGGUAN WUDOUMI MFG CO., LTD

Factory address: NO 23, YIAN Industrial Road , Fenggang Town , Dongguan , Guangdong 523000
Tel.0769-82010557

Contact person: Alma Wang
Skype:almawang89
WhatsApp/Wechat:0086 13923851712
Email:almawang@wudoumi.net

www.wudoumi.net