




M06 Telescopic Rod AI Face tracking Wireless Microphone Three-Axis AI Stabilizer

M06

3-AXIS STABILIZATION
TELESCOPIC ROD
AI FACE TRACKING
WIRELESS MICROPHONE



Gimbal Show



单价 Price		
产品价格	Product price	MOQ:1 pcs Price: \$48.5
外观参数 Appearance parameter		
产品尺寸	Product Size	176X106X65.5mm (Folded size)
拉伸长度	Extended length	485mm
产品颜色	Colour	Black
包装尺寸	Packing Size	201x158x74mm
设备重量	Equipment Weight	Gross weight: 645g; Net weight: 395g
外箱尺寸	Outer Box Size	491X446X395mm
外箱重量	G.W	21KG
一箱个数	QTY	30pcs/box
机械参数Mechanical parameter		
机械角度范围	Mechanical Angle	Course: 320 degrees Roll: 345 degrees; Pitch: 320 degrees
可控角度	Controllable Angle	Course: 300 degrees Roll: 325 degrees Pitch: 80 degrees
手机重量	Mobile Phone Weight	≤220g
手机厚度	Mobile Phone Thickness	≤11mm
手机宽度	Mobile Phone Width	50~90mm
功能参数 Electrical Parameters		
无线模式	BLE 5.2	5.2
手机软件	APP	Gimbal Show
支持手机系统	Support Mobile Phone System	Android 9.0 and above; iOS 11 and above
蓝牙名称	BT Name	M0X-XXXXXX
蓝牙遥控距离	Wireless Remote Control Distance	10m
充电接口	USB Type	TYPE-C
最大控制转速	Maximum Control Speed	120°/S
电池额定能量	Battery Rated Energy	6.93Wh (900mAh)
充电时间	Charging Time	1.5h
额定输入	Rated Input	5V1.7A
充电电流	Charging Current	1.7A (Maximum
工作电流	Working Current	200mA (approximate value)
工作时长 (调平衡工况下的测试参考值)		Stabilizer: 5 hours
		Stabilizer plus camera: 3 hours
		Stabilizer with fill light: 3.5 hours
		Stabilizer, camera and fill light: 2 hours
硬件参数 Hardware Parameters		
主要材料	Main Materials	PC+ABS+PA66
支持手机宽度尺寸	Support Mobile Phone Width Size	50-90mm
手机夹子	Phone Mount	Switch between landscape and portrait screens
其他配件	Other Accessories	Charging cable, tripod, instruction manual, storage bag
A08 磁吸AI跟踪摄像头-参数 A08 Magnetic AI Tracking Camera - Parameters		
产品尺寸	Product Size	41*22*26.5mm
产品重量	Product Weight	13g
AI镜头像素	AI Lens Pixel	30万
AI手势识别距离	AI Gesture Recognition Distance	0.5~3m
AI追踪距离	AI Tracking Distance	0.5~5m
供电方式	Charging Method	Magnetic contact type
D08 磁吸补光灯-参数 D08 Magnetic Suction Fill Light - Parameters		
产品尺寸	Product Size	41*20*26.5mm
产品重量	Product Weight	12g
灯光模式	The Light Pattern	Warm light ; Cold light ; warm light
色温范围	Color Temperaturerange	3000-6500K
显色指数	Color Rendering Index	Ra>90
供电方式	Charging Method	Magnetic contact type

M05 Telescopic Rod Detachable Remote Control Three-Axis AI Stabilizer


M05

3-AXIS STABILIZATION
TELESCOPIC ROD
WIRELESS REMOTE



Gimbal Show

*The above accessories need to be purchased separately



M05 三轴稳定器*1

收纳袋*1

包装盒*1

单价 Price

产品价格	Product price	MOQ:1 pcs Price: \$36.12
------	---------------	--------------------------

外观参数 Appearance parameter

产品尺寸	Product Size	174.5X106X65.5mm (Folded size)
拉伸长度	Extended length	485mm
产品颜色	Colour	Black
包装尺寸	Packing Size	201x158x74mm
设备重量	Equipment Weight	Gross weight: 637g; Net weight: 392g
外箱尺寸	Outer Box Size	491X446X395mm
外箱重量	G.W	19.8 kg
一箱个数	QTY	30pcs/box

机械参数Mechanical parameter

机械角度范围	Mechanical Angle	Course: 320 degrees Roll: 345 degrees; Pitch: 320 degrees
可控角度	Controllable Angle	Course: 300 degrees Roll: 325 degrees Pitch: 80 degrees
手机重量	Mobile Phone Weight	≤220g
手机厚度	Mobile Phone Thickness	≤11mm
手机宽度	Mobile Phone Width	50~90mm

功能参数 Electrical Parameters

无线模式	BLE 5.2	Bluetooth 5.2
手机软件	APP	Gimbal Show
支持手机系统	Support Mobile Phone System	Android 9.0 and above; iOS 11 and above
蓝牙名称	BT Name	MOX-XXXXXX
蓝牙遥控距离	Wireless Remote Control Distance	10m
充电接口	USB Type	TYPE-C
最大控制转速	Maximum Control Speed	120°/S
电池额定能量	Battery Rated Energy	6.93Wh (900mAh)
充电时间	Charging Time	1.5 hours (Laboratory test result, for reference only)
额定输入	Rated Input	5 v1. 7 a
充电电流	Charging Current	1.7A (Maximum)
工作电流	Working Current	200mA (approximate value)
工作时长	Working Hours	5 hours (Test reference value under balancing condition)
消耗功率	Power Consumption	2.0 W
额定电压	Rated Voltage	3.7 V
跟踪模式	Tracking Mode	Face recognition, object tracking
工作原理	Working Principle	Gyroscope
手势操作	Gesture Operation	Support gesture operation
自拍支架模式	Selfie Stick Mode	Support
变焦功能	Zoom Function	Support
手势控制功能	Gesture Control Function	Support

硬件参数 Hardware Parameters

主要材料	Main Materials	PC+ABS+PA66
支持手机宽度尺寸	Support Mobile Phone Width Size	50-90mm
手机夹子	Phone Mount	Switch between landscape and portrait screens
其他配件	Other Accessories	Charging cable, tripod, instruction manual, storage bag

A08 Magnetic AI Tracking Camera - Parameters (Purchase Required)

产品尺寸	Product Size	41*22*26.5mm
产品重量	Product Weight	13g
AI镜头像素	AI Lens Pixel	30万
AI手势识别距离	AI Gesture Recognition Distance	0.5~3m
AI追踪距离	AI Tracking Distance	0.5~5m
供电方式	Charging Method	Magnetic contact type

D08 Magnetic Suction Fill Light - Parameters (to be purchased)

产品尺寸	Product Size	41 * 20 * 26.5 mm
产品重量	Product Weight	12g
灯光模式	The Light Pattern	Warm light/Cold light/cold and warm light
色温范围	Color Temperaturerange	3000-6500K
显色指数	Color Rendering Index	Ra>90
供电方式	Charging Method	Magnetic contact type
消耗功率	Consumed Power	0.9 W

M03 AI Face tracking Wireless Microphone Three-Axis AI Stabilization

M03

3-AXIS AI STABILIZATION
AI FACE TRACKING
WIRELESS MICROPHONE



Gimbal Show



单价 Price		
产品价格	Product price	MOQ:1 pcs Price: \$ 42.65
外观参数 Appearance parameter		
产品尺寸	Product Size	159X106X65.5mm (Folded size)
产品颜色	Colour	Black
包装尺寸	Packing Size	198x155x70mm
设备重量	Equipment Weight	Gross weight: 619g, net weight: 367g
外箱尺寸	Outer Box Size	485x440x373mm
外箱重量	G.W	18.6 KG
一箱个数	QTY	30pcs/box
机械参数 Mechanical parameter		
机械角度范围	Mechanical Angle	Course: 320 degrees Roll: 345 degrees; Pitch: 320 degrees
可控角度	Controllable Angle	Course: 300 degrees Roll: 325 degrees Pitch: 80 degrees
手机重量	Mobile Phone Weight	≤280g
手机厚度	Mobile Phone Thickness	≤11mm
手机宽度	Mobile Phone Width	55~90mm
功能参数 Electrical Parameters		
无线模式	BLE 5.2	Bluetooth 5.2
手机软件	APP	Gimbal Show
支持手机系统	Support Mobile Phone System	Android 9.0 and above; iOS 11 and above
蓝牙名称	BT Name	M0X-XXXXXX
蓝牙遥控距离	Wireless Remote Control Distance	10m
充电接口	USB Type	TYPE-C
最大控制转速	Maximum Control Speed	120°/S
电池额定能量	Battery Rated Energy	11.1Wh (3000mAh)
充电时间	Charging Time	1.5 hours (Laboratory test result, for reference only)
额定输入	Rated Input	5V2A
充电电流	Charging Current	2A (Maximum)
工作电流	Working Current	320mA (approximate value)
工作时长 (调平衡工况下的测试参考值)	Working Hours	Stabilizer: 6h
		Stabilizer plus camera: 4 hours
		Stabilizer with fill light: 3 hours
		Stabilizer, camera and fill light: 2 hours
消耗功率	Power Consumption	2.0 W
额定电压	Rated Voltage	3.7 V
跟踪模式	Tracking Mode	Face recognition, object tracking
工作原理	Working Principle	Gyroscope
手势操作	Gesture Operation	Support gesture operation
自拍支架模式	Selfie Stick Mode	Support
变焦功能	Zoom Function	Support
手势控制功能	Gesture Control Function	Support
硬件参数 Hardware Parameters		
主要材料	Main Materials	PA66
支持手机宽度尺寸	Support Mobile Phone Width Size	55-90mm
手机夹子	Phone Mount	Switch between landscape and portrait screens
其他配件	Other Accessories	Charging cable, tripod, instruction manual, storage bag
A08 Magnetic AI Tracking Camera - Parameters		
产品尺寸	Product Size	41*22*26.5mm
产品重量	Product Weight	13g
AI镜头像素	AI Lens Pixel	30万
AI手势识别距离	AI Gesture Recognition Distance	0.5~3m
AI追踪距离	AI Tracking Distance	0.5~5m
D08 Magnetic Suction Fill Light - Parameters		
产品尺寸	Product Size	41 * 20 * 26.5 mm
产品重量	Product Weight	12g
灯光模式	The Light Pattern	Warm light/Cold light/cold and warm light
色温范围	Color Temperaturerange	3000-6500K
显色指数	Color Rendering Index	Ra>90

M02 Three-Axis Smart Detachable Remote Control AI Stabilizer

M02

3-AXIS STABILIZATION
WIRELESS REMOTE
SMART TRACKING



*The above accessories need to be purchased separately



单价 Price		
产品价格	Product price	MOQ:1 pcs Price: \$ 30.3
外观参数 Appearance parameter		
产品尺寸	Product Size	157X106X65mm (Folded size)
产品颜色	Colour	Black
包装尺寸	Packing Size	198x155x70mm
设备重量	Equipment Weight	Gross weight: 600g, net weight: 360g
外箱尺寸	Outer Box Size	483x440x365mm
外箱重量	G.W	18.2 kg
一箱个数	QTY	30pcs/box
机械参数Mechanical parameter		
机械角度范围	Mechanical Angle	Course: 320 degrees Roll: 345 degrees; Pitch: 320 degrees
可控角度	Controllable Angle	Course: 300 degrees Roll: 325 degrees Pitch: 80 degrees
手机重量	Mobile Phone Weight	≤280g
手机厚度	Mobile Phone Thickness	≤11mm
手机宽度	Mobile Phone Width	55~90mm
功能参数 Electrical Parameters		
无线模式	BLE 5.2	Bluetooth 5.2
手机软件	APP	Gimbal Show
支持手机系统	Support Mobile Phone System	Android 9.0 and above; iOS 11 and above
蓝牙名称	BT Name	MOX-XXXXXX
蓝牙遥控距离	Wireless Remote Control Distance	10m
充电接口	USB Type	TYPE-C
最大控制转速	Maximum Control Speed	120°/S
电池容量	Battery Capacity	2600mAh
充电时间	Charging Time	1.5 hours (Laboratory test result, for reference only)
充电方式	Charging Type	5V2A
充电电流	Charging Current	2A (Maximum)
工作电流	Working Current	320mA (approximate value)
工作时长	Work Time	8h
消耗功率	Power Consumption	2.0 W
额定电压	Rated Voltage	3.7 V
云台工作模式	Gimbal Working Mode	1. Semi-following mode (heading axis following); 2. Full following mode (heading and pitch following); 3. Inception (three-shot trigger button) 4. Full lock mode (three-axis lock); 5. POV mode (three-axis following); 6. Semi-following Mad Dog mode (faster response speed); 7. Fully Follow Mad Dog Mode (Faster response speed)
快捷键功能	Shortcut Key Function	1. Enable photo/video recording; 2. Switch between taking photos and recording videos; 3. Triple front/rear cameras; (Effective in the APP)
跟踪模式	Tracking Mode	Face recognition, object tracking
工作原理	Working Principle	Gyroscope
手势操作	Gesture Operation	Support gesture operation
自拍支架模式	Selfie Stick Mode	Support
变焦功能	Zoom Function	Support
手势控制功能	Gesture Control Function	Support
硬件参数 Hardware Parameters		
主要材料	Main Materials	PA66
支持手机宽度尺寸	Support Mobile Phone Width Size	55-90mm
手机夹子	Phone Mount	Switch between landscape and portrait screens
其他配件	Other Accessories	Charging cable, tripod, instruction manual, storage bag

M01 Three-axis Smart Gimbalwith Fill Light

M01

**3-AXIS STABILIZATION
SAMRT TRACKING
BATTERY PERFORMANCE**



单价 Price		
产品价格	Product price	MOQ:1 pcs Price: \$ 29.1
外观参数 Appearance parameter		
产品尺寸	Product Size	163X119X50mm (折叠后尺寸)
产品颜色	Colour	灰色 (gray)
包装尺寸	Packing Size	204x160x56.5mm
设备重量	Equipment Weight	毛重 545 g 净重378g
外箱尺寸	Outer Box Size	500x450x313mm
外箱重量	G.W	17.4Kg
一箱个数	QTY	30
机械参数Mechanical parameter		
机械角度范围	mechanical angle	Course: 320 degrees Roll: 330 degrees; Pitch: 330 degrees
可控角度	controllable angle	Course: 300 degrees Pitch: 65 degrees
手机重量	Mobile phone weight	≤280g
手机厚度	Mobile phone thickness	≤11mm
手机宽度	Mobile phone width	55~90mm
功能参数 Electrical Parameters		
无线模式	BLE 5.2	Bluetooth 5.2
手机软件	APP	Gimbal Show
支持手机系统	Support mobile phone system	Android 9.0 and above; iOS 11 and above
蓝牙名称	BT Name	M01-XXXXXX
充电接口	USB Type	TYPE-C
最大控制转速	Maximum control speed	120°/S
电池容量	Battery Capacity	3600mAh
充电时间	Charging Time	3h (Laboratory test results, for reference only)
充电方式	Charging type	5V2A
充电电流	Charging Current	1.5 A
工作电流	Working Current	500mA (approximate value)
工作时长	Work Time	8h
消耗功率	Power Consumption	2.0 W
额定电压	Rated Voltage	3.7 V
跟踪模式	Tracking Mode	Face recognition, object tracking
工作原理	Working Principle	Gyroscope
手势操作	Gesture Operation	Support gesture operation
自拍支架模式	Selfie Stick Mode	Support
变焦功能	Zoom function	Support
手势控制功能	Gesture control function	Support
补光灯	Fill Light	White light + yellow light 9-level adjustment
补光灯功率	Fill lamp power	The MAX brightness is 2.6W
硬件参数 Hardware Parameters		
主要材料	Main Materials	PA66
支持手机宽度尺寸	Support mobile Phone width Size	55-90mm
手机夹子	Phone Clip	Switch between landscape and portrait screens
其他配件	Other Accessories	Data cable, tripod, instruction manual