



Shenzhen Forwardvideo Technology co., Ltd
www.ezcap.com

2024 VIDEO AUDIO SOLUTIONS

About ForwardVideo

ezcap® 风云翔龙
FORWARDVIDEO

Founded in **2005**, Forward Video Technology CO LTD is a leading global provider of video technology solutions, which focuses on this industry for **19 years**.

We specialize in designing, manufacturing and marketing of high-quality **video recorder** and real-time **audiovisual live** products. Integrates cutting-edge technology, environmental protection and use experience, etc., to develop high-quality consumer products.

ezcap has been registered in **40** countries around the world. We serve more than **100** countries and regions, and establish a long-term cooperation with many well-known companies, more than 10 million consumers use **ezcap** products. With professional, good quality and services, we have won the favor of users.

Core Values

PROGMATIC

Roma wat not built
in one day

PROFESSION

Long-term focus on video
and audio field.

HARMONY

Harmony but different

2005 

Founded in Shenzhen

2010 

Analogue video capture,
audio capture, cassette converter

2014 

FHD video recorder
Be member of ISO9000 and BSCI



2017 

FHD video capture live box
Be member of HDMI and HDCP
HDMI ((HDCP))

2020 

4K30FPS capture live box
dedicated software :ezcapLink

2022 

4CH FHD Live Switch
4K60FPS capture live box

2023 

4K60FPS capture live box

2024 

8K60FPS capture live box



CONTENTS

Game Capture Streaming

HD Capture Streaming

HD Video Recorder

Analog Video Capture

Cassette & Audio

Game Capture Streaming

An innovator in game capture, we offer powerful game capture cards and accompanying software that enables creators to easily record, create, upload and livestream professional and wonderful contents.

GAME CAPTURE STREAMING

HD CAPTURE STREAMING

HD VIDEO RECORDER

ANALOG VIDEO

CASSETTE & AUDIO

ezcap364



www.ezcap.com

www.ezcap.com

The Latest Generation of
8K60 Video Capture Card

Think You Think, Get You Want!

8K Capture



No VRR



VRR



VRR

Variable Refresh Rate technology gets out of your way for gaming



**8K60 HDR
PASS THROUGH**

Give you a stunning and highest quality gameplay



HDR10 RECORDING

Support hdr 10 bit pass through



**High frame rates
IN 240/120 FPS**

Variable Refresh Rate technology gets out of your way for gaming




**RECORD VIDEO
IN 4K60FPS**

2160P60FPS / 1440P144FPS
RECORDING



**1080P60 RGB
USB OUTPUT**



**HDMI LPCM 5.1 / 7.1 AUDIO
HDMI LPCM 5.1 / 7.1**

7.1Multi-channel allows you to hear the footsteps, guns and other sound clues clearly



PLUG & PLAY



**INSTANT
GAMEVIEW
LOW LATENCY**



ezcap Link
DEDICATED SOFTWARE
FORMAXIMUM PERFORMANCE.

ezcap364


- 8Kp60 / 4Kp120 / 1080p240 / 1440p144 Pass Through
- 4Kp60/1080p240 / 1440p144 Streaming
- HDR / VRR / LPCM5.1,7.1 Audio Pass Through
- RGB real color video format up to 1080p60
- PD Charge during Live streaming

8K60



ezcap362

- 4 HDMI Channels Recording / Streaming Simultaneously
- Charges Streaming PC by extra 20V/3.25A Power supply
- DP Monitor as additional Display
- Up to 4K30 / 1080P60 Recording



www.ezcap.com

ezcap365

- Two HDMI inputs can be independent controlled
- Streaming up to 4K and RGB24 1080p60
- One View / Dual-View / PIP Mode
- Fast speed PCIe Gen3x2 Port
- Two independent Line in for audio



ezcap366

- 4Kp30 / 1080p120 / 1440p60 HDMI Pass through
- PD Charge for PC / Mobile during Live streaming
- Support different video conference platforms
- RGB real color video format as 1080p60
- 1080p120/4Kp30/1440p60 Recording



www.ezcap.com



ezcap360

- 4Kp60, 1080p240, and 1440p144 recording.
- Supports HDR and VRR input and pass-through.
- Supports LPCM 5.1/7.1 channel audio input and pass-through.
- RGB real color video format up to 1080p60.
- USB 3.2 Gen1 Type-C super fast speed.
- Supports mixer and microphone input to mix audio.

ezcap334

- 1080p120, 4Kp30 and 1440p60 recording.
- RGB real color video format up to 1080p30.
- PCIe Gen2 super fast speed.
- With Line In and Line Out audio ports.
- With mixing slow flashing indicator.



ezcap326

- 4Kp60 HDR, 1080p240 and 1440p120 HDMI input and pass-through.
- 1080p120, 4Kp30 and 1440p60 recording.
- RGB real color video format up to 1080p30.
- Type-C USB 3.1 Gen1 super fast speed.
- Recording party chat with game video by party chat link cable.



Model Name	ezcap360	ezcap334	ezcap326
Interface	Type-C USB 3.2 Gen1	PCIe Gen2 x1	Type-C USB 3.1 Gen1
MAX Input / Output Resolution	3840 x 2160 60fps HDR	3840 x 2160 60fps HDR	3840 x 2160 60fps HDR
MAX Capture Resolution	3840 x 2160 60fps	3840 x 2160 30fps	3840 x 2160 30fps
Video Interface	HDMI 2.0	HDMI 2.0	HDMI 2.0
Audio Interface	HDMI 2.0, Line In 3.5mm 3-pole HEADSET 3.5mm 4-pole	HDMI, 3.5mm Line In, Line Out	HDMI, 3.5mm Line In, 3.5mm Headset
Color Depth	10bit	10bit	10bit
Color Format	MJPEG, RGB, YUY2, NV12, I420	YUY2, NV12, RGB	YUY2, NV12, RGB
Dimensions (LxWxH) mm	151 x 121x22	151 x 121 x 22	99 x 99 x 23



Model Name	ezcap321	ezcap333	ezcap332	ezcap324B
Interface	USB 3.1 Gen1	Type-C USB 3.1 Gen1	Type-C USB 3.1 Gen1	PCIe Gen2 x1
MAX Input / Output Resolution	3840 x 2160 30fps	3840 x 2160 30fps	3840 x 2160 30fps	3840 x 2160 30fps
MAX Capture Resolution	3840 x 2160 30fps	3840 x 2160 30fps	3840 x 2160 30fps	3840 x 2160 30fps
Video Interface	HDMI	HDMI	HDMI	HDMI
Audio Interface	HDMI, 3.5mm Line In, 3.5mm Headset	Microphone In Line In, Microphone In	HDMI, 3.5mm Mic In, 3.5mm Line In	HDMI, 3.5mm Line In, Line Out
Color Depth	8bit	8bit	8bit	8bit
Color Format	YUY2, NV12, RGB	YUY2, NV12, RGB	YUY2, NV12, RGB	YUY2, NV12, RGB
Dimensions (LxWxH) mm	95 x 63 x 20	110 x 63 x 22	136 x 138 x 40	151 x 121 x 22



ezcap331 CAM LINK 4K Dongle

Connect DSLR cameras or Camcorders with computer to stream real 4K video. Supports 1080p120, 4Kp30 and 1440p60 input and streaming. USB 3.1 interface.RGB real color video format up to 1080p30. latency less than 50ms.




Model Name	ezcap371	ezcap341
Interface	USB 3.0	USB 3.0 x1 USB 2.0 x1
MAX Input / Output Resolution	3840 x 2160 30fps	1920 x 1080 60fps
MAX Capture Resolution	1920 x 1080 60fps	1920 x 1080 60fps
Video Interface	HDMI	HDMI
Audio Interface	HDMI, 3.5mm Line In, 3.5mm Headset	HDMI
Color Depth	8bit	8bit
Color Format	MJPEG, YUY2	MJPEG, YUY2
Dimensions (LxWxH) mm	95 x 69 x 16	100 x 75 x 22



ezcap341 Switch Dock Switch

Nintendo Switch docking with 1080p60 HDMI output, PD fast charging, and USB 2.0 and 3.0 ports. Includes Type-C to computer to capture and stream game video. Also supports connect to smartphone with DP output, to output HDMI to TV and capture stream video.

ezcap Link Capture Streaming Software



ezcap Link is an all-in-one video recording and live streaming application software. It can achieve video recording up to 4K@60fps, 10bit video, HDR video.... As a livestreaming program, you can add various overlay elements, such as video sources, audio sources, pictures, video files, texts, etc., to achieve different PIP effects and broadcast live to multiple servers at the same time, and make the background of your camera transparent. This versatile software also allows you to broadcast the current preview screen to multiple 3rd party programs as a virtual camera.



Model Name	ezcap331	ezcap370	ezcap327/325	ezcap262
Interface	USB 3.1 Gen1	USB 3.0	USB 3.1 Gen1/PCIe Gen2	USB 3.0
MAX Input / Output Resolution	3840 x 2160 30fps	3840 x 2160 30fps	4Kp30 / 1920 x 1080 60fps	1920 x 1080 60fps
MAX Capture Resolution	1920 x 1080 60fps	1920 x 1080 60fps	4Kp30 / 1920 x 1080 60fps	1920 x 1080 60fps
Video Interface	HDMI	HDMI	HDMI, 3G SDI	3G SDI
Audio Interface	HDMI	HDMI	HDMI, 3G SDI	3G SDI
Color Depth	8bit	8bit	8bit	8bit
Color Format	MJPEG, YUY2, RGB	MJPEG, YUY2	YUY2, NV12, RGB	YUY2, MJPG
Dimensions (LxWxH) mm	89 x 40 x 12	89 x 40 x 12	ezcap327: 105 x 66 x 27 ezcap325: 130 x 80 x 22	107 x 55 x 21



ezcap327 USB Cam Live SDI/HDMI

Supports 4Kp30 HDMI and 1080p60 SDI input, capture and stream. With HDMI output to monitor video. Type-C USB 3.1 interface.

HD Capture Streaming

We provide consumer and professional high-definition video capture and live streaming solutions, whether it is simple personal live streaming or video conference, or professional video capture and live streaming, provide optional different hardware and accompanying software.



www.ezcap.com

GAME CAPTURE STREAMING **HD CAPTURE STREAMING** HD VIDEO RECORDER ANALOG VIDEO CASSETTE & AUDIO



Model Name	ezcap316	ezcap361	ezcap264M	ezcap335	ezcap328
Host Interface	USB 3.0 Type-A/C	Type-C USB 3.1 Gen1	USB 3.0	PCIe Gen2x4	Type-C USB 3.1 Gen1
MAX Input / Output Resolution	3840 X 2160 30fps	3840 x 2160 30fps	1920 x 1080 60fps	3840 x 2160 30fps	1920 x 1080 60fps
MAX Capture Resolution	1920 X 1080 60fps	1920 x 1080 60fps	1920 x 1080 60fps	3840 x 2160 30fps	1920 x 1080 60fps
Video Interface	HDMI x2	HDMI x2	HDMI x4	HDMI x4	HDMI x4
Audio Interface	HDMI	HDMI, LINE IN TRS*2	HDMI, 3.5mm MIC In	HDMI	HDMI, 3.5mm Line In, 3.5mm Headset
Color Depth	8bit	8bit	8bit	8bit	8bit
Color Format	MJPEG, YUY2	MJPEG, RGB, YUY2, NV12, I420	YUY2, MJPG	YUY2, NV12, RGB	YUY2, NV12, RGB
Dimensions (LxWxH) mm	107 x 22 x 15	101 x 101 x 22	170 x 110 x 30	196 x 121 x 22	240 x 129 x 135



ezcap361 Dual CamLink RAW

Connect two HDMI source devices, Input, capture and stream video, up to 4K and RGB24 1080p60 resolution, Fast speed USB 3.2 Type-C port

www.ezcap.com

HD Video Recorder



GAME CAPTURE STREAMING HD CAPTURE STREAMING HD VIDEO RECORDER ANALOG VIDEO CASSETTE & AUDIO



Model Name	ezcap350	ezcap273	ezcap277	ezcap278	ezcap288P	ezcap284
Host Interface	USB 3.0 USB 2.0	USB 2.0	USB 2.0	USB 2.0	USB 2.0	USB 2.0
MAX Input / Output Resolution	3840 x 2160 60fps	1920 x 1080 60fps	1920 x 1080 60fps	3840 x 2160 30fps	1920 x 1080 60fps HDR	1920 x 1080 60fps
MAX Capture Resolution	1920 x 1080 60fps	1920 x 1080 60fps	1920 x 1080 60fps	3840 x 2160 30fps	1920 x 1080 30fps	1920 x 1080 30 fps
Video Interface	HDMI	HDMI, 3.5-inch screen	HDMI, 5 inch screen, Composite	HDMI, 5 inch screen	HDMI, Composite	HDMI, Component,
Audio Interface	HDMI, 3.5mm Line In, USB 2.0	HDMI, 3.5mm MIC IN, 3.5mm Earphone Speaker	HDMI, 3.5mm MIC IN, 3.5mm Earphone Speaker	HDMI, 3.5mm headset	HDMI, 3.5mm MIC IN, 3.5mm LINE IN/OUT, RCA LR IN	HDMI, 3.5mm MIC IN, 3.5mm LINE OUT, RCA LR IN
Bit rates	16Mbps	22Mbps	22Mbps	28Mbps	16Mbps	16Mbps
Color Format	H.264, YUY2, NV12	H.264 mp4	H.264 mp4	H.264 mp4 H.265 mp4	H.264 mp4	H.264 mp4
Dimensions (LxWxH) mm	140 x 80 x 27	150 x 66.5 x 23	149 x 99 x 22.5	149 x 99 x 22.5	110 x 75 x 27	142 x 73 x 26

ezcap278 HDDigi 4K Ultra Recorder



Record HDvideo into micro SD card orUSB Flash drive up to 2160p30 resolution.With clear 5-inch HD display. can preview and playback video directly. Unique PAUSE RECORDING technology, record wonderfulvideo no ads.Snapshot during recording. Speaker and battery inside.



HD Recorder Pro



Model Name	ezcap275	ezcap286	ezcap283	ezcap292
Host Interface	USB 2.0	USB 2.0	USB 2.0	USB 2.0 record, 3.0 capture
MAX Input / Output Resolution	1920 x 1080 60fps	1920 x 1080 60fps	1920 x 1080 60fps	1920 x 1080 60fps
MAX Capture Resolution	1920 x 1080 60fps	1920 x 1080 30fps	1920 x 1080 30fps	1920 x 1080 30fps record, 60fps capture
Video Interface	3G SDI, HDMI	3G SDI, HDMI	HDMI, Component, composite	3G SDI, VGA, HDMI, DVI Component, composite
Audio Interface	SDI, HDMI, 3.5mm headset	SDI, HDMI, 3.5mm MIC IN, 3.5mm LINE OUT	HDMI, RCA LR IN, 3.5mm MIC IN, 3.5mm LINE OUT	SDI, HDMI, 3.5mm MIC IN, 3.5mm LINE IN, 3.5mm LINE OUT
Bit rates	22Mbps	16Mbps	16Mbps	16Mbps record, 8bit capture
Color Format	H.264 mp4	H.264 mp4	H.264 mp4	H.264 mp4 record, YUY2 MJPG capture
Dimensions (LxWxH) mm	100 x 100 x 23	143 x 102 x 26	155 x 92 x 30	262 x 172 x 120



ezcap275 SDI Full HD Recorder SDI HDMI

Record 3G SDI and HDMI video into micro SD card, up to 1080p60fps. With clear 3.5-inch display, can preview and playback video directly. Unique PAUSE RECORDING technology, record wonderful video no ads. Snapshot during recording. Speaker and battery inside. The body is equipped with a standard screw hole for the camera, which is convenient for fixed use with the camera.

Analog Video Capture



GAME CAPTURE STREAMING

HD CAPTURE STREAMING

HD VIDEO RECORDER

ANALOG VIDEO

CASSETTE & AUDIO




Model Name	ezcap180	ezcap181	ezcap159	ezcap158	ezcap172
Host Interface	USB 2.0	USB 2.0	USB 2.0	USB 2.0 UVC	USB 2.0
Max capture resolution	480@15fps NTSC: 720 x 480 PAL: 720 X576	480@15fps NTSC: 720 x 480 PAL: 720 X576	480@15fps NTSC: 720 x 480 PAL: 720 X576	480@15fps NTSC: 720 x 480 PAL: 720 X576	480@15fps NTSC: 720 x 480 PAL: 720 X576
TV System	NTSC / PAL	NTSC / PAL	NTSC / PAL	NTSC / PAL	NTSC / PAL
Video Interface	3.5mm Composite	RCA Composite	RCA Composite, S-Video	RCA Composite, S-Video	RCA Composite, S-Video
Audio Interface	HDMI, 3.5mm L/R IN, 3.5mm earphone speaker	HDMI, RCA L/R IN	RCA L/R IN	RCA L/R IN	RCA L/R IN
Color Depth	8bit	16Mbps	8bit	8bit	8bit
Video format	mp4	mp4	mpeg2	mpeg2	mpeg2
Dimensions (LxWxH) mm	116 x 78 x 18	76 x 81 x 23	95 x 73 x 22	142 x 73 x 26	110 x 75 x 27



ezcap180 VHS Digi AV Recorder

Record and digitalize video from your VHS, Hi8, Camcorder, DVR and gaming system with one click, save in USB flash drive or micro SDcard, no PC required. Portable design, with 4.3-inch display, speaker and battery inside, playback video directly. Convert analog music or audio to digital format alone.

Bluetooth Cassette Player



ezcap218PT

USB Cassette Converter

- Cassette player
- Convert tape to digital file through computer and software
- Support Windows and Mac
- AA*2 or 5V USB power supply
- 3.5mm earphone jack
- 113(L) x 85(W) x 32(H)



ezcap249

USB Cassette Converter

- Cassette player
- Convert tape to digital file through computer and software
- Support Windows and Mac
- AA*2 or 5V USB power supply
- 3.5mm earphone jack
- 122(L) x 91(W) x 39(H)



ezcap244



TapeBT | Bluetooth Cassette Player

- Cassette player
- Built-in Bluetooth wireless transmitter
- FM and AM radio
- Built-in 1W power speaker
- AA*2 or Type-C Power Supply
- 3.5mm earphone jack
- 122(L) x 91(W) x 39(H)



ezcap215



Bluetooth Cassette Player

- Cassette player
- Built-in Bluetooth wireless transmitter
- Auto-Reverse
- AA*2 or 5V DC power supply
- 3.5mm earphone jack, 5V DC jack
- 113(L) x 85(W) x 32(H)



ezcap231

Cassette Converter

- Cassette player
- Convert tape to mp3 file in USB flash drive
- Playback mp3 music
- AA*2 or 5V DC power supply
- 3.5mm earphone jack, 5V DC jack
- 113(L)x 85(W)x 32(H)



ezcap234

TapeDigi | Cassette Converter

- Cassette player, FM and AM radio
- Convert tape to mp3 file in Micro SD card
- Playback mp3 music
- Record voice through built-in microphone
- Built-in 1W power speaker
- AA*2 or Type-C Power Supply
- 3.5mm earphone jack
- 122(L) x 91(W) x 39(H)



ezcap233

TapeRadio Cassette Player

- Cassette player
- FM and AM radio
- Built-in 1W power speaker
- AA*2 or Type-C Power Supply
- 3.5mm earphone jack
- 122(L) x 91(W) x 39(H)



ezcap246

TapeDigi2

- Cassette player
- Convert tape to digital file through computer and software
- Support Windows and Mac
- FM and AM radio
- Built-in 1w power speaker
- AA*2 Type-C Power Supply
- 3.5mm earphone jack
- 122(L) x 91(W) x 39(H)



ezcap218

USB Cassette Converter

- Cassette player
- Convert tape to digital file through computer and software
- Support Windows and Mac
- AA*2 or 5V USB power supply
- 3.5mm earphone jack
- 113(L) x 85(W) x 32(H)



ezcap221

AudioDigiBT



- Bluetooth player
- Record audio from Bluetooth or line input to mp3, save in Micro SD card or USB flash drive.
- Built in speaker
- Battery inside, Type-C for charging.
- 178(L) x 60(w) x 70(H)



ezcap241

Music Digitizer

- Convert analog audio to mp3
- Save in USB flash drive or SD card
- Playback recorded file directly
- 5V mini USB power supply
- RCA L/R audio and 3.5mm audio input selections
- 3.5mm earphone jack
- With remote control
- 66(L)x 62(W)x 23(H)



ezcap216

USB Audio Capture

- Convert analog audio to digital through computer and software
- Support Windows and Mac
- USB power supply
- RCA L/R audio and 3.5mm audio input selections
- LED indicator



ezcap613

Turntable Converter

- Turntable player
- Convert tape to mp3 file in USB flash drive or Micro SD card
- Playback mp3 music
- Support 33 and 45 RPM
- Built-in 1W power speaker
- AA*4 or 5V DC power supply
- 3.5mm earphone jack
- 292(L)x 122(W)x 77(H)

Where to buy



Ali B2B



阿里诚信通

Connect US



Facebook



LinkedIn



YouTube



微信公众号