ZONSAN

深圳市众显创新科技有限公司

Shenzhen ZONSAN Innovation Technology Co.,Ltd.

Professional OEM & ODM Charger Manufacturer Since 2009

Directory

1 Company Profile ---------- 01

2 Production Process ---------- 02

3 GaN Chargers ---------- 03–05

4 PD Chargers ---------- 05–07

5 Desktop Chargers ---------- 08

6 QC+Normal Chargers ---------- 09–10

7 Power Strips ---------- 10

Company Profile

brief introduction



Shenzhen ZONSAN Innovation Technology Co.,Ltd.

ZONSAN was established in 2009 as a manufacturer of USB charger, PD fast charger,GaN charger, multi-port desktop charger, power strip, with core competences in design, engineering and manufacturing.

ZONSAN provides the world largest brands and distributors with premium quality and certified products. Located in Shenzhen China, ZONSAN has passed BSCI, ICS, ISO9001 factory audit, covering an area of 5,000 square meters, producing all products under CE, ROHS, CB, ERP, REACH, GS, NOM, KC, PSE, ETL, UKCA, SAA, SII, BSMI, CCC standards from international labs, like Intertek, SGS, BV, TUV, UL.

Production Process

brief introduction

Complete production procedures and strict QC system.
With more than 5 times 100% inspections for semi-finished product and final products before shipping.


1 Incoming inspection


2 Material processing


3 Plug-in


4 Plug-in inspection


5 Soldering


6 Repair welding


7 Repair welding inspection


8 Semi-finished product inspection


9 Assemble


10 Aging test


11 HI-POT test


12 Integrated electrical performance test


13 Appearance inspection


14 Packing


15 Sampling inspection


16 Shipping

GaN Chargers



Model:ZX-1U51T
(GaN 20W)

Output:
5V/3A,9V/2.22A,12V/1.67A(20W)



Model:ZX-2U67T
(GaN 20W)

Output:
C:5V/3A,9V/2.22A,12V/1.67A (20W)
A: 5V/3A,9V/2A,12V/1.5A(18W)
C+A: 5V/3.6A(18W MAX)



Model:ZX-1U52T
(GaN 25W)

Output:
5V/3A,9V/2.77A,12V/2.1A(25W)
PPS:3.3-5.9V/3A, 3.3-11V/2.25A



Model:ZX-2U68T
(GaN 25W)

Output:
C:5V/3A,9V/2.77A,12V/2.1A(25W)
PPS:3.3-5.9V/3A,3.3-11V/2.25A
A: 5V/3A,9V/2A,12V/1.5A(18W)
C+A: 5V/3.6A(18W MAX)



Model:ZX-1U49T
(GaN 35W)

Output:
5V/3A,9V/3A,12V/2.92A,
15V/2.33A,20V/1.75A (35W)
PPS: 3.3-11V/3A



Model:ZX-2U65T
(GaN 35W)

Output:
C1/C2: 5V/3A,9V/3A,12V/2.92A,
15V/2.33A,20V/1.75A (35W)
PPS: 3.3-11V/3A
C1+C2: 35W Max



Model:ZX-1U53T
(GaN 45W)

Output:
5V/3A,9V/3A,12V/3A,15V/3A,
20V/2.25A(45W)
PPS:3.3-11V/5A



Model:ZX-2U69T
(GaN 45W)

Output:
C:5V/3A,9V/3A,12V/3A,15V/3A,
20V/2.25A(45W)
PPS:3.3-11V/5A
A:5V/3A,9V/2A,12V/1.5A(18W)
C+A:25W+18W(43W MAX)

GaN Chargers



Model:ZX-1U38T
(GaN 30W)

Output:
5V/3A,9V/3A,12V/2.5A,15V/2A,
20V/1.5A(30W)
PPS:3.3-11V/3A or 3.3-16V/2.0A



Model:ZH-2U62T
(GaN 35W)

Output:
C1:5V/3A,9V/3A,12V/2.91A,
15V/2.33A,20V/1.75A (35W)
PPS:3.3-11V/3A
C2: 5V/2A (10W)
C1+C2:25W+10W (35W Max)



Model:ZX-3U12T
(GaN 65W)

Output:
C1:5V/3A,9V/3A,12V/3A,15V/3A,
20V/3.25A(65W) PPS:3.3-11V/3A
C2:5V/3A,9V/3A,12V/2.5A,15V/2A,
20V/1.5A(30W) PPS:3.3-11V/3A
A:5V/4.5A,4.5V/5A,9V/3A,12V/2.5A,
20V/1.5A(30W)
A+C2:5V/3A(15W Max)
C1+C2:45W+18W(63W Max)
C1+A:45W+18W(63W Max)
C1+C2+A:45W+15W(60W Max)



Model:ZX-2U48T
(GaN 30W)

Output:
C:5V/3A,9V/3A,12V/2.5A,15V/2A,
20V/1.5A(30W)
PPS:3.3-11V/3A or 3.3-16V/2.0A
A:5V/3A,9V/2A,12V/1.5A(18W)
A+C:5V/3A(15W Max)



Model:ZX-3U10T
(GaN 65W)

Output:
C1:5V/3A,9V/3A,12V/3A,15V/3A,
20V/3.25A(65W) PPS:3.3-11V/3A
C2:5V/3A,9V/3A,12V/2.5A,15V/2A,
20V/1.5A(30W) PPS:3.3-11V/3A
A:5V/4.5A,4.5V/5A,9V/3A,
12V/2.5A,20V/1.5A(30W)
A+C2:5V/3A(15W Max)
C1+C2:45W+18W(63W Max)
C1+A:45W+18W (63W Max)
C1+C2+A:45W+15W(60W Max)



Model:ZX-3U15T
(GaN 65W)

Output:
C1:5V3A,9V/3A,12V/3A,15V/3A,
20V/3.25A(65W) PPS:3.3-11V/3A
C2:5V/3A,9V/3A,12V/2.5A,15V/2A,
20V/1.5A(30W) PPS:3.3-11V/3A
A:5V/4.5A,4.5V/5A,9V/3A,
12V/2.5A(30W)
A+C2:5V/3A(15W Max)
C1+C2:45W+18W(63W Max)
C1+A:45W+18W(63W Max)
C1+C2+A:45W+15W(60W Max)

GaN Chargers



Model:ZX-4U14T
(GaN 100W)

Output:
C1/C2:5V/3A,9V/3A,12V/3A,15V/3A,
20V/5A(100W) PPS:3.3-21V/5A
C3:5V/3A,9V/3A,12V/2.5A,15V/2A,
20V/1.5A(30W) PPS:3.3-11V/3A
A:5V3A,9V/3A,12V/2.5A,15V/2A,
20V/1.5A(30W)
C1+C2:65W+30W(95W Max)
C3+A:5V/3A(15W Max)
C1+C2+A:45W+30W+18W(93W Max)
C1+C2+C3:45W+30W+20W(95W Max)
C1/C2+C3+A:65W+30W(95W Max)
C1+C2+C3+A:45W+30W+15W(90W Max)



Model:ZX-4U13T
(GaN 150W)

Output:
C1/C2:5V/3A,9V/3A,12V/3A,15V/3A,
20V/5A(100W) PPS:3.3-21V/5A
C3:5V/3A,9V/2.22A,12V/1.67A(20W)
A:5V/3A,9V/2A,12V/1.5A(18W)
C1+C2:65W+65W(130W Max)
C1/C2+C3:100W+20W(120W Max)
C1/C2+A:100W+18W(118W Max)
C3+A:5V/3A(15W Max)
C1+C2+A:65W+65W+18W(148W Max)
C1+C2+C3:65W+65W+20W(150W Max)
C1/C2+C3+A:100W+15W(115W Max)
C1+C2+C3+A:65W+65W+15W(145W Max)



Model:ZX-1U45T
(GaN 140W)

Output:
5V/3A,9V/3A,12V/3A,15V/3A,
20V/5A,28V/5A(140W)
PPS:3.3-21V/5A



Model:ZX-4U12T
(GaN 100W)

Output:
C1/C2:5V/3A,9V/3A,12V/3A,15A/3A,
20V/5A(100W) PPS:3.3-21V/5A
A1/A2:5V/3A,9V/2A,12V/1.5A(18W)
C1+C2:65W+30W(95W Max)
A1+A2:5V/3A(15W Max)
C1/C+A1/A2:65W+18W(83W Max)
C1+C2+A1/A2:
45W+30W+18W(93W Max)
C1+C2+A1+A2:
45W+30W+15W(90W Max)



Model:ZX-4U15T
(GaN 140W)

Output:
C1/C2:5V/3A,9V/3A,12V/3A,15V/3A,
20V/5A,28V/5A (140W)
PPS:3.3-21V/5A
C3:5V/3A,9V/2.22A,12V/1.67A(20W)
A:5V/3A,9V/2A,12V/1.5A(18W)
C1+C2:65W+65W(130W Max)
C3+A:5V/3A(15W Max)
C1/C2+C3/A1:100W+20W(120W Max)
C1+C2+C3:65W+45W+20W(130W Max)
C1+C2+A:65W+45W+18W(128W Max)
C1+C2+C3+A:65W+45W+15W(125W Max)



Model:ZX-5U09T
(GaN 240W)

Output:
C1:5V/3A,9V/3A,12V/3A,15V/3A,
20V/5A,28V/5A(140W)
C2/C3:5V/3A,9V/3A,12V/3A,15V/3A,
20V/5A(100W)
PPS:3.3-21V/5A
C4:5V/3A,9V/3A,12V/2.5A,15V/2A,
20V/1.5A(30W)
PPS:3.3-11V/3A
A:5V/3A,5V/4.5A,4.5V/5A,9V/3A,
12V/2.5A,15V/2A,20V/1.5A(30W)

PD Chargers



Model:ZX-2U59T
(35W)

Output:
C1/C2：5V/3A,9V/3A,12V/2.9A,
15V/2.33A,20V/1.75A(35W)
PPS：3.3-11V/3A
C1+C2：35W Max



Model:ZH-2U53T
(50W)

Output:
C1:5V/3A,9V/3A,12V/2.5A,
15V/2A,20V/1.5A(30W)
PPS:3.3-11V/3A ,3.3-16V/2A
C2:5V/3A,9V/2.22A,
12V/1.67A(20W)



Model:ZX-2U54T
(45W)

Output:
C1/C2:5V/3A,9V/3A,12V/3A,
15V/3A,20V/2.25A(45W)
PPS:3.3-11V/4.05A
C1+C2:25W Max Each Port



Model:ZX-1U40T
(45W)

Output:
5V/3A,9V/3A,12V/3A,15V/3A,
20V/2.25A(45W)
PPS:3.3-11V/4.05A



Model:ZX-1U41T
(65W)

Output:
5V/3A,9V/3A,12V/3A,15V/3A,
20V/3.25A(65W)
PPS:3.3-11V/5A



Model:ZH-1U39T
(30W)

Output：
5V/3A,9V/3A,12V/2.5A,
15V/2A(30W)
PPS:3.3-11V/3A



Model:ZH-2U49T
(30W)

Output:
C:5V/3A,9V/3A,12V/2.5A,
15V/2A,20V/1.5A(30W)
PPS:3.3-11V/3A
A:5V/3A,9V/2A,12V/1.5A(18W)
A+C:5V/3A(15W total)



Model:ZH-2U60T
(45W)

Output:
C:5V/3A,9V/3A,12V/3A,
20V/2.25A(45.0W)
PPS:3.3-11V/4.05A
A:5V/3A,9V/2A,12V/1.5A(18W)
C + A:5V/3A+ 5V/2A(25W Max)
C + A:9V/3A,12V/2.5A,15V/2A,
20V/1.5A+ 5V/2A,9V/1.67A
(30W+15W MAX)



Model:ZX-2U63T
(25W)

Output:
C:5V/3A,9V/2.77A,
12V/2.1A(25W)
PPS:3.3-5.9V/3A,
3.3-11V/2.25A
A:5V/3,9V/2A,12V/1.5A(18W)
C+A:5V/3.6A(18W total)



Model:ZX-2U40T
(38W)

Output:
C:5V/3A,9V/2.22A,
12V/1.67A(20W)
A:5V/3A,9V/2A,
12V/1.5A(18W)

PD Chargers



Model:ZH-1U50T
(30W)

Output:
5V/3A,9V/3A,12V/2.5A,
15V/2A,20V/1.5A(30W)
PPS:3.3-11V/3A



Model:ZX-1U47T
(25W)

Output:
5V/3A,9V/2.77A,12V/2.08A(25W)
PPS:3.3-5.9V/3A,
3.3-11V/2.25A



Model:ZX-1U48T
(20W)

Output:
5V/3A,9V/2.22A,12V/1.67A(20W)



Model:ZH-2U66T
(30W)

Output:
C:5V/3A,9V/3A,12V/2.5A,
15V/2A,20V/1.5A(30W)
PPS:3.3-11V/3A
A:5V/3A,9V/2A,12V/1.5A(18W)
C+A:5V/3.6A(18W MAX)



Model:ZH-2U57T
(20W)

Output:
C:5V/3A,9V/2.22A,
12V/1.67A(20W)
A:5V/3A,9V/2A,12V/1.5A(18W)
C+A:5V/3A(15W Max)



Model:ZX-2U64T
(20W)

Output:
C:5V/3A,9V/2.22A,
12V/1.67A(20W)
A:5V/3A,9V/2A,12V/1.5A(18W)
C+A:5V/3.6A(18W total)

Desktop Chargers



Model:ZX-4U11T
(65W)

Output:
C1:5V/3A,9V/3A,12V/3A,15V/3A,
20V/3.25A(65W)
PPS:3.3-11V/3A
C2:5V/3A,9V/2.22A,
12V/1.67A(20W)
A1/A2:5V/3A,9V/2A,12V1.5A(18W)
C1+A1:45W+18W(63W Max)
C2+A2:5V/3A(15W Max)



Model:ZX-5U01T
(60W)

Output:
A1:5V/3A,9V/2A,12V/1.5A(18W)
C:5V/3A,9V/3A,12V/2.5A,
15V/2A(30W)
A2/A3/A4:5V/2.4A(12W)



Model:ZH-5U08T
(65W)

Output:
C1:5V/3A,9V/3A,12V/2.5A,15V/2A,
20V/1.5A (30W)
PPS: 3.3-11.0V/3.0A
C2:5V/3A,9V/2.22A,12V/1.67A (20W)
A1:5V/3A,9V/2A,12V/1.5A (18W)
A2/A3:5V/2.4A (12W)
C2+A1:5V/3A (15W Max)
A2+A3: 5V/3A (15W Max)
C1+C2+(A2+A3):
30W+20W+15W (65W Max)
C1+A1+(A2+A3):
30W+18W+15W (63W Max)
C1+(C2+A1)+(A2+A3):
30W+15W+15W (60W Max)



Model:ZX-5U06T
(110W)

Output:
C1:(5V/9V/12V/15V/20V)/3A(60W)
C2:5V/3A,9V/2.7A,12V/2.1A (25W)
PPS:3.3-5.9V/3A,3.3-11V/2.25A
C3/A1/A2:5V/3A,9V/2A,
12V/1.5A(18W)
C2+C3+A1+A2:50W Max



Model:ZX-6U05T
(90W)

Output:
C1: 5V/3A,9V/3A,12V/3A,15V/3A,
20V/2.25A(45W)
PPS:3.3-11V/4.05A
C2:5V/3A,9V/2.77A,12V/2.1A(25W)
PPS:3.3-5.9V/3A,3.3-11V/2.25A
A1/A2/A3/A4:5V/2.4A(12W)
A1+A2+A3+A4:20W max

QC & Normal Chargers



Model:ZX-1U03Q
(18W)

Output:
5V/3A,9V/2A,12V/1.5A(18W)



Model:ZX-1U20
(5W)

Output:5V/1A(5W)



Model:ZX-1U21
(12W)

Output:5V/2.4A(12W)



Model:ZH-2U52Q
(36W)

Output:
A1/A2:5V/3A,9V/2A,
12V/1.5A(18W)each port



Model:ZX-1U26
(5W)

Output:5V/1A(5W)



Model:ZX-1U13
(12W)

Output:5V/2.4A(12W)

QC & Normal Chargers



Model:ZX-2U15
(12W)

Output:
A1/A2:5V/2.4A(12W)
A1+A2:5V/2.4A(12W Max)



Model:ZX-2U28
(12W)

Output:
A1/A2:5V/2.4A(12W)
A1+A2:5V/2.4A(12W Max)



Model:ZX-4U03
(25W)

Output:
A1+A2+A3+A4:5V/5A(25W)



Model:ZX-4U20Q
(33.5W)

Output:
A1/A2/A3:5V/2.4A
A4(QC):5V/3A,9V/2A,12V/1.5A(18W)
A1+A2+A3:5V/3.1A(15.5W)
A1+A2+A3+A4:33.5W Max

Power strip



Model:ZX-3U17P
(GaN 65W)

4000W Max, 16A Max, 250V~
Output :
C1:5V/3A,9V/3A,12V/3A,15V/3A,
20V/3.25A(65W)
PPS:3.3-11V/5A
C2:5V/3A,9V/3A,12V/2.5A,
15V/2A,20V/1.5A(30W)
A: 5V/4.5A,4.5V/5A,9V/3A,
12V/2.5A,20V/1.5A(30W)
Plug type: EU/KR



Model:ZX-3U19P
(GaN 100W)

4000W Max, 16A Max, 250V~
Output:
C1/C2:5V/3A,9V/3A,12V/3A,
15V/3A,20V/5A(100W)
PPS 3.3V-21V/5A
A:5V/4.5A,4.5V/5A,9V/3A,
12V/2.5A,20V/1.5A(30W)
Plug type: EU/KR

BSCI / ISO9001 / ICS

10+ YEARS OF OEM/ODM | specializes in the R&D,manufacture, sales and service of USB Charger.

RoHS CE FC CB

Intertek 5020511



ZONSAN

Tel:+86-755-28287707
Fax:+86-755-89672132

sales1@zx-power.com
www.zonsanpower.com
www.zx-power.com

Factory add: 2/F,Wanhefeng Industrial Building,
Xihuan Road,Buji Street,Longgang District,Shenzhen,Guangdong,China