






灿业电器
插头插座制造专家

ADAPTER TO THE WORLD



TO BE NO.1
OF TRAVEL ADAPTER SUPPLIER
CATALOGUE



专业研发生产全球USB转换插头，墙壁插座，旅行插座，工业插头
USB conversion plug, wall charger, travel charger, R&D manufacturer, Industrial plug



欢迎您来我们工厂参观

关于Reisende

- Reisende成立于2005年,公司拥有二十余年的电器制造历史,是专注于产品研发,设计,生产,销售为一体的技术型企业。
- Reisende拥有专业的市场调研,产品策划,产品研发模具开发,项目测试,注塑成型,成品组装,配件设计,品质全检,物流跟踪及售后回访团队,并以客户第一品质至上的价值观,提供高效优质的一站式项目服务。
- Reisende全面实施严格的质量管理体系,认证。我们重视品质,在生产和管理上引进国际化的管理理念,产品通过CE/FCC/ROHS/UKCA/IEC60884/IEC62368/CB/BS8546等相关认证,充分保证产品质量,热销遍布全球150多个国家和地区。
- 我们的主要产品有USB转换插头,旅行适配器,电源插线板,壁式墙插,夜灯插座等,经过18年不断创新追求卓越的品牌理念深受客户信赖和认可,是国际/国内品牌首选供应商,我们希望与您真诚合作,共同成长!



办公室



生产车间



注塑车间

资质证书



BSCI



ISO9001



发明专利



LVD/EMC



RoHS



FCC



中国强制认证 (3C认证)




BS8546



ETL



CP65



公司一角



模具加工



模房室




生产车间



组装车间



超声波



耐压测试



测试组



老化房



包装线



仓库



装柜出货

英式多功能各国旅行插座

UK Travel Plug Adapter




2USB-C



2USB-A



US Socket




USB-A:5V2.4A MAX

USB-C:5V3A MAX



801英规插座单转壁插



Product Specification

- ◆ Model :801
- ◆ Material :Fireproof material
- ◆ Input Voltage:100V-250V AC,50/60HZ
- ◆ Maxload:10A
- ◆ Power rating :2500W(Max 250V ,10A)
- ◆ Single USB : 5V $\equiv$ 2.4A
- ◆ Type-C Port:5V $\equiv$ 3.0A
- ◆ Total Output:5V $\equiv$ 3.4A MAX



TYPE B



TYPE E/F



TYPE G



TYPE C



TYPE A



TYPE I



TYPE D

通用多功能各国旅行插座

Universal Travel Plug Adapter



2USB-C



2USB-A



Universal

USB-A:5V2.4A MAX

USB-C:5V3A MAX



801通用插座单转壁插



Product Specification

- ◆ Model :801
- ◆ Material :Fireproof material
- ◆ Input Voltage:100V-250V AC,50/60HZ
- ◆ Maxload:10A
- ◆ Power rating :2500W(Max 250V ,10A)
- ◆ Single USB : 5V $\equiv$ 2.4A
- ◆ Type-C Port:5V $\equiv$ 3.0A
- ◆ Total Output:5V $\equiv$ 3.4A MAX



TYPE B



TYPE E/F



TYPE G



TYPE C



TYPE A



TYPE I



TYPE D

澳式多功能各国旅行插座

AU Travel Plug Adapter



2USB-C




2USB-A



US Socket

USB-A: 5V 2.4A MAX

USB-C: 5V 3A MAX




801澳规插座单转壁插



Product Specification

- ◆ Model :801
- ◆ Material :Fireproof material
- ◆ Input Voltage:100V-250V AC,50/60HZ
- ◆ Maxload:10A
- ◆ Power rating :2500W(Max 250V ,10A)
- ◆ Single USB : 5V $\equiv$ 2.4A
- ◆ Type-C Port:5V $\equiv$ 3.0A
- ◆ Total Output:5V $\equiv$ 3.4A MAX



TYPE B



TYPE E/F



TYPE G



TYPE C



TYPE A



TYPE I



TYPE D

美式多功能各国旅行插座

US Travel Plug Adapter



USB-A:5V2.4A MAX

USB-C:5V3A MAX



802美规插座单转壁插



- Product Specification**
- ◆ Model :802
 - ◆ Material :Fireproof material
 - ◆ Input Voltage:100V-250V AC,50/60HZ
 - ◆ Maxload:10A
 - ◆ Power rating :2500W(Max 250V ,10A)
 - ◆ Single USB : 5V $\equiv$ 2.4A
 - ◆ Type-C Port:5V $\equiv$ 3.0A
 - ◆ Total Output:5V $\equiv$ 3.4A MAX



TYPE B TYPE E/F TYPE G TYPE C TYPE A TYPE I TYPE D


意大利多功能各国旅行插座

Italy Travel Plug Adapter



USB-A: 5V2.4A MAX

USB-C: 5V3A MAX



803意大利拓展转换壁插



Travel Chargers

Model: CN-803US

For convenient use in all countries that feature Italy to US standard sockets



Specifications

- AC input: 100V-250V Max: 10A
- USB output: 5V 2400mA
- AC output: No variable pressure
- Plug include: Italy/USZHIY plugs
- Weight: 110g
- Size: 50x70x70mm

Compatibility on the socket side



Travel Chargers

Model: CN-803UK


For convenient use in all countries that feature Italy to UK standard sockets



Specifications

- AC input: 100V-250V Max: 10A
- USB output: 5V 2400mA
- AC output: No variable pressure
- Plug include: Italy/UK plugs
- Weight: 110g
- Size: 50x70x70mm

Compatibility on the socket side



Travel Chargers

Model: CN-803IT

For convenient use in all countries that feature Italy to UK standard sockets



Specifications

- AC input: 100V-250V Max: 10A
- USB output: 5V 2400mA
- AC output: No variable pressure
- Plug include: Italy/UK plugs
- Weight: 110g
- Size: 50x70x70mm

Compatibility on the socket side



意大利欧规多功能各国旅行插座

Italy EU Travel Plug Adapter



USB-A:5V2.4A MAX

USB-C:5V3A MAX



804意大利欧规拓展转换壁插



Travel Chargers

Model:CN-804US

For convenient use in all countries that feature Italy to US standard sockets



Specifications

- AC input:100V-250V Max:10A
- USB output:5V 2400mA
- AC output:No variable pressure
- Plug include:Italy/USZHIY plugs
- Weight:110g
- Size:50x70x70mm

Compatibility on the socket side



Travel Chargers

Model:CN-804UK

For convenient use in all countries that feature Italy to UK standard sockets



Specifications

- AC input:100V-250V Max:10A
- USB output:5V 2400mA
- AC output:No variable pressure
- Plug include:Italy/UK plugs
- Weight:110g
- Size:50x70x70mm

Compatibility on the socket side



Travel Chargers

Model:CN-804IT

For convenient use in all countries that feature Italy to UK standard sockets



Specifications

- AC input:100V-250V Max:10A
- USB output:5V 2400mA
- AC output:No variable pressure
- Plug include:Italy/UK plugs
- Weight:110g
- Size:50x70x70mm

Compatibility on the socket side



欧规魔方无线拓展插座 Wireless-Steckdose Cube



3AC Socket



2USB-A



2USB-C

805魔方无线插座系列



USB Socket Charger

Model: CN-805DE

For convenient use in all countries that feature EU/GER/FRA standard sockets



Specifications

- Total Loading: 16A Max 250V~
- USB Input: AC 100V-250V 50/60Hz
- Type-C: 5V 3000mA
- Single USB: 5V 2400mA
- Total output: 5V 3400mA Max
- Socket: 3 AC German socket
- Weight: 180g
- Size: 75x75x100mm

Compatibility on the socket side



Type C
Euro/CH/IT/Brazil



Type F+E
Germany/France



USB Socket Charger

Model: CN-805FR

For convenient use in all countries that feature GER/FRA standard sockets



Specifications

- Total Loading: 16A Max 250V~
- USB Input: AC 100V-250V 50/60Hz
- Type-C: 5V 3000mA
- Single USB: 5V 2400mA
- Total output: 5V 3400mA Max
- Socket: 3 AC French socket
- Weight: 180g
- Size: 75x75x62mm

Compatibility on the socket side



Type F+E
Germany/France



USB Socket Charger

Model: CN-805EU

For convenient use in all countries that feature EU/GER/FRA standard sockets



Specifications

- Total Loading: 16A Max 250V~
- USB Input: AC 100V-250V 50/60Hz
- Type-C: 5V 3000mA
- Single USB: 5V 2400mA
- Total output: 5V 3400mA Max
- Socket: 1 AC German + 2 AC European sockets
- Weight: 180g
- Size: 76x76x100mm

Compatibility on the socket side



Type C
Euro/CH/IT/Brazil



Type F+E
Germany/France

欧规魔方1.5M拓展插座 EU 1.5M cube socket



805魔方1.5M线插座系列



USB Socket Charger

Model: CN-805DE

For convenient use in all countries that feature EU/GER/FRA standard sockets



Specifications

- Total Loading: 16A Max 250V~
- USB Input: AC 100V-250V 50/60Hz
- Type-C: 5V $\approx$ 3000mA
- Single USB: 5V $\approx$ 2400mA
- Total output: 5V $\approx$ 3400mA Max
- Line length: 1.5m Socket: 3 AC German socket
- Weight: 330g Size: 75x75x62mm

Compatibility on the socket side



Type C Euro/CH/IT/Brazil
Type F+E Germany/France



USB Socket Charger

Model: CN-805FR

For convenient use in all countries that feature EU/GER/FRA standard sockets



Specifications

- Total Loading: 16A Max 250V~
- USB Input: AC 100V-250V 50/60Hz
- Type-C: 5V $\approx$ 3000mA
- Single USB: 5V $\approx$ 2400mA
- Total output: 5V $\approx$ 3400mA Max
- Line length: 1.5m Socket: 3 AC French socket
- Weight: 330g Size: 75x75x62mm

Compatibility on the socket side



Type F+E Germany/France



USB Socket Charger

Model: CN-805EU

For convenient use in all countries that feature EU/GER/FRA standard sockets



Specifications

- Total Loading: 16A Max 250V~
- USB Input: AC 100V-250V 50/60Hz
- Type-C: 5V $\approx$ 3000mA
- Single USB: 5V $\approx$ 2400mA
- Total output: 5V $\approx$ 3400mA Max
- Socket: 1 AC German + 2 AC European sockets
- Weight: 330g Size: 75x75x62mm

Compatibility on the socket side



Type C Euro/CH/IT/Brazil
Type F+E Germany/France

欧规转美规、英规、日规、德规插座 6 IN 1 ADAPTER EU TO US/UK/JP/Germany



1 USB-C



3 USB-A



EU Socket



Schuko

806德式插座多转系列



2X
USB
2400mA

2X
Type-C
3000mA

USB Socket Charger

Model: CN-806

For convenient use in all countries that feature Euro standard sockets



Specifications

- Total Loading: 16A Max 250V~
- USB Input: AC 100V-250V 50/60Hz
- Type-C: 5V = 3000mA
- Single USB: 5V = 2400mA
- Total output: 5V = 3400mA Max
- Plug include: UK/USA/JP/GER To EU/GER/FRA
- Weight: 140g Size: 75x70x75mm

Compatibility on the socket side



Type C
Euro/CH/IT/Brazil



Type F+E
Germany/France



Type A
Japan



Type B
USA



Type G
UK

全球通用旅行适配器插头

Universal travel adapter



2xUSB-C



2xUSB-A



Universal



USB-A:5V2.4A MAX

USB-C:5V3A MAX



807通用旅行适配器



2x
USB
2400mA

2x
Type-C
3000mA

Universal travel plug

Model:CN-807

For convenient use in all countries that feature
EU US UK AU



Specifications

- Total Loading:10A Max 250V~
- USB Input:AC 100V-250V 50/60Hz
- Type-C:5V $\approx$ 3000mA
- Single USB:5V $\approx$ 2400mA
- Total output:5V $\approx$ 3400mA Max
- Plug include:UK/USA /AUS/EU To Universal
- Weight:140g Size:75x70x75mm

Compatibility on the socket side



2x
USB
2400mA

2x
Type-C
3000mA

Universal travel plug

Model:CN-807

For convenient use in all countries that feature
EU US UK AU



Specifications

- Total Loading:10A Max 250V~
- USB Input:AC 100V-250V 50/60Hz
- Type-C:5V $\approx$ 3.0A,9V $\approx$ 2.22A, 12V $\approx$ 1.67A PD20W MAX
- Single USB:5V $\approx$ 3.0A,9V $\approx$ 2A, 12V $\approx$ 1.5A QC3.0 18W MAX
- Total output:5V $\approx$ 3000mA Max
- Plug include:UK/USA /AUS/EU To Universal
- Weight:140g Size:75x70x75mm

Compatibility on the socket side



65W GaN III

FASTER CHARGING

5-in-1 Travel Adapter
去哪里旅行都带它，畅游全球250+国家



2USB-C



2USB-A



1Universal
Socket



808通用旅行适配器



2X
USB
2400mA

2X
Type-C
3000mA

Universal travel plug

Model:CN-808

For convenient use in all countries that feature
EU US UK AU



Specifications

- Total Loading: 10A Max 250V~
- USB Input: AC 100V-250V 50/60Hz 0.4A
- Type-C: 5V = 3000mA
- Single USB: 5V = 2400mA
- Total output: 5V = 3400mA Max
- Plug include: UK/USA To EU/GER/FRA
- Weight: 140g Size: 75x70x75mm

Compatibility on the socket side



Type C
Euro/CH/IT/Brazil

Type I
AUS

Type B
USA

Type G
UK



2X
USB
2400mA

2X
Type-C
3000mA

Universal travel plug

Model:CN-808

For convenient use in all countries that feature
EU US UK AU



Specifications

- Total Loading: 10A Max 250V~
- USB Input: AC 100V-250V 50/60Hz 0.4A
- Type-C: 5V = 3000mA
- Single USB: 5V = 2400mA
- Total output: 5V = 3400mA Max
- Plug include: UK/USA To EU/GER/FRA
- Weight: 140g Size: 75x70x75mm

Compatibility on the socket side



Type C
Euro/CH/IT/Brazil

Type I
AUS

Type B
USA

Type G
UK

全球通用旅行适配器插头 Universal travel adapter



超级快充 旅行必备

5合1通用旅行适配器

去哪里旅行都带它，畅游全球250+国家

65w

808通用旅行适配器



Specifications

AC input: 100V-250V Max: 10A
Single port output
USB C1 Output: 5.0V/3.0A, 9.0V/3.0A, 12.0V/2.90A, 15.0V/2.33A, 20.0V/1.75A (35W Max)
USB C2 Output: 5.0V/3.0A (15W Max)
USB A1/A2 Output: 5.0V/3.0A (15W Max)
Dual port output:
USB C1+C2 Output: 20W+15W;
USB C1+USB A1 or A2 Output: 20W+15W;
USB A1+A2 Output: 5.0V/3.0A
Three port output:
USB C1+C2+USB A1 or A2 Output: 20W+15W
USB C1+USB A1+A2 Output: 20W+15W
USB C2+USB A1+A2 Output: 5.0V/3.0A
Four port output:
USB C1+C2+USB A1 or A2 Output: 20W+15W



Specifications

AC input: 100V-250V Max: 10A
Single port output
USB C1 Output: 5.0V/3.0A, 9.0V/3.0A, 12.0V/3.0A, 15.0V/3.0A, 20.0V/2.25A (45W Max)
USB C2 Output: 5.0V/3.0A, 9.0V/2.22A, 12.0V/1.67A (20W Max)
USB A1/A2 Output: 5.0V/3.0A, 9.0V/2.0A, 12.0V/1.5A (18W Max)
Dual port output:
USB C1+C2 Output: 30W+20W;
USB C1+USB A1 or A2 Output: 30W+18W;
USB C2+USB A1 or A2 Output: 5.0V/3.0A (15W Max)
USB A1+A2 Output: 5.0V/3.0A (15W Max)
Three port output:
USB C1+C2+USB A1 Output: 30W+15W
USB C1+USB A1+A2 Output: 30W+15W
USB C2+USB A1+A2 Output: 5.0V/3.0A 15W
Four port output:
USB C1+C2+USB A1+A2 Output: 30W+15W



Specifications

AC input: 100V-250V Max: 10A
Single port output
USB C1 Output: 5.0V/3.0A, 9.0V/3.0A, 12.0V/3.0A, 15.0V/3.0A, 20.0V/3.25A (65W Max),
USB C2 Output: 5.0V/3.0A, 9.0V/2.22A, 12.0V/1.67A (20W Max)
USB A1/A2 Output: 5.0V/3.0A, 9.0V/2.0A, 12.0V/1.5A (18W Max)
Dual port output:
USB C1+C2 Output: 45W+20W;
USB C1+USB A1 or A2 Output: 45W+18W;
USB C2+USB A1 or A2 Output: 5.0V/3.0A (15W Max)
USB A1+A2 Output: 5.0V/3.0A (15W Max)
Three port output:
USB C1+C2+USB A1 Output: 45W+15W
USB C1+USB A1+A2 Output: 45W+15W
USB C2+USB A1+A2 Output: 5.0V/3.0A 15W
Four port output:
USB C1+C2+USB A1+A2 Output: 45W+15W

欧规各国旅行可拆卸替换插头

EU Travel Disassembly Plug Adapter



2X USB-C



2X USB-A



EU Socket

USB-A: 5V 2.4A MAX

USB-C: 5V 3A MAX

809欧规壁插可替换插头



Product Specification

- ◆ Model : 809
- ◆ Material : Fireproof material
- ◆ Input Voltage: 100V-250V AC, 50/60HZ
- ◆ Maxload: 10A
- ◆ Power rating : 2500W(Max 250V , 10A)
- ◆ Single USB : 5V $\approx$ 2.4A
- ◆ Type-C Port: 5V $\approx$ 3.0A
- ◆ Total Output: 5V $\approx$ 3.4A MAX



TYPE I



TYPE A



TYPE B



TYPE G



TYPE D



TYPE M



TYPE C



TYPE E/F

美规降压排插220V转110插座 US voltage reduction plug 220V to 110 socket



1USB-C



3USB-A



3US Socket

811美规降压排插



3X
USB
2400mA

2X
Type-C
3000mA

US voltage reducing plug

Model:CN-811

For convenient use in all countries that feature
EU US UK AU



Specifications

- Total Loading: 110V 10A or 250v10A
- USB Input: AC 100V-250V 50/60Hz 0.4A
- Type-C: 5V $\approx$ 3000mA
- Single USB: 5V $\approx$ 2400mA
- Total output: 5V $\approx$ 3400mA Max
- Plug include: UK/USA To EU/GER/FRA
- Weight: 550g Size: 75x70x75mm

Compatibility on the socket side



Type C
Euro/CH/IT/Brazil



Type I
AUS



Type B
USA



Type G
UK



美规降压旅行可拆卸插头适配器

US voltage reducing travel plug



2 USB-C



2 USB-A




US Socket



US Socket

USB-A: 5V 2.4A MAX

USB-C: 5V 3A MAX



815美规旅行降压插头



Product Specification

- ◆ Model : 815
- ◆ Material : Fireproof material
- ◆ Input Voltage : 100V-250V AC, 50/60HZ
- ◆ Maxload: 10A
- ◆ Power rating : 2500W (Max 250V, 10A)
- ◆ Single USB : 5V $\approx$ 2.4A
- ◆ Type-C Port: 5V $\approx$ 3.0A
- ◆ Total Output: 5V $\approx$ 3.4A MAX



TYPE I



TYPE A



TYPE B



TYPE G



TYPE D



TYPE M



TYPE C



TYPE E/F




美规降压旅行可拆卸插头适配器

US voltage reducing travel plug



816美规旅行降压插头



Product Specification

- ◆ Model :815
- ◆ Material :Fireproof material
- ◆ Input Voltage:100V-250V AC,50/60HZ
- ◆ Maxload:10A
- ◆ Power rating :2500W(Max 250V ,10A)
- ◆ Single USB : 5V $\approx$ 2.4A
- ◆ Type-C Port:5V $\approx$ 3.0A
- ◆ Total Output:5V $\approx$ 3.4A MAX



TYPE I

TYPE A

TYPE B

TYPE G

TYPE D

TYPE M

TYPE C

TYPE E/F



601 欧式插座单转系列



Travel Chargers

Model: 601


For convenient use in all countries that feature US to EU DE US UK AU standard sockets




Specifications

- Total Loading: 10A-13A Max 250V~
- USB Input: AC 100V-250V 50/60Hz 0.4A
- Type-C: 5V 3000mA
- Single USB: 5V 2400mA
- Total output: 5V 3400mA Max
- Weight: 100g
- Size: 70x50x64mm


Compatibility on the socket side




Model: 601UK
Size: 50x70x65mm



Model: 601US
Size: 50x70x60mm



Model: 601DE
Size: 50x70x70mm



Model: 601AU
Size: 50x70x70mm



603欧式插座单转系列



Travel Chargers

Model:603

For convenient use in all countries that feature EU to DE US UK AU standard sockets




Specifications

- Total Loading:10A-13A Max 250V~
- USB Input:AC 100V-250V 50/60Hz 0.4A
- Type-C:5V 3000mA
- Single USB:5V 2400mA
- Total output:5V 3400mA Max
- Weight:100g
- Size:70x50x64mm

Compatibility on the socket side



Europe to UK



Model: 603UK
Size: 50x70x65mm




Europe to US



Model: 603US
Size: 50x70x60mm



Europe to Germany



Model: 603DE
Size: 50x70x70mm



Europe to AU



Model: 603AU
Size: 50x70x70mm

WIDE VOLTAGE DESIGN

100V-250V

Meet the charging needs at different voltages



美规2USB插座转换系列



Travel Chargers

Model: CN-7A

For convenient use in all countries that feature US to UK standard sockets



Specifications

- AC input: 100V-250V Max: 6A
- USB output: 5V 2400mA
- AC output: No variable pressure
- Plug include: US/UK plugs
- Weight: 85g
- Size: 54x71x51mm

Compatibility on the socket side



Travel Chargers

Model: CN-11A

For convenient use in all countries that feature US to EU standard sockets



Specifications

- AC input: 100V-250V Max: 6A
- USB output: 5V 2400mA
- AC output: No variable pressure
- Plug include: US/EU plugs
- Weight: 85g
- Size: 54x71x63mm

Compatibility on the socket side



Travel Chargers

Model: CN-12A

For convenient use in all countries that feature US to EU standard sockets



Specifications

- AC input: 100V-250V Max: 6A
- USB output: 5V 2400mA
- AC output: No variable pressure
- Plug include: US/EU plugs
- Weight: 90g
- Size: 54x71x63mm

Compatibility on the socket side



伊朗定时插头发光插座

Iran Timing plug LED luminous socket

Hot selling in Iran, competing products from Hadron
OEM/ODM, Exclusive molds in China



|| 伊朗定时发光插座



+ 型号/Model: PS-03
+ 尺寸 / Size: 55x50x70mm
+ 重量 / Weight: 65g



+ 型号/Model: PS-01
+ 尺寸 / Size: 45x45x65mm
+ 重量 / Weight: 46g



+ 型号/Model: PS-04
+ 尺寸 / Size: 55x50x70mm
+ 重量 / Weight: 65g



+ 型号/Model: PS-05
+ 尺寸 / Size: 45x45x65mm
+ 重量 / Weight: 46g

REISEADAPTER WELTWEIT

18W

USB-A Output : 5V/3A MAX

60%

USB-C Output : 5V/3A MAX (PD 18W)

90%

通用旅行插头适配器

3A
1C+2U



Travel Chargers

Model:CN-148

For travellers from all over the world to more than 220 countries



Specifications

- AC input:100V-250V 50/60Hz
- USB output:5V 3000mA
- Type-C:5V 3000mA
- Power:DC-15W,AC-1500W
- AC output:No variable pressure
- Male plug include:AU/US/UK/EU plugs
- Weight:135g Size:61x50x55mm

Compatibility on the socket side



Type A USA/Japan
Type G UK
Type I AUS/China
Type C Euro/CH/IT/Brazil

2.1A
2U



Travel Chargers

Model:CN-148

For travellers from all over the world to more than 220 countries



Specifications

- AC input:100V-250V Max:6A
- USB output:5V 2100mA
- AC output:No variable pressure
- Male plug include:AU/US/UK/EU plugs
- Weight:110g
- Size:61x45x56mm

Compatibility on the socket side



Type A USA/Japan
Type G UK
Type I AUS/China
Type C Euro/CH/IT/Brazil

2.4A
1C+1U



Travel Chargers

Model:CN-148

For travellers from all over the world to more than 220 countries



Specifications

- AC input:100V-250V 50/60Hz
- USB output:5V 2400mA
- AC output:No variable pressure
- Male plug include:AU/US/UK/EU plugs
- Weight:120g
- Size:65x60x53mm

Compatibility on the socket side



Type A USA/Japan
Type G UK
Type I AUS/China
Type C Euro/CH/IT/Brazil

Built in Multiple Protection

Certified by CE/FCC/RoHS, no concern about the safety



Short Circuit
Protection



Over-voltage
Protection



Over-current
Protection



Over-temperature
Protection



通用旅行插头适配器

2.1A
2U



Travel Chargers

Model:CN-932

For travellers from all over the world to more than 220 countries



Specifications

- AC input:100V-250V Max:6A
- USB output:5V 1000mA (5V 2100mA)
- AC output:No variable pressure
- Male plug include:AU/US/UK/EU plugs
- Weight:110g
- Size:76x48x40mm

Compatibility on the socket side



Type A
USA/Japan



Type G
UK



Type I
AUS/China



Type C
Euro/CH/IT/Brazil

3A
1C+1U



Travel Chargers

Model:CN-932

For travellers from all over the world to more than 220 countries



Specifications

- AC input:100V-250V Max:6A
- USB output:5V 1000mA (5V 3000mA)
- AC output:No variable pressure
- Male plug include:AU/US/UK/EU plugs
- Weight:110g
- Size:76x48x40mm

Compatibility on the socket side



Type A
USA/Japan



Type G
UK



Type I
AUS/China



Type C
Euro/CH/IT/Brazil

NEWVANGA
PD & OC 3.0 FAST CHARGER
TRAVEL ADAPTER
 3X charging speed up



通用旅行插头适配器

2.4A
1C+2U



Travel Chargers

Model:CN-931E

For travellers from all over the world to more than 220 countries



Specifications

- AC input:100V-250V Max:6A
- USB output:5V 2400mA (5V 2400mA)
- AC output:No variable pressure
- Male plug include:AU/US/UK/EU plugs
- Weight:110g
- Size:4x54x53mm

Compatibility on the socket side



Type A
USA/Japan

Type G
UK

Type I
AUS/China

Type C
Euro/CH/IT/Brazil

1A
2U



Travel Chargers

Model:CN-931D

For travellers from all over the world to more than 220 countries



Specifications

- AC input:100V-250V Max:6A
- USB output:5V 1000mA
- AC output:No variable pressure
- Male plug include:AU/US/UK/EU plugs
- Weight:100g
- Size:84x54x53mm

Compatibility on the socket side




Type A
USA/Japan

Type G
UK

Type I
AUS/China

Type C
Euro/CH/IT/Brazil



Travel Chargers

Model:CN-931L

For travellers from all over the world to more than 220 countries



Specifications

- AC input:100V-250V Max:6A
- AC output:No variable pressure
- Male plug include:AU/US/UK/EU plugs
- Weight:90g
- Size:77x51x40mm

Compatibility on the socket side



Type A
USA/Japan

Type G
UK

Type I
AUS/China

Type C
Euro/CH/IT/Brazil



多功能全球通用旅行插头

2.1A
2U



Travel Chargers

Model:CN-112

For travellers from all over the world to more than 220 countries



Specifications

- AC input:100V-250V Max:6A
- USB output:5V 1000mA (5V 2100mA)
- AC output:No variable pressure
- Male plug include:AU/US/UK/EU plugs
- Replaceable fuse:2 spare fuses included
- Weight:140g Size:64x49x70mm

Compatibility on the socket side



Type A USA/Japan
Type G UK
Type I AUS/China
Type C Euro/CH/IT/Brazil

1A
1U



Travel Chargers

Model:CN-101U

For travellers from all over the world to more than 220 countries



Specifications

- AC input:100V-250V Max:6A
- USB output:5V 1000mA
- AC output:No variable pressure
- Male plug include:AU/US/UK/EU plugs
- Weight:130g
- Size:86x55x60mm

Compatibility on the socket side



Type A USA/Japan
Type G UK
Type I AUS/China
Type C Euro/CH/IT/Brazil

1A
2U



Travel Chargers

Model:CN-109

For travellers from all over the world to more than 220 countries



Specifications

- AC input:100V-250V Max:6A
- USB output:5V 1000mA (5V 2100mA)
- AC output:No variable pressure
- Male plug include:AU/US/UK/EU plugs
- Weight:110g
- Size:50x40x84mm

Compatibility on the socket side



Type A USA/Japan
Type G UK
Type I AUS/China
Type C Euro/CH/IT/Brazil

组合式全球通用旅行插头



Travel Chargers

Model: CN-104

For travellers from all over the world to more than 220 countries



Specifications

- AC input: 100V-250V Max: 6A
- AC output: No variable pressure
- Male plug include: AU/US/UK/EU plugs
- Weight: 95g
- Size: 85x48x48mm

Compatibility on the socket side



Type A
USA/Japan

Type G
UK

Type I
AU/China

Type C
Euro/CH/IT/Brazil

1A
1U



Travel Chargers

Model: CN-109

For travellers from all over the world to more than 220 countries



Specifications

- AC input: 100V-250V Max: 6A
- USB output: 5V 1000mA
- AC output: No variable pressure
- Male plug include: AU/US/UK/EU plugs
- Weight: 120g
- Size: 48x48x110mm

Compatibility on the socket side




Type A
USA/Japan

Type G
UK

Type I
AU/China

Type C
Euro/CH/IT/Brazil

组合式全球通用旅行插头



Travel Chargers

Model: CN-104

For travellers from all over the world to more than 220 countries



Specifications

- AC input: 100V-250V Max: 6A
- AC output: No variable pressure
- Male plug include: AU/US/UK/EU plugs
- Weight: 95g
- Size: 85x48x48mm

Compatibility on the socket side



Type A
USA/Japan

Type G
UK

Type I
AU/China

Type C
Euro/CH/IT/Brazil

1A
1U



Travel Chargers

Model: CN-109

For travellers from all over the world to more than 220 countries



Specifications

- AC input: 100V-250V Max: 6A
- USB output: 5V 1000mA
- AC output: No variable pressure
- Male plug include: AU/US/UK/EU plugs
- Weight: 120g
- Size: 48x48x110mm

Compatibility on the socket side



Type A
USA/Japan

Type G
UK

Type I
AU/China


Type C
Euro/CH/IT/Brazil

欧规旅行单转插头 EU travel wall socket

美规/日规/英规/欧规/印度/南非/瑞士/意大利/澳规



EU欧规各国转换插头系列



WD系列通用转换插座



SD系列欧美转换插座



UK系列英规转换插座



US系列美规转换插座



AS系列澳规转换插座



WK系列国标转换插座



SS系列通用安全门插座



WY系列各国转换插座



|| 各国转换插头插座



|| 各国小插头系列



|| 各国转换插头插座



|| 各国拓展插头插座



|| 各国转换插头插座



|| QZ系列各国转换插头



|| 新款通用旅行适配器

OEM / ODM 定制参数

3.4A PD 20W PD 35W PD 65W PD 100W



OEM / ODM 定制参数

3.4A PD 20W PD 35W PD 65W PD 100W



质量第一 用户至上
务实创新 恪守信誉

专业研发生产全球USB转换插头，墙壁插座，旅行插座，工业插头
USB conversion plug, wall charger, travel charger, R&D manufacturer, Industrial plug

东莞市灿业电器有限公司

☎ 0769-82305321 ☎ 18929239053

✉ kevin@reisendeplug.vip

🌐 <https://worldplugs.en.alibaba.com/>

📍 广东省东莞市横沥镇和平路161号



阿里国际