

Amanda Ren

Sales Manager

Anping Yaqi Wire Mesh Co.,Ltd

E-mail:Sales3@yaqiwiremesh.com

Skype:ren.amanda3

QQ:2181246247

Whatsapp:0086-13739703318

Mobile: 0086-13393182383

Address:Hehuang Road No.168,Anping county,
Hengshui,Hebei,China



企业简介 ENTERPRISE INTRODUCTION

河北安平县亚奇丝网制品有限公司创建于1998年本公司秉承“一诺千金”的经营理念服务广大客户,欢迎广大客户来电洽谈。



主营产品:镀锌丝、包塑丝、捆扎丝、黑铁丝、U型丝、小卷丝、绑丝、刺绳、六角网、护栏网、电焊网、格宾网、方形网、轧花网、钢板网、刀片刺网、勾花网、围网、圆网、冲孔网、六角网、滤芯、滤网、滤片、试验筛、标准筛等等。

我公司产品广泛应用于国防、工业、铁路、公路、造纸、矿山、机械、纺织、食品、医药、养殖、海洋、航空、石油、化工、建筑材料、农业园林、公园、商场、电子、家电等工业部门和科研领域的防护筛网装饰等。客户遍及全国各地,产品远销欧美、日本、中东及东南亚等国家和地区。

产品销往全国各地,同时出口到欧洲、中东、东南亚、香港等许多国家和地区,优质的产品质量和最具竞争力的价格赢得了国内外客户的好评和赞誉。我公司投资并引进先进的管理后现今主要从事金属丝网、筛网、丝网制品的生产和国内外贸易。多年来我公司奉行“以质量求生存、以信誉求发展”的企业宗旨,坚持“质量第一、用户第一、诚信第一”的发展意识,在丝网行业中持续创造佳绩,在新老客户中不断取得信赖。欢迎来我公司考察。

Anping Yaqi Wire Mesh Products Co., Ltd. was founded in 1998. It is a professional enterprise in research and development, production and sales of various wire mesh and metal products, is a wire drawing, galvanized, meshes deep processing industry and trade integration of large enterprises. We have advanced equipment, rich expertise and scientific production procedure, strict quality control system. During the past years, we have been striving to develop and improve ourselves. Our products exported to Europe, Southeast Asia, the Middle East and around the world, get high praise from domestic and foreign customers and an excellent reputation for superior quality. Our main products are: Galvanized Iron Wire, PVC coated Wire, Binding Wire, Black Iron Wire, U Type Wire, Small Coil Wire, Cutting Wire, Barbed Wire, Hexagonal Wire Netting, Wire Mesh Fence, Welded Wire Mesh, Gabion Mesh, Square Wire Mesh, Crimped Wire Mesh, Expanded Metal Mesh, Razor Barbed Wire, Chain Link Fence, Grassland Fence, Window Screen, Perforated Metal, Hexmesh, Wedge Wire Screens, Filter Element, Filter Cylinders, Filter Discs, Test Sieve & Standard Sieve. Our Faith is "Competitive Price, Good Quality and Efficient Service". We sincerely hope to build up good business relationship with you on the basis of mutual benefit.

企业资质 ENTERPRISE QUALIFICATION





www.yaqiwiremesh.com 

www.yaqiwiremesh.com 

地址：河北省安平徐滩工业区2号

电话：+86-318-7803166 +86-318-7539880

石家庄客服：+86-311-85902971 66575579

传真：+86-318-8060133

手机：13932825518 13323185518

网址：Http://www.yaqiwiremesh.com

邮箱：sales@yaqiwiremesh.com

Add: No. 2, Xu tuan Industrial Park, Anping County, Hebei Province, China

Tel: +86-318-7803166, +86-318-7539880

SHIJIAZHANG: +86-311-85902971 66575579

Fax: +86-318-8060133

Mob: 13932825518 13323185518

Url: http://www.yaqiwiremesh.com

E-mail: sales@yaqiwiremesh.com

安平县亚奇丝网制品有限公司

ANPING YAQI WIRE MESH PRODUCTS CO.,LTD

中国 * 河北

HEBEI * CHINA

Hexagonal Wire Mesh

六角网>>>

电话: +86-318-7803166 +86-318-7539880
传真: +86-318-8060133
网址: <http://www.yaqiwiremesh.com>
邮箱: sales@yaqiwiremesh.com

材质: 低碳钢丝、不锈钢丝、PVC铁丝、紫铜丝

编织: 正捻、反捻、双向搓捻、先编后镀、先镀后编, 又分热镀锌、锌铝合金、电镀锌、PVC包塑等。

特点: 结构坚固, 表面平坦, 具有良好的防腐蚀、抗氧化等特点

用途: 用于饲养鸡、鸭、鹅、兔及动物园围栏, 机械设备的防护, 高速公路护栏, 体育场围网, 马路绿化带防护网。该丝网在制作成箱子状的容器后, 用乱石等填满网箱, 可用于保护和支持海堤、山坡、路桥、水库及其他土木工程, 是防洪和抗洪上好材料。


material: low carbon steel wire, galvanized iron wire, stainless steel wire, pvc coated iron wire, brass wire, copper wire.

weaving: normal twist, reverse twist.

Processing: galvanized before woven, galvanized after woven. Electro galvanized, hot dipped galvanized, PVC coated, etc.

Features: strong structure, flat surface, good anti-corrosion, anti-oxidation, etc.

uses: for zoo fence, poultry fence like feeding chicken, ducks, geese, rabbits, and fishing net. and also construction plastering mesh, protection of mechanical equipment, highway guardrail, road virescene belt protection net. It can be fabricated into gabions boxes – one of the most popular wire products for flood control. Then stones are put into it. Laying of gabions make a wall or bank against water and flood.






Gabion Mesh

石笼网>>>

电话: +86-318-7803166 +86-318-7539880
传真: +86-318-8060133
网址: <http://www.yaqiwiremesh.com>
邮箱: sales@yaqiwiremesh.com

石笼网由高抗腐蚀、高强度、具有延展性的低碳钢丝或者包覆PVC的以上钢丝使用机械编织而成, 使用该网制作而成的箱型结构就是石笼网箱。根据ASTM和EN标准, 所使用的低碳钢丝直径根据工程设计要求而不同。一般介于2.0-4.0mm之间, 石笼网钢丝的抗拉强度不少于38kg/m², 金属镀层重量一般高于245g/m², 石笼网片的边缘线直径一般要大于网线直径。其双线绞合部分的长度不得小于50mm, 以保证绞合部分钢丝的金属镀层和PVC镀层不受破坏。

The gabion box, also called gabion basket, stone cage net, and reno mattress, is made of high corrosion resistant, high strength low carbon steel wire, galvanized iron wire, pvc coated iron wire. The zinc coating for the galvanized wire: 60g/m², 80g/m², 120g/m², 240g/m² or as customer request. according to ASTM and EN standard, the wire diameter of the gabion is different according to the engineering design requirements, generally it's between 2.0mm-4.0mm, mesh opening normally 80mm*100mm, or 60mm*80mm, 100mm*120mm, the tensile strength is not less than 38kg/m² and the edge line wire diameter of the stone gabion mesh is generally larger than the main wire diameter. to ensure the mesh more firm.




Reinforcing welded wire mesh 钢筋网>>>

电话: +86-318-7803166 +86-318-7539880
传真: +86-318-8060133
网址: <http://www.yaqiwiremesh.com>
邮箱: sales@yaqiwiremesh.com

钢筋网片是纵向钢筋和横向钢筋分别以一定的间距排列且互成直角、全部交叉点均焊接在一起的网片。按原材料可分为冷扎带肋钢筋网、冷光圆钢筋网、热轧带肋钢筋网,其中冷扎带肋钢筋网应用最广泛。钢筋网按钢筋的牌号、直径、长度和间距分为定型钢筋网和定制钢筋网两种。应用在工业与民用房屋的梁柱楼板、屋盖、墙体、混凝土路面、桥面铺装、机场跑道、道村墙、箱、码头地坪、预制构件等领域。

Reinforcing welded wire mesh panel is welded by reinforcement concrete rebar wire rod, or smooth wire rod, the rod diameter can be 4mm-20mm, mesh hole opening size is 100mm, 150mm, 200mm, or as customer request. per panel size can be 6000mm*2400mm, or 5800mm*2100mm, or 2000mm*1000mm, 4000mm*2000mm, or as customer request.

The surface finishment can be galvanized or ungalvanized. it meet the requirements of ASTM A185 and A497, SL62, SL82 or other standards. with solid firm structure, it is widely used for construction beam column, house roof, wall, concrete pavement, bridge pavement, tunnel pavement etc.



Construction mesh 建筑网片>>>

电话: +86-318-7803166 +86-318-7539880
传真: +86-318-8060133
网址: <http://www.yaqiwiremesh.com>
邮箱: sales@yaqiwiremesh.com

建筑网片是采用优质低碳铁丝、钢丝、不锈钢丝焊接而成,是一种新型建筑用墙体材料,它可替代砖墙做各种承重墙,非承重墙,阳台等。

用途: 广泛用于工矿业, 商业, 交通, 建筑业的(墙体用网, 地板采暖用网), 装饰, 园林绿化防护, 民用, 各行业的护栏等。

welded wire mesh panel devide into: iron wire mesh panel, stainless steel wire mesh panel, wire mesh fence panel, wall insulation mesh, window grid guard mesh panel, etc
material: high quality low carbon steel wire, hot dip galvanized iron wire, electro galvanized iron wire, stainless steel wire.

usages: widely used in mine industry, constrution, protection, decoration, animal cage, like chicken cage, bird cage, rabbit cage, etc

packing: on pallet or as customer request



Welded Wire Mesh

电焊网>>>

电话: +86-318-7803166 +86-318-7539880
传真: +86-318-8060133
网址: <http://www.yaqiwiremesh.com>
邮箱: sales@yaqiwiremesh.com

Welded Panel Mesh

电焊网片>>>

电话: +86-318-7803166 +86-318-7539880
传真: +86-318-8060133
网址: <http://www.yaqiwiremesh.com>
邮箱: sales@yaqiwiremesh.com

电焊网是用优质低碳钢丝排焊而成,然后再冷镀(电镀锌、热镀、PVC包塑等表面钝化、塑化处理,达到网面平整、网目均匀、焊点牢固、局部机加工性能良好、稳定、耐候性好、防腐蚀性好。

电焊网广泛应用于工业、农业、建筑、运输、采矿等行业。如机器防护罩、牲畜围栏、花木围栏、护窗栏、通道围栏、家禽笼、盛蛋筐及家庭办公室食品筐、纸篓及装饰用。

包装方式: 内部用防潮纸, 外面塑料膜或根据客户要求。

The welded wire mesh is welded by high quality low carbon steel wire, then electro galvanized, or hot dip galvanized, or pvc coated etc material: low carbon steel wire (electro galvanized iron wire, hot dip galvanized iron wire), stainless steel wire.

processing surface finishment: electro/hot dip galvanized before welding, electro/hot dip galvanized after welding, pvc coated, or as customer request. with film welding structure, and good corrosion resistance, it's widely used on industrial

field, agriculture, construction, transportation, mining and other industries.

such as plastering mesh, roof mesh, protection, poultry fence, window guard, machine guard, animal fence, garden fence, mesh cage etc packing: inner waterproof paper, outside plastic film or as customer request



(标准网)30米/卷 宽度0.3米-2.5米			
网眼	毫米	丝径	最大幅度
1/2" x 1/2"	5.08mm*5.08mm	0.40mm-1.0mm	1.5m
1/4" x 1/4"	6.35mm*6.35mm	0.4mm-1.0mm	1.5m
1/3" x 1/3"	8.5mm*8.5mm	0.5mm-1.6mm	2.5m
3/8" x 3/8"	9.53mm*9.53mm	0.5mm-1.1mm	1.5m
1/2" x 1/2"	12.7mm*12.7mm	0.5mm-1.6mm	2.5m
2/3" x 2/3"	16.9mm*16.9mm	0.8mm-1.8mm	1.8m
3/4" x 3/4"	19.05mm*19.05mm	0.8mm-1.8mm	1.8m
1" x 1"	25.4mm*25.4mm	0.5mm-2.5mm	2.5m
1" x 1/2"	25.4mm*12.7mm	0.5mm-2.5mm	2.5m
1" x 1/4"	25.4mm*6.35mm	0.8mm-1.8mm	2.5m
1.5" x 1.5"	38.1mm*38.1mm	0.5mm-3mm	2.5m
(电焊网)标准网30米/卷 宽度0.3米-2.5米			
网眼	毫米	丝径	最大幅度
2" x 3"	50.8mm*76.2mm	2.0mm-6.0mm	2.5m
3" x 3"	76.2mm*76.2mm	2.0mm-6.0mm	2.5m
2" x 4"	50.8mm*101.6mm	2.0mm-6.0mm	2.5m
4" x 4"	101.6mm*101.6mm	2.0mm-6.0mm	2.5m

材质: 低碳钢丝、电镀锌丝、电镀锌改拔丝、不锈钢丝。

优点: 焊接牢固, 网孔均匀, 网面平整, 耐腐蚀、强度大、防护能力强。

本产品广泛用于工业、农业、养殖、建筑、交通运输、采矿等方面。如机器防护罩、牲畜围栏、花木围栏、护窗栏、通道围栏、家禽笼、盛蛋筐及家庭办公室食品筐、纸篓及装饰用。普通电焊网片可以用于建筑行业作舒乐舍板网和隔断网, 是高层新建筑的理想材料。

Material: low carbon steel wire, galvanized wire, galvanized wire, stainless steel wire.

Advantages: strong soldering, uniform mesh, smooth web surface, corrosion resistance, high strength and strong protection ability.

This product is widely used in industry, agriculture, aquaculture, construction, transportation, mining and so on. For example, machine guards, animal and livestock fences, flowers and fences, window guards, channel fences, poultry cages, egg basket and family office food baskets, paper baskets and decorations. Ordinary electric welding mesh can be used in the construction industry as Shule house and partition network. It is an ideal material for new high-rise buildings.



Fencing 护栏网>>>

电话: +86-318-7803166 +86-318-7539880
 传真: +86-318-8060133
 网址: <http://www.yaqiwiremesh.com>
 邮箱: sales@yaqiwiremesh.com

护栏网又称为防护网,因地域性差异,南方人习惯称为隔离,北方人习惯叫做护栏网。我国护栏网主要分为花园护栏网、铁路护栏网、桥梁梁护栏网、高速公路护栏网、体育围网、机场围网等等(用途极其广泛)。

Wire mesh fence also named safety wire mesh fencing. It is a very wide range of product for protection. According to production characteristics can be divided into: Welded wire fence, Chain link fence, Razor barbed wire fence, Expanded metal fence, etc.



框架护栏网 fence with frame



防眩网 Expanded metal mesh



机场护栏 Airport fence



三角折弯护栏 4-bending welded mesh fence



勾花网 Chain link fence



荷兰网 Euro mesh fence

Fencing 护栏网>>>

电话: +86-318-7803166 +86-318-7539880
 传真: +86-318-8060133
 网址: <http://www.yaqiwiremesh.com>
 邮箱: sales@yaqiwiremesh.com

Welded wire fence panel is welded with high quality low carbon steel wire, surface treated by electrostatic polyester powder spray coating over galvanized materials, then connected with post by suitable clips. It's with feature of firm structure, easy installation and nice appearance.

According to uses: Road field fence, Highway fence, Sports field fence, Railway fence, prison fence.

According to style: frame fence, 3-bending fence, double wire fence, anti-climb fence.

Wire mesh Fence panel	Panel Height	500mm-3000mm
	Panel Width	2000mm-3000mm
	Wire Diameter	3mm-6mm
	Hole opening	50x50mm, 50x100mm, 50x150mm, 50x200 mm, 55x200mm, 75mm*150mm, 12.5mm*72.6mm
	Material	low carbon steel wire, galvanized iron wire, stainless steel wire, aluminum wire, etc.
	Surface treatment	electric galvanized, hot dipped galvanized, powder coated or PVC coated
Wire mesh Fence post	Bend	3-bending, 4-bending, or as customer request
Wire mesh Fence post	Square Post	40x60x2mm or 40x60x1.5mm, 50x50x1.5mm, 60x60x2mm, 80x80x3mm
	Round post	50*50*1.5mm, 60x60x2mm, or as customer request
	Peace Post	100x70mmx1.2mm
	Post height	according to fence panel height, (Normal 0.65-4m)
Wire mesh Fence post	Finish	hot dipped galvanizing, powder coated
	Accessories	post cap, clamps, bolts and nuts
Wire Mesh Fence Color		Any RAL Series color (Normal RAL 6005 Dark green, RAL 9005 Black)



临边护栏 Temporary fence



密目护栏 Anti climb 358 high security fence

Chain Link Fence/ weft And Warp Woven Mesh 勾花网/煤碳支护网>>>

电话: +86-318-7803166 +86-318-7539880
传真: +86-318-8060133
网址: <http://www.yaqiwiremesh.com>
邮箱: sales@yaqiwiremesh.com

材质: 低碳钢丝、改拔丝、电镀锌丝、热镀锌丝、锌铝合金丝、不锈钢丝、包塑丝
编织特点: 用勾花网机器加工成扁平螺旋状的半成品, 然后相互螺旋钩编而成。编织简洁、网孔均匀、美观实用。
用途: 可当养殖防护网、煤矿防护网、球场防护网、体育场围栏网、训练场防护网、边坡防护、绿化围栏, 河道, 建筑, 住宅小区的安全防护, 车间/仓库隔离等。
表面处理方式: 电镀、热镀、喷塑、浸塑。
包装方式: 两边编织袋包装, 托盘, 或者根据客户要求。
material: low carbon steel wire, electro galvanized iron wire, hot dip galvanized iron wire, pvc coated iron wire, galvanized wire, stainless steel wire, or as customer request.
surface treatment: electro galvanized, hot dip galvanized, plastic spray coating, and pvc coated
application: widely used for field fence, highway, express way fence, rock slope protection fences, ports field fence, and zoo fence, etc. it can be also used for supporting mine roof in mining industry.
packing: two ends of the rolls packed with weaving bags, and then on pallet.



煤矿支护网是煤矿施工用的钢丝网材料采用勾花网、网片、经纬网为原材料, 用于煤矿井地支护安全, 是煤矿基道护棚、护顶、做假顶、防腐、防石头的理想材料。
编织工艺: 可分为单边和双边, 双边又分为绞边和排子边。
防腐形式: 电镀锌、热镀、喷塑等。
weft and warp woven mesh is a steel wire mesh, used for supporting mine roof on mine industry, as well as chain link fence, and welded wire mesh (wire 6mm).
surface treatment: electro galvanized, or hot dip galvanized
size: normal wire thickness 4mm-4.6mm, mesh opening 60mm-100mm, roll width: 1m-2m.




Barbed Wire/Razor Barbed Wire 刺绳/刀片刺绳>>>

电话: +86-318-7803166 +86-318-7539880
传真: +86-318-8060133
网址: <http://www.yaqiwiremesh.com>
邮箱: sales@yaqiwiremesh.com

材质: 优质低碳钢丝 (镀锌, 包塑); 拧编而成, 牢固, 美观; 用于果园, 工地, 公路, 监狱, 军事基地, 战场, 银行等地防盗, 防护使用。
丝径: 12#*14#, 2mm*2.5mm, 2mm*2mm, 1.6mm*1.6mm, 拧编而成。

material: high quality low carbon steel wire (electro galvanized wire, hot dip galvanized wire, pvc coated wire) wire twisted, strong, beautiful, used for security and protection for field farm land, highway, prison, or military, etc.



刀片刺网是一种新型防护网, 该产品具有美观, 经济实用, 防阻效果好, 施工便利等优点。主要用于工矿企业, 监狱, 银行, 机场, 边防哨所, 铁路等圈禁防护。

razor barbed wire is a modern security fence material with high security and high strength. its used for prison, airport etc. classified to 4 types: cross type, single coil type, flat wrapped type, welded razor barbed wire type, according to different installation way.


razor type: BTO-10, BTO-18, BTO-22, BTO-30, CBT-60, CBT-65.




Expanded Metal Mesh 钢板网>>>

电话: +86-318-7803166 +86-318-7539880
传真: +86-318-8060133
网址: <http://www.yaqiwiremesh.com>
邮箱: sales@yaqiwiremesh.com

Expanded metal mesh is also called stretched expanded metal mesh. A rigid piece of metal sheet stretched and slit, forming diamond-shaped openings in the sheet. It is stronger, lighter in weight and more rigid than the original base metal. Expanded metal mesh material are carbon steel plate, stainless steel plate, galvanized steel plate, aluminum plate, nickel plate, titanium, aluminum-magnesium alloy panels. normal expanded mesh is formed in a diamond pattern. or pattern of hexagonal hole. its widely used for guard, protection, or plastering, or filter etc. heavy duty expanded metal mesh is used for zoo fence, or for stair tread.



TL -- 短节距
TB -- 长节距
d -- 板厚
b -- 丝梗宽
B -- 网面宽
L -- 网面长



Perforated metal mesh Steel bar grating 冲孔网/钢格板>>>





电话: +86-318-7803166 +86-318-7539880
传真: +86-318-8060133
网址: <http://www.yaqiwiremesh.com>
邮箱: sales@yaqiwiremesh.com

材质: 低碳钢板, 不锈钢板, 铝板, 铝合金板

编织及特点: 冲压而成, 其性能耐弯曲、抗老化、不易生锈, 用途广泛; 网面平整、光滑、坚固耐用。

用途: 用于汽车内燃机过滤、矿山、医药、建筑爬架网, 粮食分样筛选、室内隔音、粮库通风等。

Perforated metal mesh usually used galvanized steel plate, stainless steel plate, copper steel plate, aluminum plate, nickel steel and alloy steel as material. We have advanced CNC equipment, the thickness of the mesh is from 0.4mm-5mm



Slope protection Net 边坡防护网>>>

电话: +86-318-7803166 +86-318-7539880
传真: +86-318-8060133
网址: <http://www.yaqiwiremesh.com>
邮箱: sales@yaqiwiremesh.com

产品用途: 系统的开放性, 地下水可以自由排泄, 避免了由于地下水压力的升高而引起的边坡失稳问题; 该系统除对稳定边坡有一定贡献外, 同时还能抑制边坡遭受进一步的风化剥蚀, 且对坡面形态特征无特殊要求, 不破坏和改变坡面原有地貌形态和植被生长条件, 其开放特征给随后或今后有条件并需要时实施人工坡面绿化保留了必要的条件, 绿色植物能够在其开放的空间上自由生长, 植物根系的固土作用与坡面防护系统结为一体, 从而抑制坡面破坏和水土流失, 反过来又保护了地貌和坡面植被, 实现最佳的边坡防护和环境保护目的。

Product use: the system is open, and the groundwater can be freely excreted, avoiding the problem of slope instability caused by the rise of groundwater pressure. The system can also inhibit the further weathering denudation of the slope in addition to the stability of the slope, and has no special requirements for the slope surface morphology, and does not destroy the slope. To change the original landform and vegetation growth conditions of the slope, its opening features retain the necessary conditions for the implementation of artificial slope afforestation for subsequent or future conditions. Green plants can grow freely in the open space, and the soil fixation of plant roots and slope protection system are integrated to inhibit the slope surface. Destruction and soil erosion, in turn, protect the landform and vegetation on the slope, so as to achieve the best purpose of slope protection and environmental protection.



Industrial Screen/BrassWires Mesh 工业筛网/铜网>>>

电话: +86-318-7803166 +86-318-7539880
传真: +86-318-8060133
网址: <http://www.yaqiwiremesh.com>
邮箱: sales@yaqiwiremesh.com

材料: 302、304、304L、316、316L 等不锈钢丝, 黄铜丝、紫铜丝、磷铜丝、不锈钢板、铜板、铝板、低碳铜板。也可根据客户的要求定做。

编织及特点: 平织、斜织、竹花编织、密纹编织而成, 具有耐酸、耐碱、耐温、耐磨等性能。

用途: 用于矿业、石油、化工、食品、医药、机械制造等行业。尼龙混纺包括尼龙网、聚乙烯网、遮阳网。广泛用于遮荫植物、水产养殖、面粉加工。

Materials: stainless steel wire 302, 304, 304L, 316, 316L, brass wire, copper wire, phosphor copper wire, stainless steel plate, copper plate, aluminum plate, low carbon copper plate. Can also be customized according to the requirements of the customer.

Weaving and features: plain weaving, oblique weaving, and weave knitting. It has the properties of acid resistance, alkali resistance, temperature resistance, wear resistance and so on.

Uses: used in mining, petroleum, chemical industry, food, medicine, machinery manufacturing and other industries. Nylon blend includes nylon net, polyethylene net and sunshade net. Widely used in shading plants, aquaculture, flour processing. Nylon screen printing, pharmaceuticals, paint filters.



Window Screen/Fiberglass Mesh

纱窗/玻纤网>>>

电话: +86-318-7803166 +86-318-7539880
 传真: +86-318-8060133
 网址: <http://www.yaqiwiremesh.com>
 邮箱: sales@yaqiwiremesh.com

Wire Series /Wire Mesh Products

金属丝/金属丝深加工>>>

电话: +86-318-7803166 +86-318-7539880
 传真: +86-318-8060133
 网址: <http://www.yaqiwiremesh.com>
 邮箱: sales@yaqiwiremesh.com

材料: 有低碳钢丝、不锈钢丝、化纤丝、铝镁合金丝、镀锌丝、铝丝。

编织: 编织分1型、10型。


特点: 重量轻、韧性好、耐腐蚀、通风好、易清洁等特点。用途: 用于宾馆、公用建筑、民用住宅的防蚊虫。窗纱种类: 不锈钢窗纱、烤漆窗纱、镀锌窗纱、铝合金窗纱、塑料窗纱、涂塑铁窗纱、玻璃纤维窗纱等。

material: galvanized iron wire, aluminum alloy wire, glass fiber wire, stainless steel wire, etc.

screen type: fiberglass window screen, stainless steel

window screen, aluminum window screen, plastic window screen, galvanized iron window screen and so on.

futures: light weight, good toughness, corrosion resistance, good visibility.



Galvanized iron wire

Wire Gauge	Packing
0.25mm-4.1mm	0.2kgs-200kgs



Black annealed iron wire

Wire Gauge	Roll Package	Type
BVG8-BVG25	0.1kgs-800kgs	Annealed



PVC coated steel wire

Wire Gauge	Roll Package
0.6mm-1.0mm-3.0mm-4.0mm	0.1kgs-800kgs



Cutting tie wire

Wire Gauge	Length	Packing
8G-10G	0.2kgs to 10kgs	Carton/Pallet



Brass wire/copper wire



Stainless steel wire



Cotton bale wire ties



Small coil wire

Wire Gauge	Roll Weight	Packing
16G to 20G	2.5kgs to 3.5kgs	20rolls/24ctns pks



Cotton loop tie bailing wire



Stainless steel wire 3

Baskets Netting/Art And Craft

网筐/工艺制品>>>

电话: +86-318-7803166 +86-318-7539880
 传真: +86-318-8060133
 网址: <http://www.yaqiwiremesh.com>
 邮箱: sales@yaqiwiremesh.com

编制方法: 平织、斜织、席席型编织, 我们可以按客户的要求定做某些特殊样式。

性能: 耐酸、耐碱、耐高温、抗拉、耐磨

用途: 用于酸、碱环境条件下筛分和过滤、石油工业做泥浆网、化工填料网、化工化纤工业做筛滤网、电工业做酸洗网。

Methodology: plain weave, twill weave, braid-type seats, we can custom-made according to customers request
 some special style

Performance: acid, alkali, high temperature, tensile strength, abrasion resistance.

Uses acid, alkali conditions screening and filtering, the oil industry make mud network, chemical packing mesh
 chemical fiber industry do screen filter, electroplating industry make pickling network.



Filter/Filter Products

过滤网/过滤制品>>>

电话: +86-318-7803166 +86-318-7539880
 传真: +86-318-8060133
 网址: <http://www.yaqiwiremesh.com>
 邮箱: sales@yaqiwiremesh.com

过滤网主要用于石油、化工、电力、冶金、制药、陶瓷、污水处理、食品饮料、航天等行业。

材质: 主要以中上为主, 304, 304L, 316, 316L。

滤片: 尺寸按客户要求定做, 包边技术工艺先进, 无毛边。

滤筒: 尺寸按客户要求定做, 焊接工艺好, 无毛刺。

Filter products are mainly used in the petroleum, chemical, electric power, metallurgy, pharmaceutical, ceramics, sewage treatment food and beverage, aerospace and other industries

Material: Ss304, 304L, 316, 316L. Filter: wrapping technology advanced technology, no burr. Cartridge: welding, no burr. Size according to customer requirements

