

2026

Shenzhen Ablee Electronic Company Limited

http: www.ablee.com.cn

E-mail: sales@megaudio.cn

Tel: +86-755-2978 5066

Office Add: Rm 1309 Wan jun Jingmao Building, Baoxing Road,Bao'an, Shenzhen,China

Manufacture Add: Building 8, Xufa Industrial Park, Tongfuyu Zone, Shangcun, Gongming, Guangming Distict, Shenzhen, China



AUDIO TEXTURE
OPEN UP A NEW SPACE
FOR SOUND



SPEAKER SERIES



NEW SPEAKER



PARTY SPEAKER



PORTABLE SPEAKER



HOME SPEAKER

50W



Bass speaker

U3

Technical Parameter

- Bluetooth: V5.4
- Power Output: 50W
- Range Freq.: 65Hz-20KHz
- Battery capacity: 8000mAh
- Product Size: 330X130X150mm
- Input Power Supply: DC 5V 3A
- Waterproof: IPX5

U7

Technical Parameter

- Bluetooth: V5.4
- Power Output: 150W
- Range Freq.: 40Hz-20KHz
- Battery capacity: 20000mAh
- Product Size: 463X184X246mm
- Input Power Supply: up to 20V 1.5A
- Waterproof: IPX5



Boombox
150W

MEGAUDIO

EXPLORE OUTDOOR FUN

Louder Sound, Richer Details - Built for Your Adventure





IPX7
waterproof

D5
NEW



Bluetooth



Rechargeable



Vibe Light



Hands-free calls



TWS

Technical Parameter

Bluetooth:	V5.4
Power Output:	30W
Range Freq.:	65Hz-20KHz
Lithium Battery:	7.4V/2000mAh
Input Power Supply:	DC 5V 2A
Support:	U disk play/ TF card play/ AUX play/EQ / Vibe Light /Power bank /IPX7
Product Size:	209X82X82mm





6 HRS PLAY TIME

D7
NEW



Bluetooth



Rechargeable



Vibe Light



Hands-free calls



TWS

Technical Parameter

Bluetooth:	V5.4
Power Output:	50W
Range Freq.:	55Hz-20KHz
Lithium Battery:	7.4V/4000mAh
Input Power Supply:	DC 5V 2A
Support:	U disk play/ TF card play/ AUX play/EQ / Vibe Light / Power bank / IPX7
Product Size:	235X90X90mm





D8

NEW



Bluetooth



Rechargeable



Vibe Light



Hands-free calls



TWS

Technical Parameter

Bluetooth:	V5.4
Power Output:	100W
Range Freq.:	55Hz-20KHz
Lithium Battery:	7.4V/5000mAh
Input Power Supply:	DC 5V 2A
Support:	U disk play / TF card play / AUX play/EQ / Vibe Light / Power bank / IPX7
Product Size:	330 X 126 X 142mm



U5

Silicone handle

Technical Parameter

Bluetooth:	V5.3
Power Output:	60W(35W+12.5WX2)
Frequence:	55Hz-20KHz
Lithium Battery:	7.4V/4000mAh
Play time:	6 hours at 50% volume and light on
Support:	TF card play/ AUX play//U disk play/IPX5 /RGB Light / Electricity display/EQ change
Product Size:	288X125X139mm
Input Power Supply:	DC 5V 2A



U5MAX

Metal handle



Technical Parameter

Bluetooth:	V5.4
Power Output:	80W
Frequence:	55Hz-20KHz
Lithium Battery:	7.4V/4800mAh
Input Power Supply:	DC 5V 3A
Support:	U disk play/ TF card play/ AUX play / EQ /Vibe Light /IPX5/Power bank
Product Size:	288X125X170mm





Metal handle
design show
your quality life

E5_{MAX}

Metal handle



Bluetooth



Rechargeable



IPX5



DSP



TWS



Hands-free calls

Technical Parameter

Bluetooth:	V5.4
Power Output:	50W
Frequency:	60Hz-20KHz
Lithium Battery:	7.4V/4000mAh
Input Power Supply:	DC 5V 2A
Support:	U disk play/ TF card play/ AUX play / EQ /Vibe Light /IPX5/Power bank
Product Size:	300X118X118mm



E5

Silicone handle



Technical Parameter

Bluetooth:	V5.3
Power Output:	30W(15WX2)
Frequency:	65Hz-18.5KHz
Lithium Battery:	7.4V/2000mAh
Waterproof:	IPX5
Support:	TWS/U disk play/Vibe Light/ Handsfree/ Electricity display
Product Size:	300X118 X118mm
Input Power Supply:	DC 5V 2A



E8

IP67 waterproof

Bluetooth

Rechargeable

IP67

DSP

TWS

Hands-free calls

Outdoor & Bass Mode

Technical Parameter

Bluetooth:	V5.3
Power Output:	35W woofer +10W tweeter
Frequency:	55Hz-20KHz
Lithium Battery:	7.4V/4000mAh
Input Power Supply:	DC 5V 2A
Support:	U disk play/RGB light/AUX play/ Bass&outdoor EQ change
Product Size:	228 X107 X102mm

A close-up shot of a black portable speaker with a blue circular logo and the word 'BRAND' in blue. The speaker is covered in water droplets, suggesting it is waterproof.



Technical Parameter

Bluetooth:	V5.3
Power Output:	15W, with big passive radiator
Frequency:	75Hz-18.5KHz
Lithium Battery:	3.7V/2000mAh
Input Power Supply:	DC 5V 2A
Support:	TF card play/ AUX play/ U disk play/Vibe Light
Product Size:	150 X85 X120mm

E2

Bag design

COMPACT & LOUD WIRELESS SPEAKER



PLAY TIME



COMPACT DESIGN COMFY ROPE
TEXTURED HANDLE SUITABLE FOR
VERSATILE OCCASIONS

MEGA BOOM OUTDOOR KARAOKE SPEAKER



U2
80W



Technical Parameter

Bluetooth:	V5.3
Power Output:	2x30W woofer+2x10W tweeter
Frequence:	60Hz-22KHz
Lithium Battery:	12000mAh
Charging input:	DC 5V 2A
Charging output:	USB-A/Type-C 5V/2A
Product Size:	350X128X136mm
U band qualified aluminum Microphone x 2 (option)	
Multifunction Remote control (option)	



MEGA BOOM OUTDOOR BLUETOOTH SPEAKER



U2 BOOM
60W



Technical Parameter

Bluetooth:	V5.3
Power Output:	2x30W
Frequence:	60Hz-22KHz
Battery:	7.4V 4000mAh(8000mAh)
Charging input:	DC 5V 2A
Charging output(Power bank):	5V/2A USB-A /Type-C port
Size:	350X128X136mm
Support:	Aux play/TF card play/ U-Disk Play /Power bank/Bass&outdoor EQ change
Signal and noise ratio:	>80dB





BRILLIANT SPEAKERS FOR
INDOOR&OUTDOOR

D18

IP65
waterproof

Technical Parameter

Bluetooth:	V5.3
Power Output:	15WX2
Frequence:	60Hz-20KHz
Lithium Battery:	7.4V/2000mAh
Speaker charging:	DC 5V 2A
Support:	RGB light/IP65/Handsfree
Product Size:	204X76mm



Bluetooth



Rechargeable



IP65



TWS



RGB Light



Hands-free calls



G20

light show



Bluetooth



Rechargeable



IPX5



Vibe Light



TWS



Hands-free calls



Outdoor &
Bass Mode

Technical Parameter

Bluetooth:	V5.3
Power Output:	10W tweeter + 20W woofer
Frequency:	60Hz-20KHz
Lithium Battery:	7.4V/2000mAh
Input Power Supply:	DC 5V 2A
Support:	Type-C U disk play/ Dual device Bluetooth play
Product Size:	188X75mm



Across frequency



Tactile knob



TRANSPARENT MAGNETIC
BLUETOOTH SPEAKER



Technical Parameter

Bluetooth:	V5.3
Power Output:	5W
Frequence:	100Hz-18.5KHz
Lithium Battery:	1500mAh
Input Power Supply:	DC 5V 2A
Support:	RGB Light/TWS Pair/Magnetic option
Product Size:	90.5 X77X58mm



TWS



Bluetooth 5.3



- Vibe Light
- TWS
- Hands-free calls
- Bluetooth
- Rechargeable
- IPX5




G3
Mini

COMPACT ALUMINUM GORGEOUS SPEAKER



Technical Parameter

Bluetooth:	V5.3
Power Output:	5W, with passive radiator
Frequency:	100Hz-16.5KHz
Lithium Battery:	3.7V/800mAh
Input Power Supply:	DC 5V 2A
Support:	TWS/RGB Light/Handsfree
Product Size:	61 X61 X47mm
Playtime:	6 hours at 50% volume and light on



EXPERIENCE THE DUAL AUDIO IMPACT OF TWS FUNCTIONALITY





G6

ALLURE AMBER LAMP BLUETOOTH SPEAKER



Vibe Light



TWS



Hands-free calls



Bluetooth



Rechargeable

Technical Parameter

Bluetooth:	V5.3
Power Output:	8WX2
Frequency:	80Hz-18.5KHz
Lithium Battery:	2500mAh
Waterproof:	IPX5
Support:	AUX/RGB Light/TF card
Product Size:	165.5X φ94mm
Input Power Supply:	DC 5V 2A



G9

DOUBLE MEGA ALLURE SPEAKER WITH RUGGED FABRIC



Vibe Light



TWS



Hands-free calls



Bluetooth



Rechargeable

Technical Parameter

Bluetooth:	V5.3
Power Output:	15WX2
Frequency:	60Hz-18.5KHz
Lithium Battery:	7.4V/2500mAh
Waterproof:	IPX5
Support:	U-Disk Play/AUX/Mobile charge
Product Size:	197.5X φ110mm
Input Power Supply:	DC 5V 2A





FABRIC WATERPROOF BLUETOOTH SPEAKER



Vibe Light



TWS



Hands-free calls




Bluetooth



Rechargeable

Technical Parameter

Bluetooth:	V5.3
Power Output:	5W
Frequency:	100Hz-18.5KHz
Lithium Battery:	1800mAh
Waterproof:	IPX5
Support:	AUX/RGB Light/TF card
Product Size:	105X ϕ 85mm
Input Power Supply:	DC 5V 2A



G16



PORTABLE WATERPROOF BLUETOOTH SPEAKER



Vibe Light



TWS



Hands-free calls



Bluetooth



Rechargeable

Technical Parameter

Bluetooth:	V5.3
Power Output:	10WX2
Frequency:	80Hz-18.5KHz
Lithium Battery:	7.4V/2000mAh
Waterproof:	IPX5
Support:	AUX/RGB Light/TWS/Handsfree
Product Size:	129X ϕ 92X ϕ 85mm
Input Power Supply:	DC 5V 2A



G18



G12

HANDHELD AND PORTABLE, ENJOY
GOOD AUDIO ANYTIME, ANYWHERE



Dual alarm clock



Bluetooth



Hands-free calls



Rechargeable

Technical Parameter

Bluetooth:	V5.3
Power Output:	8W
Frequency:	80Hz-18.5KHz
Battery:	3.7V/1800mAh
Signal and noise ratio:	≥70dB
Support:	AUX / TF card / U-disk / TWS / Hands-free/IPX5
Product Size:	183X60X60mm
Input Power Supply:	DC 5V 2A



M8

UNIQUE CLOCK RADIO
BLUETOOTH SPEAKER



Dual alarm clock



Bluetooth



Hands-free calls




Rechargeable

Technical Parameter

Bluetooth:	V5.3
Power Output:	5WX2
Frequency:	65Hz-18.5KHz
Battery:	2000mAh
Power supply:	5V/2A
Support:	AUX/FM/TF card/U Disk/Dual Alarm
Product Size:	202X67X104mm



ABLEE COMPANY PROFILE



About Us

Shenzhen Ablee Electronics Co., Ltd. was established in 2008, with 300 skilled employees, focusing on the research and development, production, and sales of intelligent audio and video products, and operating the "MegAudio" brand.

We have a strong R&D team focused on private and unique audio products. We have a factory of over 20000 square meters, 8 production lines, 18 injection molding machines, 4 SMT machines, PCBA assembly, welding, and packaging assembly, with a production capacity of over 3 million pieces.

We have established an extremely strict quality control system, which has passed the 1509001: 2015, BSCI and Wal Mart qualified supplier certification; More than 20 qualified QA and 50 QC are the guarantee for maintaining a low defect rate in the product.

We are committed to pursuing perfect products and our goal is to make MegAudio a well-known brand around the world.

