NCC TECHHUB UK LIMITED
7 DURRANT ELDER ROAD COVENTRY WEST MIDLANDS,
ENGLAND,UNITED KINGDOM CV2 1AD
Website:www.ncc.top

NCC

NCC

PRODUCTS CATALOG

Born in England, Shared with the World

From Repair Roots to Global Vision: The NCC TH Story

Our story began in England, driven by a simple belief: in a digital world, the quality of your accessories matters. That's why we built NCC – "Never Cease Creating" – on an unwavering commitment to quality and reliability, first for the repair industry, and soon, for everyone.

The Birth of a Tech Hub

Our reputation for superior, durable products grew, making us the top choice across the UK. But our vision expanded. This led to the creation of NCC TH, where "TH" stands for Tech Hub. It represents our evolution from a repair specialist into a central hub of innovation for the entire 3C accessory ecosystem.

Born in England, Shared with the World

A Global Promise, Forged in England

Guided by "Born in England, Shared with the World," NCC TH now merges British design sensibilities with global trends. We remain true to our core philosophy, leveraging our expert origins to deliver stylish, functional, and exceptional mobile accessories to users worldwide.

Contents

2 NCC Accessories Line
- NCC Charger
- NCC Data Cable
- NCC Power Bank
- NCC Earphones
- NCC Car Charger
- NCC Tempered Glass
- NCC Others

1 NCC Brand Intro

3 NCC Brand History

4 NCC Repair parts Line
- NCC Phone Screen
- NCC Phone Battery

NCC BRAND INTRO

Founded in 2018, NCC has evolved from a specialist in repair parts to a global smart consumer electronics brand. Guided by our philosophy, "Never Cease Creating," we design a comprehensive ecosystem of 3C accessories for the modern user.

Our product portfolio spans personal, automotive, and home scenarios, covering everything from advanced charging solutions and immersive audio to protective gear and smart connectivity.

Built on the principles of High-Quality, Strict Standards, and Integrity, every product is crafted to deliver Unmatched Reliability and a seamlessly convenient smart lifestyle.

This commitment to excellence has propelled NCC to market leadership in the UK and trusted presence in over 20,000 retail outlets worldwide, with more than 25 million products empowering consumers across the globe.

UK NO.1
EUROPE TOP 3.
Market Leadership

4/10 UK
consumers use

9/10 UK
repair shops

5000M
units shipped total
Milestone Achievement

125
countries, global service.
Global Footprint

NCC Brand History

NCC Quality Certifications

NCC CHARGER (UK)

CD-0401

Coreslight series

CHARGER UK CHARGER 35W USB-A+C

- Color : Black
- Output :
- C1 : MAX45W
- A1 : MAX18W
- A1+C1 : MAX35w
- Fast charging protocol : PD 3.0 , QC 3.0, FCP, AFC

CD-0401

Coreslight series

CHARGER UK CHARGER 35W USB-A+C

- Color : White
- Output :
- C1 : MAX45W
- A1 : MAX18W
- A1+C1 : MAX35w
- Fast charging protocol : PD 3.0 , QC 3.0, FCP, AFC

C101-065-UK

Flash Link Series

CHARGER UK CHARGER 65W USB-A+C+C

- Color : Black
- Output :
- C1+C2:65MAX
- C1:45MAX
- C2:45MAX
- A1:22.5WMAX
- C1+C2:45W+20W
- C1+C2:20W+45W
- C1+A1:45W+18W
- C2+A1:18W+15W
- C1+C2+A1:45W+18W+15W
- Fast charging protocol : PD 3.0 , QC 3.0, AFC, VOOC, FCP

C101-065-UK

Flash Link Series

CHARGER UK CHARGER 65W USB-A+C+C

- Color : White
- Output :
- C1+C2:65MAX
- C1:45MAX
- C2:45MAX
- A1:22.5WMAX
- C1+C2:45W+20W
- C1+C2:20W+45W
- C1+A1:45W+18W
- C2+A1:18W+15W
- C1+C2+A1:45W+18W+15W
- Fast charging protocol : PD 3.0 , QC 3.0, AFC, VOOC, FCP

NCC CHARGER (UK)

POWER CHARGER
20W TYPE-C

TRAVEL CHARGER
12W USB A+C

NC Series

CHARGER UK CHARGER
45W USB-A+C

NC Series

CHARGER UK CHARGER
20W USB-A+C

TRAVEL CHARGER
PD20W USB A+C

NC Series

CHARGER UK CHARGER
20W USB-A+C

TRAVEL CHARGER
25W USB A+C+C

NC Series

CHARGER UK CHARGER
45W USB-A+C

AP-30W-UK
TYPE-C POWER CHARGER

AP-20W-UK
A+C POWER CHARGER
UNFOLDABLE

NCC CHARGER (EU)

Coreligint series

CHARGER EU CHARGER
35W USB-A+C

- Color : Black
- Output :
- C1 : MAX45W
- A1 : MAX18W
- A1+C1 : MAX35w
- Fast charging protocol :
  PD 3.0, QC 3.0, PDP, AFC

Coreligint series

CHARGER EU CHARGER
35W USB-A+C

- Color : White
- Output :
- C1 : MAX45W
- A1 : MAX18W
- A1+C1 : MAX35w
- Fast charging protocol :
  PD 3.0, QC 3.0, PDP, AFC

Flash Link Series

CHARGER EU CHARGER 45W USB-A+C+C

- Color : Black
- Output : C1:45W MAX A1:18W MAX
- 5V-3.25A MAX A1 : C1:5V-3.25A 9V-3A
- C1+C1:20W+20W A1+C1:45W+18W
- C1+A1 7.5W+7.5W C1+C1+A1:45W+7.5W+7.5W
- Fast charging protocol : PD 3.0, QC 3.0, AFC, VOOC, FCP



Flash Link Series

CHARGER EU CHARGER 45W USB-A+C+C

- Color : White
- Output : C1:45W MAX A1:18W MAX
- 5V-3.25A MAX A1 : C1:5V-3.25A 9V-3A
- C1+C1:20W+20W A1+C1:45W+18W
- C1+A1 7.5W+7.5W C1+C1+A1:45W+7.5W+7.5W
- Fast charging protocol : PD 3.0, QC 3.0, AFC, VOOC, FCP



POWER CHARGER
20W TYPE-C

- Color : White
- Output : 20W Max
- Fast charging protocol : PD 3.0/PPS 3.0

NCC CHARGER (EU)

NC Series

CHARGER EU CHARGER
45W USB-A+C

TRAVEL CHARGER
12W USB A+C

NC Series

CHARGER EU CHARGER
20W USB-A+C

NC Series

CHARGER EU CHARGER
45W USB-A+C

TRAVEL CHARGER
PD20W USB A+C

30W-EU-A+C
ULTRA THIN POWER
CHARGER

TRAVEL CHARGER
25W USB A+C+C

NC Series

CHARGER EU CHARGER
20W USB-A+C

45W-EU
DUAL TYPE-C (GAN)
NCC POWER CHARGER

45W-EU
A+C+C (GAN)
NCC POWER CHARGER

NCC CHARGER (AU)

20W-AU DUAL TYPE-C
NCC POWER CHARGER

TRAVEL CHARGER
12W USB A+C

30W-AU
A+C+C (GAN)
NCC POWER CHARGER

TRAVEL CHARGER
PD20W USB A+C

45W-AU
DUAL TYPE-C (GAN)
NCC POWER CHARGER

TRAVEL CHARGER
25W USB A+C+C

NCC DATA CABLE

Cable ZX series

POWER DISPLAY & ZINC ALLOY CONNECTOR



Cable ZX series

POWER DISPLAY & ZINC ALLOY CONNECTOR

Cable LZ series

ZINC ALLOYED

Cable LZ series

ZINC ALLOYED

CHARGING CABLE

CHARGING CABLE

NCC DATA CABLE

Cable-CL series

DATA CABLE

Cable-CL series

DATA CABLE

Cable-CL series

SILICONE CABLE

Cable-CC series

BRAIDED & ALUMINIUM CASE

Cable-CC series

BRAIDED & ALUMINIUM CASE

Cable-CI series

A to TO (CL 4 IN 1 ALLOYED CABLE

Cable-CI series

A to TO (CL 4 IN 1 ALLOYED CABLE

Cable-CL series

SILICONE CABLE

AP TYPE-C TO TYPE-C CHARGING CABLE

AP TYPE-C TO TYPE-C CHARGING DATA CABLE (PINCAHON 60W)

NCC POWER BANK

T198BLP 81649001

NLH Series

20000MAH 65W

- Color：Dark gray
- Capacity：20000mAh/74Wh
- Input: USB-C1 Cable: 5V-3A, 9V-3A, 12V-3A, 15V-3A, 20V-3.25A, 65W Max
- Input: USB-C2: 5V-3A, 9V-3A, 10V-3A, 15V-3A, 20V-3.25A, 45WMax
- Output: USB-A1: 5V-3A, 9V-2A, 10V-2.25A, 12V-1.5A, 22.5W Max
- Output: USB-C1 Cable: 5V-3A, 9V-3A, 12V-3A, 15V-3A, 20V-3.25A, 65W Max
- Output: USB-C2: 5V-3A, 9V-3A, 12V-3A, 15V-3A, 20V-3.25A, 65W Max
- Total Output: 5V-3A, 100W Max
- Fast charging protocol：PD3.0/PD3.1/QC2.0/QC3.0/FCP/AFC/SCP

WW-T1155BLP

SC Series

10000MAH 22.5W RAPID CHARGER WITH WIRELESS CHARGING & BUILT-IN STAND

WW-T1155BLP

SC Series

10000MAH 22.5W RAPID CHARGER WITH WIRELESS CHARGING & BUILT-IN STAND

NCC POWER BANK

12V-5002

NCC POWER BANK 10000 MAH

WS-T1923P

5000MAH 20W MAGNETIC FAST CHARGING

WS-T1923P

5000MAH 20W MAGNETIC FAST CHARGING

WS-T1930P

10000MAH 22.5W MAGNETIC FAST CHARGING

WS-T1930P

10000MAH 22.5W MAGNETIC FAST CHARGING

12V-5003

NCC 10000MAH POWER BANK WITH 4-IN-1 CABLE

AS-111

10000MAH 22.5W OWN LINE POWER DISPLAY

AS-111

10000MAH 22.5W MAGNETIC FAST CHARGING

AS-141

10000MAH 22.5W OWN LINE

AS-141

10000MAH 22.5W OWN LINE

NCC EARPHONES

H11

HEADSET H11 WITH DECORATIVE PATTERN

TWS H11 Series

BLUETOOTH EARBUDS

Sharing Visit Series

BLUETOOTH EARBUDS

H21

HEADSET H21 WITH DECORATIVE PATTERN

Sharing Visit Series

BLUETOOTH EARBUDS

T11

TWS EARBUDS



Sharing Visit Series

BLUETOOTH EARBUDS

T22

TWS EARBUDS T22 DUAL MICROPHONE ANC WITH DIGITAL DISPLAY

T14

TWS EARBUDS T14 WITH ANC

NCC EARPHONES

S1

KARAOKE SPEAKER S1

T1

TWS EARBUDS T2

T11

TWS EARBUDS T11 WITH SMART DISPLAY

T12

TWS EARBUDS T12

S2A

TWS EARBUDS S2A WITH ENC NOISE CANCELAID

X11

OWS EARBUDS X11

S2

TWS-EARBUDS S67 WITH DIGITAL DISPLAY

S67

TWS-EARBUDS S67 WITH DIGITAL DISPLAY

S5A

TWS-EARBUDS S5A ENC WITH DIGITAL DISPLAY

S5A

TWS-EARBUDS S5A ENC WITH DIGITAL DISPLAY

NCC EARPHONES

E21 81320001

EARPHONES E21
WITH LIGHTNING CONNECTOR

- Color : White
- Cable length :1.2m
- Material :TPE
- Microphone: Single-sided microphone
- Speaker: Copper ring speaker
- Plug type :Iphone Socket
- No need to connect to Bluetooth

E12 81287901

EARPHONES E12 3.5MM
WIRED SEMI-IN-EAR

- Color : White
- Cable length :1.2m
- Material :TPE
- Microphone: Single-sided microphone
- Plug type :3.5mm plug
- No need to connect to Bluetooth

NCC CAR CHARGER

CC-0403

Super Value Series

CAR CHARGER 36W USB-A+C

- Color : Black
- Interfaces : 1*USB-A + 1*Type-C
- Input : 12-24V
- Total Output: 12V=3A, 12V=3A, 36W Max
- USB-A Output: 5V=5A, 9V=4A, 12V=3A, 18W Max
- USB-C Output: 5V=5A, 9V=3.33A, 12V=2.67A, 20W Max
- Fast charging protocol : Apple, TI 2.0, PD 3.0, QC 2.0, QC 3.0, FCP, AFC, FFC

B52

CAR CHARGER 12W DUAL

- Color : Black
- Interfaces : 2*USB-A
- Input : 12-24V
- Output : USB1:5V-2.4A USB2:5V-2.4A
- Size : 45*26mm

R13

CAR CHARGER 48W SET C-C

- Color : Black
- Interfaces : TYPE-C*1+USB*1+0.9m Cable
- 1*Car charger: Input: 12-24V
- Output:
- TYPE-C: PD20W MAX
- USB-A: 18W MAX
- TYPE-C+USB:48W
- 1.2m C cable length : 1.2m
- Fast charging protocol : PD 3.0, QC 3.0

R54

CAR CHARGER 48W SET C-L

- Color : Black
- Interfaces : TYPE-C*1+USB*1+1.2m Cable
- 1*Car charger: Input: 12-24V
- Output:
- TYPE-C: PD20W MAX
- USB-A: QC18W MAX
- TYPE-C+USB:48W
- Lightning cable length : 1.2m
- Fast charging protocol : PD 3.0, QC 3.0

NCC TEMPERED GLASS

3D High Definition

3D HIGH DEFINITION TEMPERED FILM 10-IN-1 INCLUDES SINGLE-PIECE ENVELOPE PACKAGING

- Color : Transparent
- Materials : TPU/Tempered glass
- Compatible with: iPhone series

3D Anti-Spy

3D ANTI-SPY TEMPERED FILM 10-IN-1, INCLUDES SINGLE-PIECE ENVELOPE PACKAGING

- Color : Black
- Materials : TPU/Tempered glass
- Compatible with: iPhone series

2.5D High Definition

2.5D HIGH DEFINITION TEMPERED FILM 10-IN-1 INCLUDES SINGLE-PIECE ENVELOPE PACKAGING

- Color : Transparent
- Materials : TPU/Tempered glass
- Compatible with: iPhone series

9D Full-Coverage

9D FULL-COVERAGE HIGH DEFINITION PREMIUM PACKAGING

- Color : Transparent
- Materials : TPU/Tempered glass
- Compatible with: iPhone series

9D Anti-Spy

9D ANTI-SPY FULL-ADHESIVE TEMPERED FILM LARGE CURVED EDGES PREMIUM PACKAGING INCLUDED

- Color : Black
- Materials : TPU/Tempered glass
- Compatible with: iPhone series

NCC OTHERS

M11

WIRELESS MOUSE M11 WITH ADJUSTABLE DPI MATERIAL ABS

- Color：Black
- Material: ABS
- Connection Method: 2.4G Wireless Connection
- DPI / CPI: 800/1200/1600
- IC: 2.4G+RAR
- Maximum Frame Rate: 4000 Frames/second
- Maximum Speed: 30 inches/second

M12

WIRELESS MOUSE M12 WITH ADJUSTABLE DPI AND METAL ROLLER

- Color：Black
- Material: ABS+Metal
- Connection Method: 2.4G wireless connection
- DPI: 800/1200/1600
- Mouse Button Functions: L, M, R buttons and 4D control
- Purchase Rate: 1/2hrs

PA5001

PU COVER TRIFOLD SIDE-ATTACHED TPU WITH PENCIL HOLDER

W21

WATCH WIRELESS CHARGER

- Color：White
- Input：5V/1A
- Output：5W Max
- Size：30*45*13mm

NCC OTHERS



SR08

SMART RING SR08

- Size: 16 17 18# 19 20#
- Color：Gold / Silver / Black
- Bluetooth：5.0
- Battery Capacity：1pcsAAA/1pcsAG13# and above)
- Weight：<3.5g
- Waterproof Level：IP67
- APP：LuckRing



R09

SMART RING R09

- Size: No.8 18.3mm, No.9 19.1, No.10 20mm, No.11 20.8mm, No.12 21.6mm, No.13 22.4mm
- Color：Gold / Silver / Black
- Main Control Chip：Realtek RTL8762 ESF Bluetooth：5.2
- Battery Capacity：1pcsAAA/1pcsAG13# and above)
- Weight：3.4g
- Waterproof Level：1M 1M



R26

SMART RING R26

- Size：No.8 18.3mm, No.9 19.2, No.10 20mm, No.11 20.74mm, No.12 21.6mm
- Color：Gold / Gold and Silver / Tin
- Main Control Chip：Black Worry 8853
- Bluetooth：5.0
- Battery Capacity：1pcsAAA/1pcsAG13# and above)
- Weight：4.4g
- Waterproof Level：5ATM



R11

SMART RING R11

NCC PHONE SCREEN

SOFT OLED

- Support True Tone Display
- High Brightness: > 600 x 50 cd/m²
- Low Power Consumption
- 1:1 Original Thickness
- 1:1 Original Display Size
- 1:1 Original Resolution
- With Oleophobic Coating
- 360° Sunglasses Readable

HARD OLED

- Support True Tone Display
- 360° Sunglasses Readable
- High Brightness: > 600 x 50 cd/m²
- Low Power Consumption
- 1:1 Original Thickness
- With Oleophobic Coating

PRIME

- Support True Tone Display
- 360° Sunglasses Readable
- High Brightness: > 1000 x 50 cd/m²
- FHD+ to 2K High Resolution
- Support Multi-touch Function
- With Oleophobic Coating

ColorX

- Support True Tone Display
- HD+ High Brightness: > 500 x 50 cd/m²
- Support Multi-touch Function
- Original Notch Size
- With Oleophobic Coating
- 360° Sunglasses Readable

NCC IPH (SOFT OLED)

Model	Quality	Encapsulation Mode	Screen Size (inch)	Resolution	Width of Bottom Frame	Screen Thickness	Phone Thickness	Color Temperature (K)	Brightness (nit/m²)	Support True Tone Display	360° Full Viewing Angle	Ghosthairs and Lensflares Counting	Roughness Resistance
11	[illegible]	[illegible]	6.1	828x1792	2.65mm	3.85mm	7.57mm	7500	600	YES	YES	1 Pcs	1 Pcs
XR	[illegible]	[illegible]	6.1	828x1792	2.65mm	3.85mm	7.57mm	7500	600	YES	YES	1 Pcs	1 Pcs
XR Max	[illegible]	[illegible]	6.5	1242x2688	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
X/Xs	[illegible]	[illegible]	5.8	1125x2436	2.65mm	3.85mm	7.57mm	7500	600	YES	YES	1 Pcs	1 Pcs
X/Xs Max	[illegible]	[illegible]	6.5	1242x2688	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
12/12Pro	[illegible]	[illegible]	6.07	1170x2532	2.65mm	3.85mm	7.57mm	6500	600	YES	YES	1 Pcs	1 Pcs
12Pro Max	[illegible]	[illegible]	6.7	1284x2778	2.65mm	3.85mm	7.57mm	6500	600	YES	YES	1 Pcs	1 Pcs
13	[illegible]	[illegible]	6.1	1170x2532	2.65mm	3.85mm	7.57mm	6500	600	YES	YES	1 Pcs	1 Pcs
13 Pro / 14	[illegible]	[illegible]	6.1	1170x2532	2.65mm	3.85mm	7.57mm	7500	600	YES	YES	1 Pcs	1 Pcs
13 Pro Max / 14 Plus	[illegible]	[illegible]	6.7	1284x2778	2.65mm	3.85mm	7.57mm	7500	600	YES	YES	1 Pcs	1 Pcs
14 Pro	[illegible]	[illegible]	6.1	1179x2556	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
14 Pro Max	[illegible]	[illegible]	6.7	1290x2796	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
15	[illegible]	[illegible]	6.1	1179x2556	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
15 Plus	[illegible]	[illegible]	6.7	1290x2796	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
15 Pro	[illegible]	[illegible]	6.1	1179x2556	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
15 Pro Max	[illegible]	[illegible]	6.7	1290x2796	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
16	[illegible]	[illegible]	6.1	1179x2556	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
16 Plus	[illegible]	[illegible]	6.7	1290x2796	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
16 Pro	[illegible]	[illegible]	6.1	1179x2556	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
16 Pro Max	[illegible]	[illegible]	6.7	1290x2796	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
16e	[illegible]	[illegible]	6.1	1170x2532	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs

NCC IPH (HARD OLED)

Model	Quality	Encapsulation Mode	Screen Size (inch)	Resolution	Width of Bottom Frame	Screen Thickness	Phone Thickness	Color Temperature (K)	Brightness (nit/m²)	Support True Tone Display	360° Full Viewing Angle	Ghosthairs and Lensflares Counting	Roughness Resistance
11	[illegible]	[illegible]	6.1	828x1792	2.65mm	3.85mm	7.57mm	7500	600	YES	YES	1 Pcs	1 Pcs
XR	[illegible]	[illegible]	6.1	828x1792	2.65mm	3.85mm	7.57mm	7500	600	YES	YES	1 Pcs	1 Pcs
XR Max	[illegible]	[illegible]	6.5	1242x2688	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
X/Xs	[illegible]	[illegible]	5.8	1125x2436	2.65mm	3.85mm	7.57mm	7500	600	YES	YES	1 Pcs	1 Pcs
X/Xs Max	[illegible]	[illegible]	6.5	1242x2688	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
12/12Pro	[illegible]	[illegible]	6.07	1170x2532	2.65mm	3.85mm	7.57mm	6500	600	YES	YES	1 Pcs	1 Pcs
12Pro Max	[illegible]	[illegible]	6.7	1284x2778	2.65mm	3.85mm	7.57mm	6500	600	YES	YES	1 Pcs	1 Pcs
13	[illegible]	[illegible]	6.1	1170x2532	2.65mm	3.85mm	7.57mm	6500	600	YES	YES	1 Pcs	1 Pcs
13 Pro / 14	[illegible]	[illegible]	6.1	1170x2532	2.65mm	3.85mm	7.57mm	7500	600	YES	YES	1 Pcs	1 Pcs
13 Pro Max / 14 Plus	[illegible]	[illegible]	6.7	1284x2778	2.65mm	3.85mm	7.57mm	7500	600	YES	YES	1 Pcs	1 Pcs
14 Pro	[illegible]	[illegible]	6.1	1179x2556	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
14 Pro Max	[illegible]	[illegible]	6.7	1290x2796	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
15	[illegible]	[illegible]	6.1	1179x2556	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
15 Plus	[illegible]	[illegible]	6.7	1290x2796	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
15 Pro	[illegible]	[illegible]	6.1	1179x2556	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
15 Pro Max	[illegible]	[illegible]	6.7	1290x2796	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
16	[illegible]	[illegible]	6.1	1179x2556	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
16 Plus	[illegible]	[illegible]	6.7	1290x2796	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
16 Pro	[illegible]	[illegible]	6.1	1179x2556	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs
16 Pro Max	[illegible]	[illegible]	6.7	1290x2796	2.65mm	3.85mm	7.57mm	8000	600	YES	YES	1 Pcs	1 Pcs

NCC IPH (PRIME)



NCC IPH (COLORX)



NCC SM (PRIME)

Applicable Series	Product Model	Launch Time	Original Size	Product Dimensions	Brightness	NTSC1 Color Gamut	Resolution	Color Temperature	Selling Point
X Series	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	• 1111 in Dual High Brightness • Strict Quality Control, Worry-free After-sales • Clear Versions, Strong Compatibility • Optimal Display Size • Professional Grade Display Effect, Wider Performance, More Eye-friendly
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]

NCC RM (HARD OLED)

Applicable Series	Product Model	Launch Time	Original Size	Product Dimensions	Brightness	NTSC Color Gamut	Resolution	Color Temperature	Selling Point
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	

NCC RM (PRIME)

Applicable Series	Product Model	Launch Time	Original Size	Product Dimensions	Brightness	NTSC Color Gamut	Resolution	Color Temperature	Selling Point
[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]
	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	[illegible]	

NCC PHONE BATTERY

IPH Battery

- • New 0 Cycle Battery
- • Powerful Lithium Chip
- • Original Capacity
- • Good high and low temperature performance
- • Stable Performance with the precise battery coulometer on the powerful IC.
- • 9 intelligent protections, safe and reliable.
- • Support PD fast charging

T600 IPH Battery

- • New 0 Cycle Battery
- • Powerful Lithium Chip
- • Original Capacity
- • Good high and low temperature performance
- • Stable Performance with the precise battery coulometer on the powerful IC.
- • 9 intelligent protections, safe and reliable.
- • Support PD fast charging

SM Battery

- • Original battery cell
- • Original PCB technology
- • Original connectors
- • 600 times cycles
- • Support fast charging
- • Support -10°C-60°C working
- • Compatible with all system versions

NCC IPH BATTERY

NCC SM BATTERY

Model	Capacity	Certification	Advantages
[illegible]	[illegible]	[illegible]	• Original battery cell • Original BMS technology • Original connectors • 100% brine tested • Support Fast charging • Support 4G/5G WiFi roaming • Compatible with all system versions

Model	Capacity	Certification	Advantages
[illegible]	[illegible]	[illegible]	• Original battery cell • Original BMS technology • Original connectors • 100% brine tested • Support Fast charging • Support 4G/5G WiFi roaming • Compatible with all system versions