

2023 NEW PRODUCT

COLLECTION ►►



ZHONGSHAN AILIPU ELECTRICAL APPLIANCE CO.,LTD

Add.: Building B, No. 9, Fengshuo Road, Nantou Town,
Zhongshan City, Guangdong Province, China
Tel.: +86-0760-22513690 / 685 / 602 / 611 / 621 / 639 / 22518262 / 22518530
Fax: +86-0760-22513669
Web: www.chinaailipu.com

• All parameters have been carefully checked and, if the printing errors omissions, the Company reserves the final interpretation
• product photos and in-kind, if difference between the real product



CANTON FAIR & HONG KONG FAIR

SHOW ROOM




ABOUT US


Zhongshan Ailipu Electrical Appliance Co., Ltd was established in 2008. It is a professional manufacturer specialized in high quality & stylish Induction Cooker, Infrared Cooker, Commercial Induction Cooker.

With the development of the company, we have our own brand "AILIPU". OEM and ODM are also welcomed. Our products are exported to South Asia, Middle East, European, Africa, North and South American and so on, and we also get high reputation from our customers.

Looking forward to the future, we will continue to adhere to enterprise spirit to create top level products and best service for the world.



FACTORY SHOWING



CERTIFICATES



Smart cooking, which is so simple
Stir-fry and simmer, with ease



Model: ALP-DC101

CE EMC LVD ERP ROHS REACH

220-240V,50/60Hz
Knob and skin touch control
Plate size(mm): 300*300

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DC101	300*300	310*310*48	348*78 *395	486*363*410(6pcs)	322	4811	5640




Model: ALP-DC102

CE EMC LVD ERP ROHS REACH

220-240V,50/60Hz
Button and Knob control
Plate size(mm):Φ249

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DC102	Φ249	310*312*68	351*81*397	504*369*415(6pcs)	2176	4508	5286

Let the kitchen add different colors!



Model: ALP-DC99



CB CE EMC LVD ERP ROHS REACH

120V,60Hz,1500W/220-240V,50/60Hz,2000W
Soft Touch Control Induction Cooker
Plate size(mm):Φ249

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DC99	Φ249	300*300*76	340*110*388	675*355*406(6pcs)	1728	3580	4197



-Easy for hangable collection.
-Fashion design with handle.

Model: ALP-DC22H

CB CE EMC LVD ERP ROHS REACH

220-240V,50/60Hz
Soft Touch Control Induction cooker
Plate size(mm):Φ249

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DC22H	Φ249	514*313*52	353*113*568	623*168*383(Gross)	1350	2840	3100



Control the fire and cook comfortably
Various cooking methods

Model: ALP-A11H

CB CE EMC LVD ERP ROHS REACH

220-240V,50/60Hz
Soft Touch Control Induction cooker
Plate size(mm):Φ249

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-A11H	Φ249	372*288*55	316*76*425	474*332*443(Gross)	2400	4980	5850

Wipe the edges and corners, ingenious
design, round and good.

Small volume | Big firepower | Low noise | Large coil

06



Model: ALP-DC75

CB CE EMC LVD ERP ROHS REACH

220-240V,50/60Hz
Soft Touch Control Induction cooker
Plate size(mm):Φ249

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DC75	Φ249	330*280*74	305*105*368	648*320*382(6pcs)	2120	4393	5150

Keep it safer when cooking at home

Fast | Safe | Easy to Use | Efficient

07



Model: ALP-DC76

CB CE EMC LVD ERP ROHS REACH

220-240V,50/60Hz
Soft Touch Control Induction cooker
Plate size(mm):Φ249

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DC76	Φ249	325*270*78	310*105*368	648*328*386(6pcs)	2048	4242	4973



Model: ALP-DC92

120V, 60Hz, 1500W/220-240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Plate size(mm):Φ258



Model: ALP-DC96

120V, 60Hz, 1500W/220-240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Plate size(mm):Φ258



Model: ALP-DC95

220-240V, 50/60Hz
Soft Touch Control Induction cooker
Plate size(mm):Φ258



Model: ALP-DC87

220-240V, 50/60Hz
Soft Touch Control Induction cooker
Plate size(mm):Φ258



Model: ALP-A17

120V, 60Hz, 1500W/220-240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Plate size(mm):290*360

Housing Color Options: Bottom Body (Black, Blue)
Top Body (White, Silver)



Model: ALP-A18

120V, 60Hz, 1500W/220-240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Plate size(mm):310*380

Housing Color Options: Bottom Body (Black, Blue)
Top Body (White, Silver)



Model: ALP-DC43

220-240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Plate size(mm):280*350



Model: ALP-DC98

220-240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Super Slim Body
Plate size(mm):280*360



Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DC92	Φ258	282*311*72	320*110*398	678*335*415(gpcs)	1680	3480	4080
ALP-DC96	Φ258	297*297*74	340*110*398	675*355*408(gpcs)	1728	3580	4197
ALP-DC95	Φ258	390*305*55	345*93*478	576*360*493(gpcs)	1650	3390	3990
ALP-DC87	Φ258	354*304*73	345*108*445	663*360*460(gpcs)	1530	3180	3720

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-A17	290*360	290*360*49	323*28*402	486*338*417(gpcs)	2412	5043	5921
ALP-A18	310*380	310*380*49	340*28*410	488*355*443(gpcs)	2232	4668	5480
ALP-DC43	280*350	280*350*47	313*28*403	456*328*420(gpcs)	2674	5539	6494
ALP-DC98	280*360	280*360*46	310*28*424	456*325*440(gpcs)	2576	5337	6257



Model: ALP-A16

220-240V, 50/60Hz, 1500W
Soft Touch Control Induction Cooker
Super Slim Body
Plate size(mm): 280*360



Model: ALP-DC91

220-240V, 50/60Hz, 1500W
Soft Touch Control Induction Cooker
Super Slim Body
Plate size(mm): 280*350




Model: ALP-A11

220-240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Super Slim Body
Plate size(mm): 290*370



Model: ALP-DC46

220-240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Super Slim Body
Plate size(mm): 290*370



Model: ALP-DC62

220-240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Super Slim Body
Plate size(mm): 310*380



Model: ALP-DC64

220-240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Super Slim Body
Plate size(mm): 310*380



Model: ALP-DC221

220-240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
2 Big Displays
Plate size(mm): 320*390



Model: ALP-DC220

220-240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Aluminium Slim Body
2 Big Displays
Plate size(mm): 320*390



Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-A16	280*360	280*360*16	312*68*415	426*377*430(gpcs)	2759	5769	6772
ALP-DC91	280*350	280*350*15	316*72*425	450*317*440(gpcs)	2517	5264	6772
ALP-A11	290*370	290*370*11	332*80*410	500*347*425(gpcs)	2238	4681	5495
ALP-DC46	290*370	290*370*12	332*80*410	500*347*425(gpcs)	2238	4681	5495

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DC62	310*380	310*380*19	340*75*430	468*355*445(gpcs)	2232	4668	5480
ALP-DC64	310*380	310*380*19	355*78*450	483*373*465(gpcs)	1968	4116	4832
ALP-DC221	320*390	320*390*13	360*75*430	468*375*445(gpcs)	2115	4423	5192
ALP-DC220	320*390	320*390*13	360*75*430	468*375*445(gpcs)	2115	4423	5192



Model: ALP-A37

220~240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Super Slim Body
Plate size(mm):320*390



Model: ALP-A79

120V, 60Hz, 1500W/220~240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Plate size(mm):310*380



Model: ALP-A56

120V, 60Hz, 1800W/220~240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Plate size(mm):310*380



Model: ALP-A58

120V, 60Hz, 1800W/220~240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Plate size(mm):320*380



Model: ALP-A32

220~240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Plate size(mm):281*361



Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-A79	310*380	310*380*65	346*92*425	570*360*440(gpcs)	1827	3820	4485
ALP-A56	310*380	310*380*65	346*92*425	570*360*440(gpcs)	1827	3820	4485
ALP-A58	320*380	320*380*70	353*100*427	618*371*445(gpcs)	1713	3582	4205
ALP-A32	281*361	281*361*69	315*88*392	544*330*406(gpcs)	2266	4739	5563



Model: ALP-DC22C

220~240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Plate size(mm):290*430



Model: ALP-DC77

220~240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Plate size(mm):281*271



Model: ALP-DC50

220~240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Plate size(mm):288*288



Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-A37	320*390	320*390*42	356*85*478	528*370*442(gpcs)	1911	3997	4692
ALP-DC22C	290*430	290*430*52	490*110*360	685*510*380(gpcs)	1242	2598	3060
ALP-DC77	281*271	281*271*60	315*88*395	546*333*413(gpcs)	2237	4634	5433
ALP-DC50	288*288	288*355*62	321*85*430	528*336*465(gpcs)	2002	4186	4915



Model: ALP-A12

220-240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Plate size(mm): Φ 249




Model: ALP-S12

220-240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Plate size(mm): Φ 249



Model: ALP-S12H

220-240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Plate size(mm): Φ 249



Model: ALP-18E4

220-240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Plate size(mm): Φ 249



Model: ALP-CL5

220-240V, 50/60Hz, 1000W
Soft Touch Control Induction Cooker
Plate size(mm):211*251
Built-in Size(mm):238*188



Model: ALP-CL6

220-240V, 50/60Hz, 1000W
Soft Touch Control Induction Cooker
Plate size(mm):176*215
Built-in Size(mm):205*170



Model: ALP-H206

120V, 60Hz, 1300W/220-240V, 50/60Hz, 2000W
Remote Control Induction Cooker
Plate size(mm): Φ 288
Built-in Size(mm): Φ 273



Model: ALP-SQ201

220-240V, 50/60Hz, 2000W
Remote Control Induction Cooker
Plate size(mm):300*300
Built-in Size(mm):271*271



Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-A12	Φ 249	313*385*69	342*88*418	544*327*432(gpcs)	1968	4116	4832
ALP-S12	Φ 249	340*405*69	367*91*445	562*382*460(gpcs)	1671	3495	4103
SM-S12H	Φ 249	340*405*69	367*91*445	562*382*460(gpcs)	1671	3495	4103
ALP-18E4	Φ 249	313*385*69	312*88*392	544*327*406(gpcs)	2244	4693	5510

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-CL5	211*251	211*251*56	295*112*340	580*310*705(10pcs)	2182	4563	5357
ALP-CL6	176*215	176*215*62	315*120*360	505*335*581(gpcs)	2386	4989	5866
ALP-H206	Φ 288	Φ 288*82	318*100*336	518*332*686(gpcs)	2300	4870	5720
ALP-SQ201	300*300	300*300*75	318*100*336	518*332*686(gpcs)	2300	4870	5720

**Model: ALP-A19**


220-240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Plate size(mm):280*320

**Model: ALP-A30**


220-240V, 50/60Hz, 2000W
Push Button&Knob Control Induction Cooker
Blue Color Display is Available
Plate size(mm):280*270

**Model: ALP-DC11**

220-240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Product Type:Built In/Tabletop
Plate size(mm):300*390
Built-in Size(mm):270*360

**Model: ALP-DC49**

120V, 60Hz, 1800W/220-240V, 50/60Hz, 2000W
Soft Touch Control Induction Cooker
Product Type:Built In/Tabletop
Plate size(mm):300*390
Built-in Size(mm):270*360

**Model: ALP-A59**

120V, 60Hz, 1500W/220-240V, 50/60Hz, 2000W
Push Button Control Induction Cooker
Blue color Display is Available
Plate size(mm):272*272

**Model: ALP-16A3**

120V, 60Hz, 1500W/220-240V, 50/60Hz, 2000W
Push Button Control Induction Cooker
Plate size(mm):270*270

**Model: ALP-16D3**

120V, 60Hz, 1800W/220-240V, 50/60Hz, 2000W
Push Button Control Induction Cooker
Blue Display is Available
Plate size(mm):270*270

**Model: ALP-DC18**

220-240V, 50/60Hz, 2000W
Push Button Control Induction Cooker
Plate size(mm):280*280



Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-A19	280*320	280*352*58	308*88*392	544*323*406(6pcs)	2314	4838	5680
ALP-A30	280*270	280*370*74	312*88*392	544*377*406(6pcs)	2285	4778	5609
ALP-DC11	300*390	300*390*79	445*365*120	525*385*470(4Pcs)	1159	2423	2845
ALP-DC49	300*390	300*390*88	428*348*125	520*453*368(2pcs)	639	1337	1569

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-A59	272*272	310*385*64	345*98*438	604*357*452(6pcs)	1694	3542	4158
ALP-16A3	270*270	286*364*57	320*88*392	544*335*406(6pcs)	2232	4668	5480
ALP-16D3	270*270	286*364*57	320*88*392	544*335*406(6pcs)	2232	4668	5480
ALP-DC18	280*280	280*360*67	311*88*396	546*326*411(6pcs)	2257	4719	5540



Model: ALP-DC88

220-240V, 50/60Hz, 2000W
Push Button Control Induction Cooker
Super Slim Body
Plate size(mm):280*270



Model: ALP-DC58

220-240V, 50/60Hz, 2000W
Push Button Control Induction Cooker
Plate size(mm):237*237



Model: ALP-18B1

220-240V, 50/60Hz, 2000W
Push Button Control Induction Cooker
Plate size(mm):280*270



Model: ALP-A33

220-240V, 50/60Hz, 1500W
Push Button Control Induction Cooker
Plate size(mm):250*250



Model: ALP-A63

220-240V, 50/60Hz, 2000W
Push Button Control Induction Cooker
Plate size(mm):250*250



Model: ALP-A48

220-240V, 50/60Hz, 1500W
Push Button Control Induction Cooker
Plate size(mm):250*250



Model: ALP-A3b

220-240V, 50/60Hz, 1500W
Push Button Control Induction Cooker
Plate size(mm):250*250



Model: ALP-A89

220-240V, 50/60Hz, 1500W
Push Button Control Induction Cooker
Plate size(mm):237*237



Model	Plate size(MM)	Product size(MM)	G. B Size(MM)	C. B Size(MM)	20GP	40GP	40HQ
ALP-DC88	280*270	360*280*46	316*772*412	450*331*427(gpcs)	2640	5460	6420
ALP-18B1	280*270	280*355*60	312*88*392	544*327*406(gpcs)	2285	4778	5609
ALP-A63	250*250	284*350*68	312*88*392	544*327*406(gpcs)	2285	4778	5609
ALP-A3b	250*250	280*340*62	312*90*368	558*327*382(gpcs)	2360	4935	5793

Model	Plate size(MM)	Product size(MM)	G. B Size(MM)	C. B Size(MM)	20GP	40GP	40HQ
ALP-DC58	237*237	280*338*66	315*88*392	546*333*410(gpcs)	2254	4668	5473
ALP-A33	250*250	285*350*61	312*88*392	544*327*406(gpcs)	2285	4778	5609
ALP-A48	250*250	279*327*53	300*88*367	546*315*385(gpcs)	2537	5062	6161
ALP-A89	237*237	280*350*67	312*88*400	546*327*415(gpcs)	2229	4662	5472



Model: ALP-DT226

220-240V, 50/60Hz, 2000W
Soft Touch Control Infrared Cooker
Aluminium Body
Plate size(mm): 361*281

CB CE LVD EMC ROHS REACH



Model: ALP-DT311

220-240V, 50/60Hz, 2000W
Soft Touch Control Infrared Cooker
Stainless Steel Body with Aluminium Handle
Plate size(mm): 361*281

CB CE LVD EMC ROHS REACH



Model: ALP-DT335

220-240V, 50/60Hz, 2000W
Soft Touch Control Infrared Cooker
Stainless Steel Body with Aluminium Handle
Plate size(mm): 295*285

CB CE LVD EMC ROHS REACH



Model: ALP-DT310

220-240V, 50/60Hz, 1200W
Knob Control Infrared Cooker
Stainless Steel Body
Plate size(mm): Ø192.5

CB CE LVD EMC ROHS REACH



Model: ALP-DT326

220-240V, 50/60Hz, 2000W
Soft Touch Control Infrared Cooker
Product Type: Built In/Tabletop
Plate size(mm): 300*390
Built-in Size(mm): 280*370

CB CE LVD EMC ROHS REACH



Model: ALP-DT203

220-240V, 50/60Hz, 2000W
Soft Touch Control Infrared Cooker
Plate size(mm): 311*381

CB CE LVD EMC ROHS REACH

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DT226	361*281	420*299*65	450*95*340	580*355*465(6pcs)	1695	3545	4162
ALP-DT311	361*281	420*297*68	445*98*338	606*460*373(6pcs)	1601	3349	3932
ALP-DT335	295*285	353*300*70	383*101*336	621*398*354(6pcs)	1926	3990	4678

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DT310	Ø192.5	Ø200*87	268*112*760	680*282*540(12pcs)	3142	6764	7941
ALP-DT326	300*390	300*390*79	445*385*120	525*385*470(4pcs)	1159	2423	2845
ALP-DT203	311*381	312*386*69	352*92*445	568*367*460(6pcs)	1722	3601	4227



Model: ALP-DT225

220-240V, 50/60Hz, 2000W
Soft Touch Control Infrared Cooker
Stainless Steel Body
Plate size(mm): 361*281

CB CE LVD EMC ROHS REACH



Model: ALP-DT317

220-240V, 50/60Hz, 2000W
Soft Touch Control Infrared Cooker
Stainless Steel Body
Plate size(mm): 281*361

CB CE LVD EMC ROHS REACH



Model: ALP-DT218

220-240V, 50/60Hz, 2000W
Soft Touch Control Infrared Cooker
Stainless Steel Body
Plate size(mm): 310*390

CB CE LVD EMC ROHS REACH



Model: ALP-DT212

220-240V, 50/60Hz, 2000W
Soft Touch Control Infrared Cooker
Aluminium Body
Plate size(mm): 361*281

CB CE LVD EMC ROHS REACH



Model: ALP-DT207/ALP-DT208

220-240V, 50/60Hz, 2000W
Soft Touch Control Infrared Cooker
Aluminium Body
Plate size(mm): 361*281/390*310

CB CE LVD EMC ROHS REACH



Model: ALP-DT339/ALP-DT340

220-240V, 50/60Hz, 2000W
Soft Touch Control Infrared Cooker
Aluminium Body
Plate size(mm): 361*281/390*310

CB CE LVD EMC ROHS REACH

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DT225	361*281	420*299*65	448*96*355	524*320*463(gpcs)	1633	3415	4009
ALP-DT317	281*361	350*361*65	448*95*314	488*348*462(gpcs)	1746	3650	4281
ALP-DT218	310*390	375*390*67	432*100*418	620*433*447(gpcs)	1374	2874	3375

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DT212	361*281	420*299*65	450*95*340	520*355*465(gpcs)	1695	3545	4162
ALP-DT208	390*310	450*328*70	473*98*373	594*388*488(gpcs)	1473	3090	3616
ALP-DT339	361*281	420*299*65	450*95*340	520*355*465(gpcs)	1695	3545	4162



Model: ALP-DT226

220-240V, 50/60Hz, 2000W
Soft Touch Control Infrared Cooker
Aluminium Body
Plate size(mm): 361*281

CB CE LVD EMC ROHS REACH



Model: ALP-DT311

220-240V, 50/60Hz, 2000W
Soft Touch Control Infrared Cooker
Stainless Steel Body with Aluminium Handle
Plate size(mm): 361*281

CB CE LVD EMC ROHS REACH



Model: ALP-DT335

220-240V, 50/60Hz, 2000W
Soft Touch Control Infrared Cooker
Colorful Metal Body
Plate size(mm): 295*285

CB CE LVD EMC ROHS REACH



Model: ALP-DT310

220-240V, 50/60Hz, 1200W
Knob Control Infrared Cooker
Stainless Steel Body
Plate size(mm): Ø192.5

CB CE LVD EMC ROHS REACH



Model: ALP-DT326

220-240V, 50/60Hz, 2000W
Soft Touch Control Infrared Cooker
Product Type: Built In/Tabletop
Plate size(mm): 300*390
Built-in Size(mm): 280*370

CB CE LVD EMC ROHS REACH



Model: ALP-DT203

220-240V, 50/60Hz, 2000W
Soft Touch Control Infrared Cooker
Plate size(mm): 311*381

CB CE LVD EMC ROHS REACH

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DT226	361*281	420*299*65	450*95*340	580*355*465(6pcs)	1695	3545	4162
ALP-DT311	361*281	420*297*68	445*98*358	606*460*373(6pcs)	1601	3349	3932
ALP-DT335	295*285	353*300*70	383*101*336	621*398*354(6pcs)	1926	3990	4678

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DT310	Ø192.5	Ø200*87	268*112*760	680*282*540(12pcs)	3142	6764	7941
ALP-DT326	300*390	300*390*79	445*385*120	515*470(4pcs)	1159	2423	2845
ALP-DT203	311*381	312*386*69	352*92*445	568*367*460(6pcs)	1722	3601	4227



Model: ALP-DT202

220-240V, 50/60Hz, 2000W
Soft Touch Control Infrared Cooker
Plate size(mm): 280*270

CB CE LVD EMC ROHS REACH



Model: ALP-DT305

220-240V, 50/60Hz, 2000W
Soft Touch Control Infrared Cooker
Plate size(mm): 280*350

CB CE LVD EMC ROHS REACH



Model: ALP-DT325

220-240V, 50/60Hz, 2000W
Soft Touch Control Infrared Cooker
Plate size(mm): 281*361

CB CE LVD EMC ROHS REACH



Model: ALP-DT213

220-240V, 50/60Hz, 2000W
Soft Touch Control Infrared Cooker
Plate size(mm): Φ249

CB CE LVD EMC ROHS REACH



Model: ALP-DT215

220-240V, 50/60Hz, 2000W
Push Button Control Infrared Cooker
Plate size(mm): 290*284

CB CE LVD EMC ROHS REACH



Model: ALP-DT201

220-240V, 50/60Hz, 2000W
Push Button Control Infrared Cooker
Plate size(mm): 280*270

CB CE LVD EMC ROHS REACH

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DT202	280*270	280*360*74	340*98*438	604*357*452(gpcs)	1694	3542	4158
ALP-DT305	280*350	280*350*62	352*93*445	548*367*460(gpcs)	1723	3603	4227
ALP-DT325	281*361	281*361*56	315*80*392	495*330*406(gpcs)	2488	5203	6108

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DT213	Φ249	340*405*82	375*100*445	618*390*460(gpcs)	1726	3713	4359
ALP-DT215	290*284	290*370*60	332*98*418	604*347*452(gpcs)	1742	3643	4276
ALP-DT201	280*270	280*350*66	330*88*418	544*345*432(gpcs)	2037	4259	4999



Model: ALP-DT341

220~240V, 50/60Hz, 2000W
Push Button Control Infrared Cooker
Plate size(mm):250*250



Model: ALP-DT209

220~240V, 50/60Hz, 2000W
Push Button Control Infrared Cooker
Plate size(mm):260*260



Model: ALP-DT314

220~240V, 50/60Hz, 2000W
Push Button Control Infrared Cooker
Plate size(mm):260*260



Model:ALP-DC20

120V, 60Hz, 1800W
Soft Touch Control Induction Cooker
Stainless Steel Body
Plate size(mm):320*390



Model:ALP-C01D

120V/1800W, 240V/3500W, 60Hz
220~240V, 50/60Hz, 2800/3500W
Remote Control Induction Cooker
Stainless Steel Body
Plate size(mm):300*300



Model:ALP-C02D

120V/1800W, 240V/3500W, 60Hz
220~240V, 50/60Hz, 2800/3500W
Push Button Control Induction Cooker
Stainless Steel Body
Plate size(mm):300*300



Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DT341	250*250	280*360*62	316*90*385	558*330*410(6pcs)	2225	4609	5403
ALP-DT309	260*260	280*360*64	312*88*392	544*327*408(6pcs)	2285	4778	5609
ALP-DT314	260*260	280*360*51	312*85*415	525*327*433(6pcs)	2220	4643	5450

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DC20	320*390	320*390*75	380*120*457	510*400*500(4pcs)	1078	2254	2647
ALP-C01D/C01DH	300*300	350*350*110	410*420*175	440*385*440(2pcs)	738	1543	1812
ALP-C02D/C02DH	300*300	440*355*110	520*425*170	445*360*545(2pcs)	630	1317	1546



Model: ALP-A80

120V/1800W, 240V/3500W, 60Hz
220~240V, 50/60Hz, 2800/3500W
Push Button Control Induction Cooker
Stainless Steel Body
Plate size(mm): 280*280



CE

LVD

EMC

RoHS

REACH

IEC



Model: ALP-A83

120V/1800W, 240V/3500W, 60Hz
220~240V, 50/60Hz, 2800/3500W
Push Button Control Induction Cooker
Stainless Steel Body
Plate size(mm): 280*280



CE


LVD

EMC

RoHS

REACH

IEC



Model: ALP-DC81

220~240V, 50/60Hz, 2500W
Soft Touch Control Induction Cooker
Plate size(mm): Φ277



Model: ALP-C03D

220~240V, 50/60Hz, 3500W
Soft Touch Control Induction Cooker
Stainless Steel Body
Plate size(mm): 300*300

CE

LVD

EMC

RoHS

REACH

IEC



Model: ALP-DC34

220~240V, 50/60Hz, 3500W
Soft Touch Control Induction Cooker
Stainless Steel Body
Plate size(mm): 300*300

CE

LVD

EMC

RoHS

REACH

IEC

Model	Plate size(MM)	Product size(MM)	G. B Size(MM)	C. B Size(MM)	20GP	40GP	40HQ
ALP-A80/A80H	280*280	327*418*105	480*380*165	405*365*510(2pcs)	730	1527	1792
ALP-A83/A83H	280*280	327*418*105	480*380*165	405*365*510(2pcs)	730	1527	1792
ALP-DC81	Φ277	335*405*112	406*151*515	924*421*530(6pcs)	800	1674	1966

Model	Plate size(MM)	Product size(MM)	G. B Size(MM)	C. B Size(MM)	20GP	40GP	40HQ
ALP-C03D	300*300	440*355*110	520*425*170	445*360*545(2pcs)	630	1317	1546
ALP-DC34	300*300	440*355*110	520*425*170	445*360*545(2pcs)	630	1317	1546



Model: ALP-C05D

220-240V, 50/60Hz, 3500W
Push Button Control Induction Cooker
Stainless Steel Body
Plate size(mm):280*280



Model: ALP-C05D-A

220-240V, 50/60Hz, 3500W
Push Button Control Induction Cooker
Stainless Steel Body
Plate size(mm):Φ277



Model: ALP-C06D

220-240V, 50/60Hz, 3500W
Knob Control Induction Cooker
Stainless Steel Body
Plate size(mm):280*280



Model: ALP-C06D-A

220-240V, 50/60Hz, 3500W
Knob Control Induction Cooker
Stainless Steel Body
Plate size(mm):Φ277



Model: ALP-C08D

220-240V, 50/60Hz, 5000W
Knob Control Induction Cooker
Stainless Steel Body
Plate size(mm):300*300



Model: ALP-C08D-A

220-240V, 50/60Hz, 5000W
Knob Control Induction Cooker
Stainless Steel Body
Plate size(mm):Φ310

Model	Plate size(MM)	Product size(MM)	G. B Size(MM)	20GP	40GP	40HQ
ALP-C05D	280*280	450*345*130	520*430*195[1pc]	642	1330	1559
ALP-C05D-A	Φ277	450*345*147	520*430*195[1pc]	642	1330	1559
ALP-C06D	280*280	450*345*130	520*430*195[1pc]	642	1330	1559

Model	Plate size(MM)	Product size(MM)	G. B Size(MM)	20GP	40GP	40HQ
ALP-C06D-A	Φ277	450*345*147	520*430*195[1pc]	642	1330	1559
ALP-C08D	300*300	500*405*195	490*600*278[1pc]	353	731	857
ALP-C08D-A	Φ310	500*405*205	490*600*285[1pc]	334	692	812



Model: ALP-CX002

220-240V, 50/60Hz, 3500W+3500W
Sensor Touch Control Induction Cooker
Stainless Steel Body
Plate size(mm): 280*280



Model: ALP-CA002

220-240V, 50/60Hz, 3500W+3500W
Sensor Touch Control Induction Cooker
Stainless Steel Body
Plate size(mm): Left: 280*280 Right: Ø277



Model: ALP-CX008

220-240V, 50/60Hz, 3500W+3500W
Sensor Touch Control Induction Cooker
Stainless Steel Body
Plate size(mm): 328*569



Model: ALP-DIC200

220-240V, 50/60Hz
Soft Touch Control Double Induction Cooker
Product Type: Built-in Tabletop
Power Sharing Option
Plate size(mm): 730*430
Built-in size(mm): 665*362
*4000W Power Continuous Heating
*Total power: 2200W, Power boost 2500W
*Total Power 3600W

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	20GP	40GP	40HQ
ALP-CX002	280*280	750*430*145	790*470*196(1pc)	385	797	935
ALP-CA002	Left: 280*280 Right: Ø277	750*430*156	790*470*196(1pc)	385	797	935
ALP-CX008	328*569	328*569*113	765*440*130(1pc)	640	1325	1554

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC200	730*430	730*430*90	790*495*185	810*295*520(1pc)	443	927	1080

Almighty mobile kitchenette on the desktop

Independent temperature control on both sides

Special large bakeware | Low power continuous heating

Intelligent linkage



Model: ALP-DIC190

220-240V, 50/60Hz/1800W+1800W
Double Induction Cooker+Bakeware
Product Type: Tabletop
Power Sharing For Option
Plate size(mm):600*300



CB CE EMC LVD ERP ROHS REACH

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC190	600*300	610*310*55	620X400X105	640X230X420(2pcs)	905	1876	2199



Model: ALP-DIC08A

120V, 60Hz, 1800W(1800W+1800W)
Soft Touch Control Double Induction Cooker
Product Type:Tabletop
Temperature Range:140°F-460°F
Plate size(mm):660*390



Model: ALP-DIC16

120V, 60Hz, 1800W(1800W+1800W)
220-240V, 50/60Hz, 2000W+2000W
Soft Touch Control Double Induction Cooker
Product Type:Tabletop
Temperature Range:140°F-460°F
Plate size(mm):600*360



LVD EMC EMF

UKCA



Model: ALP-DIC111/DIC111H

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Induction Cooker
Product Type:Tabletop
Plate size(mm):660*390

CE

LVD EMC EMF

RoHS


ERP REACH UKCA

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC08A	660*390	660*390*75	735*115*460	755*155*485(2pcs)	589	1232	1446
ALP-DIC16	600*360	600*360*66	650*125*450	670*175*475(2pcs)	628	1314	1542
ALP-DIC111/DIC111H	660*390	660*390*65	730*110*452	745*135*466(2pcs)	674	1408	1654



Model: ALP-DIC142

120V, 60Hz, 1800W(1800W+1800W)
Soft Touch Control Double Induction Cooker
Product Type: Built In/Tabletop
Plate size(mm): 600*390
Built-in Size(mm): 580*370



CE LVD EMC EMF
RoHS ERP REACH UKCA



Model: ALP-DIC148

220-240V, 50/60Hz, 1800W+1800W
Push Button Control Double Induction Cooker
Power Sharing For Option
Plate size(mm): 280*280

CE LVD EMC EMF
RoHS ERP REACH UKCA



Model: ALP-DIC126

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Induction Cooker
Product Type: Tabletop
Plate size(mm): 285*274

CE LVD EMC EMF
RoHS ERP REACH UKCA



Model: ALP-DIC112/DIC112H

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Induction Cooker
Product Type: Tabletop
Plate size(mm): 600*360

CE LVD EMC EMF
RoHS ERP REACH UKCA



Model: ALP-DIC05

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Induction Cooker
Product Type: Tabletop
Plate size(mm): 290*285

CB CE LVD EMC EMF
RoHS ERP REACH UKCA



Model: ALP-DIC166

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Induction Cooker
Product Type: Tabletop
Plate size(mm): 690*420

CE LVD EMC EMF
RoHS ERP REACH UKCA

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC112/DIC112H	600*360	600*360*64	638*98*452	653*714*467(2pcs)	843	1763	2070
ALP-DIC142	600*390	600*390*95	640*440*125	660*460*280(2pcs)	647	1352	1588
ALP-DIC05	290*285	660*390*75	710*95*442	725*205*457(2pcs)	810	1693	1988

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC148	280*280	598*360*65	633*88*412	648*192*427(2pcs)	1054	2184	2561
ALP-DIC126	285*274	604*360*64	640*90*420	655*195*435(2pcs)	990	2072	2432
ALP-DIC166	690*420	690*420*64	740*115*475	755*250*495(2pcs)	599	1241	1456



Model: ALP-DIC108

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Induction Cooker
Product Type: Tabletop
Power Sharing For Option
Plate size(mm):Φ249

CE LVD EMC EMF
RoHS ERP REACH



Model: ALP-DCF108

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Combined Double Cooker
Product Type: Tabletop
Power Sharing For Option
Plate size(mm):Φ249

CB CE LVD EMC EMF
RoHS REACH



Model: ALP-DIF108

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Infrared Cooker
Product Type: Tabletop
Power Sharing For Option
Plate size(mm):Φ249



Model: ALP-DIC103

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Induction Cooker
Product Type: Tabletop
Power Sharing For Option
Plate size(mm):660*390

CE LVD EMC EMF
RoHS ERP REACH UKCA



Model: ALP-DCF103

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Combined Double Cooker
Product Type: Tabletop
Power Sharing For Option
Plate size(mm):660*390

CB CE LVD EMC EMF
RoHS REACH



Model: ALP-DIF103

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Infrared Cooker
Product Type: Tabletop
Power Sharing For Option
Plate size(mm):660*390


Model	Plate size(MM)	Product size(MM)	G. B Size(MM)	C. B Size(MM)	2DGP	4DGP	4DHQ
ALP-DIC108	Φ249	660*390*75	730*110*452	745*235*466(2pcs)	674	1408	1654
ALP-DCF108	Φ249	660*390*75	730*110*452	745*235*466(2pcs)	674	1408	1654
ALP-DIF108	Φ249	660*390*75	730*110*452	745*235*466(2pcs)	674	1408	1654

Model	Plate size(MM)	Product size(MM)	G. B Size(MM)	C. B Size(MM)	2DGP	4DGP	4DHQ
ALP-DIC103	660*390	660*390*75	730*110*452	745*235*466(2pcs)	674	1408	1654
ALP-DCF103	660*390	660*390*75	730*110*452	745*235*466(2pcs)	674	1408	1654
ALP-DIF103	660*390	660*390*75	730*110*452	745*235*466(2pcs)	674	1408	1654



Model: ALP-DIC101

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Induction Cooker
Product Type: Built In/Tabletop
Power Sharing For Option
Plate size(mm): 680*380
Built-in(mm): 340*640




Model: ALP-DCF101

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Combined Double Cooker
Product Type: Built In/Tabletop
Power Sharing For Option
Plate size(mm): 680*380
Built-in(mm): 340*640




Model: ALP-DIF101

220-240V, 50/60Hz, 1800W+1800W
Soft Touch Control Double Infrared Cooker
Product Type: Built In/Tabletop
Power Sharing For Option
Plate size(mm): 680*380
Built-in(mm): 340*640



Model: ALP-DIC12-1

220-240V, 50/60Hz, 2000W+2000W
Soft Touch Control Double Induction Cooker
Product Type: Built In/Tabletop
Power Sharing For Option
Plate size(mm): 680*380
Built-in size(mm): 340*640



Model: ALP-DIC12/DIC12H

220-240V, 50/60Hz, 2800W/3600W(1800W+1800W)
220-240V, 50/60Hz, 2000W+2000W
Soft Touch Control Combined Double Cooker
Product Type: Built In/Tabletop
Power Sharing For Option
Plate size(mm): 680*380
Built-in size(mm): 340*640



Model: ALP-DIF12

220-240V, 50/60Hz, 2000W+2000W
Soft Touch Control Double Infrared Cooker
Product Type: Built In/Tabletop
Power Sharing For Option
Plate size(mm): 680*380
Built-in size(mm): 340*640




Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC101	680*380	680*380*75	740*115*442	755*245*457(2pcs)	650	1360	1597
ALP-DCF101	680*380	680*380*75	740*115*442	755*245*457(2pcs)	650	1360	1597
ALP-DIF101	680*380	680*380*75	740*115*442	755*245*457(2pcs)	650	1360	1597

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC12-1	680*380	680*380*75	740*115*442	755*245*457(2pcs)	650	1360	1597
ALP-DIC12/DIC12H	680*380	680*380*75	740*115*442	755*245*457(2pcs)	650	1360	1597
ALP-DIF12	680*380	680*380*75	740*115*442	755*245*457(2pcs)	650	1360	1597




Model:ALP-DIC109

220-240V, 50/60Hz,2000W+2000W
Soft Touch Control Double Induction Cooker
Product Type:Built In/Tabletop
Plate size(mm):Φ249
Built-in size(mm): 670*385




Model: ALP-DIC104

220-240V, 50/60Hz,2000W+2000W
Soft Touch Control Double Induction Cooker
Product Type:Built In/Tabletop
Plate size(mm): 730*430
Built-in size(mm): 670*385



Model:ALP-DCF109

220-240V, 50/60Hz,2000W+2000W
Soft Touch Control Combined Double Cooker
Product Type:Built In/Tabletop
Plate size(mm):Φ249
Built-in size(mm): 670*385




Model: ALP-DCF104

220-240V, 50/60Hz,2000W+2000W
Soft Touch Control Combined Double Cooker
Product Type:Built In/Tabletop
Plate size(mm): 730*430
Built-in size(mm): 670*385



Model:ALP-DIF109

220-240V, 50/60Hz,2000W+2000W
Soft Touch Control Double Infrared Cooker
Product Type:Built In/Tabletop
Plate size(mm):Φ249
Built-in size(mm): 670*385



Model: ALP-DIF104

220-240V, 50/60Hz,2000W+2000W
Soft Touch Control Double Infrared Cooker
Product Type:Built In/Tabletop
Plate size(mm): 730*430
Built-in size(mm): 670*385


Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC109	Φ249	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080
ALP-DCF109	Φ249	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080
ALP-DIF109	Φ249	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC104	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080
ALP-DCF104	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080
ALP-DIF104	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080





Model: ALP-DIC123

220-240V, 50/60Hz, 2000W+2000W
Soft Touch Control Double Induction Cooker
Product Type: Built In/Tabletop
Plate size(mm): 730*430
Built-in size(mm): 670*385




Model: ALP-DIC146

220-240V, 50/60Hz, 2000W+2000W
Soft Touch Control Double Induction Cooker
Product Type: Built In/Tabletop
Plate size(mm): 730*430
Built-in size(mm): 670*385




Model: ALP-DCF123

220-240V, 50/60Hz, 2000W+2000W
Soft Touch Control Combined Double Cooker
Product Type: Built In/Tabletop
Plate size(mm): 730*430
Built-in size(mm): 670*385




Model: ALP-DIC146

220-240V, 50/60Hz, 2000W+2000W
Soft Touch Control Double Induction Cooker
Product Type: Built In/Tabletop
Plate size(mm): 730*430
Built-in size(mm): 670*385



Model: ALP-DIF123

220-240V, 50/60Hz
Soft Touch Control Double Infrared Cooker
Product Type: Built In/Tabletop
Plate size(mm): 730*430
Built-in size(mm): 670*385



Model: ALP-DCF146

220-240V, 50/60Hz, 2000W+2000W
Soft Touch Control Combined Double Cooker
Product Type: Built In/Tabletop
Plate size(mm): 730*430
Built-in size(mm): 670*385




Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC123	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080
ALP-DCF123	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080
ALP-DIF123	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC146	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080
ALP-DCF146	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080




Model: ALP-DIC161

220-240V, 50/60Hz, 2000W+2000W
Soft Touch Control Double Induction Cooker
Product Type: Built In/Tabletop
Power Sharing For Option
Plate size(mm): 730*430
Built-in size(mm): 670*385




Model: ALP-DIC163

220-240V, 50/60Hz, 2000W+2000W
Soft Touch Control Double Induction Cooker
Product Type: Built In/Tabletop
Power Sharing For Option
Plate size(mm): 730*430
Built-in size(mm): 670*385



Model: ALP-DCF161

220-240V, 50/60Hz, 2000W+2000W
Soft Touch Control Combined Double Cooker
Product Type: Built In/Tabletop
Power Sharing For Option
Plate size(mm): 730*430
Built-in size(mm): 670*385



Model: ALP-DCF163

220-240V, 50/60Hz, 2000W+2000W
Soft Touch Control Combined Double Cooker
Product Type: Built In/Tabletop
Power Sharing For Option
Plate size(mm): 730*430
Built-in size(mm): 670*385



Model: ALP-DIF161

220-240V, 50/60Hz
Soft Touch Control Double Infrared Cooker
Product Type: Built In/Tabletop
Power Sharing For Option
Plate size(mm): 730*430
Built-in size(mm): 670*385



Model: ALP-DIF163

220-240V, 50/60Hz, 2000W+2000W
Soft Touch Control Double Infrared Cooker
Product Type: Built In/Tabletop
Power Sharing For Option
Plate size(mm): 730*430
Built-in size(mm): 670*385


Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC161	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080
ALP-DCF161	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080
ALP-DIF161	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC163	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080
ALP-DCF163	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080
ALP-DIF163	730*430	730*430*90	799*495*135	810*295*520(2pcs)	443	927	1080



Model: ALP-DIC30

CB:220-240V,50/60Hz,3000W
ETL:120V,60Hz,1800W
Soft Touch Control Double Induction Cooker
Product Type:Built In/Tabletop
Plate size(mm):290*520
Built-in Size(mm):490*260



Model: ALP-DCF30

220-240V,50/60Hz,3000W
Soft Touch Control Combined Double Cooker
Product Type:Built In/Tabletop
Plate size(mm):290*520
Built-in Size(mm):490*260




Model: ALP-DIF30

220-240V, 50/60Hz,1800W(Front)+1200W(Rear)
Soft Touch Control Double Infrared Cooker
Product Type:Built In/Tabletop
Plate size(mm):290*520
Built-in Size(mm):490*260



Model: ALP-DIC31

CB:220-240V,50/60Hz,3000W
ETL:120V,60Hz,1800W
Soft Touch Control Double Induction Cooker
Product Type:Built In/Tabletop
Plate size(mm):290*520
Built-in Size(mm):490*260



Model: ALP-DCF31

220-240V, 50/60Hz,3000W
Soft Touch Control Combined Double Cooker
Product Type:Built In/Tabletop
Plate size(mm):290*520
Built-in Size(mm):490*260



Model: ALP-DIF31


220-240V, 50/60Hz,1800W(Front)+1200W(Rear)
Soft Touch Control Double Infrared Cooker
Product Type:Built In/Tabletop
Plate size(mm):290*520
Built-in Size(mm):490*260

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC30	290*520	290*520*80	568*353*112	583*368*225(2pcs)	1141	2385	2800
ALP-DCF30	290*520	290*520*80	568*353*112	583*368*225(2pcs)	1141	2385	2800
ALP-DIF30	290*520	290*520*80	568*353*112	583*368*225(2pcs)	1141	2385	2800

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIC31	290*520	290*520*80	568*353*112	583*368*225(2pcs)	1141	2385	2800
ALP-DCF31	290*520	290*520*80	568*353*112	583*368*225(2pcs)	1141	2385	2800
ALP-DIF31	290*520	290*520*80	568*353*112	583*368*225(2pcs)	1141	2385	2800

**Model: ALP-DIF37**

CB:220-240V,50/60Hz,1800W(Front)+1200W(Rear)
 ETL:240V,60Hz,3000W
 Soft Touch Control Double Infrared Cooker
 Product Type:Built In/Tabletop
 Plate size(mm):290*520
 Built-in Size(mm):490*260

**Model: ALP-DIC35**

120V,60Hz,1800W
 Soft Touch Control Double Induction Cooker
 Product Type:Built In/Tabletop
 Plate size(mm):290*520
 Built-in Size(mm):490*260

**Model: ALP-DIC36**

120V,60Hz,1800W
 Soft Touch Control Double Induction Cooker
 Product Type:Built In/Tabletop
 Plate size(mm):290*520
 Built-in Size(mm):490*260

**Model: ALP-HIC06**

220-240V, 50/60Hz
 Soft Touch Control Double Infrared Cooker
 Product Type:Built In/Tabletop
 Power Sharing For Option
 Plate size(mm):780*450
 Built-in size(mm): 745*415

**Model: ALP-HCF05**

220-240V, 50/60Hz
 Soft Touch Control Double Infrared Cooker
 Product Type:Built In/Tabletop
 Power Sharing For Option
 Plate size(mm):780*450
 Built-in size(mm): 745*415

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-DIF37	290*520	290*520*80	568*353*112	583*368*225(2pcs)	1141	2385	2800
ALP-DIC35	290*520	290*520*80	568*353*112	583*368*225(2pcs)	1141	2385	2800
ALP-DIC36	290*520	290*520*80	568*353*112	583*368*225(2pcs)	1141	2385	2800

Model	Plate size(MM)	Product size(MM)	G.B Size(MM)	C.B Size(MM)	20GP	40GP	40HQ
ALP-HIC06	780*450	780*450*90	853*128*520	868*535*280(2pcs)	430	892	1045
ALP-HCF05	780*450	780*450*90	853*128*520	868*535*280(2pcs)	430	892	1045

CookWare for options

Soup pot



Model: P1/P2/P3
Weight: 260g/320g/400g



Model: P5
Weight: 320g



Model: P6
Weight: 600g



Model: P7
Weight: 470g



Model: P9
Weight: 900g



Model: P10
Weight: 400g

Grill tray



Model: G1



Model: G2



Model: G3

The End
Thank you... ..