



Scan to get more information



Office: +86 579-86013185

Direct: +86 15024540881 / +86 15267907180

Email: freda@dy-hq.com / suzie@dy-hq.com

Web: www.axue333.com

Address: No.67 Jici Road,Hengdian Industry Zone,Dongyang city,Zhejiang Province,China

Professional Built in Ceiling Speaker & Speaker Unit
Public Address System Speakers Manufacture

— **Fine Speaker Solutions** —

COMPANY INTRODUCTION

Company Profile

Haiqiang is one of the top-ranked modern enterprises that integrates, manufactures, and services in one Strong technical force and foreign cooperation, market partners and partners all over the mainland, Hong Kong, China, Japan, Korea, Europe, America, Africa, Africa, Southeast Asia, the Middle East and other countries.

Technical Strength

Haiqiang Electroacoustic is one of the modern enterprises with the highest market share in China and integrating R&D, manufacturing, sales and service. With skilled technical team.

Corporate Culture



The company will, as always, adhere to the business philosophy of "honesty and quality first", the development concept of "people-oriented" and "independent".

Factory Environment

The company's production base is located in the beautiful Hengdian Industrial Park, Dongyang City, Zhejiang Province. The factory covers an area of more than 18,000 square meters.



> ENTERPRISE HONOR



ADVANCED EQUIPMENT



FINE WORKMANSHIP

QUALITY SERVICE



> CONTENTS

01-04	●	Company introduction
06-12	●	Wall-mounted speaker
13-32	●	Ceiling speaker
33-34	●	Fire speaker
35-40	●	Outdoor waterproof sound column
41-50	●	Digital amplifier
51-72	●	Outdoor lawn speaker



Optional style: IP /PA/Dual-purpose/Bluetooth

Optional color: Black/White

HY-311 Wall-mounted speaker

Power: 20W
Sensitivity: 89±3db
Frequency: 70-20KHZ
Size(L*W*H): 150*250*140mm
Material: PP
Loudspeaker: 4inches

HY-312 Wall-mounted speaker

Power: 30W
Sensitivity: 88±3db
Frequency: 60-20KHZ
Size(L*W*H): 170*270*160mm
Material: PP
Loudspeaker: 5inches

HY-313 Wall-mounted speaker

Power: 40W
Sensitivity: 88±3db
Frequency: 50-20KHZ
Size(L*W*H): 210*330*200mm
Material: PP
Loudspeaker: 6inches



Optional style: Resistance/Volt/Dual-purpose/Bluetooth

HY-314

Wall-mounted speaker

Power: 20W

Sensitivity: 89±3db

Frequency: 70-20KHZ

Size(L*W*H): 145*210*130mm

Material: PP

Loudspeaker: 4inches



HY-315

Wall-mounted speaker

Power: 30W

Sensitivity: 88±3db

Frequency: 60-20KHZ

Size(L*W*H): 170*250*150mm

Material: PP

Loudspeaker: 5inches



Optional color: Black/White

HY-316

Wall-mounted speaker

Power: 40W

Sensitivity: 87±3db

Frequency: 50-20KHZ

Size(L*W*H): 210*300*190mm

Material: PP

Loudspeaker: 6inches



Optional style: IP /PA/Dual-purpose/Bluetooth

HY-317

Wall-mounted speaker

Power: 20W

Sensitivity: 89±3db

Frequency: 70-20KHZ

Size(L*W*H): 170*220*150mm

Material: PP

Loudspeaker: 4inches



Optional color: Black/White

HY-318

Wall-mounted speaker

Power: 30W

Sensitivity: 88±3db

Frequency: 60-20KHZ

Size(L*W*H): 185*240*170mm

Material: PP

Loudspeaker: 5inches



HY-319

Wall-mounted speaker

Power: 40W

Sensitivity: 87±3db

Frequency: 50-20KHZ

Size(L*W*H): 215*285*180mm

Material: PP

Loudspeaker: 6inches



BG-01

Wall-mounted speaker

Power: 30W

Color: black

Sensitivity: 88±3db

Specification: volt 70-110V

Frequency: 65-20KHZ

Material: PP/ABS

Size(L*W*H): 170*310*160mm

Loudspeaker unit: 5inches



BG-02

Wall-mounted speaker

Power: 5-15W

Color: black

Sensitivity: 90±3db

Specification: volt 70-110V

Frequency: 70-20KHZ

Material: PP

Size(L*W*H): 200*275*108mm

Loudspeaker unit: 6inches



BG-03

Wall-mounted speaker

Power: 20W

Sensitivity: 89±3db

Frequency: 75-20KHZ

Size(L*W*H): 260*200*94mm

Color: black

Specification: volt 70-110V

Material: PP

Loudspeaker unit: 4inches



BG-04

Wall-mounted speaker

Power: 20W

Sensitivity: 89±3db

Frequency: 75-20KHZ

Size(L*W*H): 170*260*118mm

Color: black/white

Specification: volt 70-110V

Material: PP

Loudspeaker unit: 4inches



IW808

Support WIFI/USB/APP/AUX/BT

Power: 30W

Size(L*W*H): 235*135mm

Input volt: 12V DC

Hole size: 205mm

Sensitivity: 88±3db

Material: ABS

Frequency: 55-20KHZ

Loudspeaker unit: 6inches



IW508

Support WIFI/USB/APP/AUX/BT
Max One-driving-three

Power: 20W

Size(L*W*H): 215*215*135mm

Input volt: 12V DC


Hole size: 185mm

Sensitivity: 89±3db

Material: ABS

Frequency: 60-20KHZ

Loudspeaker unit: 5inches



FM608BT

Bluetooth/FM
Max One-driving-three

Power: 20W

Input volt: 12V DC

Sensitivity: 88±3db

Frequency: 55-20KHZ

Size(L*W*H): 190*85mm

Hole size: 165mm

Material: ABS

Loudspeaker unit: 6inches



618BT

Bluetooth
One-driving-one

Power: 25W

Input volt: 12V DC

Sensitivity: 91±2db

Frequency: 55-20KHZ

Size(L*W*H): 235*135mm

Hole size: 205mm

Material: ABS

Loudspeaker unit: 6inches



518BT

Bluetooth
One-driving-one

Power: 20W

Input volt: 12V DC

Sensitivity: 88±3db

Frequency: 60-20KHZ

Size(L*W*H): 220*100mm

Hole size: 185mm

Material: ABS

Loudspeaker unit: 5inches



618IP

Ceiling speaker

Power: 25W

Impedance: 8Ω

Sensitivity: 88±3db

Frequency: 60-20KHZ

Size(L*W*H): 240*110mm

Hole size: 205mm

Material: ABS

Loudspeaker unit: 6inches



518IP

Ceiling speaker

Power: 20W

Impedance: 8Ω

Sensitivity: 89±3db


Frequency: 65-20KHZ

Size(L*W*H): 220*100mm

Hole size: 185mm

Material: ABS

Loudspeaker unit: 5inches



568PA

Ceiling speaker

Power: 5-10W

Input volt: 70-110V

Sensitivity: 89±3db

Frequency: 80-20KHZ

Size(L*W*H): 190*65mm

Hole size: 170mm(±5)

Material: PP

Loudspeaker unit: 5inches



645PA

Ceiling speaker

Power: 15W

Input volt: 70-110V

Sensitivity: 89±3db

Frequency: 80-20KHZ

Size(L*W*H): 188*70mm

Hole size: 165mm

Material: ABS

Loudspeaker unit: 6inches



TS-301PA

Ceiling speaker

Power: 10W

Input volt: 70-110V

Sensitivity: 89±3db


Frequency: 90-20KHZ

Size(L*W*H): 105*75mm

Hole size: 85mm

Material: Iron

Loudspeaker unit: 3inches




TS-302PA Ceiling speaker

Power: 10W	Size(L*W*H): 180*55mm
Input volt: 70-110V	Hole size: 155mm
Sensitivity: 90±3db	Material: Iron
Frequency: 70-20KHZ	Loudspeaker unit: 5inches




TS-303PA Ceiling speaker

Power: 15W	Size(L*W*H): 200*55mm
Input volt: 70-110V	Hole size: 165mm
Sensitivity: 90±3db	Material: Iron
Frequency: 80-20KHZ	Loudspeaker unit: 6inches




TS-306PA Ceiling speaker

Power: 5-10W	Size(L*W*H): 180*60mm
Input volt: 70-110V	Hole size: 155mm
Sensitivity: 90±3db	Material: Iron
Frequency: 90-20KHZ	Loudspeaker unit: 5inches



TS-307PA Ceilingspeaker

Power: 10W	Size(L*W*H): 215*70mm
Input volt: 70-110V	Hole size: 185mm
Sensitivity: 90±3db	Material: Iron
Frequency: 70-20KHZ	Loudspeaker unit: 6inches



608IP

Ceiling speaker

Power: 20W

Impedance: 8Ω

Sensitivity: 88±3db

Frequency: 55-20KHZ

Size(L*W*H): 190*85mm

Hole size: 165mm

Material: ABS

Loudspeaker unit: 6inches



608PA

Ceiling speaker

Power: 10W

Input volt: 70-110V

Sensitivity: 88±3db


Frequency: 65-20KHZ

Size(L*W*H): 150*70mm

Hole size: 120mm

Material: ABS

Loudspeaker unit: 4inches



638PA

Ceiling speaker

Power: 25W

Input volt: 70-110V

Sensitivity: 87±3db

Frequency: 50-20KHZ

Size(L*W*H): 230*90mm

Hole size: 205mm

Material: ABS

Loudspeaker unit: 8inches



538IP

Ceiling speaker

Power: 25W

Impedance: 8Ω

Sensitivity: 88±3db

Frequency: 60-20KHZ

Size(L*W*H): 220*85mm

Hole size: 185mm

Material: ABS

Loudspeaker unit: 5inches



548IP

Ceiling speaker

Power: 30W

Impedance: 8Ω

Sensitivity: 88±3db

Frequency: 55-20KHZ

Size(L*W*H): 240*95mm

Hole size: 210mm

Material: ABS

Loudspeaker unit: 6inches



558IP

Ceiling speaker

Power: 25W

Impedance: 8Ω

Sensitivity: 89±3db

Frequency: 65-20KHZ

Size(L*W*H): 205*90mm

Hole size: 175mm

Material: ABS

Loudspeaker unit: 5inches



428

Fire speaker

Power: 3W-5W

Input volt: 70-110V

Sensitivity: 87±3db

Frequency: 90-20KHz

Size(L*W*H): 172*60mm

Material: ABS

Loudspeaker unit: 4inches



438

Fire speaker

Power: 3W-5W

Input volt: 70-110V

Sensitivity: 87±3db

Frequency: 50-20KHz

Size(L*W*H): 170*132*60mm

Material: ABS

Loudspeaker unit: 4inches



458

Fire speaker

Power: 3W-5W

Input volt: 70-110V

Sensitivity: 87±3db

Frequency: 50-20KHz

Size(L*W*H): 192*192*62mm

Material: ABS

Loudspeaker unit: 4inches



Loudspeaker unit

Power: 15W

Input volt: 70-120V

Frequency: 50Hz-20KHz

Size(L*W*H): 60mm*10mm

Material: Plastic

Support: play music and voice



HQ-120Z/130Z/140Z

Rated power: 20W/30W/40W

Rated voltage: 110V

Loudspeaker unit: 5inches×2 (120Z)

5inches×3 (130Z)

5inches×4 (140Z)

Size(L*W*H): 153*112*338mm (120Z)

153*112*458mm(130Z)

153*112*578mm(140Z)

Material: Grey metal body Black Aluminium net



HQ-220Z/230Z/240Z

Rated power: 20W/30W/40W

Rated voltage: 110V

Frequency: 80-16KHz

Color: black/white

Loudspeaker Unit: 4inches×2 (220Z)

4inches×3 (230Z)

4inches×4 (240Z)

Size(L*W*H): 130*125*340mm (220Z)

130*125*460mm(230Z)

130*125*580mm(240Z)



HQ-20P/30P/40P/60P

IP56

Rated power: 25W/35W/45W/60W

Rated voltage: 70-110V

Sensitivity: 92db

Max SPL: 100db/105db/110db/120db

Frequency: 80-16000Hz

Material: Al alloy

Product size: 330*160*135mm (20P)

450*160*135mm(30P)

590*160*135mm(40P)

710*160*135mm(60P)



HQ-60YC/80YC/100YC/120YC/160YC

IP56

Rated power: 60W/80W/100W/120W/160W

Rated voltage: 70-110V

Sensitivity: 92db

Max SPL: 100db/105db/110db/120db

Frequency: 80-16000Hz

Material: Al alloy

Product size: 700*210*140mm (60YC)

850*210*140mm(80YC)

1000*210*140mm(100YC)


1200*210*140mm(120YC)

1400*210*140mm(160YC)



HQ-20L/30L/40L

Volt output: 70-100V	
Productsize: 330*130*115mm (20L)	
450*130*115mm (40L)	
560*130*115mm (60L)	
Builtinspeakerunit: 4inches×2pcs (20L)	
4inches×3pcs (40L)	
4inches×4pcs (60L)	
Material: Grey metal body Black Aluminium net	



HQ-120L/140L

Volt output: 70-100V/70-90V	
Productsize: 310*83*90mm (120L)	
620*83*100mm (140L)	
Builtinspeakerunit: 2.5inches×2pcs+2inches Tweeter (120L)	
2.5inches×4pcs+2inches Tweeter (140L)	
Material: Grey metal body Black Aluminium net	

USB-5360

Digital amplifier



Power: 360W

Volt output: 70V/100V

Impedance: 4-16Ω

Frequency: 50-16KHz

Product size: 480*385*100mm

Product Weight: 12KG

Function: MP3/U Disk/SD Card/Bluetooth

USB-5180

Digital amplifier



Power: 180W

Volt output: 70V/100V

Impedance: 4-16Ω

Frequency: 50-16KHz

Product size: 480*355*100mm

Product Weight: 9KG

Function: MP3/U Disk/SD Card/Bluetooth

KB-200

Digital amplifier



Power: 200W+200W

Output method: 4-16Ω

Frequency: 20Hz(+3db)

Product size: 480*355*100mm

Sensitivity: 220mV±10mV

Function: U Disk/SD Card/Bluetooth/FM

KB-100

Digital amplifier



Power: 100W*2

Impedance: 4-8Ω

Frequency: 20Hz-48KHz

Voltage: AC220V/50Hz

Function: U Disk/SD Card/LINE/FM

USB-50

Digital amplifier



Power: 40W

Volt output: 110V

Impedance: 4-16Ω

Product size: 220*160*50mm

Product Weight: 1.2KG

Function: U Disk/SD Card/Bluetooth/FM

USB-100

Digital amplifier



Power: 100W(80%)

Volt output: 70V/100V

Impedance: 4-16Ω

Product size: 480*310*70mm

Product Weight: 5.5KG

Function: U Disk/SD Card/Bluetooth/FM



MP/8G/FM

Digital amplifier

Power: Single channel<1000W

Volt output: 220V

Support format: MP3\WMA\WAV

Product size: 480*330*90mm

Product Weight: 4.7KG

Function: U Disk/SD Card/Bluetooth/FM



KM-5100

Digital amplifier

Power: 100W+100W

Voltage: AC220V/50Hz

Impedance: 8Ω

Frequency: 20Hz-48KHz

Product size: 420*128*330mm

Function: U Disk/SD Card/Bluetooth/FM

ST-50

Digital amplifier



Product size: 260*200*65mm

Parameter description:

Fixed resistance amplifier, 2 channels,

2 microphone, A/B line

Switch left and right balance adjustment input, reverberation function,

Pitch and bass regulating power 2*50W

ST-80

Digital amplifier



Product size: 280*200*65mm

Parameter description:

Fixed Resistance amplifier, 4 channels,

2 microphone, A/B line

Switch left and right balance adjustment input, reverberation function,

Pitch and bass regulating power 2*80W



CP-1 Outdoor lawn speaker

Power: 25W

Sensitivity: 95db

Size(L*W*H): 36*36*40cm

Material: ABS



CP-2 Outdoor lawn speaker

Power: 25W

Sensitivity: 95db

Size(L*W*H): 36*36*40cm

Material: ABS



CP-3 Outdoor lawn speaker

Power: 25W

Sensitivity: 92db

Size(L*W*H): 39*35*42cm

Material: FRP



CP-4 Outdoor lawn speaker

Power: 25W

Sensitivity: 89db

Size(L*W*H): 54*38*53cm

Material: FRP



CP-5 Outdoor lawn speaker

Power: 25W

Sensitivity: 95db

Size(L*W*H): 48*28*66cm

Material: FRP



CP-6 Outdoor lawn speaker

Power: 25W

Sensitivity: 95db

Size(L*W*H): 32*32*40cm

Material: FRP



CP-7 Outdoor lawn speaker

Power: 25W

Sensitivity: 95db

Size(L*W*H): 45*32*28cm

Material: FRP



CP-8 Outdoor lawn speaker

Power: 25W

Sensitivity: 89db

Size(L*W*H): 26.5*26.5*33cm

Material: ABS



CP-9 Outdoor lawn speaker

Power: 25W

Sensitivity: 92db

Size(L*W*H): 37*23*25cm

Material: FRP




CP-10 Outdoor lawn speaker

Power: 25W

Sensitivity: 92db

Size(L*W*H): 40*31*32cm

Material: FRP



CP-11 Outdoor lawn speaker

Power: 25W

Sensitivity: 92db

Size(L*W*H): 52*29*25cm

Material: FRP




CP-12 Outdoor lawn speaker

Power: 25W

Sensitivity: 89db

Size(L*W*H): 32*26*33cm

Material: FRP



CP-13 Outdoor lawn speaker

Power: 25W

Sensitivity: 92db

Size(L*W*H): 31*21*42cm

Material: FRP



CP-14 Outdoor lawn speaker

Power: 25W

Sensitivity: 92db

Size(L*W*H): 41*40*62cm

Material: FRP



CP-15 Outdoor lawn speaker

Power: 25W

Sensitivity: 92db

Size(L*W*H): 94*23*64cm

Material: FRP



CP-16 Outdoor lawn speaker

Power: 25W

Sensitivity: 92db

Size(L*W*H): 32*32*78cm

Material: FRP



CP-17 Outdoor lawn speaker

Power: 25W

Sensitivity: 92db

Size(L*W*H): 49*43*42cm

Material: FRP



CP-18 Outdoor lawn speaker

Power: 25W

Sensitivity: 92db

Size(L*W*H): 31*25*47cm

Material: FRP



CP-19 Outdoor lawn speaker

Power: 25W

Sensitivity: 92db

Size(L*W*H): 18*18*75cm

Material: Aulimium alloy



CP-20 Outdoor lawn speaker

Power: 25W

Sensitivity: 92db

Size(L*W*H): 24*20*22cm

Material: FRP



CP-21grey Outdoor lawn speaker

Rated power: 10W

Maximum power: 25W

Rated input: 70/110V

Sensitivity: 92db±2db

Frequency: 92-1600KHz

Loudspeaker unit: 4inchesx1

Size(L*W*H): 225*225*255mm

Material: ABS

Inpacking: handle color box



CP-21Emerald Outdoor lawn speaker

Rated power:10W

Maximum power: 25W

Rated input: 70/110V

Sensitivity: 92db±2db

Frequency: 92-1600KHz

Loudspeaker unit: 4inchesx1

Size(L*W*H): 225*225*255mm

Material: ABS

Inpacking: handle color box



Scan to get more information